arXiv:astro-ph/0004053v2 4 Apr 2000

ApJ Supplements, Accepted

XID: Cross-Association of ROSAT/Bright Source Catalog X-ray Sources with USNO A2 Optical Point Sources

Robert E. Rutledge, Robert J. Brunner, and Thomas A. Prince
Division of Physics, Mathematics and Astronomy
MS 220-47, California Institute of Technology, Pasadena, CA 91107
rutledge@srl.caltech.edu, rb@astro.caltech.edu, prince@srl.caltech.edu

Carol Lonsdale
Infrared Processing and Analysis Center, Caltech/JPL, Pasadena, CA 91125
cjl@ipac.caltech.edu

ABSTRACT

We quantitatively cross-associate the 18811 ROSAT Bright Source Catalog (RASS/BSC) X-ray sources with optical sources in the USNO A-2 catalog, calculating the the probability of unique association ($P_{\rm id}$) between each candidate within 75″ of the X-ray source position, on the basis of optical magnitude and proximity. We present catalogs of RASS/BSC sources for which $P_{\rm id}$>98%, $P_{\rm id}$>90%, and $P_{\rm id}$>50%, which contain 2705, 5492, and 11301 unique USNO A-2 optical counterparts respectively down to the stated level of significance. Together with identifications of objects not cataloged in USNO A-2 due to their high surface brightness (M31, M32, ...) and optical pairs, we produced a total of 11803 associations to a probability of $P_{\rm id}$>50%. We include in this catalog a list of objects in the SIMBAD database within 10″ of the USNO A-2 position, as an aid to identification and source classification. This is the first RASS/BSC counterpart catalog which provides a probability of association between each X-ray source and counterpart, quantifying the certainty of each individual association. The catalog is more useful than previous catalogs which either rely on plausibility arguments for association, or do not aid in selecting a counterpart between multiple off-band sources in the field. Sources of high probability of association can be separated out, to produce high-quality lists of classes (Seyfert 1/2s, QSOs, RS CVns) desired for targeted study, or for discovering new examples of known classes (or new classes altogether) through the spectroscopic classification of securely identified but unclassified USNO A-2 counterparts. Low $P_{\rm id}$

associations can be used for statistical studies and follow-on investigation – for example, performing follow-up spectroscopy of the many low-mass stars to search for signatures of coronal emission, or to investigate the relationship between X-ray emission and classes of sources not previously well-studied for their X-ray emissions (such as pulsating variable stars).

We find that a fraction ∼65.8% of RASS/BSC sources have an identifiable optical counterpart, down to the magnitude limit of the USNO A-2 catalog which could be identified by their spatial proximity and high optical brightness.

Subject headings: catalogs — X-rays: general

1. Introduction

The ROSAT Bright Source Catalog (BSC; Voges et al. 1996; Voges et al. 1999) contains positions, X-ray countrates, and spectral information of 18811 X-ray sources with countrates >0.05 c/s, observed during the ROSAT All-Sky-Survey (RASS).

Efforts to identify the sources of X-ray emission with counterparts in other wavebands are hampered by source confusion. The error-region of the RASS/BSC sources average $\sim 12''(1\sigma)$, which can contain several candidate objects, any of which may be the source of X-rays.

To date, most efforts to identify the X-ray sources with parent populations – usually, optical sources – have been targeted toward sub-groups of known X-ray emitting populations, such as coronal X-ray sources (Berghoefer et al. 1997b; Huensch et al. 1998a; Huensch et al. 1998b; Huensch et al. 1999); AGN/QSOs (Thomas et al. 1998; Beuermann et al. 1999); OB stars (Berghoefer et al. 1996; Berghoefer et al. 1997a; Berghoefer et al. 1997b; Motch et al. 1997a; Motch et al. 1997b); and high galactic latitude spectrally soft sources (Thomas et al. 1998). As part of a larger effort to identify QSOs, a general spectroscopic survey has also identified stellar type-sources (Bade et al. 1995; Bade et al. 1998).

Many of these associations – though not all – have been based upon an argument of plausibility. In the plausibility method, one typically performs imaging photometry and spectroscopy of objects within the X-ray error-box, and finds a plausible counterpart among these; a counterpart is usually considered plausible if the candidate object's class is previously known to emit X-rays, and if the properties (such as magnitude, or implied $L_{\rm X}/L_{\rm opt}$) are consistent with those previously observed from other objects within its class. This method is useful when the parent population is known and rare (much less than one object per average

X-ray error-box size). However, this method will not discover X-ray sources independent of object classification. In addition, some of the studies which rely upon plausibility do not measure the level of background contamination, while others do not evaluate the limiting $P_{\rm id}$ (the lowest probability of unique identification a prospective counterpart can have, and still be included in the catalog). None provide a $P_{\rm id}$ for each cross-identification, which makes it impossible to quantitatively evaluate the quality of a purported association in future work.

In Table 1, we list previous works which catalog $\gtrsim 100$ optical counterparts to RASS/BSC objects, or which sought RASS/BSC counterparts for a particular class of sources. The table includes: (1) the reference; (2) brief description of the cross-identification catalog; (3) the number of cross-identifications found and the estimated number of mis-identified (background) sources in the cross-id list ($N_{\rm bkg}$); (4) a brief description of the identification algorithm used; (5) and the probability of unique association ($P_{\rm id}$) between the X-ray source and candidate counterpart at the identification limit of the catalog.

For several of these works, no estimation of the probability of cross-identified sources being background sources at the detection limit was given. Of those which do, a probability of confusion with background (that is, unassociated) sources of $\sim$50% is a common limit (below which, the identified counterpart is more likely to be an unrelated background object than actually associated with the X-ray source. An extensive comparison with several published and unpublished cross-identification catalogs was made in Table 3 of the RASS/BSC work (Voges et al. 1999, V99 hereafter) (for a total of $\sim$17,000 sources), which we discuss more completely in Sec. 5. We include, for comparison, the results of the present work.

We have undertaken a project of off-band identification of ROSAT/BSC X-ray sources – XID. The goal of this project is to provide a catalog of cross-identifications, which provides the probability of unique identification ($P_{\rm id}$) between the off-band counterpart for all RASS/BSC sources.

We have additional motivation for performing the present work. Future databases of sources – both in the X-ray and in other bands – will and already do contain 10^5-10^9 objects. This is too great a number of objects on which to perform non-automated methods for identifying counterparts. We therefore develop and use an automated method for identifying cross-band counterparts, which can be further adapted and used in future studies.

We present the method and results of a statistical cross-identification between RASS/BSC and USNO A-2 catalogs, producing a high, medium, and low-quality cross-identification list. We summarize these results, and provide a short discussion on the content of the cross-identification catalog. These catalogs are given in the appendix.

2. Method

2.1. Data Selection

We began with the full ROSAT Bright Source Catalog (V99), of 18811 X-ray sources. We use the source name, position (RA and Dec.), and positional uncertainty. For 57 of these sources, the catalog positional uncertainty was given as $0''$, for various reasons specific to the source detection algorithms; we adopt, for these objects, positional uncertainties of $30''$. This makes up our X-ray source list.

We extracted from the USNO A-2 catalog[1], the positions and B magnitudes of all those sources which were within $75''$ of the X-ray source positions. These sources make up the cross-identification candidate list, the contents of which are: (1) the name of the RASS/BSC source; (2) the positional uncertainty of the RASS/BSC source in arcsec; (3) the name of the candidate USNO A-2 object; (4) the distance between the RASS/BSC and USNO A-2 source positions in arcsec; (5) and the B magnitude of the USNO A-2 object.

We also extracted from the USNO A-2, for each X-ray source field, ten background fields, each $75''$ in radius. These background fields were offset in RA from the X-ray source position, by $n{\times}150''$, for $n = [-5, -1]$ and $n = [1, 5]$, five to the east and five to the west. These sources make up the background list.

In Fig. 1, we compare the distributions in B magnitude, between the cross-identification list and the background list. There is a clear excess of objects in the source fields at $B < 17$, indicating associated optical sources in this magnitude range. There is a deficit of objects at faint magnitudes ($B > 20$). We can think of no astronomical reason why there might be fewer faint optical objects in our source fields, but we have found that, in fields which contain bright objects ($B < 14$), there are fewer faint objects ($B > 18$) than in fields which do not contain such bright objects; it therefore seems likely that the deficit of faint objects in our source fields are due to the excess of bright objects. As our method is tuned to select for the brightest objects in the field, this will not affect our results.

In Fig. 2, we compare the distribution between the field center and optical objects for source fields (where the X-ray position is the field center) and background fields (where there is no X-ray source at the field center. There is an excess of objects in X-ray source fields within $20''$ of the X-ray source position, and no excess of sources at greater separations. Thus, there is a tendency for there to be bright objects in close positional association with the X-ray sources, simply through comparison of the optical object characteristics in source

[1]http://ftp.nofs.navy.mil/projects/pmm/a2.html

fields and background fields.

2.2. Method of Calculating of the Probability of Unique Association ($P_{\rm id}$)

The applied method of cross-association is based on a method described elsewhere (Lonsdale et al. 1998). This method is similar to one previously employed (Sutherland & Saunders 1992, and references therein), but handles systematic uncertainties in the measured source characteristics through statistical comparison between "on-source" and background fields, whereas these previous methods assumed perfect knowledge of source characteristics. We here repeat essential parts of this method, expanding upon particular modifications of the original method as used in the present application.

We begin with the catalog of N_x X-ray sources. We consider for each X-ray source the M candidate USNO A-2 objects in the cross-identification catalog. For the ith counterpart candidate, we calculate a likelihood ratio – a likelihood of association between the optical object and the X-ray source – through a specified likelihood ratio method (LR), which we take to be like a product of probabilities:

$$LR_i = \Pi_j P_j(x_i) \tag{1}$$

where P_j is a normalized probability distribution of some property x of the ith counterpart candidate. The functions P_j can be – in principle – any function of the properties x_i; however, the results depend intimately upon the form of the functions chosen, so they must be considered carefully. By selecting functions P_j which are ratios of the *a priori* distributions of true counterparts to distributions of background sources, the product LR_i has a number of useful properties. Most importantly, LR will be high (on average) for true counterparts and low (on average) for background sources. This permits the true counterparts to cluster at high LR values, which is desirable for a reason which will become clear.

In the present case, we adopt a Gaussian distributed positional coincidence for sources and an expectation that the counterpart be very bright (low magnitude), the LR for the ith optical source is:

$$LR_i = \frac{\exp -r_i^2/2\sigma_i^2}{\sigma_i \; N(< B_i)} \tag{2}$$

where r_i is the distance to the USNO A-2 object from the X-ray source position in arcsec, σ_i is the uncertainty in the source positions (which we approximate in this case as the uncertainty

in the ROSAT/BSC source position, which is 12.7″on average, and is typically between 5-25″, Gaussian distributed ; Voges et al. 1999), and $N(< B)$ is the absolute number of sources in the background list with magnitude less than some value B, and B_i is the magnitude of the ith source (in the present comparison, we use the USNO A-2 B magnitude).

The LR value is calculated for objects in the source fields and the background fields. Following this, we calculate a Reliability R of identification as a function of likelihood ratio:

$$R(LR_i) = \frac{N_{\rm true}(LR_i)}{N_{\rm true}(LR_i) + N_{\rm false}(LR_i)} \tag{3}$$

which is the ratio of the number of true associations to the sum of the true and false associations, as a function of the LR of those identifications. $R(LR_i)$ is the binomial probability that a optical/X-ray source pair with a specific value of LR is a true association, and that the optical source is not an unrelated background source. This is the probability which some previous catalogs (cf. Table 1) quote as the limiting probability.

The probability R does not, however, include the probability that another object in the field of view could instead be the counterpart – that is, while the probability R of an X-ray/optical pair does state the probability of association, it may well be that there are other sources in the field of view which are just as likely to be an association. In other words, the X-ray/optical association is not *unique*.

We now calculate: (1) the probability that a particular X-ray source has no associated optical source in the USNO A-2 catalog ($P_{\rm no-id}$); and (2) the probability that an optical source i is the *unique* association with the X-ray source ($P_{\rm id,i}$).

For a particular RASS/BSC X-ray source, there will be M USNO A-2 objects under consideration as the possible *unique* association, for which we have already calculated M probabilities (R) for association between the X-ray source and each optical source. We now impose a set of $M+1$ exclusive and complete hypotheses, and calculate probabilities of these hypotheses being true, using the probability of X-ray/optical associations R. The hypothesis are:

Hyp. $i...M$ The ith optical source is uniquely associated with the X-ray source, and none of the other X-ray sources are associated ($P_{\rm id,i}$).

Hyp. $M+1$ None of the M optical sources are uniquely associated with the X-ray source ($P_{\rm no-id}$).

Since $R(LR_i)$ is the binomial probability that the ith object is associated with the X-ray source, the probability that *none* of the M objects are associated with the X-ray source is:

$$P_{\rm no-id} = \frac{\Pi_{j=1}^{M}(1-R_j)}{S} \tag{4}$$

where S is a normalization, specific to each X-ray source, which we define below. The probability that the X-ray source, then, has an optical counterpart in the USNO A-2 catalog is $1 - P_{\rm no-id}$.

For each X-ray source in the source catalog, the probability of the association with the ith optical source:

$$P_{\rm id,i} = \frac{\frac{R_i}{1-R_i}\Pi_{j=1}^{M}(1-R_j)}{S} \tag{5}$$

(S, again, is defined below). This is the product of the probability (R_i) that the ith optical object is associated with the X-ray source and is not a background source, and the probability that all other $j(\neq i)$ optical sources in the field are *not* associated with the object and are background sources.

S is a normalization specific to each X-ray source such that the $M+1$ hypotheses form a complete set: $P_{\rm no-id} + \Sigma_{i=1}^{M} P_{\rm id,i} = 1$:

$$S = \Sigma_{i=1}^{M} \frac{R_i}{1-R_i}\Pi_{j=1}^{M}(1-R_j) + \Pi_{j=1}^{M}(1-R_j) \tag{6}$$

$P_{\rm id,i}$, $P_{\rm no-id}$ are now defined as functions dependent only upon values of $R(LR)$. Since $P_{\rm id,i}$ and $P_{\rm no-id}$ are dependent only upon the sums and products of $R(LR)$, they too will converge as $R(LR)$ does, according to the central limit theorem.

For each ith optical source, the value $P_{\rm id,i}$ is always less than $R(LR_i)$. This is because there can be more than one (even, many) optical source with a high value of R associated with an X-ray source, but the set of hypotheses above excludes the possibility that more than one of these is associated with the X-ray source (for example, binary stellar systems, galaxy clusters, or many bright optical sources in nearby open clusters).

Finally, we can calculate the "quality" of an association catalog, which we denote by Q:

$$Q = \langle 1 - P_{\rm no-id} \rangle \tag{7}$$

The value of Q is the fraction of the initial X-ray catalog which has an association in the cross-ID optical catalog. It is dependent only on the presence of potential counterparts

in the USNO A-2 catalog.

It is possible to formulate an approach in which more than one optical source is associated with the X-ray source, and we apply one approach (for binary systems) in § 2.4. However, this can quickly become a (restrictively) computationally intensive problem, as the approach requires producing source pairs, triplets, etc., and therefore the number of combination objects grows as the combination factor (a factorial). For example, there can be 15 possible optical sources in the field of an X-ray source. To consider only a unique identification, there are only 15 data objects (the X-ray/optical pair). To consider possible binary identifications, there are $15!/(15-2)!/2!= 105$ data objects; to consider triplet identifications, there are $15!/(15-3)!/3! = 455$ data objects, and so on.

The means of quantifying the fraction of sources which do not fit exactly into the unique association/no association hypotheses is through S (Eq. 6). S is the sum of all probabilities in the unique association/no association hypotheses, and therefore, the average value of S (over all X-ray sources) is the average probability that one of the $M+1$ hypothesis is satisfied; $1-S$ is then the probability that none of the hypotheses are satisfied. See § 3.3 for the quantitative estimation of $\langle 1-S \rangle$.

The values and meaning of R and $P_{\rm id}$ are different, and should be viewed differently. The value of R is the binomial probability of association between the X-ray source and the USNO A-2 object – or of any USNO A-2 object of that B magnitude and the same angular distance from the X-ray source. It is possible that more than one USNO A-2 source in the same field have high reliability (e.g. R=0.999). This could occur for example, if a counterpart is one star of a binary of equal magnitude; or if the counterpart is a star in a crowded open cluster, and in which there may be many examples of similarly optically bright sources; or if the plate-scanning detection algorithm finds a saturated star and does not correctly subtract all the flux, leaving residuals in which a second "star" is found. Thus, while a high value of R does mean the source is unusual in background fields (and therefore probably associated with the X-ray source) it does not account for confusion – the fact that any number of sources in the field can have similarly high R, due to astronomical or systematic considerations. By calculating $P_{\rm id}$ (Eq. 5), we find the probability that a particular object is associated, and that *none of the other objects in the field* are associated. In this way, $P_{\rm id}$ accounts for confusion, while R does not. Note that in all cases, $P_{\rm id} \leq R$.

2.3. Practical Calculation of the Probabilities

After defining the probabilities above, we now go about estimating them. The sum of the number of true associations and false associations (cf. Eq. 3) is the total number of objects (per field) in source fields, with the value LR:

$$N_{\rm true}(LR) + N_{\rm false}(LR) = N_{\rm source}(LR) \tag{8}$$

We also observe the number of false associations as the total number of objects (per field) in background fields with the value LR:

$$N_{\rm false}(LR) = N_{\rm background}(LR) \tag{9}$$

Using these observed quantities, we estimate the Reliability as a function of LR:

$$\tilde{R}(LR) = \frac{N_{\rm source}(LR) - N_{\rm background}(LR)}{N_{\rm source}(LR)} \tag{10}$$

where we use $\tilde{R}(LR)$ to indicate the calculated approximation of $R(LR)$ (Eq. 3). In calculating $\tilde{R}(LR)$ it is necessary to generate sufficient numbers of objects so that the uncertainty in values of $N(LR)$ is small, and so that $\tilde{R}(LR)$ will converge according to the central limit theorem. We used LR bin-sizes of $\log LR$=0.5 (full width), in a running sum, centered around the source LR value, except at the high and low ends of the LR distribution, where we used a single LR bin between the highest value of $\log LR$ and $\log LR - 0.5$. If we found that the bin-size was insufficient to establish $\tilde{R}$ to better than 0.01 (assuming Gaussian counting statistics) or there were fewer than 1000 sources (from the source field) in a bin, we doubled the bin-size until there were sufficient numbers of objects to meet this criterion. Finally, $\tilde{R}(LR)$ should be a monotonically decreasing function of LR for low values of LR (where background sources dominate). We chose to set $\tilde{R}(LR) = 0$ for all values $LR < LR_0$, where LR_0 is the greatest value where $\tilde{R}(LR) = 0$. This is equivalent to removing from analysis the candidate associations which are considered unlikely counterparts according to our criteria. In the present analysis, $\log LR_0 = -10.31$.

In Fig. 3, we show the calculated LR and R values upon which the identifications are made. In the top panel, there is an excess of sources with high LR in the on-source fields compared to the background fields. As per Eq. 10, this excess of sources at high LR produces the high Reliability (lower panel) for these objects (lower panel). The excesses are

statistical – it is the fact that there are excess in significant numbers above that expected from background fields produces secure identifications.

We then assign the estimated $\tilde{R}(LR)$ to the X-ray/optical pairs of value LR. From these $\tilde{R}$, we estimate the probability of unique association according to the method in § 2.2.

To estimate the uncertainty in the resulting $P_{\rm id}$ (where we have suppressed the subscript i for brevity) and $P_{\rm no-id}$, we propagate the uncertainty in the *background* objects, taken to be small and Gaussian, which is a reasonable assumption under the conditions that the LR bin from which $\tilde{R}$ is calculated has either $N_{\rm source}(LR) \gg N_{\rm background}(LR)$ or $N_{\rm background} \geq 100$ which for all our bins in the present analysis is true. We show in our results section the estimated uncertainty in $P_{\rm id}$, as a function of $P_{\rm id}$.

We applied three different probability criteria, to produce three catalogs of different quality: $P_{\rm id}{\geq}98\%$, $98\%{>}P_{\rm id}{\geq}90\%$, and $90\%{>}P_{\rm id}{\geq}50\%$.

2.4. Identifying Binary Counterparts

In some cases, there may be two or more potential counterparts in the source field, for which the calculated Reliability is high, but the $P_{\rm id}$ is low. This will occur if, for example, the counterpart is a bright ($B = 3.0$) binary. Both resolved stars could have high Reliabilities (say, 0.9999), but the $P_{\rm id}$ for both would be close to 0.5; either may be the counterpart, but the algorithm above places high $P_{\rm id}$ only when the source is unlikely to be a background object, *and when there are no other sources in the field which also are unlikely to be a background object*, the latter condition being violated in the case of a bright binary pair.

One possible, but flawed, solution to this problem is to use the Reliability as the indicator of a counterpart. However, this does not take into account the likelihood of finding a bright source near another bright source – such as occurs in open clusters, or in binaries. A second flawed approach is to use the values found for R to calculate the probability of finding two objects, each of high R, in a single image. However, this assumes the values of R to be independent which, among source fields which are clusters of objects, is not true.

Thus, we modified the above method to apply it for the special case of binaries. For each object, we first calculate a likelihood ratio for each pair in the "candidate binary counterpart" (compare with Eq. 2):

$$LR_{i,j} = LR_i \times LR_j \tag{11}$$

This is done for each paired combination of sources in the source field, and in the background fields, after which, the method described for single sources applies as described above, resulting in a list of probability of identification $P_{\rm id}$ for each pair of objects in the field, a probability of no-identification $P_{\rm no-id}$ for each X-ray source (the probability of finding a binary counterparts in the field), and a Q value (Eq. 7). Finally, we excluded from binary-identifications those RASS/BSC sources for which a single-object identification with $P_{\rm id}$>50% was already found.

2.5. Assumptions Implicit in the Quantitative Cross-ID Method

There are a few assumptions which are implicit in the described association method. We describe these here.

First, the method of determining the value of LR (Eq. 1) contains all the astronomical assumptions about the nature of the counterparts. As such, this method finds counterparts only when the observational characteristics of these counterparts are previously assumed. We have assumed that the optical counterparts will be among the brightest optical point-sources observed, and that these sources are spatially coincident with the X-ray counterpart. In other applications, one might assume that a specific $f = L_x/L_{\rm opt}$ ratio would pick out the kinds of X-ray/optical sources expected, and in that case one can fashion a LR method which would produce a high value of LR near the specified value of f, for example:

$$LR_i = \frac{\exp\left(-r_i^2/2\sigma_i^2\right)}{\sqrt{2\pi}\sigma_i} \frac{\exp\left(\frac{-(f_i-f_0)^2}{2\sigma_0^2}\right)}{\sqrt{2\pi}\sigma_0} \tag{12}$$

where f_i is the ratio $L_x/L_{\rm opt}$ of the ith object, f_0 is an average ratio, and σ_0 is related to the width in f observed sources are expected to display, and all other values are as defined for Eq. 2. In the method we define in Eq. 2. we are therefore searching for a population of counterparts which are both within the error-region of the X-ray source, and which have high B-band fluxes. This will, quite naturally and as we intend, find a particular class of counterparts, which will therefore have these properties of spatial coincidence and optical brightness. Other classes of counterparts can be found with different definitions of LR.

Second, the method implicitly assumes that the properties of background objects in the source field – the brightness distribution and source density – are identical to those of the background field. This is not necessarily the case, and can affect the calculated probabilities. For example, X-ray sources such as Young Stellar Objects are often found (as we do here) in open clusters of angular size comparable to or smaller than a RASS/BSC error region. Open

Clusters have higher source densities than an average background field. A higher number of unrelated objects in a source field produces more sources with higher R, which will decrease the $P_{\rm id}$ of a particular counterpart (cf. Eq 5). We have attempted to overcome this problem in the case of binary counterparts, by adding an analysis which will find pairs of objects; this does not address, however, counterparts with several objects in the field, such as open clusters or galaxy clusters. The means of completely overcoming this downward-bias on $P_{\rm id}$ is superior X-ray localizations, which we cannot obtain for a one-of-a-kind catalog such as the RASS/BSC. Thus, this bias exists in the catalogs we present.

Third, the method demonstrates an *association* between an X-ray source and the optical counterpart – but it does not demonstrate unique *identification*. For example, if an X-ray source happens to be an optically faint galaxy in a rich galaxy cluster of an angular size comparable to or less than a RASS/BSC error region, this method will likely pick out the brightest galaxy in the cluster as the associated object (if, indeed, the galaxy is bright enough to warrant such association), whereas the brightest galaxy is not the X-ray emitter at all. It is, however, associated with the X-ray emitter through their joint association with the cluster. Another example: the X-ray source may be hot X-ray cluster gas, which is not observed optically (at least, not in USNO A-2); again, this method will pick out the brightest galaxy in the cluster as the associated object, when it is not the X-ray source at all. Thus, systematic biases of the type where optically bright sources tend to cluster with (optically faint) X-ray sources, producing a – by our analysis – statistically significant association may very well exist in our catalog; indeed, given the known types of X-ray sources, it seems likely that they do exist in our catalog. These types of biases must be considered when interpreting the values of $P_{\rm id}$ assigned to an association. As an aid to evaluating these types of biases, we have included all objects in the SIMBAD databases which are within $10''$ of the identified USNO A-2 counterpart.

3. Results

There were 18754 RASS/BSC objects which had 321144 possible counterparts in a total of 24.8944 sq deg, for a source density of 12900±23 source/sq deg in the counterpart catalog.

There were 57 RASS/BSC objects for which no optical sources were found in the USNO A-2 catalog within $75''$ of the X-ray source position. We visually inspected the DSS survey[2] images at these locations, and found that in 30 cases, the field contained a very bright, extended object (galaxies, globular clusters, or saturated star), such as M31, M82,

[2]http://archive.stsci.edu/dss/

M27, M63, or M60. Almost certainly these regions were excluded from USNO A-2 scanning due to their extended, high surface brightness emission. Although we have not quantitatively calculated their association probability, we confidently identify them as counterparts to the X-ray sources, estimating $P_{\rm id}$=0.9998. (We estimate this probability, assuming 1000 such objects in the sky, with average radii of $3'$, which thus covers 0.02% of the total sky). For the number of RASS/BSC objects, we expect a background contamination of ∼1. These objects are listed separately, in Table 2, along with their identification.

In other fields, there are high surface-brightness regions, likely due to nebulae or perhaps plate defects; there are some fields which appear to contain many point sources, which we would think USNO A-2 scanning should have separately found; and, there are some regions where there are clearly no detected optical point sources at all. These last make attractive fields for further study, to find optically faint/X-ray bright sources such as isolated neutron stars, distant quasars, or field LMXBs. We compile a listing of these remaining fields in Table 3. In two of these fields, no background objects were found either, although the DSS reveals a large number of suitable optical counterpart candidates, likely implying that these fields are not included in the USNO A-2 catalog.

A total of 184446 background fields were searched, finding 3011309 objects in the background catalog, in 244.8373 sq degrees, for a source density of 12299±7 objects per sq degree. This makes for a surplus of $(12900 \pm 23 - 12299 \pm 7) * 24.8944 = 15000 \pm 600$ optically associated objects in the cross identification catalog, on the basis of field density alone. Since some X-ray sources are bright optical binaries, or young-stellar-objects associated with open clusters, or galaxy clusters, some of these excess objects are likely to be due to higher than average field densities, though it is difficult to estimate the magnitude of this effect.

In Fig. 4, we show the cumulative distribution of the X-ray source probability of identification (Eq. 4). This is the probability of an individual X-ray source to have an optical counterpart among the several USNO A-2 objects within its field. There are 1184 RASS/BSC sources (∼6%) which have at least one USNO A-2 source in the field, but which is either too faint or to distant to be considered a possible counterpart in this analysis. Approximately ∼39% of the RASS/BSC sources have a probability of identification >90%, and ∼67% have better than a 50% probability of having an optical association within USNO A-2.

For comparison purposes, we performed the above analysis on 10% of our background fields, using them as "source fields" and comparing these to the other 90% of our background fields. In Fig. 5, we show the distributions of $P_{\rm id,i}$ for all sources within the actual source fields, compared with the $P_{\rm id,i}$ derived from objects in the background (comparison) field. The distributions are substantially different, with no objects found with $P_{\rm id}$>10% in the comparison field. This is because (as expected) there are no significant excess number of

objects found with high LR in the comparison fields over the number found in similar background fields, to the limit of the precision of the number statistics ($\lesssim$6%). This subsequently produces values of $R \lesssim (1.06 - 1.0)/1.06 \sim 6\%$, which is then the highest possible value of $P_{\rm id}$ for sources in the background field, explaining why no sources with $P_{\rm id}$>10% are found in the background field. This comparison clarifies that an object for which $P_{\rm id}$=80% (for example) does not imply that, if we were looking *only* in completely the wrong areas, there would be a 20% chance of finding a source with this $P_{\rm id}$value.

The plateau in the source field distribution near $P_{\rm id}$=0.5, which drops at $P_{\rm id}$=0.6 is likely due to binary sources; a consequence of our applied method is that two very bright sources in the field, which alone would make them a likely counterpart, together mutually exclude each other.

We also investigated what would occur if we used spatial correlation alone – ignoring the brightness distribution of sources. This was done by altering the LR equation, to include only the component based on r and σ, and performing the analysis otherwise as described. We find zero, zero, and 5413 sources with $P_{\rm id}$>98%, 90%, and 50%, respectively. Compared with the 2705, 5492, and 11301 we find when we do take B into account, this demonstrates that a substantial improvement in the statistical certainty of the identified counterpart is made when using more than just spatial information.

3.1. The Catalogs: $P_{\rm id}\geq$98% Catalog, 90% Supplementary Catalog, and 50% Supplementary Catalog

We summarize in Table 1, along with the results of previous studies, the number of cross-identified objects in each of the 3 cumulative catalogs, the estimated number of misidentified objects, and the probability of unique association at the limit of each catalog.

We find 2705 single USNO A-2 objects with $P_{\rm id}\geq$98%, for an identification rate of 14.4%. Based on the probability of identification for these sources, we expect a total of $N_{\rm bkg}\sim$18 (0.7%) are mis-identified as associated with the X-ray sources. The number of misidentified sources is found:

$$N_{\rm bkg} = N - \Sigma_i P_{{\rm id},i}. \tag{13}$$

We searched the SIMBAD database for objects within 10″ of the identified USNO A-2 counterpart, for possible identification of these optical objects and to obtain information about the environment of the cross-identified USNO A-2 source; we provide the results of this

search in the catalog tables. The 10″ radius was chosen to account for (some) proper motions of stars, and for astrometric uncertainty. This will account for stars with proper motion <0.274″/yr comparing observational epochs 1955.0 (for the POSS I sources at declinations above −17°, as included in USNO A-2) and 1991.5.

We systematically excluded from this list the 1RXS sources themselves, although we note when a SIMBAD-listed object was also listed as the 1RXS source. These lists often include objects which are likely not the X-ray sources themselves (such as HII regions); however, including them may help elucidate the nature of the identified USNO A-2 counterpart.

In the supplementary catalog of sources with 98% $>P_{\rm id}\geq$90% (the 90% Supplementary Catalog), we find an additional 2787 single sources, for a total $P_{\rm id}\geq$ 90% identification rate of 29.2%. Based on the probability of identification for these sources, a total of $N_{\rm bkg}\sim$137 (5.0%) of the supplementary catalog are mis-identified as the counterpart to the X-ray sources; and a total of 155 (2.8%) of the combined 98% plus 90% Supplementary catalogs are mis-identified as associated with the X-ray sources. This Catalog, plus the $P_{\rm id}>$98% Catalog, forms the $P_{\rm id}\geq$90% Catalog.

Finally, in the supplementary catalog of sources with 90% $>P_{\rm id}\geq$50% (the 50% Supplementary Catalog), we find an additional 5809 single sources, for a total $P_{\rm id}>$50% identification rate of 60.0%. Based on the probability of identification for these sources, we expect a total of $N_{\rm bkg}\sim$1879 (32%) of the supplementary catalog are mis-identified as the counterpart to the X-ray source. This Catalog, plus the 90% Supplementary Catalog and the $P_{\rm id}>$98% Catalog, forms the $P_{\rm id}\geq$50% Catalog. While the counterparts in this catalog are of potentially useful confidence (1 out of every 2 is the optical counterpart at the limit of the catalog, with increasing prevalence for higher $P_{\rm id}$), we include these sources largely for completeness, for statistical surveys, and for comparison for future work. Since the $P_{\rm id}$ is dependent *only* on the proximity to the X-ray source and optical magnitude relatively rare objects which are identified with the USNO A-2 counterpart either by SIMBAD or in other work may be considered as potential counterparts. In this context, "relatively rare" means (roughly) fewer than 1 in 11301 optical sources at the quoted USNO A-2 magnitude per full sky. We do not list those RASS/BSC sources which only have potential counterparts with $P_{\rm id}<$50% from this analysis.

In Fig. 6, we show the distributions of USNO A-2 B and r (RASS/BSC X-ray source–USNO A-2 source separation) for the $P_{\rm id}\geq$98%, the 90% Supplementary Catalog and 50% Supplementary Catalog. The $P_{\rm id}\geq$98% sources are largely limited to saturated and $B<12$ magnitude, while the greatest number of 90% Supplementary sources are between 11-14 magnitude. In positional certainty, the catalog of lesser likelihood has counterparts which are, on average, more distant than the closer such counterparts; even so, >90% of the found

associations are within 16″.

In Fig. 7 is the distribution of formal statistical uncertainties in the $P_{\rm id}$ values, for sources with $P_{\rm id}$>0.9, and sources with 0.9 >$P_{\rm id}$> 0.5. The high probability sources ($P_{\rm id}$>0.9) have an absolute uncertainty of <0.01 for 95% of the sources, and <0.004 for 65% of the sources. This means the sources identified with $P_{\rm id}\geq$0.98 are distinguished from sources of lower $P_{\rm id}$with approximately 0.005 resolution. Objects with lower significance (0.9 >$P_{\rm id}$> 0.5) mostly have absolute uncertainties in the 0.01-0.03 range.

3.2. Binary Counterparts

Before excluding RASS/BSC objects which already have counterparts in the single-source catalogs, we found 317, 619, and 3550 binary counterparts in $P_{\rm id}\geq$98%, 98%>$P_{\rm id}\geq$90%, and 90%>$P_{\rm id}\geq$50%, respectively. After excluding, we are left with 6, 25, and 441, respectively, for a total of 472 new associations.

5 of 6 of the 98% sources are listed as binaries or cluster members in the SIMBAD database, the exception being the USNO A-2 identifications of 1RXSJ041003.0+863735, which are a pair of stars of nearly equal magnitude (B=11.4,11.5), separated by 5 ″; the sole nearby optical source in SIMBAD is listed as a single F5IV star (HD 22701), with B=6.2.

Inspection of Digital Sky Survey[3] images of a few randomly selected optical sources identified as a binary association reveals that some do not appear as convincing binaries at all, but may have been split into two by the scanning/detection algorithm of USNO A-2. However, while the association itself may not be a binary source, such objects still indicate a significant association, at the quoted $P_{\rm id}$ level, as USNO A-2 should contain as many such false-splits in background fields as in on-source fields. Thus, the lists of "binary" counterparts should not be taken to imply that the identified optical binary pair are a physical binary, or even a pair of related objects ; it only implies that USNO A-2 scanning/detection algorithm split the plate-scan into two objects, and that our method finds that the presence of these two objects in the RASS/BSC field is statistically unlikely by serendipity alone. This does, however, require that USNO A-2 magnitudes be viewed critically.

[3]http://archive.stsci.edu/dss/

3.3. Multiplet Counterparts

We found an average value $\langle 1 - S \rangle = 0.272$ (see § 2.2), which indicates that ∼27.2% of the RASS/BSC X-ray sources do not satisfy the unique association/no unique association hypothesis. Alternative hypothesis to explain these sources include multiplet (double, triple, or more) counterparts, where more than one USNO A2 object is associated with the X-ray source.

3.4. What Fraction of the RASS/BSC Sources have USNO A-2 Counterparts?

We find a value of Q=65.2% (Eq. 7), which means that (on average) 34.8% of the RASS/BSC X-ray sources have no optical counterparts in the USNO A-2 catalog. This number might be affected by our method of setting $R = 0$ for all $LR < LR_0$, where LR_0 is the highest LR value where $R = 0$. To derive an upper-limit to the fraction of RASS/BSC X-ray sources which have counterparts in the USNO A-2 catalog, we re-performed the analysis, instead setting all values of $R = 3\sigma_R$ for all $LR < LR_0$. The exact value of σ_R depends on the number of objects in each LR bin, but it is in all cases $\leq$0.03; from this, we place a 3σ upper limit on the fraction of RASS/BSC X-ray sources with optical counterparts in the USNO A-2 Catalog identifiable through the present method (searching for bright, nearby sources) at $Q \leq$72.2%.

For a limit of $B = 19$, with a corresponding flux of $1.6{\times}10^{-13}$ erg cm^{-2} s^{-1} (assuming a flat spectrum; Zombeck 1982) for the USNO A-2 and assuming a value of $F_X{=}5{\times}10^{-13}$ erg cm^{-2} s^{-1}per RASS counts s^{-1}(cf. V99) at the limit of the RASS/BSC catalog, this is a limit of $F_x/F_{\rm opt} \approx 3$. This limit is comparable to values obtained from AGN, galaxies, and clusters (cf. Fig. 13, V99) but well above those from stars. Thus, the remaining (unidentified) sources may well be faint extra-galactic sources. However, another potential population which may contribute to the unidentified sources are isolated neutron stars (INSs), which have $F_x/F_{\rm opt}$ $\approx 4{\times}10^4$, and it remains an open question what fraction of the RASS/BSC is composed of these objects (two RASS/BSC sources have been identified as INSs; Walter et al. 1996; Haberl et al. 1997), although a greater number of such objects was expected (Blaes & Madau 1993).

4. Source Classes

In this section, we briefly discuss the various source classes found in the SIMBAD identifications, using the $P_{\rm id}$>90% Catalog, and the $P_{\rm id}$>50% Catalog. In Table 4, we list

the number of each of several source classifications listed in SIMBAD, found within 10″ of these USNO A-2 counterparts. By far, the greatest number of sources here are "unclassified"; these are USNO A-2 objects for which there is no source listed in the SIMBAD database within 10″ of the USNO A-2 position.

4.1. Chromospherically Active Systems: RS CVn

In the $P_{\rm id}$>90% Catalog, there are 116 identified counterparts which have been previously classified as RS CVns -like systems (including GJ 501.1=RS CVn itself). This compares to the study of Dempsey et al. (Dempsey et al. 1993), reporting on detections of 112 RS CVns in the full RASS, in which the X-ray counterparts were found for the optically-selected catalog (optical selection); whereas we find them by searching for the bright optical counterpart (X-ray selection). When we include the full $P_{\rm id}\geq$50% catalog, we find 131 RS CVns. This is a substantial fraction of the 162 RS CVns listed in the SIMBAD database.

4.2. T-Tauri Stars

Of 775 T-Tauri stars classified as such in the SIMBAD database, 137 are identified with $P_{\rm id}$>90% with a RASS/BSC source, and 198 identified with $P_{\rm id}$>50%.

4.3. AGN and QSOs

There are a greater fraction of extra-galactic objects (AGN, Quasars, Seyferts, and BL Lacs) in the $P_{\rm id}$>50% Catalog than the $P_{\rm id}>$ 90% Catalog, likely due to the relative optical faintness of these objects compared to galactic objects.

4.4. Unclassified Sources in the $P_{\rm id}>$ 90% Catalog

USNO A-2 objects which do not have an entry in SIMBAD within 10″ (which we call "unclassified") make up 25% of the >90% Catalog (1362 objects), and 41% (4600 objects) of the >50% Catalog. A spot check of some of the brightest such objects reveals that a large fraction of these objects are likely to be high proper motion stars, or objects for which the astrometry and SIMBAD positions are different by >10″, although some do appear to be objects which were previously not cataloged and classified.

In Fig. 8, we show the X-ray countrate distribution and USNO A-2 B-magnitude distribution of these sources. The X-ray countrate distribution, compared with distribution of the full RASS/BSC catalog, shows that the unclassified sources tend slightly to be among the fainter objects, although not exclusively so.

5. Comparison with Other Published Cross-Identification Catalogs

The $P_{\rm id}$>50% catalog is between 2-10× greater in size of other published catalogs with similar limiting $P_{\rm id}$ (Table 1), with the exception of V99, for which we provide a more detailed comparison below. However, we note that previous work has used what we define as R as their catalog probability limit, whereas we use $P_{\rm id}$, which is always less than or equal to R. For example, while we find 11301 sources with $P_{\rm id}\geq$50%, we find 12462 sources with $R \geq$50%.

V99 presented results of cross-identifications with 16 different catalogs of various types of sources (optical, radio). In the largest such comparison, they describe cross-identifications with the Hubble Space Telescope Guide Star Catalog (Lasker et al. 1990; Russell et al. 1990; Jenkner et al. 1990; Taff et al. 1990, HST-GSC), for which R=50% at a distance ∼24″ from the RASS-BSC position than expected from (the background) source density extrapolation from further away (40-60″); further, this extrapolation indicated that 13.92% of the 15824 HST-GSC objects within 24″ of RASS/BSC X-ray sources were background sources, with the remainder being associated with the RASS/BSC X-ray source. Of the HST-GSC objects, 9759 were the sole object in the 24″ field, making them unique identifications down to $P_{\rm id}$=50%, with a contamination rate of 13.92%. In the remaining 6056 fields, multiple objects either indicate an association with clustered sources (galaxies, stars), or confusion in the true, unique association. The HST-GSC results of V99 are consistent the results of the present work (11301 objects, to $P_{\rm id}$=50%, contamination rate of 18%).

In addition, comparisons with many different cross-identification catalogs were performed by V99 (NVSS, Tycho, FIRST, EUVE, and IRAS, for example), and the primary statistical result for each catalog was a search radius, at which R=50% (W. Voges, priv. comm.), using exclusively spatial proximity. In these comparisons, V99 found 17017 possible counterparts within 90″ of the RASS/BSC position, 7117 of which are the sole object in the 90″ region. As with the HST-GSC results, a search radius was found for each catalog at which $P_{\rm id}$=50%. The number of candidate objects within the search radius, the estimated background source contamination, and the search radius itself varies from catalog to catalog.

V99 associations are made exclusively on proximity between the cross-id and the RASS/BSC

source (the closest object is the most likely counterpart). In contrast, the algorithm in the present work also makes use of B-band brightness. Thus, a brighter B-band object which is further from the RASS/BSC source from a fainter B-band object can be identified as a counterpart (if bright enough). On the other hand, objects which have unusually *high* B magnitude would be considered highly unlikely counterparts in the present work (cf. Eq. 2, while in V99, they may be considered a possible counterpart on the basis of spatial proximity alone. In the present work, we have evaluated a unique likelihood of association ($P_{\rm id}$) for each object, while individual object $P_{\rm id}$'s are not available in V99. Thus, while the present and V99 catalogs are similar in size, future work based on the present catalog can select out high-quality identifications for targeted work, or draw more broadly upon the lower-quality identifications for statistical studies based on the unique $P_{\rm id}$ for each counterpart.

6. Catalog Access and Contents

The 3 catalogs, given in the Appendix, contain: (1) a list of the ROSAT/BSC object by name; (2)the RASS/BSC countrate and uncertainty; (3) the $P_{\rm id}$ with the identified USNO A-2 counterpart; (4) the USNO A-2 B magnitude; (5) USNO A-2 name/position (hhmmss.ss+-ddmmss.s J2000); (6) the name of SIMBAD objects within $10''$ of the USNO A-2 source; (7) the source classification listed in SIMBAD for these objects (variable star, binary system, galaxy, etc.); (8) the source type listed in SIMBAD (stellar spectral type or galaxy type); (9) SIMBAD B and V magnitudes; and (10) accompanying source notes, including a flag if that SIMBAD object was previously identified as the RASS/BSC source. If there are more than one SIMBAD objects within $10''$ of the USNO A-2 source, these are listed on subsequent lines. It is not implied that the SIMBAD objects *are* the USNO A-2 counterpart although we expect this to often be the case, as can be told by comparing the USNO A-2 B magnitude to that reported by SIMBAD. The SIMBAD objects are listed to suggest them as the USNO A-2 counterpart, or to at least potentially provide information about the counterpart's environment (such as in a cluster of galaxies, or a stellar cluster).

7. Discussion and Conclusions

We have cross-correlated the 18811 RASS/BSC X-ray sources with 321144 candidate USNO A-2 optical counterparts within $75''$ of the RASS/BSC source position, on the basis of B magnitude and source proximity, taking into account the quoted RASS/BSC positional uncertainty. On this basis, we identify 2705 USNO A-2 objects with $P_{\rm id}$>98%, with ∼0.66% background contamination; 5492 with $P_{\rm id}$>90%, with ∼2.8% background contam-

ination; and 11301 with $P_{\rm id}$>50%, with $\sim$ 18% background contamination. Thus, we have identified possible optical counterparts to 60% of the ROSAT/BSC on the basis of position and photometry alone. We have also provided – for the first time – a probability of unique identification between each of the X-ray sources and their proposed counterpart. When we include unique "binary" identifications, and 30 high-surface brightness objects which were not included in USNO A-2, we have presented optical associations for a total of 11803 objects, down to a limiting identification probability of 50%, which is 62.7% of the RASS/BSC catalog objects. More conservatively, we have presented optical associations for 5553 objects, to $P_{\rm id}\geq$90%, which is 29.5% of the RASS/BSC catalog. The breakdown of these identified sources is listed in Table 5.

The individual identifications are subject to systematic uncertainty of the association between X-ray sources and clustered optical sources (such as clusters of galaxies, open stellar clusters and star formation regions), in which the X-ray source may reside, and the greater than average density of candidate optical counterparts makes the presence of a brighter-than-average source more likely than in a background field. Thus, the given optical identification should be considered an "association" – and the likelihood that the source of X-ray emission is the identified optical point source directly or a nearby associated object must be evaluated on a case-by-case basis, on the basis of the likelihood of such a secondary association.

For these sources, we have listed the RASS/BSC source-name, and the identified USNO A-2 counterpart. In addition, we compiled a list of objects in the SIMBAD database within $10''$ of the USNO A-2 counterpart, many of which are likely to be the USNO A-2 counterpart itself. There are a surprisingly high fraction (25% in the $P_{\rm id}$>90% Catalog) of optical counterparts which are not named in the SIMBAD database. As these are (photometrically) identical to objects which have been previously classified, the unclassified objects are likely to be the same population. Thus, a program of classification of these unclassified objects will likely discover new examples of known classes of sources, although they may contain unknown classes as well.

The limit on the fraction of RASS/BSC sources which have counterparts in the USNO A-2 catalog discoverable by this method is $Q \leq$72.2%. To improve this identification fraction between X-ray sources and optical data, either additional optical information is required (source classes, spectral colors) which will help distinguish identifiable sources, or improved X-ray localizations (such as from the ROSAT/HRI, or *Chandra*), or combining X-ray and optical information to pick out sources of particular classes ($L_x/L_{\rm opt}$).

The authors are grateful to the anonymous referee for careful reading of the manuscript. This paper was produced under the Digital Sky Project of the NPACI program (NSF Coop-

erative Agreement ACI-96-19020) and NASA grant NAG5-3239. This research has made use of the Simbad database, operated at CDS, Strasbourg, France. This research has made use of the NASA/IPAC Extragalactic Database (NED) which is operated by the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration.

REFERENCES

Bade, N., Engels, D., Voges, W., Beckmann, V., Boller, T., Cordis, L., Dahlem, M., Englhauser, J., Molthagen, K., Nass, P., Studt, J., & Reimers, D., 1998, A&AS 127, 145

Bade, N., Fink, H. H. ., Engels, D., Voges, W., Hagen, H. J., Wisotzki, L., & Reimers, D., 1995, A&AS 110, 469

Berghoefer, T. W., Schmitt, J. H. M. M., & Cassinelli, J. P., 1996, A&AS 118, 481

Berghoefer, T. W., Schmitt, J. H. M. M., & Cassinelli, J. P., 1997a, A&AS 121, 212, (Erratum)

Berghoefer, T. W., Schmitt, J. H. M. M., Danner, R., & Cassinelli, J. P., 1997b, A&A 322, 167

Beuermann, K., Thomas, H. C., Reinsch, K., Schwope, A. D., Trueper, J., & Voges, W., 1999, A&A 347, 47

Blaes, O. & Madau, P., 1993, ApJ 403, 690

Dempsey, R. C., Linsky, J. L., Fleming, T. A., & Schmitt, J. H. M. M., 1993, ApJS 86, 599

Gliese, W. & Jahreiss, H., 1991, in *On: The Astronomical Data Center CD-ROM: Selected Astronomical Catalogs, Vol. I; L.E. Brotzmann, S.E. Gesser (eds.), NASA/Astronomical Data Center, Goddard Space Flight Center, Greenbelt, MD*

Haberl, F., Motch, C., Buckley, D. A. H., Zickgraf, F. J., & Pietsch, W., 1997, A&A 326, 662

Hoffleit, D. & Jaschek, C. V., 1991, in *New Haven, Conn.: Yale University Observatory, —c1991, 5th rev.ed., edited by Hoffleit, Dorrit; Jaschek, Carlos —v(coll.)*

Huensch, M., Schmitt, J. H. M. M., Sterzik, M. F., & Voges, W., 1999, A&AS 135, 319

Huensch, M., Schmitt, J. H. M. M., & Voges, W., 1998a, A&AS 127, 251

Huensch, M., Schmitt, J. H. M. M., & Voges, W., 1998b, A&AS 132, 155

Jenkner, H., Lasker, B. M., Sturch, C. R., McLean, B. J., Shara, M. M., & Russel, J. L., 1990, AJ 99, 2082

Lasker, B. M., Sturch, C. R., McLean, B. J., Russell, J. L., Jenkner, H., & Shara, M. M., 1990, AJ 99, 2019

Lonsdale, C., Conrow, T., Evans, T., Fullmer, L., Moshir, M., Chetser, T., Yentis, D., Wolstencroft, R., MacGillivray, H., & Egret, D., 1998, in B. J. McClean, D. A. Golombeck, J. J. E. Hayes, & H. E. Payne (eds.), *New Horizons from Multi-Wavelength Sky Surveys*, No. 179 in IAU Symposium, p. 450, Kluwer

Motch, C., Guillout, P., Haberl, F., Pakull, M. W., Peitsch, W., & Reinsch, K., 1997a, A&AS 122, 201

Motch, C., Haberl, F., Dennerl, K., Pakull, M., & Janot-Pacheco, E., 1997b, A&A 323, 853

Russell, J. L., Lasker, B. M., McLean, B. J., Sturch, C. R., & Jenkner, H., 1990, AJ 99, 2059

Sutherland, W. & Saunders, W., 1992, MNRAS 259, 413

Taff, L. G., Lattanzi, M. G., Bucciarelli, B., Gilmozzi, R., McLean, B. J., Jenkner, H., Laidler, V. G., Lasker, B. M., Shara, M. M., & Sturch, C. R., 1990, ApJ 353, L45

Thomas, H. C., Beuermann, K., Reinsch, K., Schwope, A. D., Truemper, J., & Voges, W., 1998, A&A 335, 467

Voges, W., Aschenbach, B., Boller, T., Brauninger, H., Briel, U., Burkert, W., Dennerl, K., Englhauser, J., Gruber, R., Haberl, F., Hartner, G., Hasinger, G., Kurster, M., Pfeffermann, E., Pietsch, W., Predehl, P., Rosso, C., Schmitt, J. H. M. M., Truemper, J., & Zimmermann, H. U., 1996, IAU Circ. 6420, 2

Voges, W., Aschenbach, B., Boller, T., Bräuninger, H., Briel, U., Burkert, W., Dennerl, K., Englhauser, J., Gruber, R., Haberl, F., Hartner, G., Hasinger, G., Kürster, M., Pfeffermann, E., Pietsch, W., Predehl, P., Rosso, C., Schmitt, J. H. M. M., Truemper, J., & Zimmermann, H. U., 1999, A&A 349, 389

Walter, F. M., Wolk, S. J., & Neuhauser, R., 1996, Nature 379, 233

Zombeck, M. V., 1982, *Handbook of space astronomy and astrophysics*, Cambridge, Cambridge University Press

This preprint was prepared with the AAS LaTeX macros v4.0.

Fig. 1.— Comparison between cross-identification catalog objects (solid line) and background field catalog objects (broken line). Panel *a*: Distributions of B magnitude. Panel *b*: Difference between distribution in B magnitude.

Fig. 2.— Comparison between cross-identification catalog objects (solid line) and background field catalog objects (broken line). Panel *a*: Distributions in distance between X-ray source position and optical source. Panel *b*. Differences between distributions shown in panel *a*.

Fig. 3.— Top Panel: Distribution of calculated LR values for RASS/BSC-USNO A-2 candidate cross-identifications in On-Source fields (solid line) and in background fields (broken line) – $n(LR)$, which is number of objects per field per LR bin. Note the excess of such sources at $LR > -10$, indicating optical-X-ray associations. Bottom Panel: The Reliability – $R(LR)$ (Eq. 10) – can be thought of as the probability that the optical source under consideration is *not* a background source, that it is associated with the X-ray source.

Fig. 4.— Cumulative distribution of the probability that the USNO A-2 catalog contains a cross-identification of the 18754 RASS/BSC objects for which at least one candidate USNO A-2 object was found.

Fig. 5.— Comparison between the single-source probabilities ($P_{\rm id,i}$) in the source fields (solid line) vs. in the background comparison fields (broken line). This comparison was performed to demonstrate what would happen if the analysis were applied to fields in which are not the X-ray source fields. There are no significant excess optical sources found (up to $\sim$5%) at high LR, which limits the maximum R to $< (1.05 - 1.0)/1.05$, and thus $P_{\rm id}$ to this value as well. The slight excess near p=0.5 is possibly due to binaries in the source fields.

Fig. 6.— Observed B (panel a) distribution and r (distance between X-ray source position and the associated counterpart position; panel b) for the $P_{\rm id}\geq$98% catalog (solid line), the $\geq$90% Supplementary (dotted line) and $\geq$50% Supplementary Catalogs. The 98% sources are all B <12.5, the 90% extend down to B=14, and the 50% sources all the way down to $B = 17$. The average X-ray/optical source separations are 7.4″(standard deviation 4.6″) and 10.3″(std dev. 7.0″) and 11.9 (std. dev 9.2″) for the 98% catalog, and 90% and 50% Supplementary catalogs, respectively.

Fig. 7.— The distributions of uncertainty in $P_{\rm id}$ due to the uncertainty in the number of background sources, for sources with $P_{\rm id}>0.90$ (dotted line) and $0.90>P_{\rm id}>0.50$ (solid line). The small median value of these uncertainties for $P_{\rm id}>0.90$ makes the distinction between $P_{\rm id}>0.98$ sources and $P_{\rm id}>0.90$ a meaningful one. These uncertainties are, essentially, the resolution of $P_{\rm id}$ in the indicated $P_{\rm id}$ ranges.

Fig. 8.— *Top Panel:* RASS/BSC countrate distribution of un-identified sources (see text) and all RASS/BSC objects. There is a tendency for the un-identified sources to be among the fainter objects, although this is not strong. *Bottom Panel*: B magnitude distribution of the unidentified sources.


a
b
N/field
N_{src}/Field − N_{bkg}/Field
B
0
1
2
0.15
0.1
0.05
0
−0.05
0
5
10
15
20

Figure 1


a
b
N/field
N_{src}/field − N_{bkg}/field
R (arcsec)
0
0.2
0.4
0.6
0.8
0.05
0.1
20
40
60

Figure 2


On−Source Fields
Background Fields
n(LR)
0.3
0.2
0.1
0
R
1
0.8
0.6
0.4
0.2
0
σR x 10
−30
−20
−10
0
LR

Figure 3


Id Probabilities of RASS/BSC−USNO−A2
1
0.8
0.6
0.4
0.2
0
N(>1−P_no-id)
0
0.2
0.4
0.6
0.8
1
1−P_no-id

Figure 4


0.1
0.08
0.06
0.04
0.02
0
N/field
Source Field
Background (Comparison) Field
0
0.2
0.4
0.6
0.8
1
P id, i

Figure 5


a
P_{id} ≧98%
P_{id} ≧90%
P_{id} ≧50%
N
B
0
500
1000
1500
0
5
10
15
20


b
N
r (arcsec)
0
100
200
300
400
0
10
20
30

Figure 6


Uncertainty in P_{id}
$P_{id}>0.9$
$0.9>P_{id}>0.5$
n
σ_{Pid}
0.25
0.2
0.15
0.1
0.05
0
0
0.01
0.02
0.03
0.04
0.05

Figure 8


Un IDd
RASS/BSC
n
0.3
0.2
0.1
0
0.1
1
10
RASS/BSC c/s


N
600
400
200
0
0
5
10
15
20
B (USNO A2)

Figure 8

Table 1. Published RASS/BSC Counterpart Catalogs ($N \gtrsim 100$)

Ref.	Cross-ID Catalog	$N_{\rm src}$ ($N_{\rm bkg}$=%)	Criteria for ID	Limiting Significance [a]
1	Stars (AFGKM; I through III-IV); from Yale BSC (Hoffleit & Jaschek 1991)	450 (21.8=4.8%)	$<90''$ from X-ray source	R >50%
2	Stars (AFGK class IV, V and subtypes) from Yale BSC	980 (21.8=2.2%)	$<90''$ from X-ray source	R >50%
3	Nearby Stars (Gliese & Jahreiss 1991)	1252 (24=1.9%)	$<90''$ from X-ray source	R >50%
4	RASS/BSC: Medium-bright, spectrally-soft, $\|b\| > 40^\circ$ optical/spectral survey	75 (n/a)	Plausibility	n/a
5	OB stars in the Yale BSC	216 (0.5=0.23%)	$<45''$ from X-ray source	n/a
6	RASS/BSC: Bright (> 0.5 c/s), spectrally soft (HR1<0), $\|b\| > 20$ deg	397 (n/a)	Plausibility	n/a
7	Cygnus: $86^\circ < l < 94^\circ$, $-5^\circ < b < 5^\circ$	128 (2=1.5%)	Plausibility	R >98%
8	Full Sky, optical/spectral survey	3847 (<9=0.2%)	Plausibility	n/a
9	HST-GSC	9759 (1358=13.92%)	$< 24''$ from X-ray source	R >50%
Present work	USNO A2, B objects	2705 (18=0.7%)	$P_{\rm id}\geq$98% (see text)	$P_{\rm id}\geq$98%
Present work	USNO A2, B objects	5492 (155=2.8%)	$P_{\rm id}\geq$90% (see text)	$P_{\rm id}\geq$90%
Present work	USNO A2, B objects	11301 (2034=18%)	$P_{\rm id}\geq$50% (see text)	$P_{\rm id}\geq$50%

[a]At the limit of the catalog – previous work used R (Eq. 10), which does not include probability of source confusion; present work uses $P_{\rm id}$, which does include probability source confusion (Eq. 5)

References. — 1: Huensch et al. 1998a ; 2: Huensch et al. 1998b ; 3: Huensch et al. 1999 ; 4:Beuermann et al. 1999; 5: Berghoefer et al.1996, 1997a,b ; 6: Thomas et al. 1998; 7: Motch et al. 1997a,b ; 8: Bade et al. 1995, 1997 ; 9: Voges et al. 1999

Table 2. Bright/Extended Object Counterparts

1RXS	Visual Inspection	Simbad ID
1RXSJ004241.8+411535	Galaxy	M31
1RXSJ004733.3−251722	Galaxy	NGC 253 (G)
1RXSJ013350.9+303932	Galaxy	M 33
1RXSJ024620.0−301639	Galaxy	NGC 1097 (Sy 2)
1RXSJ031819.4−662912	Galaxy	NGC 1313 (G)
1RXSJ032241.8−371239	Galaxy	NGC 1316 (GiC)
1RXSJ033828.8−352701	Galaxy	NGC 1399 (GiC)
1RXSJ033851.5−353543	Galaxy	NGC 1404 (GiC)
1RXSJ041611.4−554630	Galaxy	NGC 1553 (GiG)
1RXSJ042000.5−545617	Galaxy	NGC 1566 (Sy1)
1RXSJ051406.6−400234	Gl. Cluster	NGC 1851
1RXSJ053803.8−690925	Galaxy	30 Doradus
1RXSJ095534.7+690338	Galaxy	M 81
1RXSJ111811.1+313154	Bright Sat. Binary	* 53 UMa
1RXSJ112016.7+125917	Galaxy	M 66
1RXSJ121900.4+471747	Galaxy	M 106 (Sy 2)
1RXSJ123939.6−052035	Galaxy	NGC 4593 (Sy 1)
1RXSJ124340.6+113309	Galaxy	M 60 (pair)
1RXSJ125052.5+410713	Galaxy	M 94 (LIN)
1RXSJ130528.0−492758	Galaxy	NGC 4945 (G)
1RXSJ131549.3+420154	Galaxy	NGC 4945
1RXSJ132527.3−430105	Galaxy	M 63 (G); QSO 1313+422
1RXSJ132542.9−425746	Galaxy (offset)	M 63
1RXSJ132953.8+471143	Galaxy	M 51/NGC 5194 (PoG)
1RXSJ133657.0−295207	Galaxy	M 83
1RXSJ134210.2+282250	Gl. Cluster	NGC 5272
1RXSJ175012.8−370306	Gl. Cluster	NGC 6441
1RXSJ195936.2+224309	PN	M 27 (Dumb-bell Nebula)
1RXSJ212958.4+120959	Gl. Cluster	M 15
1RXSJ220916.6−471002	Galaxy	NGC 7213 (Sy 1)

Note. — Bright or extended objects identified by visual inspection of the DSS plate, which were originally found because there were no USNO A-2 objects listed within $75''$ of the RASS/BSC position of the X-ray source. Estimated significance of the cross-identification of these objects is $P_{\rm id}$=0.999, and they are included in the $P_{\rm id}\geq$98% Catalog.

Table 3. RASS/BSC Objects with No USNO A-2 objects <75″

1RXS	N Bkg Objs.[a]	Visual Inspection[b]
1RXSJ000235.9−081518	25	(no object)
1RXSJ002941.1−165408	26	(no object)
1RXSJ004202.7−143557	24	(no object)
1RXSJ040358.2−021113	29	(no object)
1RXSJ052749.6−695412	98	Neb.
1RXSJ053428.3−052414	8	Neb.
1RXSJ053510.8−044850	22	Neb.
1RXSJ054045.7−021119	25	Diff. Spike
1RXSJ055054.2−621454	0	Many Pt Src/ Galaxy?
1RXSJ055225.0−640206	0	Many Pt Src
1RXSJ064045.4+094927	46	Neb.
1RXSJ100407.9+144925	30	(no object)
1RXSJ104346.4−594538	7	(no object)
1RXSJ111005.5−763531	191	Neb.
1RXSJ123607.4+731901	45	(no object)
1RXSJ124601.5−680846	370	(no object/star?)
1RXSJ124634.5−680446	373	(no object/star?, same as above)
1RXSJ124830.1−594449	48	Diff. Spike?
1RXSJ124849.0+333454	23	(no object)
1RXSJ140559.3−411230	277	Diff. Spike
1RXSJ144359.5+443124	42	(no object)
1RXSJ153517.4−410958	295	Diff. Spike
1RXSJ162609.7−242245	5	Neb./(no object)
1RXSJ163910.7+565637	2	(no object)
1RXSJ173253.6−371200	80	(no object)
1RXSJ182102.0−161309	18	Neb./(no object)
1RXSJ231117.9−094615	30	(no object)

[a]total number of USNO A-2 objects in the associated background fields

[b]Neb.=nebulosity in field; Diff. Spike=stellar diffraction spikes in field; (no object)=No obvious optical counterpart

Note. — Table contains information on fields which did not contain any USNO A-2 objects, which were then visually inspected using the DSS plate. See Sec. 3

Table 4. SIMBAD Source Types in the $P_{\rm id}$>90% Catalog

Class	N ($P_{\rm id}$>90% Cat.)	N ($P_{\rm id}$>50% Cat.)
Algol	45	61
RS CVn	116	131
W UMa	26	37
T-Tauri	137	198
Symbiotic Stars	2	2
White Dwarfs	14	57
Dwarf Novae	9	33
Cataclysm. Var.	7	24
AGN	9	58
Quasar	14	375
Seyferts (1/2)	131	287
BL Lac	7	76
Unclassified	1362	4600

Table 5. Number of Identified Optical Counterparts

$P_{\rm id}$	N (single ID)[a]	N (binary ID)[b]	N ("blank" fields)[c]	Totals
$\geq$ 98%	2705	6	30	2741
98>$P_{\rm id}\geq$90%	2787	25	–	2812
90>$P_{\rm id}\geq$50%	5809	441	–	6252
Total	11301	472	30	11803

[a]Sec. 3.1

[b]Sec. 3.2

[c]Sec. 3

Appendix: Tables of Cross-Identifications between the ROSAT/Bright Source Catalog and USNO-A2 Catalogs

These four tables make up the appendix for the paper: "XID: Cross-Identifications of ROSAT/Bright Source Catalog Sources with USNO-A2 Optical Point Sources". The production and meaning of all values in this table are given in that work, and are briefly described here:

Table	Content	From Sec.	# Objects
1	$P_{\rm id}\geq 98\%$	3.1	2705
2	$98\%>P_{\rm id}\geq 90\%$	3.1	2787
3	$90\%>P_{\rm id}\geq 50\%$	3.1	5809
4	Optical Pairs $P_{\rm id}\geq 50\%$	3.2	472

The columns of each table (except Table 4, see below) have the following meanings:

column	Heading	Description
1	1RXS	The ROSAT/BSC Name for the X-ray source
2	PSPC c/s (σ)	RASS/BSC Catalog X-ray countrate, and 1σ uncertainty
3	$P_{\rm id}$	calculated fractional probability of unique association between the X-ray and USNO A-2 objects
4	$B_{\rm USNOA2}$	the USNO A-2 B magnitude
5	USNO A2	the USNO A-2 source name/position (hhmmss.ss+/-ddmmss.s)
6	SIMBAD crossID	list of all objects <10"from the USNO A-2 position
7	Type	SIMBAD object population
8	Class	Classification of the SIMBAD object
9	$B:V$	SIMBAD B and V magnitudes
10	Comments	Comment code

In Table 4, the magnitudes and USNO A-2 designations of the two sources are separated by a backslash. Please be aware of the points of caution regarding the "Optical Pairs" counterparts. In column 7, the source types are often abbreviated according to the following scheme, which closely follows the source types used by SIMBAD:

arXiv:astro-ph/0004053v2 4 Apr 2000

Abbrev.	Meaning	Abbrev.	Meaning	Abbrev.	Meaning
∗	Star	HiPM*	High Proper-motion Star	SN	SuperNova
∗∗	Stellar binary	HMXB	High Mass X-ray Binary	Spec. Bin.	Spectroscopic Binary
∗iC	Star in Cluster	IR	Infra-red object	Sy1	Seyfert 1
∗∗mul	multiple stellar system	Glob. Clust.	Globular Cluster	Sy2	Seyfert 2
∗Neb	Star in Nebula	Gal.	Galaxy	TT	T-Tauri type star
Clust.	Cluster	GiG	Galaxy in Group of Galaxies	UV	Ultra-violet emission source
CV	Cataclysmic Variable	LMXB	Low Mass X-ray Binary	V*	Variable Star
Ceph.	Cephied Variable	LSBG	Low Surface Brightness Galaxy	WD	White Dwarf
DN	Dwarf Nova	PN	Planetary Nebula	WR *	Wolf-Rayet Star
Ecl. Bin.	Eclipsing Binary (and type)	Rad.	Radio source	X	X-ray source
Em. *	Emission line star	Rot. Var. *	Rotationally Variable Star	YSO	Young Stellar Object

Additional lines are given for each SIMBAD object within 10" of the USNO counterpart (20 "for the optical pairs) . Note that the counterpart for which the $P_{\rm id}$ applies is the USNO A-2 counterpart; the SIMBAD identifications are listed to provide *possible* identifications of this source. The SIMBAD B and V magnitudes provide a point of comparison with the USNO A-2 B magnitude which may help in identifying the USNO A-2 object, however the USNO A-2 B magnitudes are subject to certain systematic errors, and should be viewed with caution.

Column 10 holds comment codes of which, at present, there is only one: P=SIMBAD object has been previously identified as this RASS/BSC source.

Table 1: Catalog of RASS/BSC – USNO A-2 Associations, with $P_{\rm id}\geq$98%, and SIMBAD Sources within 10"

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ000042.5+621034	0.1592 (0.0186)	0.999	0.0	000041.64+621033.2	HD 224792	*	G0	7.532 : 7.060	
1RXSJ000226.6+032105	0.2263 (0.0267)	0.998	10.4	000226.47+032106.9	NGC 7811	Sy1	S0	14.9 :	P
1RXSJ000256.6+712207	0.0847 (0.0139)	0.986	11.7	000256.67+712204.6	CCDM J00029+7122B	**	K0	10.43 : 9.20	
1RXSJ000259.6+395743	0.0567 (0.0148)	0.990	8.9	000258.47+395741.9	HD 225055	*	A	8.91 : 8.91	
1RXSJ000442.5+170422	0.0694 (0.0149)	0.996	9.3	000442.52+170411.9	HD 225240	*	G5	9.34 : 8.58	
1RXSJ000539.8−075407	0.1407 (0.0224)	0.987	11.4	000539.68−075413.2	HD 74	*	K0	10.51 : 9.62	
1RXSJ000552.5−414521	0.1482 (0.0316)	0.998	0.0	000552.55−414511.1	HD 105	*	G0V	8.13 : 7.53	P
1RXSJ000636.8+290112	0.6868 (0.0484)	0.998	0.0	000636.78+290117.4	GJ 5	V*	K0V	6.88 :	P
1RXSJ000724.1−423331	0.0874 (0.0254)	0.999	0.0	000724.05−423336.5	HD 271	*	F5/F6V	9.97 : 9.55	
1RXSJ000751.8+553446	0.0574 (0.0128)	0.998	8.4	000751.00+553436.6	HD 299	HiPM*	G0	8.5 : 7.8	
1RXSJ000802.4+534755	0.0580 (0.0131)	0.988	8.9	000804.37+534748.4	HD 330	*	F8	8.72 : 8.16	
1RXSJ000910.1+590903	0.1625 (0.0195)	1.000	0.0	000910.09+590900.8	GJ 8	V* (delta Sct)	F2IV	2.61 : 2.27	P
1RXSJ001002.8+110845	0.1873 (0.0196)	0.999	0.0	001002.20+110844.9	HD 560	**	B9Vn	5.473 : 5.537	P
...	...	...	...	001002.20+110844.9	HD 560 B	**	G5Ve	:	
1RXSJ001229.4+143358	1.0380 (0.0636)	0.998	9.7	001229.23+143352.0	...	...	...	...	
1RXSJ001309.6+053550	0.4236 (0.0327)	0.983	12.1	001309.56+053552.2	...	...	...	...	
1RXSJ001337.6+770210	0.1004 (0.0114)	0.984	11.5	001340.17+770210.9	GSC 04496−00780	*	./.	10.36 : 9.76	
1RXSJ001354.6−744122	0.5177 (0.0386)	0.999	0.0	001353.02−744117.8	GSPC S 28−B	*	./.	9.54 : 8.80	
...	...	...	...	001353.02−744117.8	HD 987	**	G6V	9.46 : 8.74	
1RXSJ001420.2+261630	0.0786 (0.0186)	0.997	9.7	001420.11+261622.4	BD+25 19	*	G0	9.66 : 9.04	
1RXSJ001610.8−143528	0.0959 (0.0207)	0.996	10.6	001611.05−143527.6	CCDM J00162−1435AB	**mul.	K2	9.0 : 9.8	
1RXSJ001612.7−795100	0.3883 (0.0453)	0.999	0.0	001611.24−795103.8	GJ 3021	HiPM*	G6V	7.2 : 6.7	
1RXSJ001614.0+195142	0.3504 (0.0334)	0.999	0.0	001614.19+195144.2	CCDM J00163+1952A	**	./.	:	
...	...	...	...	001614.19+195144.2	EUVE J0016+19.8	UV	./.	:	
1RXSJ001739.1+120242	0.0965 (0.0213)	0.997	8.9	001739.59+120232.2	HD 1341	*	A3	8.63 : 8.36	
1RXSJ001745.3−010255	0.0972 (0.0189)	0.997	10.3	001745.13−010251.0	HD 1353	*	G5	10.34 : 9.83	
1RXSJ001807.7+105453	0.0608 (0.0149)	0.997	10.3	001807.81+105450.1	BD+10 24	*	K0	10.37 : 9.20	
1RXSJ001821.8+440129	0.2602 (0.0261)	0.986	0.0	001820.54+440119.1	...	...	...	...	
1RXSJ001826.2−632837	0.2635 (0.0411)	1.000	0.0	001826.12−632839.0	HD 1466	*	F8/G0V	7.96 : 7.47	
1RXSJ001936.2−071325	0.1442 (0.0233)	0.984	0.0	001936.49−071326.4	HD 1539	*	F5	7.495 : 7.034	
1RXSJ002001.1+275949	0.0968 (0.0183)	0.992	10.9	002001.01+275953.9	AG+27 31	*	G5	10.92 : 10.19	
1RXSJ002040.5−693736	0.0641 (0.0158)	0.998	0.0	002039.04−693729.6	HD 1685	*	B9V	5.459 : 5.498	P
1RXSJ002047.2+571151	0.1434 (0.0177)	0.995	10.8	002047.37+571145.0	...	...	...	...	
1RXSJ002108.6+375801	0.0825 (0.0163)	0.991	0.0	002107.28+375806.9	HD 1671	*	F5III	5.60 : 5.18	P
1RXSJ002123.2+334236	0.0760 (0.0161)	0.983	11.5	002122.94+334237.7	...	...	...	...	
1RXSJ002130.1−285853	0.2087 (0.0277)	0.988	10.4	002131.16−285851.9	HD 1737	*	G5III	6.167 : 5.174	P
1RXSJ002137.3−460526	1.0010 (0.0712)	1.000	0.0	002137.52−460530.3	GJ 3029	HiPM*	M3:	:	P
1RXSJ002246.7−091332	0.0654 (0.0164)	0.987	9.3	002246.27−091348.1	HD 1833	V* (RS CVn)	G5	9.08 : 7.97	
1RXSJ002354.0+605743	0.4153 (0.0309)	0.999	0.0	002353.17+605741.0	HD 1917	*	F2	6.920 : 6.578	
1RXSJ002427.7+054247	0.1603 (0.0181)	0.997	10.8	002427.92+054243.1	V* CD Psc	V*	G0	10.64 : 9.79	
1RXSJ002450.3+135633	0.0708 (0.0178)	0.985	11.1	002450.28+135630.2	BD+13 48	*	G0	11.00 : 10.27	
1RXSJ002606.8−154217	0.0604 (0.0155)	0.986	11.2	002606.07−154218.0	BD−16 68	*	K0	10.50 : 9.51	
1RXSJ002743.2−412612	0.2455 (0.0319)	0.983	11.8	002742.84−412615.5	CD−42 130	*	./.	11.9 : 10.8	
...	...	...	...	002742.84−412615.5	RX J0027.7−4126	X	K4/K5V	11.88 : 10.74	
1RXSJ002821.4−202004	0.1762 (0.0254)	0.986	11.6	002821.24−202004.3	HD 2475	**mul.	G3V	7.007 : 6.442	
1RXSJ002827.3−291704	0.0522 (0.0151)	0.998	0.0	002826.44−291705.1	HD 2477	*	F5V	7.547 : 7.125	
1RXSJ003025.8−481245	2.2410 (0.1098)	0.998	0.0	003026.10−481253.6	HD 2726	*	F2V	5.997 : 5.677	P
1RXSJ003130.0+312352	0.0602 (0.0139)	0.997	0.0	003129.33+312345.9	GSC 02262−00028	*	./.	10.57 : 10.11	
1RXSJ003308.1−320117	0.0751 (0.0176)	0.992	10.3	003307.28−320120.3	HD 3001	*	G1V	10.58 : 9.85	
1RXSJ003337.4+395309	0.0566 (0.0121)	0.994	9.6	003336.76+395303.6	V* V354 And	V*	K0	9.72 : 8.57	
1RXSJ003356.9+531539	0.0517 (0.0122)	0.994	0.0	003355.86+531541.5	GSC 03654−01907	*	./.	10.64 : 9.94	
1RXSJ003413.7−212619	0.3301 (0.0349)	0.998	9.5	003413.66−212618.3	ESO 540− 1	Gal.	Sc	:	
...	...	...	...	003413.66−212618.3	HCG 4a	Gal.	Sc	13.80 :	P
...	...	...	...	003413.66−212618.3	dCAZ94 HCG 04−01	GiG	./.	13.71 :	
1RXSJ003427.1−063007	0.1824 (0.0312)	0.998	0.0	003427.17−063014.1	HD 3126	*	F2	7.34 : 6.92	P
1RXSJ003436.7+623721	0.0707 (0.0191)	0.997	9.7	003437.73+623720.1	BD+61 119	*	F8	9.53 : 8.98	
1RXSJ003441.3+110804	0.0551 (0.0134)	0.999	9.0	003441.19+110806.7	HD 3131	*	F8	8.64 : 8.18	
1RXSJ003509.0−502005	0.7861 (0.0630)	0.990	10.3	003510.11−502005.4	HD 3237	*	K1/K2III:	10.82 : 9.80	
1RXSJ003514.7−033535	1.1160 (0.0764)	0.998	0.0	003514.63−033533.9	GJ 23	V* (RS CVn)	F8V	5.76 :	P
1RXSJ003532.8−003013	0.1192 (0.0171)	0.999	0.0	003532.83−003020.2	HD 3229	*	F5IV	6.349 : 5.949	P
1RXSJ003542.1−475949	0.2243 (0.0389)	0.995	0.0	003541.18−480003.2	GJ 3041	*	F6V	5.926 : 5.521	P
1RXSJ003625.1+121303	0.0698 (0.0150)	0.998	9.5	003625.42+121301.6	HD 3334	**mul.	G5	9.58 : 9.00	
1RXSJ003637.4−490747	0.3273 (0.0388)	0.998	0.0	003637.98−490756.3	GJ 24A	Spec. Bin.	G0/G1V	7.42 : 6.78	
1RXSJ003709.6+612131	0.1940 (0.0298)	0.997	0.0	003709.64+612136.5	BD+60 73	*	B1Ib	10.14 : 9.66	
1RXSJ003731.9+551326	0.1182 (0.0169)	0.998	0.0	003731.22+551331.3	HD 3410	*	G0	8.193 : 7.606	
1RXSJ003804.2+790328	0.1102 (0.0144)	0.989	11.1	003805.34+790320.5	GSC 04500−01478	*	./.	11.16 : 10.27	
1RXSJ003942.1+103914	0.3932 (0.0345)	1.000	0.0	003942.17+103913.7	BD+09 73	HiPM*	K5:	11.73 : 10.57	
1RXSJ004021.5+434327	0.4128 (0.0336)	0.994	0.0	004020.89+434325.3	BD+42 139A	**	K0	10.7 : 9.6	
1RXSJ004050.7−531237	0.1714 (0.0304)	0.998	0.0	004051.58−531235.7	HD 3888	*	F7V	7.857 : 7.381	
1RXSJ004113.1+092105	0.0569 (0.0163)	0.989	0.0	004111.88+092118.2	HD 3861	*	F5	7.005 : 6.525	
1RXSJ004131.9−223834	0.3724 (0.0376)	0.988	11.5	004132.06−223837.8	KOS 003902.8−225457	Gal.	./.	:	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ004236.9−164214	0.0612 (0.0178)	0.991	9.6	004236.02−164212.4	HD 4021	*	G3V	9.54 : 8.87	
1RXSJ004335.3−175911	2.6490 (0.1650)	1.000	0.0	004335.23−175912.1	GJ 31	V*	K0III	3.06 :	P
1RXSJ004401.5+093302	0.4052 (0.0362)	0.998	10.7	004401.24+093300.1	V* BL Psc	V*	G	11.03 : 10.14	
1RXSJ004402.7−743737	0.0650 (0.0125)	0.985	11.5	004403.10−743734.5	...	...	...	...	
1RXSJ004444.9−220031	0.2170 (0.0282)	0.998	0.0	004444.39−220022.1	GJ 31.3	*	F0V	5.534 : 5.230	
1RXSJ004545.4−473301	0.3346 (0.0439)	0.999	0.0	004545.43−473307.8	GJ 1021	**	G1V	6.44 : 5.80	
...	...	...	...	004545.43−473307.8	IRAS 00434−4749	IR	./.	:	
1RXSJ004547.1+662959	0.1449 (0.0272)	0.981	0.0	004547.61+662933.8	HD 4243	*	G0	8.05 : 7.55	
1RXSJ004653.1+480844	0.2649 (0.0283)	0.983	11.7	004652.94+480846.4	...	...	...	...	
1RXSJ004703.1−115217	0.5807 (0.0435)	0.995	0.0	004703.34−115219.0	NGC 246	PN	Op	11.43 : 11.78	
...	...	...	...	004703.34−115219.0	NGC 246	PN	Op	11.43 : 11.78	P
1RXSJ004718.1−224506	0.2141 (0.0281)	0.983	11.9	004717.92−224508.2	RX J0047.3−2245	X	K4/K5V	12.33 : 11.27	
1RXSJ004720.7+241550	1.7970 (0.1326)	0.993	0.0	004720.39+241602.6	HD 4502	Ecl. Bin. (beta Lyr)	K1IIe	5.199 : 4.100	P
1RXSJ004753.2−324524	0.3061 (0.0321)	0.999	0.0	004752.77−324520.6	CD−33 302	*	K:	11.43 : 10.51	
1RXSJ004901.5+671929	0.1092 (0.0158)	0.999	0.0	004902.04+671930.7	BD+66 61	*	./.	11.4 : 10.10	
1RXSJ004906.7−210905	0.1313 (0.0218)	0.999	0.0	004906.21−210904.2	HD 4714	*	K0/K1III+...	7.93 : 7.05	
1RXSJ004912.9−534635	0.0677 (0.0180)	0.997	0.0	004911.79−534627.0	HD 4785	*	F6/F7V	8.016 : 7.582	
1RXSJ005007.1−103836	0.0728 (0.0131)	0.998	0.0	005007.59−103839.6	GJ 37	V*	F7IV−V	5.69 :	
1RXSJ005052.4−710914	0.1203 (0.0232)	0.998	0.0	005052.42−710905.2	HD 5028	*	F5V	7.274 : 6.859	
1RXSJ005055.9+080244	0.2007 (0.0244)	0.998	8.8	005055.41+080247.0	HD 4872	*	F8	8.57 : 8.12	
1RXSJ005137.3−343646	0.0889 (0.0191)	0.986	11.5	005137.20−343646.8	...	...	...	...	
1RXSJ005307.5−743903	2.3770 (0.0633)	0.988	11.8	005306.92−743905.9	HD 5303	V* (RS CVn)	G3:V+...	8.31 : 7.60	P
1RXSJ005324.4+553742	0.1010 (0.0207)	0.999	8.9	005323.99+553742.0	HD 5082	*	F8	8.72 : 8.24	
1RXSJ005549.6+504607	0.0877 (0.0159)	0.997	0.0	005550.28+504612.6	...	...	...	...	
1RXSJ005642.0+604300	2.7170 (0.0912)	1.000	0.0	005642.50+604300.3	HD 5394	*Neb.	B0IVe	2.29 :	P
1RXSJ005708.1+102554	0.2971 (0.0281)	0.985	11.3	005707.66+102557.1	BD+09 111	*	F8	10.77 : 10.07	
1RXSJ005712.7+232458	0.3784 (0.0470)	0.999	0.0	005712.40+232503.5	HD 5516	Spec. Bin.	G8III	5.341 : 4.403	P
1RXSJ005953.3+314934	0.6154 (0.0372)	0.995	11.3	005953.29+314937.7	QSO 0057+315	Sy1	S...	14.8 :	P
1RXSJ010049.5+044938	0.0606 (0.0148)	0.986	8.4	010050.59+045002.4	HD 5929	*	F5	8.23 : 7.75	
1RXSJ010120.4+655230	0.1491 (0.0190)	0.987	9.3	010121.72+655221.6	HD 5850	*	G5	8.94 : 8.25	
1RXSJ010122.2−051916	0.0611 (0.0160)	0.995	9.7	010122.52−051912.4	HD 6011	*	F5	9.66 : 9.11	
1RXSJ010212.2+815228	0.1861 (0.0184)	0.991	0.0	010218.45+815232.1	HD 5679	Ecl. Bin. (Algol)	B8V+...	6.92 : 6.92	P
1RXSJ010241.5−432130	0.0694 (0.0169)	0.983	11.4	010241.76−432134.3	CD−44 293	*	G5	11.0 :	
1RXSJ010242.8−215250	1.0060 (0.0638)	0.988	10.1	010241.72−215255.4	4U 0103−21	X	?	:	
...	...	...	...	010241.72−215255.4	ESO 541− 13	Rad. Gal.	E/S0	16.3 : 15.1	P
1RXSJ010256.3+691347	0.0771 (0.0128)	0.998	0.0	010257.23+691337.4	HD 5996	HiPM*	G5	8.42 : 7.67	
1RXSJ010303.8+100750	0.0663 (0.0145)	0.995	10.6	010303.67+100746.8	BD+09 121	*	G5	10.51 : 9.73	
1RXSJ010407.6+263513	0.2409 (0.0260)	0.999	0.0	010407.16+263513.4	CCDM J01041+2635B	**	./.	:	
...	...	...	...	010407.16+263513.4	HD 6286	V* (RS CVn)	G2V...	9.20 : 8.24	
1RXSJ010427.5+293926	0.0731 (0.0145)	0.999	0.0	010427.62+293931.8	HD 6301	*	F7IV−V	6.610 : 6.211	
1RXSJ010517.5−582618	0.1823 (0.0387)	0.992	10.8	010516.73−582614.2	ESO 113− 10	Gal.	SBa:r	:	P
1RXSJ010605.9−464309	0.1740 (0.0301)	0.998	0.0	010605.10−464306.5	HD 6595	V*	G8IIIvar	4.199 : 3.323	
1RXSJ010649.2−225122	3.2910 (0.2111)	1.000	0.0	010649.03−225121.3	HD 6628	V*	G5V	8.63 : 7.79	P
1RXSJ010719.3−614633	0.7989 (0.0625)	0.997	10.6	010718.58−614630.9	HD 6793	V*	G5III	6.208 : 5.352	P
1RXSJ010734.9−181701	0.0983 (0.0203)	0.995	10.4	010734.79−181705.9	HD 6702	*	G3V	10.79 : 10.07	
1RXSJ010758.1+050954	0.0709 (0.0169)	0.981	11.2	010758.31+051002.1	BD+04 187	*	K0	11.1 : 10.11	
1RXSJ010758.6+391510	0.1419 (0.0218)	1.000	0.0	010758.76+391509.1	HD 6664	*	G1V	8.34 : 7.78	
1RXSJ010801.5+320043	0.0798 (0.0153)	0.999	0.0	010801.20+320043.9	HD 6680	HiPM*	F5IV	6.65 : 6.20	P
1RXSJ010845.8−255134	0.0608 (0.0169)	0.996	0.0	010845.72−255140.1	HD 6838	*	K0V	9.46 : 8.64	
1RXSJ010854.5−153759	0.1421 (0.0212)	0.986	11.1	010854.87−153808.7	HD 6853	**mul.	G3/G5V:	10.89 : 10.29	
1RXSJ010950.0+193926	0.0500 (0.0148)	0.997	0.0	010949.20+193930.3	HD 6903	*	G0III	6.238 : 5.569	P
1RXSJ011031.4+073043	0.0817 (0.0154)	0.997	0.0	011032.12+073048.2	HD 7003	*	K0	9.82 : 8.80	
1RXSJ011058.7+330900	0.1105 (0.0160)	0.998	8.4	011058.87+330906.7	NGC 410	Gal. in Clust.	E	12.6 :	
1RXSJ011110.4−472743	0.4907 (0.0484)	0.989	10.7	011109.72−472735.9	CTS 33	Gal.	./.	:	P
1RXSJ011219.5−320338	0.1529 (0.0233)	0.995	10.4	011219.24−320340.7	NGC 427	Gal.	SB0a	14.91 :	P
1RXSJ011219.7+121650	0.1267 (0.0204)	0.998	0.0	011219.15+121654.6	HD 7193	*	F5	7.334 : 6.887	
1RXSJ011229.6−165949	0.2538 (0.0258)	0.993	0.0	011229.90−170001.9	...	...	...	...	
1RXSJ011240.6−291041	0.5720 (0.0448)	1.000	0.0	011240.53−291046.4	HD 7280	**	K0III	9.68 : 8.80	
1RXSJ011305.8+413918	0.2694 (0.0286)	1.000	0.0	011306.07+413915.5	GJ 3080	HiPM*	G5	8.07 : 7.29	
1RXSJ011316.2−641142	0.3719 (0.0522)	0.989	10.8	011315.13−641135.2	CPD−64 120	*	./.	11.02 : 10.19	
1RXSJ011344.9+243512	0.0607 (0.0147)	0.998	0.0	011344.95+243501.4	HD 7318	**	K0III	5.718 : 4.676	
...	...	...	...	011344.95+243501.4	IRAS 01110+2419	IR	./.	:	
1RXSJ011345.7+073443	0.0931 (0.0165)	0.997	0.0	011345.25+073441.7	HD 7345	Spec. Bin.	F7V	6.80 :	
1RXSJ011424.6−075519	0.1260 (0.0211)	0.998	0.0	011424.04−075522.2	GJ 54.2A	V*	F5V	5.59 : 5.13	
...	...	...	...	011424.04−075522.2	IRAS 01118−0811	IR	./.	:	
1RXSJ011627.9+795422	0.0941 (0.0127)	0.993	0.0	011630.88+795436.1	HD 7238	*	F5Vs	6.656 : 6.271	
1RXSJ011629.8+425621	0.1912 (0.0260)	0.999	0.0	011629.25+425621.9	HD 7590	*	G0	7.150 : 6.606	
1RXSJ011636.5−023000	3.9390 (0.0976)	1.000	0.0	011636.29−023001.3	HD 7672	V*	G5IIIe	6.298 : 5.432	P
1RXSJ011650.5+393809	0.0540 (0.0145)	0.984	10.3	011650.73+393819.4	GSC 02804−00013	*	./.	10.85 : 9.87	
1RXSJ011655.2+064841	0.9245 (0.0689)	0.998	10.3	011654.87+064841.1	HD 7700	Ecl. Bin. (beta Lyr)	G5	9.70 : 9.03	P
1RXSJ011824.2−232412	0.0520 (0.0149)	0.988	11.0	011824.76−232417.2	CD−24 564	*	G5	10.31 : 9.54	
1RXSJ012018.8−440748	0.3048 (0.0313)	0.993	9.8	012019.71−440742.4	ESO 244− 17	Gal.	SBa:r	13.2 :	P
1RXSJ012022.7+093120	0.0725 (0.0183)	0.996	8.8	012022.85+093126.7	HD 8089	**mul.	G0	8.84 : 8.30	
1RXSJ012041.7+154141	0.1620 (0.0269)	0.997	8.4	012040.92+154146.7	HD 8110	*	G8IV	8.11 : 7.28	
1RXSJ012110.5−372929	0.4269 (0.0359)	0.985	11.7	012110.03−372930.1	CD−38 474	*	./.	11.6 : 10.49	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	012110.03−372930.1	RX J0121.2−3729	X	K5V	11.64 : 10.52	
1RXSJ012139.6+253634	0.0677 (0.0148)	0.995	10.1	012139.70+253643.7	BD+24 201	*	F8	10.12 : 9.64	
1RXSJ012215.4+202139	0.1708 (0.0215)	0.995	10.4	012215.33+202130.7	...	...	...	...	
1RXSJ012256.6+072505	4.6730 (0.3580)	1.000	0.0	012256.76+072509.4	GJ 3095	X−ray Binary	G5	8.1 : 7.2	P
1RXSJ012321.5+580838	0.0765 (0.0169)	0.995	0.0	012321.27+580835.6	HD 8272	**mul.	F4V	6.765 : 6.364	
1RXSJ012321.9+103833	0.1284 (0.0351)	0.990	9.8	012321.85+103847.5	HD 8412	*	K0	9.69 : 8.51	
1RXSJ012326.0−763622	0.0534 (0.0136)	0.988	0.0	012325.87−763642.4	HD 8813	*	G5V	9.00 : 8.38	
1RXSJ012346.6−584819	3.6490 (0.1968)	0.998	10.3	012345.76−584820.3	[VV96] J012345.8−584821	Sy1	S	13.59 : 13.23	P
1RXSJ012354.4−350402	0.1232 (0.0204)	0.996	10.2	012354.35−350354.7	MCG−06−04−019	Sy2	./.	14.5 :	P
1RXSJ012440.7+065629	0.0549 (0.0138)	0.996	9.9	012440.50+065626.2	HD 8555	*	G0	9.74 : 9.11	
1RXSJ012522.3−750015	0.0642 (0.0128)	0.993	10.3	012520.07−750019.9	CD−75 45	*	?	10.46 : 10.00	
1RXSJ012531.4+320800	0.0833 (0.0174)	0.993	10.4	012531.42+320810.3	UGC 987	Sy2	Sa	14.0 :	
1RXSJ012533.9−414832	0.0890 (0.0174)	0.983	11.8	012533.63−414834.4	V* VW Phe	Ecl. Bin. (Algol)	M0V	11.00 :	
1RXSJ012540.7+025825	0.0916 (0.0162)	0.999	0.0	012540.66+025819.4	HD 8686	**	F0	7.366 : 6.984	
1RXSJ012609.5+343445	0.0624 (0.0165)	0.998	0.0	012608.79+343446.9	HD 8673	HiPM*	F7V	6.78 : 6.31	
1RXSJ012615.4+191011	0.1951 (0.0248)	0.998	0.0	012615.26+191020.4	HD 8723	V*	F2V:var	5.699 : 5.356	P
1RXSJ012634.2+313659	0.1719 (0.0255)	0.989	11.1	012633.59+313658.4	Mrk 358	Sy1	Sbc	15.0 :	
...	...	...	...	012633.59+313658.4	SN 1969J	SN	?	17.0 :	
1RXSJ012732.9+191043	0.6075 (0.0416)	0.997	10.6	012732.54+191044.2	UGC 1032	Sy1	SBab	13.8 :	P
1RXSJ012739.9+452422	0.2538 (0.0345)	0.999	0.0	012739.38+452424.1	CCDM J01277+4524CD	**mul.	?	:	
...	...	...	...	012739.38+452424.1	HD 8799	HiPM*	F5IV	5.25 : 4.83	
...	...	...	...	012739.38+452424.1	IRAS 01246+4508	IR	./.	:	
1RXSJ012757.8+185928	0.3632 (0.0330)	0.993	10.1	012757.24+185926.3	BD+18 193	*	F8	9.86 : 9.36	
1RXSJ012806.9−184837	0.7424 (0.0506)	0.989	11.2	012806.69−184830.6	MCG−03−04−072	Gal.	./.	15. :	
1RXSJ012808.8−523824	0.4815 (0.0566)	1.000	0.0	012808.66−523819.2	HD 9054	V*	K1V	10.33 : 9.39	
1RXSJ012834.3+421606	0.3097 (0.0316)	0.983	12.0	012834.21+421608.3	HD 8907	*	F8	7.118 : 6.659	
1RXSJ012934.1−213759	0.0780 (0.0229)	0.985	0.0	012936.10−213745.6	HD 9132	**	A0V	5.138 : 5.111	
1RXSJ013112.1+701554	0.0774 (0.0129)	0.998	0.0	013113.76+701552.5	HD 9021	Spec. Bin.	F6V	6.266 : 5.832	
1RXSJ013204.4−630254	0.1357 (0.0248)	0.998	10.0	013204.84−630258.8	CPD−63 121B	*	G0	10.15 : 9.57	
1RXSJ013206.7−233852	0.0690 (0.0202)	0.987	11.0	013207.52−233853.2	HD 9411	*	A8/A9IV/V	7.52 : 7.24	
1RXSJ013216.4+091333	0.0667 (0.0151)	0.990	10.0	013216.05+091341.0	BD+08 243	*	F5	10.08 : 9.59	
1RXSJ013232.8−493138	0.4921 (0.0442)	0.981	0.0	013232.93−493141.3	GSPC S196−A	*	./.	8.43 : 7.79	
...	...	...	...	013232.93−493141.3	HD 9528	Ecl. Bin. (W UMa)	G1/G2IV/V	8.38 : 7.79	
1RXSJ013237.6−494336	0.0670 (0.0184)	0.987	11.0	013236.42−494337.4	HD 9544	*	F4V	6.683 : 6.277	
1RXSJ013319.1+235829	0.1084 (0.0204)	0.999	8.4	013319.02+235830.1	HD 9472	*	G0	8.26 : 7.64	
1RXSJ013324.9+493711	0.2638 (0.0352)	0.984	10.3	013325.77+493710.6	BD+48 465	*	K0	10.0 : 8.8	
1RXSJ013425.0−154910	0.0663 (0.0151)	0.995	9.9	013425.26−154907.9	...	...	...	...	
1RXSJ013604.0+073837	0.0566 (0.0131)	0.993	0.0	013602.90+073843.4	HD 9817	**mul.	F8	7.24 : 6.83	
1RXSJ013709.1+204159	0.1409 (0.0190)	0.998	9.2	013708.64+204201.5	HD 9902	V* (RS CVn)	G5	9.34 : 8.71	P
1RXSJ013721.1−491144	0.1418 (0.0273)	0.999	0.0	013720.82−491144.4	GJ 3102	HiPM*	K7	12.0 :	
1RXSJ013726.8−844608	0.1249 (0.0243)	0.999	0.0	013728.01−844610.6	HD 11025	*	G8III	6.596 : 5.679	
1RXSJ013735.2−064540	0.1441 (0.0197)	0.998	8.9	013734.94−064533.4	HD 10008	HiPM*	G5	9.0 : 8.0	
1RXSJ013740.6−333341	0.1119 (0.0157)	0.995	11.4	013740.54−333341.8	CD−34 635	*	./.	9.9 :	
1RXSJ013755.4−825838	0.2596 (0.0318)	0.999	0.0	013755.55−825830.0	GJ 67.1	*	G2V	6.464 : 5.889	
1RXSJ013921.2+442305	0.1712 (0.0283)	0.995	10.9	013920.94+442309.3	HD 10072	*	G8III	5.875 : 5.017	P
1RXSJ013925.5+701853	0.0560 (0.0101)	0.987	10.8	013925.74+701850.9	...	...	...	...	
1RXSJ013943.1+734241	0.0852 (0.0115)	0.983	11.7	013944.23+734236.9	GSC 04322−02050	*	./.	11.03 : 9.88	
1RXSJ014028.4−160635	0.0570 (0.0141)	0.983	11.3	014028.66−160632.1	BD−16 286	*	./.	11.06 : 10.30	
1RXSJ014358.4+022057	0.0664 (0.0155)	0.993	10.3	014357.78+022059.3	UGC 1214	Sy2	S0	14.0 :	P
1RXSJ014404.7−155632	0.0517 (0.0134)	0.998	0.0	014405.13−155622.4	...	...	...	...	
1RXSJ014416.8+573210	0.2440 (0.0344)	0.998	0.0	014417.91+573212.0	HD 10543	Ecl. Bin. (Algol)	A3V	6.336 : 6.214	
1RXSJ014421.7+650852	0.1690 (0.0173)	0.988	11.4	014422.38+650847.2	GSC 04040−00810	*	./.	10.69 : 9.80	P
1RXSJ014517.4+463201	0.5439 (0.0453)	0.990	0.0	014517.88+463205.9	G 173−18	HiPM*	M:	13.1 :	
1RXSJ014613.2−465651	0.4271 (0.0478)	1.000	0.0	014612.96−465652.1	HD 10922	*	K0/K1V+...	10.05 : 9.33	
1RXSJ014739.5−660952	0.0912 (0.0201)	0.993	11.0	014739.32−660947.4	ESO 80− 5	Gal.	S	:	P
1RXSJ014907.5−282111	0.2884 (0.0301)	0.988	11.7	014907.44−282109.4	...	...	...	...	
1RXSJ014910.3+244328	0.0602 (0.0161)	0.998	8.3	014910.52+244326.4	HD 11060	*	A0	8.43 : 8.30	
1RXSJ014923.8−104212	0.3861 (0.0316)	0.999	0.0	014923.34−104212.7	GJ 9061B	**	G0	7.325 : 6.721	
1RXSJ014955.2+254443	0.0541 (0.0160)	0.993	9.2	014955.20+254447.5	HD 11120	*	G8V	9.21 : 8.60	
1RXSJ015028.6−122023	0.0791 (0.0152)	0.998	0.0	015028.84−122033.3	HD 11274	*	F6V	7.97 : 7.56	
1RXSJ015035.8+065747	0.0683 (0.0147)	0.989	10.9	015036.44+065747.6	BD+06 285	*	F8	10.8 : 10.4	
1RXSJ015141.9−361113	0.1884 (0.0285)	0.997	10.4	015141.89−361116.4	ESO 354− 4	Sy1	Sa	14.5 :	
1RXSJ015159.5−280035	0.0830 (0.0147)	0.985	11.4	015159.95−280032.8	CD−28 583	*	./.	10.34 : 9.81	
1RXSJ015242.3+272134	0.0877 (0.0184)	0.987	10.7	015243.06+272132.3	...	...	...	...	
1RXSJ015243.0−331430	0.1440 (0.0198)	0.999	9.3	015243.18−331425.0	HD 11550	*	G0V	9.45 : 8.93	
1RXSJ015244.8−744545	0.1468 (0.0183)	0.994	0.0	015243.97−744546.1	CD−75 64	*	K5	11.05 : 9.99	
1RXSJ015249.0−222615	0.0700 (0.0158)	0.998	0.0	015249.17−222605.5	GJ 79	HiPM*	K7	10.31 : 8.88	
...	...	...	...	015249.17−222605.5	IRAS 01504−2240	IR	./.	:	
1RXSJ015305.0+293440	1.0050 (0.0618)	1.000	0.0	015304.91+293443.7	GJ 78.1	Spec. Bin.	F6IV	3.90 : 3.41	P
1RXSJ015334.2+031126	0.1465 (0.0237)	0.992	0.0	015333.35+031115.1	HD 11559	*	K0III	5.547 : 4.621	
1RXSJ015523.3+475534	0.0642 (0.0148)	0.998	9.5	015522.70+475536.2	HD 11634	*	K0	9.49 : 8.90	
1RXSJ015553.6−782049	0.0945 (0.0263)	0.997	0.0	015550.54−782054.8	HD 12363	*	F5.5IV−V	6.563 : 6.158	
1RXSJ015557.3−513634	1.6600 (0.1152)	1.000	0.0	015557.47−513632.0	GJ 81A	V*	G8IIIbCNvar...	4.55 :	
...	...	...	...	015557.47−513632.0	GJ 81B	**	?	:	
1RXSJ015604.5+805432	0.7177 (0.0354)	1.000	0.0	015602.94+805430.4	HD 11150	Semi−Reg. Pulsating *	K0	8.320 : 7.114	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ015609.0−050044	0.1120 (0.0186)	0.983	10.8	015609.90−050036.3	BD−05 346	*	K0	10.72 : 9.72	
1RXSJ015710.3−472307	0.2850 (0.0277)	1.000	0.0	015710.08−472307.0	HD 12055	*	G8III	5.682 : 4.841	
1RXSJ015715.9−131901	0.0602 (0.0144)	0.983	11.4	015715.38−131909.0	BD−14 365	*	./.	11.17 : 10.02	
1RXSJ015749.4−215403	0.2321 (0.0254)	0.999	0.0	015748.98−215405.3	HD 12039	V*	G3/G5V	8.72 : 8.11	
1RXSJ015757.8+233620	0.0657 (0.0182)	0.995	0.0	015757.72+233611.2	HD 11973 B	V*	G0	7.78 : 7.25	
1RXSJ015846.3−613410	0.0937 (0.0147)	0.998	0.0	015845.87−613411.7	GJ 83	HiPM*	F0V	3.14 : 2.90	P
1RXSJ015951.5−380725	0.0710 (0.0134)	0.992	0.0	015952.93−380733.9	HD 12320	*	K2III	10.57 : 9.38	
1RXSJ020013.1+065510	0.0576 (0.0138)	0.996	0.0	020012.73+065504.9	HD 12233	Semi−Reg. Pulsating *	K5	9.24 : 7.45	
1RXSJ020014.5+312543	0.1434 (0.0250)	0.998	8.8	020014.92+312545.4	NGC 777	Gal.	E	12.7 :	
1RXSJ020118.8−370457	0.1095 (0.0153)	0.999	0.0	020118.74−370452.1	HD 12463	HiPM*	G0	10.92 : 10.14	
1RXSJ020154.6−523453	0.1638 (0.0284)	0.984	11.5	020153.66−523453.1	CD−53 386	*	./.	10.0 :	
1RXSJ020156.9+705432	0.3827 (0.0246)	0.999	0.0	020157.54+705425.3	HD 12111	Spec. Bin.	A3IV	4.70 : 4.54	
...	...	...	...	020157.54+705425.3	IRAS 01578+7040	IR	./.	:	
...	...	...	...	020157.54+705425.3	NSV 694	V*	F2V	6.77 :	
1RXSJ020212.0−623532	0.5684 (0.0572)	0.989	0.0	020212.10−623531.4	HD 12695	*	F7/F8Vp...	8.63 : 8.07	P
1RXSJ020346.9+353527	0.9955 (0.0956)	0.998	8.9	020347.25+353529.2	GJ 3130	V* (RS CVn)	G5	9.51 : 8.41	
1RXSJ020348.0−002038	0.0703 (0.0155)	0.997	0.0	020348.17−002024.9	HD 12641	V*	G5II−III+...	6.794 : 5.956	
1RXSJ020359.7+000802	0.1137 (0.0185)	0.985	11.2	020359.82+000759.0	BD−00 310	*	G5	10.68 : 10.09	
1RXSJ020458.0−154052	0.0997 (0.0238)	0.988	8.9	020459.28−154039.6	GJ 3133	*	K0V	8.58 : 7.77	
1RXSJ020506.8+771651	2.1780 (0.0549)	1.000	0.0	020507.38+771652.8	HD 12230	**	F0Vn	5.580 : 5.278	
...	...	...	...	020507.38+771652.8	IRAS 02000+7702	IR	./.	:	
1RXSJ020615.9−001728	0.3564 (0.0325)	0.981	11.5	020616.02−001729.1	UGC 1597	Sy1	S0	14.6 :	
1RXSJ020653.0+151744	0.4039 (0.0388)	0.994	10.8	020653.09+151743.3	V* TT Ari	Nova−like Star	B	10.20 :	P
1RXSJ020931.3−305815	0.1253 (0.0179)	0.997	10.2	020931.09−305821.2	HD 13328	**mul.	G0V	10.39 : 9.89	
1RXSJ020938.1−483556	0.0782 (0.0155)	0.999	0.0	020938.19−483556.7	HD 13397	*	K0III	8.75 : 7.75	
1RXSJ021008.2−543036	0.5611 (0.0471)	0.987	11.6	021007.83−543041.1	V* ER Eri	V*	K	10.91 : 9.86	
1RXSJ021040.9+605729	0.0539 (0.0105)	0.998	9.6	021040.34+605728.7	HD 13148	*	G5	9.37 : 8.50	
1RXSJ021208.9+270817	0.0797 (0.0202)	0.992	10.7	021209.01+270817.2	...	...	...	...	
1RXSJ021321.6+054627	0.2621 (0.0459)	0.989	10.4	021321.18+054621.2	BD+05 300	*	G0	10.28 : 9.70	P
1RXSJ021414.1−033751	0.0596 (0.0153)	0.996	9.9	021413.56−033756.9	HD 13789	HiPM*	K2	10.1 : 8.8	
1RXSJ021433.7−004603	2.6890 (0.1666)	0.998	10.1	021433.56−004559.9	NGC 863	Sy1	Sa	14.0 :	P
1RXSJ021502.0−233221	0.1265 (0.0194)	0.988	11.5	021501.99−233225.5	HD 13920	*	F7V	7.54 : 7.07	
1RXSJ021542.4+250245	0.0763 (0.0217)	0.998	0.0	021542.77+250234.9	HD 13872	**mul.	F6V	6.051 : 5.585	
1RXSJ021545.0−790129	0.2067 (0.0380)	0.984	11.7	021545.12−790134.4	HD 14717	*	G0V	9.39 : 8.86	
1RXSJ021639.6+811022	0.0523 (0.0115)	0.984	10.7	021643.93+811010.3	GSC 04507−00500	*	./.	10.78 : 10.28	
1RXSJ021640.5−305911	0.2423 (0.0239)	0.998	0.0	021640.73−305920.4	GJ 3148A	HiPM*	?	12.3 :	
1RXSJ021702.1+341327	0.4234 (0.0391)	0.990	0.0	021703.23+341327.2	GJ 92	Spec. Bin.	G0.5V	5.48 : 4.90	
1RXSJ021742.4−501450	0.1097 (0.0184)	0.986	9.7	021743.45−501442.0	HD 14366	*	G3V	9.95 : 9.24	
1RXSJ021851.4−695306	0.1063 (0.0301)	0.995	0.0	021853.23−695312.5	HD 14706	*	G0V	9.27 : 8.71	
1RXSJ022132.9+340449	0.1140 (0.0197)	0.992	10.8	022133.26+340446.7	BD+33 411	*	G0	10.46 : 9.68	
1RXSJ022210.7+720501	0.0536 (0.0101)	0.985	11.2	022212.90+720457.9	GSC 04319−00714	*	./.	11.11 : 10.16	
1RXSJ022232.9−234903	0.8693 (0.0602)	0.999	0.0	022232.54−234859.3	GJ 97	HiPM*	G2V	5.80 : 5.19	P
1RXSJ022304.5+702037	0.0848 (0.0125)	0.999	0.0	022304.72+702035.4	HD 14382	**mul.	F5	8.34 : 7.81	
1RXSJ022423.8−030631	0.1351 (0.0321)	0.991	0.0	022423.31−030614.5	HD 14938	*	F5	7.66 : 7.20	
1RXSJ022509.0−631326	0.2101 (0.0248)	0.994	10.5	022508.97−631326.8	ACO S 261	Clust.	./.	:	
1RXSJ022553.2−525749	0.0652 (0.0157)	0.998	0.0	022552.08−525752.2	HD 15279	*	G2V	8.96 : 8.37	
1RXSJ022742.2−335351	0.1061 (0.0162)	0.986	11.7	022742.31−335347.6	HD 15394	*	F7V	8.1 : 7.5	
1RXSJ022818.9−611817	5.2430 (0.2298)	1.000	0.0	022819.02−611819.4	HD 15638	Spec. Bin.	F3IV/V	9.28 : 8.86	P
1RXSJ022819.7−385528	0.0905 (0.0156)	0.986	11.6	022819.74−385530.6	CD−39 714	*	./.	11.29 : 10.54	
1RXSJ022839.4−093550	0.0696 (0.0163)	0.996	9.5	022839.63−093545.7	HD 15424	*	F8	9.29 : 8.92	
1RXSJ022846.4+162714	0.1744 (0.0366)	0.993	10.6	022845.92+162718.9	BD+15 341	*	G0	10.38 : 9.86	
1RXSJ022939.1−471336	0.0533 (0.0107)	0.986	11.5	022939.43−471343.1	HD 15661	**mul.	G6/G8IV:	10.53 : 9.90	
1RXSJ022942.2+720606	0.1422 (0.0160)	0.997	0.0	022944.65+720603.8	GSC 04320−01432	*	./.	10.63 : 9.71	
1RXSJ023005.5−085951	2.1410 (0.1285)	0.994	11.3	023005.54−085953.1	Mrk 1044	Sy1	S...	14.5 :	P
1RXSJ023211.0+552723	0.0545 (0.0115)	0.998	0.0	023212.01+552729.2	HD 15559	*	F2	7.080 : 6.755	
1RXSJ023215.1−362545	0.0942 (0.0158)	0.987	11.2	023214.60−362538.0	HD 15889	*	G8III	7.310 : 6.290	
1RXSJ023253.3+150213	0.3065 (0.0555)	0.996	0.0	023254.13+150204.4	GJ 3161	*	F8V	6.527 : 6.001	
1RXSJ023401.2−653634	0.0677 (0.0130)	0.990	11.4	023401.01−653635.0	HD 16322	Ecl. Bin. (W UMa)	G2IV/V	10.14 : 9.45	
1RXSJ023423.0−434739	3.6790 (0.2241)	0.989	11.4	023422.42−434739.9	GJ 103	V* (BY Dra)	M0	10.06 :	P
1RXSJ023513.9−293616	0.3561 (0.0339)	0.983	11.9	023513.50−293618.2	ESO 416− 2	Gal.	Sa:	14.97 :	P
1RXSJ023801.1+724857	0.0671 (0.0115)	0.986	11.3	023802.32+724904.1	HD 15920	*	G8III	6.056 : 5.181	
1RXSJ023816.5+374336	0.0750 (0.0198)	0.991	0.0	023817.84+374336.2	BD+37 588B	**	?	:	
...	...	...	...	023817.84+374336.2	HD 16327	**	F6III	6.627 : 6.190	
1RXSJ023819.9−521132	2.3820 (0.1963)	0.993	11.2	023819.71−521132.4	ESO 198− 24	Sy1	./.	14.41 : 14.17	
1RXSJ023901.2−581112	1.3370 (0.0733)	0.998	10.7	023901.23−581114.4	GJ 1049	*	K7	10.87 : 9.56	P
1RXSJ023948.1−425327	0.4731 (0.0353)	1.000	0.0	023948.00−425330.0	HD 16754	**	A2V	4.81 : 4.75	
...	...	...	...	023948.00−425330.0	IRAS 02379−4306	IR	./.	:	
1RXSJ024033.5+611358	0.0538 (0.0107)	0.990	0.0	024031.67+611345.5	BWE 0236+6101	*	B0V	11.4 : 10.8	P
...	...	...	...	024031.67+611345.5	[MPP98] 3	Rad.	./.	:	
1RXSJ024039.0−543252	0.1295 (0.0205)	0.999	0.0	024039.58−543259.7	HD 16920	Spec. Bin.	F4IV	5.61 : 5.21	
1RXSJ024126.0+055923	0.5573 (0.0544)	0.988	11.4	024125.64+055920.8	BD+05 378	*	M...	11.1 : 10.2	P
1RXSJ024146.8−525943	0.6771 (0.0697)	0.987	0.0	024146.74−525952.3	CD−53 544	*	./.	11.4 : 10.28	
1RXSJ024233.5−504756	0.2813 (0.0446)	0.999	0.0	024233.47−504801.0	GJ 108	HiPM*	G0V	5.97 : 5.40	
1RXSJ024240.9−000046	1.7850 (0.0941)	0.998	10.7	024240.77−000045.8	EQ 024006.7−001321.8	./.	./.	13.42 : 13.02	
...	...	...	...	024240.77−000045.8	M 77	Sy2	S...	8.91 :	P

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	024240.77−000045.8	QSO 0240−002A	Rad.	./.	:	
...	...	...	...	024240.77−000045.8	QSO 0240−002B	Quasar	./.	:	
...	...	...	...	024240.77−000045.8	QSO 0240−002C	Quasar	./.	:	
...	...	...	...	024240.77−000045.8	[GBO96] C	Rad.	./.	:	
...	...	...	...	024240.77−000045.8	[GBO96] NE	Rad.	./.	:	
...	...	...	...	024240.77−000045.8	[GBO96] S1	Rad.	./.	:	
...	...	...	...	024240.77−000045.8	[GBO96] S2	Rad.	./.	:	
...	...	...	...	024240.77−000045.8	[MPH96] 5	Rad.	./.	:	
1RXSJ024326.2−375540	1.8410 (0.1782)	0.999	0.0	024325.57−375542.4	HD 17084	V* (RS CVn)	G6V+...	8.74 : 8.05	
1RXSJ024411.7+491348	0.1524 (0.0186)	0.999	0.0	024411.69+491343.2	GJ 107A	V*	F7V	4.60 :	
...	...	...	...	024411.69+491343.2	GJ 107B	HiPM*	M1.5	:	
1RXSJ024413.4−361827	0.0976 (0.0178)	0.991	11.2	024412.95−361825.9	GJ 3177	*	G5V	7.838 : 7.138	
1RXSJ024416.0+253134	0.0528 (0.0142)	0.995	0.0	024414.95+253127.3	GJ 109	V*	M3	12.13 : 10.58	
1RXSJ024426.0−265959	0.0551 (0.0157)	0.984	11.1	024426.37−265951.7	...	...	...	...	
1RXSJ024506.5−183416	0.9063 (0.0592)	0.999	0.0	024506.18−183421.3	GJ 111	Spec. Bin.	F5/F6V	4.95 : 4.50	P
1RXSJ024524.3+143518	0.1827 (0.0299)	0.997	10.6	024524.16+143521.3	GSC 00646−00530	TT	G4V	10.41 : 9.84	P
1RXSJ024614.7+053537	0.1686 (0.0484)	0.996	8.4	024614.38+053535.4	HD 17250	*	F8	8.35 : 7.88	
1RXSJ024640.4−242608	0.0563 (0.0155)	0.980	11.4	024639.72−242602.1	...	...	...	...	
1RXSJ024646.0−213818	0.0627 (0.0185)	0.997	0.0	024645.11−213822.3	HD 17390	*	F3IV/V	6.825 : 6.475	
1RXSJ024727.2−001220	0.3276 (0.0501)	0.989	10.6	024726.82−001224.7	V* BY Cet	V*	G5	10.37 : 9.67	P
1RXSJ024854.7+693804	0.6701 (0.0399)	0.989	0.0	024855.51+693803.1	HD 17138	*Neb.	A2V	6.408 : 6.267	P
1RXSJ024920.8+191813	0.2336 (0.0261)	0.990	11.6	024920.71+191814.7	QSO 0246+190	Sy1	S0	15.5 :	P
1RXSJ024933.0+575309	0.1486 (0.0179)	0.998	8.8	024932.53+575302.4	HD 17357	*	F5	8.94 : 8.51	
1RXSJ025029.9+115206	0.5687 (0.0478)	0.990	9.6	025030.21+115217.9	HD 17662	TT	G5	9.24 : 8.46	P
1RXSJ025046.7−344845	0.0542 (0.0136)	0.995	10.7	025046.60−344848.4	...	...	...	...	
1RXSJ025048.0−395607	0.1296 (0.0197)	0.986	10.9	025047.75−395555.7	HD 17864	*	A0V	6.404 : 6.364	
1RXSJ025102.0−210013	0.1756 (0.0302)	0.999	0.0	025102.31−210014.5	HD 17824	**	K0III	5.66 : 4.75	
...	...	...	...	025102.31−210014.5	IRAS 02487−2112	IR	./.	:	
1RXSJ025153.5−613704	0.9671 (0.0593)	1.000	0.0	025152.97−613704.6	HD 18134	V* (BY Dra)	K1Vp...	9.68 : 8.86	P
1RXSJ025222.3+632441	0.3040 (0.0244)	0.999	0.0	025222.81+632435.2	HD 17591	HiPM*	G0	7.7 : 6.94	
1RXSJ025402.6−355425	0.0726 (0.0164)	0.998	0.0	025402.78−355416.9	GJ 118.1A	HiPM*	K3V	9.19 : 8.25	
1RXSJ025626.2+180111	0.0515 (0.0129)	0.998	0.0	025626.15+180123.3	HD 18256	Spec. Bin.	F6V	6.06 : 5.63	
1RXSJ025651.8+583511	0.0662 (0.0121)	0.984	11.5	025652.07+583510.1	HD 18086	**mul.	G0	9.63 : 9.18	
1RXSJ025755.2−314706	0.0709 (0.0163)	0.983	11.5	025754.77−314709.6	CD−32 1096	*	./.	11.51 : 10.66	
1RXSJ025804.2+204011	0.1192 (0.0266)	0.995	0.0	025805.22+204007.4	HD 18404	HiPM*	F5IV	6.21 : 5.80	P
1RXSJ025930.7−242249	0.3887 (0.0391)	0.994	11.0	025930.63−242254.8	...	...	...	...	
1RXSJ025935.3+351946	0.0565 (0.0127)	0.990	8.9	025933.85+351939.5	HD 18493	*	K0	8.94 : 8.19	
1RXSJ030020.2−372721	0.0755 (0.0165)	0.998	0.0	030019.72−372716.2	HD 18809	*	G3V	9.12 : 8.49	
1RXSJ030226.6+222225	0.0672 (0.0178)	0.998	8.2	030227.08+222226.4	HD 18831	TT	F5	8.39 : 7.93	P
1RXSJ030336.5−253533	0.1206 (0.0263)	0.998	0.0	030336.70−253532.6	CD−26 1122	*	./.	:	
1RXSJ030343.2−761608	0.0882 (0.0133)	0.988	10.1	030343.93−761610.6	CD−76 121	*	G5	10.49 : 9.77	
1RXSJ030511.8+653310	0.0615 (0.0112)	0.999	8.6	030512.50+653307.5	HD 18823	*	F8	8.58 : 8.07	
1RXSJ030630.2−753103	0.0523 (0.0094)	0.983	11.4	030628.96−753112.0	CPD−75 221	*	./.	10.69 : 10.14	
1RXSJ030755.6−281310	1.5380 (0.0860)	1.000	0.0	030755.97−281309.9	GJ 1054A	HiPM*	M0	11.60 : 10.20	P
1RXSJ030759.1+302032	0.4512 (0.0326)	0.998	10.2	030759.10+302029.4	AG+30 320	TT	G0	9.85 : 9.20	P
1RXSJ030807.1−244539	1.0220 (0.0748)	0.999	0.0	030806.66−244534.7	V* AE For	Ecl. Bin. (Algol)	K4	10.8 : 9.7	P
1RXSJ030810.0+405727	9.6490 (0.1419)	0.999	0.0	030810.13+405720.4	GJ 9110	Ecl. Bin. (Algol)	B8V	2.07 :	
1RXSJ030840.8+253535	0.0522 (0.0134)	0.997	9.1	030840.64+253531.8	HD 19485	V* (RS CVn)	G5V...	8.88 : 8.21	
1RXSJ031038.3−052343	0.4430 (0.0472)	0.999	9.3	031038.39−052338.4	HD 19754	V* (RS CVn)	K0	9.31 : 8.18	
1RXSJ031110.4+680152	0.0670 (0.0111)	0.999	0.0	031109.58+680150.9	...	...	...	...	
1RXSJ031117.1+481030	0.0907 (0.0139)	0.989	11.1	031116.71+481038.0	2E 0307.8+4759	X	./.	:	
...	...	...	...	031116.71+481038.0	Cl Melotte 20 94	*iC	F9V	11.00 : 10.39	
1RXSJ031239.0+713312	0.0852 (0.0139)	0.999	0.0	031239.13+713320.2	HD 19475	**mul.	F8	8.29 : 7.72	
1RXSJ031313.0+034924	0.3122 (0.0282)	0.993	11.3	031312.81+034926.1	...	...	...	...	
1RXSJ031322.1+480637	0.5714 (0.0340)	1.000	8.9	031322.10+480634.1	V* LX Per	V* (RS CVn)	G5IV	8.98 : 8.26	P
1RXSJ031327.9+741749	0.1183 (0.0154)	1.000	0.0	031327.50+741746.8	HD 19438	*	F8	7.83 : 7.31	
1RXSJ031557.4−772312	0.1040 (0.0238)	0.998	0.0	031557.36−772319.0	HD 21024	*	F4III	5.914 : 5.519	
1RXSJ031557.7+004550	0.0531 (0.0127)	0.994	9.4	031558.46+004552.5	HD 20306	*	F5	9.24 : 8.74	
1RXSJ031642.7+411938	0.2519 (0.0256)	0.991	10.2	031642.98+411929.2	IC 310	Gal. in Clust.	S0	14.3 :	
1RXSJ031645.5−423142	0.1113 (0.0182)	0.998	0.0	031644.97−423133.8	CCDM J03168−4232B	**	./.	11.2 :	
...	...	...	...	031644.97−423133.8	CD−42 1064	**	?	9.88 : 9.25	
1RXSJ031743.8−623452	0.0950 (0.0205)	0.993	0.0	031744.47−623436.8	IRAS 03168−6245	IR	./.	:	
1RXSJ031840.0+182822	0.0540 (0.0122)	0.987	9.7	031841.13+182823.9	HD 20527	*	G5	9.37 : 8.70	
1RXSJ031920.8+032217	1.2010 (0.0946)	0.986	0.0	031921.70+032212.7	GJ 137	V*	G5Vvar	5.51 :	P
1RXSJ031947.4+413052	14.7700 (0.1755)	0.988	8.4	031948.16+413043.4	3C 84	Sy	Ep...	13.08 : 12.48	
...	...	...	...	031948.16+413043.4	[LO95] 0316+413	Rad. Gal.	./.	:	
1RXSJ032025.7−381907	0.0631 (0.0173)	0.994	10.9	032025.49−381911.2	CD−38 1104	*	G0	11.15 : 10.50	
1RXSJ032046.5+084117	0.0973 (0.0154)	0.984	10.5	032045.71+084125.6	BD+08 497	*	G0	10.45 : 9.90	
1RXSJ032118.9−791711	0.2358 (0.0308)	0.986	11.6	032120.52−791712.2	...	...	...	...	
1RXSJ032335.8−400432	0.4216 (0.0356)	0.999	0.0	032335.28−400435.5	GJ 3222	**mul.	K0V	7.4 : 7.2	
1RXSJ032409.7+123745	0.0551 (0.0123)	0.999	0.0	032410.13+123746.6	HD 21051	TT	K0III−IV	7.249 : 6.053	P
1RXSJ032550.9−355612	0.1748 (0.0391)	0.993	0.0	032551.87−355625.5	CD−36 1289	*	F8	10.53 : 9.88	
1RXSJ032709.8+094410	0.7654 (0.0752)	0.990	0.0	032710.12+094358.0	HD 21364	*	B9Vn	3.663 : 3.727	
1RXSJ032726.0+470335	0.1927 (0.0215)	0.986	11.6	032726.06+470330.0	BD+46 755	*iC	K0	9.62 : 8.34	
1RXSJ032728.1−065748	0.0634 (0.0150)	0.995	9.5	032727.95−065753.3	HD 21468	*	A2	9.38 : 9.07	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ032733.2+255405	0.0947 (0.0165)	0.989	10.1	032732.40+255401.7	BD+25 547	*iC	G0	9.89 : 9.28	
1RXSJ032751.2+350413	0.1413 (0.0184)	0.984	10.2	032751.55+350400.8	HD 278651	*	K0	10.08 : 8.78	
1RXSJ032755.1+042252	0.2814 (0.0271)	0.986	10.7	032755.82+042254.0	...	...	...	...	
1RXSJ032807.8−355441	0.2702 (0.0486)	0.999	0.0	032807.41−355443.4	CD−36 1309	*	F8	9.84 : 9.27	
1RXSJ032837.0−665504	0.0625 (0.0159)	0.988	11.1	032836.85−665512.7	...	...	...	...	
1RXSJ032920.0−625624	0.0707 (0.0171)	0.984	0.0	032922.69−625615.1	GJ 143.2	**mul.	F5	10.4 : 4.8	
...	...	...	...	032922.69−625615.1	GJ 143.2A	HiPM*	F5IV−V	5.10 : 4.71	
1RXSJ032951.4+411039	0.1521 (0.0185)	0.997	10.1	032951.81+411035.5	HD 21523	*	K0	9.90 : 8.80	
1RXSJ033027.3+541741	0.0939 (0.0145)	0.998	9.6	033027.58+541742.9	HD 21494	*	G8III	9.52 : 8.87	
1RXSJ033049.1−455552	0.2182 (0.0233)	0.981	11.8	033048.94−455557.6	CD−46 1064	*	?	10.58 : 9.63	
1RXSJ033149.8−633155	0.0675 (0.0162)	0.990	11.1	033148.81−633154.3	...	...	...	...	
1RXSJ033207.9+661812	0.1245 (0.0169)	0.998	9.6	033206.71+661809.4	HD 21509	*	K0	9.02 : 7.94	
1RXSJ033225.6+460327	0.1288 (0.0185)	0.998	0.0	033226.26+460324.7	HD 21770	V*	F4III	5.674 : 5.310	
1RXSJ033256.4−092727	2.8220 (0.2335)	0.998	0.0	033255.84−092729.8	GJ 144	V* (BY Dra)	K2V	4.61 : 3.73	P
1RXSJ033303.1−464321	0.0566 (0.0126)	0.998	0.0	033303.81−464320.3	HD 22249	*	G5III/IV:	9.35 : 8.71	
1RXSJ033416.4−120354	0.4820 (0.0509)	0.994	9.7	033416.11−120405.6	HD 22213	*	G8V	9.51 : 8.82	
1RXSJ033438.8+384636	0.0810 (0.0156)	0.985	10.2	033438.10+384629.9	HD 275480	*	G0	10.44 : 9.71	
1RXSJ033530.2+311336	0.2606 (0.0269)	0.998	9.7	033529.77+311339.3	HD 22179	TT	G0	9.51 : 8.93	P
1RXSJ033647.2+003518	18.9700 (0.9653)	0.999	0.0	033647.29+003515.9	CCDM J03368+0035AB	**mul.	G5	8.4 : 6.2	
...	...	...	...	033647.29+003515.9	HD 22468	V* (RS CVn)	G9V	6.757 : 5.905	P
...	...	...	...	033647.29+003515.9	IRAS 03342+0025	IR	./.	:	
...	...	...	...	033647.29+003515.9	RX J0336.7+0035	X	./.	:	
1RXSJ033653.5−495728	0.2469 (0.0248)	0.985	11.8	033653.14−495728.9	HD 22705	**	G2V	8.19 : 7.64	
1RXSJ033701.8−413145	0.1495 (0.0335)	0.998	0.0	033701.43−413139.6	V* FX Eri	Ecl. Bin. (W UMa)	?	10.40 : 9.66	
1RXSJ033704.7−385016	0.0888 (0.0252)	0.988	10.7	033704.11−385006.7	CD−39 1100	*	./.	10.0 :	
1RXSJ033711.0+255934	3.9960 (0.1027)	0.999	0.0	033711.04+255927.9	HD 22403	V* (BY Dra)	G2V...	8.4 : 8.1	P
1RXSJ033735.1+212052	0.0618 (0.0146)	0.981	10.3	033734.43+212037.1	BD+20 598	*iC	G5	10.30 : 9.37	
1RXSJ033740.8+671904	0.0744 (0.0126)	0.985	11.6	033740.41+671902.6	...	...	...	...	
1RXSJ033741.2−065921	0.2657 (0.0285)	0.989	10.7	033741.41−065931.1	BD−07 641	*	./.	10.59 : 10.00	
...	...	...	...	033741.41−065931.1	EUVE J0337−06.9	UV	./.	:	
1RXSJ034028.2−475542	0.0551 (0.0134)	0.988	10.5	034029.18−475532.9	CD−48 1042	*	K7	10.89 : 9.62	
1RXSJ034124.6−001301	0.1613 (0.0225)	0.991	8.4	034125.25−001313.2	HD 22993	*	A0	8.16 : 8.06	
1RXSJ034137.0+551254	0.1548 (0.0184)	0.986	0.0	034137.28+551306.8	AC +54 2311−89	*	M0	12.81 : 11.40	
1RXSJ034211.5−455725	0.1542 (0.0236)	0.988	0.0	034209.85−455728.4	HD 23308	*	F7V	6.985 : 6.516	P
1RXSJ034423.3+281224	0.2231 (0.0274)	0.997	9.2	034424.12+281225.0	CCDM J03444+2812AB	**mul.	G0	9.42 : 8.83	P
1RXSJ034426.0−012319	0.4070 (0.0345)	0.985	10.8	034425.98−012331.5	BD−01 524	*	K0	11.1 : 10.2	
1RXSJ034433.9+504343	0.0760 (0.0128)	0.983	11.5	034434.42+504348.7	...	...	...	...	
1RXSJ034542.4+245421	0.0835 (0.0169)	0.997	10.2	034541.99+245425.2	GSC 01803−00944	TT	G5IV	10.30 : 9.64	P
1RXSJ034545.8−411228	0.3536 (0.0622)	0.988	9.7	034546.41−411215.6	APMGS 034401.1−412130.9	Gal.	./.	15.0 :	
...	...	...	...	034546.41−411215.6	MCG−07−08−006	Gal.	./.	15. :	
1RXSJ034823.5+520210	0.8608 (0.0444)	0.993	9.6	034822.67+520218.5	HD 23524	**mul.	G6IV	9.53 : 8.77	
1RXSJ034839.3+215538	0.0718 (0.0158)	0.998	8.9	034839.29+215531.3	1RXS J034839.3+215538	TT	A3	:	P
...	...	...	...	034839.29+215531.3	Cl Melotte 22 3321	*iC	./.	8.80 : 8.40	
...	...	...	...	034839.29+215531.3	HD 23792	*iC	F0	8.78 : 8.41	
1RXSJ034848.8−531055	0.0737 (0.0145)	0.997	0.0	034847.30−531056.2	HD 24224	*	G3V	8.95 : 8.36	
1RXSJ034926.6+110837	0.3388 (0.0323)	0.998	8.5	034927.13+110841.8	HD 23952	Semi−Reg. Pulsating *	G0	8.34 : 7.67	P
1RXSJ034938.2−021936	0.1188 (0.0192)	0.998	0.0	034938.65−021942.7	HD 24031	*	G0	7.77 : 7.23	
1RXSJ034952.6−080411	0.0803 (0.0177)	0.998	8.5	034953.00−080411.8	HD 24080	*	G0	8.55 : 8.09	
1RXSJ035003.8+445814	0.0839 (0.0138)	0.998	0.0	035004.42+445804.3	HD 23838	*	G2III+...	6.409 : 5.668	
1RXSJ035017.9−244829	0.1364 (0.0196)	0.985	11.6	035018.12−244834.2	GSC 06448−01041	*	./.	11.6 : 10.9	
1RXSJ035025.0+171455	1.5530 (0.0686)	0.992	10.3	035024.56+171448.3	V* V471 Tau	WD	K0	10.24 : 9.48	P
1RXSJ035028.0+163121	0.0754 (0.0163)	0.982	11.7	035028.33+163116.6	[LH98] 108	TT	G5IV	:	P
1RXSJ035030.9−135527	0.0552 (0.0123)	0.989	11.3	035030.78−135528.8	...	...	...	...	
1RXSJ035046.0+712013	0.0632 (0.0132)	0.995	0.0	035043.50+712004.6	BD+70 260	**	F8	9.48 : 9.03	
1RXSJ035141.3−402803	2.1030 (0.1446)	0.993	11.1	035141.71−402759.7	QSO 0349−4036	Sy1	S...	15.10 : 15.2	P
1RXSJ035247.7−292607	0.0920 (0.0166)	0.999	0.0	035248.06−292611.0	CD−29 1464	*	G5	:	
1RXSJ035309.6+171943	0.0561 (0.0149)	0.998	0.0	035310.05+171937.5	HD 24357	*iC	F4V	6.282 : 5.969	
1RXSJ035322.6−794831	0.0764 (0.0163)	0.997	9.5	035319.72−794835.8	HD 25637	V* (delta Sct)	F5V	9.58 : 9.12	
1RXSJ035407.3+315255	0.0528 (0.0150)	0.997	0.0	035407.92+315301.2	ADS 2843 AB	**mul.	B1	2.96 : 2.83	
...	...	...	...	035407.92+315301.2	HD 24398	V*	B1Iab:	2.966 : 2.883	
...	...	...	...	035407.92+315301.2	IRAS 03509+3144	IR	./.	:	
1RXSJ035509.6−273724	0.0638 (0.0142)	0.995	10.4	035509.89−273729.3	CD−27 1449	*	F8	10.62 : 10.07	
1RXSJ035707.7−340932	0.1274 (0.0292)	0.988	10.1	035708.65−340922.6	CD−34 1469	*	G0	10.51 : 9.95	
1RXSJ035720.2+505122	0.4297 (0.0271)	0.998	10.4	035719.69+505122.2	HD 232862	**mul.	G8II	10.33 : 9.46	
1RXSJ035736.5−041613	0.0996 (0.0195)	0.986	11.3	035737.14−041615.0	...	...	...	...	
1RXSJ035838.2−313535	0.2886 (0.0364)	0.991	0.0	035839.28−313542.2	HD 25156	*	G0/G1V	10.03 : 9.46	
1RXSJ035842.9−570618	0.1010 (0.0126)	0.986	11.0	035842.89−570607.3	HD 25346	*	F2IV	6.459 : 6.054	
1RXSJ035850.9−511043	0.0876 (0.0214)	0.998	0.0	035851.13−511033.3	HD 25302	**mul.	F8	9.85 : 9.34	
1RXSJ035857.8+354737	0.2531 (0.0243)	0.998	0.0	035857.90+354727.7	HD 24912	Em. *	O7e	4.022 : 4.042	P
1RXSJ035858.0−171354	0.1387 (0.0225)	0.987	10.6	035858.09−171347.0	V* RY Eri	Ecl. Bin. (Algol)	G0	11.2 : 10.4	
1RXSJ035904.7+433824	0.0574 (0.0135)	0.988	9.9	035904.25+433821.4	HD 24870	*	G0	9.86 : 9.34	
1RXSJ035941.3−584028	0.0614 (0.0093)	0.995	9.8	035940.65−584029.6	HD 25482	V*	K0III	10.58 : 9.45	
1RXSJ040129.1−783239	0.0673 (0.0151)	0.986	0.0	040127.37−783255.1	HD 26475	*	F5V	9.01 : 8.59	
1RXSJ040205.0−234157	0.0503 (0.0122)	0.992	10.5	040205.61−234202.3	CD−24 2045	*	G0	10.63 : 10.07	
1RXSJ040216.5−152126	0.2079 (0.0273)	0.981	11.9	040216.29−152128.7	BD−15 705	*	./.	11.2 : 10.31	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ040312.4+345007	0.1503 (0.0187)	0.998	0.0	040313.00+345000.5	HD 25373	*	K0	8.84 : 7.64	
1RXSJ040409.7+024950	0.2392 (0.0299)	0.989	11.1	040409.37+024943.6	...	...	...	...	
1RXSJ040455.4−352644	0.0673 (0.0133)	0.998	0.0	040456.00−352647.2	HD 25926	**mul.	G2V	8.42 : 7.83	
1RXSJ040536.3−310257	0.0618 (0.0131)	0.998	0.0	040536.66−310303.5	HD 25983	*	F6V	7.447 : 6.949	
1RXSJ040537.8+091217	0.1347 (0.0224)	0.997	9.4	040537.30+091210.1	HD 25779	*	F8	9.05 : 8.59	
1RXSJ040540.5+034200	0.0774 (0.0182)	0.992	9.8	040540.67+034148.6	BD+03 557	*	G0	9.81 : 9.27	
1RXSJ040551.5−313831	0.1801 (0.0214)	0.994	0.0	040552.23−313838.4	CD−31 1688	*	G5	10.78 : 10.10	
1RXSJ040638.8+201818	0.1515 (0.0239)	0.987	11.4	040638.79+201811.8	HD 284149	TT	F8	10.17 : 9.52	
1RXSJ040641.2+014102	0.1018 (0.0200)	0.999	8.5	040641.39+014107.0	HD 25953	*	F5	8.28 : 7.84	
1RXSJ040707.9+104805	0.0922 (0.0202)	0.998	8.5	040708.63+104802.8	HD 25979	*	F8	8.39 : 7.98	
1RXSJ040719.9+490548	0.0823 (0.0156)	0.998	8.8	040720.27+490549.8	HD 25766	*	F5	8.80 : 8.38	
1RXSJ040736.7−564029	0.0874 (0.0137)	0.990	11.3	040736.60−564027.2	...	...	...	...	
1RXSJ040836.4+380213	0.8435 (0.0439)	0.989	0.0	040836.49+380224.8	GJ 161.1	TT	F7V	5.97 : 5.50	P
1RXSJ040849.2+102754	0.2640 (0.0310)	0.998	9.4	040849.58+102750.1	HD 26172	TT	G5	9.41 : 8.79	P
1RXSJ040909.7+290134	0.1538 (0.0205)	0.986	11.7	040909.72+290130.8	GSC 01826−00877	TT	K1	11.8 : 10.8	P
...	...	...	...	040909.72+290130.8	HD 281691	*	G8III	11.8 : 10.5	
1RXSJ040912.0−711739	1.1110 (0.0477)	1.000	0.0	040911.23−711741.9	V* VW Hyi	DN	?	8.50 :	P
1RXSJ041042.4+182519	0.0577 (0.0156)	0.998	0.0	041042.36+182523.7	HD 26345	*iC	F6V	6.986 : 6.601	
...	...	...	...	041042.36+182523.7	LP 18−594	*	./.	5.63 : 6.20	
1RXSJ041049.8+262830	0.0529 (0.0134)	0.991	0.0	041049.86+262851.4	HD 26322	V* (delta Sct)	F2IV−V	5.715 : 5.399	
1RXSJ041055.7+473645	0.2245 (0.0230)	0.997	9.8	041055.71+473641.7	...	...	...	...	
1RXSJ041155.1−580154	0.0856 (0.0174)	0.985	11.0	041155.63−580147.9	CD−58 860	*	G1	10.79 : 10.12	
1RXSJ041155.6+233822	0.5762 (0.0395)	0.989	10.8	041155.70+233813.3	HD 284163	V*	K0	10.48 : 9.45	P
1RXSJ041208.5−102800	0.3167 (0.0329)	0.996	9.3	041209.22−102804.8	HD 26609	Ecl. Bin. (W UMa)	G5	9.05 : 8.41	P
1RXSJ041212.7−060122	0.0632 (0.0165)	0.988	11.2	041212.64−060117.5	V* BZ Eri	Ecl. Bin. (Algol)	F2	9.00 :	
1RXSJ041214.6+461614	0.1144 (0.0172)	0.985	11.9	041214.75+461615.5	...	...	...	...	
1RXSJ041332.4+074300	0.1024 (0.0229)	0.998	0.0	041333.10+074257.8	HD 26690	**mul.	F2V+...	5.622 : 5.291	
...	...	...	...	041333.10+074257.8	IRAS 04108+0735	IR	./.	:	
1RXSJ041406.5+551510	0.0599 (0.0122)	0.985	11.6	041406.81+551515.9	...	...	...	...	
1RXSJ041422.0−381852	0.2591 (0.0248)	0.996	9.5	041422.50−381901.3	HD 26980	*	G5V	9.73 : 9.14	
1RXSJ041425.3−204921	0.2423 (0.0259)	0.998	0.0	041425.09−204929.5	HD 26917	*	K1III	10.44 : 9.49	
1RXSJ041426.3+122607	0.1028 (0.0218)	0.998	8.8	041426.85+122607.3	HD 26767	*iC	G0	8.70 : 8.08	
...	...	...	...	041426.85+122607.3	LP 12−566	*	./.	8.41 : 7.90	
1RXSJ041430.6+222724	0.0970 (0.0167)	0.987	0.0	041430.42+222706.7	HD 26737	*iC	F5V	7.47 : 7.04	
1RXSJ041432.1+261526	0.2322 (0.0243)	0.999	0.0	041432.23+261521.2	HD 26710	*	G2V	7.79 : 7.21	P
1RXSJ041432.2+233448	0.0851 (0.0160)	0.992	8.9	041431.89+233432.7	HD 26736	*iC	G5	8.69 : 8.08	P
1RXSJ041434.7+104209	0.1249 (0.0235)	0.999	0.0	041434.34+104205.0	HD 26784	*iC	F8V	7.58 : 7.11	P
1RXSJ041439.2+421901	0.0679 (0.0134)	0.992	10.7	041438.73+421856.3	HD 276119	*	K2	9.8 :	
1RXSJ041523.2+204425	0.1070 (0.0184)	0.983	11.5	041522.91+204417.6	GSC 01263−01027	TT	K0	11.0 : 10.4	P
1RXSJ041529.0+313003	0.0646 (0.0114)	0.994	10.3	041529.06+312956.3	HD 281777	*	G0	10.34 : 9.68	
1RXSJ041601.1−512907	0.1868 (0.0363)	0.996	9.7	041601.47−512916.2	GJ 167.1	V*	F4III	4.55 : 4.20	
1RXSJ041635.2+024724	0.0743 (0.0192)	0.999	8.5	041635.50+024725.5	HD 27039	**mul.	A5	8.63 : 8.31	
1RXSJ041702.1+353116	0.2138 (0.0223)	0.987	11.7	041701.82+353117.1	HD 279684	*	K0	11.6 : 10.6	
1RXSJ041737.4+471514	0.1602 (0.0194)	0.996	9.1	041736.36+471511.1	HD 26929	*	F8	9.16 : 8.69	
1RXSJ041738.4+165659	0.2369 (0.0255)	0.997	9.0	041738.52+165653.4	HD 27130	Eclipsing binary	G8V	9.07 : 8.33	P
1RXSJ041814.8+501747	0.4692 (0.0311)	1.000	0.0	041814.61+501743.7	HD 26961	Elliptical variable Star	A2V	4.652 : 4.598	
1RXSJ041823.2+213448	0.0720 (0.0151)	0.999	0.0	041823.20+213445.4	HD 27176	Spec. Bin.	F0V	5.905 : 5.641	P
1RXSJ041847.7−340714	0.0698 (0.0121)	0.985	11.9	041847.64−340716.6	HD 27470	**mul.	G1V	8.54 : 7.87	
1RXSJ041907.7+173124	0.0609 (0.0140)	0.998	9.0	041907.65+173130.0	HD 27282	*iC	G8V	9.18 : 8.46	P
1RXSJ041913.6+500254	0.3023 (0.0254)	1.000	0.0	041913.24+500255.2	HD 27084	*iC	A7V	5.67 : 5.40	
1RXSJ041936.1+214612	0.1606 (0.0222)	0.996	0.0	041936.69+214624.9	HD 27309	V*	A0sp...	5.241 : 5.345	
1RXSJ041947.6+153740	0.4324 (0.0336)	1.000	0.0	041947.61+153739.5	HD 27371	V*	K0III	4.629 : 3.654	P
1RXSJ042012.5+191352	0.0845 (0.0163)	0.997	0.0	042012.96+191400.5	HD 27406	V* (BY Dra)	G0V	7.99 : 7.46	
1RXSJ042024.5+343407	0.1545 (0.0197)	0.999	0.0	042024.64+343400.2	HD 27348	**	G8III	5.869 : 4.933	
...	...	...	...	042024.64+343400.2	IRAS 04171+3426	IR	./.	:	
1RXSJ042039.6+650830	0.2643 (0.0243)	0.999	0.0	042040.33+650825.6	HD 27022	*	G5IIb	6.057 : 5.265	
1RXSJ042110.1−243226	0.3028 (0.0279)	0.991	11.3	042110.27−243221.5	HD 27679	*	G5V	10.04 : 9.44	
1RXSJ042133.1−254312	0.1298 (0.0196)	0.997	0.0	042133.44−254308.8	GJ 9154D	**	K0	8.82 : 8.26	
1RXSJ042147.2−214614	0.1222 (0.0217)	0.999	0.0	042147.48−214614.9	HD 27723	*	G0V	8.07 : 7.54	
1RXSJ042147.7+114011	0.1006 (0.0177)	0.985	11.7	042147.70+114007.7	HD 286704	TT	G5	11.6 : 10.7	P
1RXSJ042148.3−431726	0.1381 (0.0221)	0.995	10.6	042148.63−431733.0	CD−43 1395	*	./.	10.88 : 10.26	
1RXSJ042158.6+281805	0.3170 (0.0244)	0.999	10.1	042158.83+281807.7	HD 283572	V* (Orion)	G2III	9.79 : 9.02	P
1RXSJ042208.5−284902	0.2605 (0.0267)	0.992	11.5	042208.42−284903.8	CD−29 1689	*	./.	12.1 : 11.0	
1RXSJ042210.8−044037	0.0652 (0.0215)	0.998	0.0	042210.21−044037.1	HD 27699	**mul.	A5	7.7 : 7.5	
1RXSJ042243.6+164724	0.0961 (0.0166)	0.993	8.8	042244.31+164728.3	HD 27685	*iC	G4V	8.50 : 7.85	
...	...	...	...	042244.31+164728.3	[AKS95] 38	*	./.	8.501 : 7.841	
1RXSJ042405.1+532939	0.3835 (0.0291)	0.995	0.0	042405.44+532942.9	HD 27609	*	F0	7.386 : 7.049	
1RXSJ042412.2+144520	0.3933 (0.0313)	0.990	0.0	042412.46+144529.6	HD 27836	V* (BY Dra)	G1V	8.18 : 7.58	P
1RXSJ042427.5+165305	0.0836 (0.0152)	0.998	8.5	042427.97+165311.4	HD 27859	V* (BY Dra)	G2V	8.35 : 7.82	
...	...	...	...	042427.97+165311.4	[AKS95] 43	*	./.	8.396 : 7.792	
1RXSJ042448.4+264320	0.1514 (0.0185)	0.986	11.4	042448.75+264312.6	BD+26 718B	**	?	:	
...	...	...	...	042448.75+264312.6	HD 283641	**	K0	12.1 : 10.9	
1RXSJ042448.7+155226	0.1081 (0.0161)	0.983	0.0	042447.99+155229.2	Cl* Melotte 25 REID 210	*iC	K0	13.25 : 11.65	P
1RXSJ042500.6+115834	0.0595 (0.0140)	0.994	9.4	042500.16+115841.1	Cl* Melotte 25 HAN 343	*iC	./.	8.04 : 7.31	
...	...	...	...	042500.16+115841.1	HD 27947	*	G0	9.01 : 8.39	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ042551.6+185141	0.1246 (0.0155)	0.998	8.5	042551.42+185152.1	HD 27989	V*	G5V	8.19 : 7.54	
...	...	...	...	042551.42+185152.1	LP 18−636	*	./.	8.01 : 7.37	
1RXSJ042555.0+360240	0.0528 (0.0127)	0.998	9.8	042554.88+360245.4	HD 279820	*	F5	9.67 : 9.18	
1RXSJ042616.9−375730	0.5551 (0.0571)	0.989	11.5	042617.25−375731.3	CD−38 1575	*	./.	10.0 :	
...	...	...	...	042617.25−375731.3	GSC 07578−00425	*	./.	11.5 : 10.47	
1RXSJ042645.2−552211	0.1929 (0.0268)	0.991	11.1	042645.60−552217.2	CD−55 899	*	./.	11.4 : 10.6	
1RXSJ042648.6−014313	0.0672 (0.0191)	0.985	9.0	042648.90−014330.3	HD 28192	*	G0	8.64 : 8.06	
1RXSJ042710.4+175032	0.1052 (0.0142)	0.985	11.1	042710.57+175043.4	V* V1072 Tau	V* (Orion)	K1	11.0 : 10.3	
1RXSJ042717.0+225945	0.0689 (0.0132)	0.998	0.0	042717.45+225946.7	HD 28149	*	B7V	5.421 : 5.515	
1RXSJ042743.2+431127	0.1038 (0.0157)	1.000	8.2	042743.24+431127.4	BD+42 969B	**	?	:	
...	...	...	...	042743.24+431127.4	HD 28065	**	G5	8.24 : 7.49	
1RXSJ042848.3+171651	0.0754 (0.0131)	0.987	8.7	042847.96+171708.8	HD 28344	V* (BY Dra)	G2V	8.40 : 7.85	P
1RXSJ042859.8+215519	0.1332 (0.0195)	0.995	10.1	042900.34+215513.4	GJ 169	V*	K7V	9.73 : 8.35	
1RXSJ042905.1+405708	0.0573 (0.0122)	0.998	9.8	042905.21+405705.7	HD 276437	*	G0	9.47 : 8.87	
1RXSJ042944.1−483208	0.1035 (0.0186)	0.997	0.0	042944.14−483220.5	CD−48 1362	HiPM*	F8s...	11.6 :	
1RXSJ043026.5+562734	0.0647 (0.0131)	0.998	10.0	043026.53+562734.7	HD 237274	*	G0	9.86 : 9.36	
1RXSJ043026.8−424836	0.0970 (0.0136)	0.985	11.1	043027.31−424847.2	CD−43 1451	*	./.	:	
1RXSJ043037.2+134320	0.0689 (0.0123)	0.981	11.6	043037.00+134328.1	HD 28556	**	F0V	5.652 : 5.404	
...	...	...	...	043037.00+134328.1	IRAS 04278+1337	IR	./.	:	
...	...	...	...	043037.00+134328.1	LP 13−690	*	./.	6.39 : 5.58	
1RXSJ043136.1+174219	0.0527 (0.0131)	0.981	10.7	043136.78+174236.7	HD 28634	*iC	K2	10.53 : 9.52	
...	...	...	...	043136.78+174236.7	LP 17−744	*	./.	10.43 : 9.48	
1RXSJ043224.6−542137	0.0703 (0.0201)	0.985	11.6	043224.08−542139.0	...	...	...	...	
1RXSJ043234.3−460254	0.0571 (0.0104)	0.989	9.9	043234.73−460304.7	HD 29088	*	F3V	9.97 : 9.56	
1RXSJ043309.4−392852	0.0861 (0.0173)	0.992	0.0	043309.90−392908.1	HD 29112	*	F3/F5V	8.08 : 7.71	
1RXSJ043314.2+450706	0.1029 (0.0154)	0.987	11.2	043313.62+450704.1	CCDM J04332+4507AB	**mul.	F8	9.89 : 9.42	
1RXSJ043356.7−612909	0.0751 (0.0154)	0.991	11.0	043356.42−612917.1	CD−61 901	*	G5	11.12 : 10.55	
1RXSJ043357.5+150940	0.0571 (0.0140)	0.992	9.7	043358.18+150950.2	HD 285931	*iC	K1	9.33 : 8.51	P
1RXSJ043435.4+153015	0.0505 (0.0143)	0.997	8.7	043435.02+153017.7	HD 28992	V* (BY Dra)	F8	8.51 : 7.92	
...	...	...	...	043435.02+153017.7	[AKS95] 55	*	./.	10.959 : 10.358	
1RXSJ043451.0−354715	0.1305 (0.0222)	0.983	11.7	043450.73−354721.6	...	...	...	...	
1RXSJ043533.7+120605	0.2338 (0.0259)	0.999	9.6	043533.80+120602.4	HD 286898	*iC	F8	9.47 : 8.94	
1RXSJ043538.5+100941	0.3330 (0.0299)	0.997	0.0	043539.26+100938.8	HD 29140	Spec. Bin.	A5m	4.418 : 4.251	P
1RXSJ043618.3+550137	0.2709 (0.0253)	0.999	9.3	043618.33+550135.0	HD 28907	*	G5	9.16 : 8.63	
1RXSJ043647.3−120905	0.2887 (0.0300)	0.981	10.7	043646.94−120919.9	BD−12 943	*	./.	10.66 : 9.89	
1RXSJ043648.2+270759	2.6890 (0.0777)	1.000	0.0	043648.24+270755.9	GJ 171.2A	V* (BY Dra)	K2	9.54 : 8.42	
1RXSJ043652.9+191724	0.4222 (0.0328)	0.996	10.7	043652.55+191727.2	BD+18 660	*	K2	10.60 : 9.94	
1RXSJ043700.1−515012	0.1311 (0.0296)	0.994	0.0	043700.42−515026.6	HD 29597	*	G5V	9.22 : 8.41	
1RXSJ043745.6−312434	0.0725 (0.0195)	0.996	0.0	043744.50−312438.2	HD 29543	V*	K0III	9.14 : 8.16	
1RXSJ043811.1−072621	0.1618 (0.0228)	0.990	11.0	043810.94−072613.0	BD−07 859	*	./.	10.95 : 10.48	
1RXSJ043815.9+204104	0.5220 (0.0375)	0.989	11.6	043815.91+204105.5	HD 29365	Ecl. Bin. (Algol)	B8V	5.838 : 5.857	
1RXSJ043835.0−092048	0.0706 (0.0170)	0.993	0.0	043834.16−092035.5	HD 29521	*	F8	8.3 : 7.7	
1RXSJ043838.7−661359	0.0552 (0.0108)	0.997	10.6	043839.54−661357.4	FRL 304	Gal.	./.	:	
1RXSJ043844.1−270147	0.3176 (0.0524)	0.996	0.0	043843.94−270201.8	HD 29615	*	G3V	9.06 : 8.49	
1RXSJ043931.0+340737	0.3128 (0.0265)	0.990	10.5	043930.87+340746.9	HD 282346	**mul.	K2	10.42 : 9.65	P
1RXSJ043955.5+530458	0.0947 (0.0158)	0.995	0.0	043954.68+530446.3	HD 29317	Ceph.	K0III	6.166 : 5.085	P
1RXSJ043957.3+532835	0.0769 (0.0143)	0.997	0.0	043958.03+532823.6	HD 29316	**mul.	A8V	5.686 : 5.376	
...	...	...	...	043958.03+532823.6	IRAS 04359+5322	IR	./.	:	
1RXSJ044003.6+121149	0.2067 (0.0249)	0.994	11.2	044003.38+121151.7	HD 29589	TT	B8IV	5.327 : 5.446	P
1RXSJ044026.3+763401	0.0871 (0.0146)	0.985	8.2	044027.41+763359.8	HD 28745	*	F8	8.11 : 7.66	
1RXSJ044033.9−415142	0.5206 (0.0422)	0.999	0.0	044033.71−415149.4	GJ 174.1B	**	M0.5	:	
...	...	...	...	044033.71−415149.4	GJ 9164A	**	F2V	4.759 : 4.456	P
1RXSJ044107.8+123516	0.0580 (0.0145)	0.984	10.2	044108.59+123513.3	HD 286986	*	F8	10.03 : 9.53	
1RXSJ044119.0+205410	2.3640 (0.0748)	0.992	9.2	044119.59+205416.8	...	...	...	...	
1RXSJ044145.7−471540	0.0555 (0.0127)	0.983	11.5	044146.14−471535.8	HD 30042	**	G8III+...	7.497 : 6.780	
...	...	...	...	044146.14−471535.8	IRAS 04403−4721	IR	./.	:	
1RXSJ044155.6+265851	0.2217 (0.0226)	0.991	9.7	044155.16+265850.8	HD 283798	TT	G2V	10.16 : 9.53	
1RXSJ044203.7−370835	0.0988 (0.0222)	0.998	0.0	044203.48−370839.4	GJ 9165	HiPM*	F1V	5.42 : 5.05	
1RXSJ044240.9+101746	0.1596 (0.0226)	0.998	10.5	044240.77+101745.4	GSC 00686−01246	*	K3	9.88 : 8.68	
...	...	...	...	044240.77+101745.4	[LH98] 147	TT	K2IV	:	P
1RXSJ044315.6−410607	0.2466 (0.0308)	0.993	0.0	044314.91−410619.0	CD−41 1544	*	G5	11.21 : 10.35	
1RXSJ044316.0+170405	0.0664 (0.0141)	0.988	10.9	044315.41+170410.1	Cl Melotte 25 8065	*iC	./.	10.86 : 9.87	
...	...	...	...	044315.41+170410.1	HD 29896	*iC	K0	10.8 : 9.94	
1RXSJ044316.3−093707	0.1059 (0.0164)	0.999	8.4	044316.31−093706.3	BD−09 968B	**	?	:	
...	...	...	...	044316.31−093706.3	HD 29980	**	G5	8.65 : 8.05	
1RXSJ044316.9−233736	0.1932 (0.0264)	0.999	0.0	044317.20−233742.0	HD 30051	*	F2/F3IV/V	7.487 : 7.117	
1RXSJ044346.1−104104	0.2382 (0.0231)	0.998	0.0	044345.83−104056.1	HD 30050	V* (RS CVn)	Am+...	8.58 : 7.94	P
1RXSJ044412.4−701924	0.2203 (0.0183)	0.983	11.9	044411.40−701924.3	...	...	...	...	
1RXSJ044420.7+094110	0.1375 (0.0193)	0.994	9.9	044420.26+094106.3	HD 287017	**	F8	9.84 : 9.32	P
1RXSJ044446.5−511642	0.0563 (0.0136)	0.993	0.0	044447.64−511642.8	HD 30413	*	F8Vp...	8.64 : 8.18	
1RXSJ044455.0+271745	0.0878 (0.0153)	0.992	10.7	044454.41+271746.4	GSC 01839−00643	TT	K1	:	
...	...	...	...	044454.41+271746.4	HD 283782	V*	K0	10.8 :	
1RXSJ044539.2−435354	0.0750 (0.0192)	0.981	0.0	044539.09−435349.6	HD 30440	*	K3V	9.80 : 8.87	
1RXSJ044540.6−131950	0.0608 (0.0167)	0.991	10.7	044540.43−131948.8	HD 30289	*	G8III:	10.71 : 9.91	
1RXSJ044550.9+155600	0.1820 (0.0227)	0.994	9.7	044551.25+155549.4	HD 30171	TT	G5	10.05 : 9.31	

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ044553.1−294630	0.1841 (0.0361)	0.989	10.6	044553.06−294640.1	CD−30 1994	*	G5	10.73 : 10.09	
1RXSJ044624.7−662053	0.0807 (0.0127)	0.984	11.6	044624.68−662046.3	HD 270733	*	M0	12.1 : 11.0	
1RXSJ044645.6+090105	0.1762 (0.0230)	1.000	0.0	044645.58+090102.8	HD 30311	*iC	F5	7.76 : 7.25	
1RXSJ044736.3−165608	0.4902 (0.0459)	0.988	11.3	044735.85−165612.1	...	...	...	...	
1RXSJ044806.7−804645	0.2272 (0.0204)	0.998	0.0	044805.17−804645.3	HD 32195	*	F7V	8.64 : 8.16	
1RXSJ044943.2−062459	0.0666 (0.0159)	0.998	8.8	044942.59−062459.9	HD 30700	*	G5	8.65 : 7.74	
1RXSJ044950.6+065736	1.9570 (0.1467)	1.000	0.0	044950.41+065740.5	GJ 178	V*	F6V	3.64 :	P
1RXSJ045020.1−454653	0.0749 (0.0187)	0.988	10.2	045021.52−454650.6	HD 272494	Ecl. Bin. (Algol)	G0	10.00 :	
1RXSJ045111.6+185159	0.0888 (0.0157)	0.982	0.0	045111.69+185157.8	HD 286053	**	F5	11.09 : 10.40	
...	...	...	...	045111.69+185157.8	...	...	...	...	
1RXSJ045142.3−034834	0.2806 (0.0294)	0.992	10.1	045141.55−034833.0	...	...	...	...	
1RXSJ045149.5+133918	0.1267 (0.0180)	0.999	0.0	045149.98+133918.5	HD 30869	*iC	F5	6.727 : 6.265	P
1RXSJ045152.9−464712	0.2450 (0.0325)	0.999	0.0	045153.54−464713.3	HD 31242	*	G3V:	10.41 : 9.84	
1RXSJ045213.6+371636	0.0638 (0.0130)	0.990	10.7	045213.02+371629.0	HD 280206	*	G0	9.8 :	
1RXSJ045222.2+455619	0.0523 (0.0120)	0.998	0.0	045221.52+455623.7	HD 30736	*	F7V	7.222 : 6.695	
1RXSJ045303.9+221404	0.0648 (0.0143)	0.994	10.1	045304.23+221412.4	BD+21 717B	**	?	:	
...	...	...	...	045304.23+221412.4	GJ 2035	**	K5V	9.86 : 8.77	
1RXSJ045305.3−484435	0.0875 (0.0170)	0.986	11.6	045305.13−484439.2	HD 272836	*	K2	11.6 : 10.7	
1RXSJ045355.7+155556	0.0516 (0.0129)	0.999	8.3	045355.65+155559.0	HD 31138	*	F8	8.09 : 7.62	
1RXSJ045355.9+364527	0.0858 (0.0158)	0.998	8.9	045356.12+364525.8	HD 31000	*	G5	8.49 : 7.77	
1RXSJ045403.7+662038	0.0864 (0.0153)	0.999	0.0	045403.01+662033.6	HD 30614	Em. *	O9.5Iae	4.289 : 4.301	P
1RXSJ045427.2+284853	0.0527 (0.0127)	0.981	9.3	045426.34+284842.3	HD 31119	*	F5	9.22 : 8.78	
1RXSJ045434.0−200503	0.1315 (0.0196)	0.995	11.1	045434.11−200506.0	...	...	...	...	
1RXSJ045449.1−293352	0.1594 (0.0211)	0.998	0.0	045449.43−293341.5	HD 31459	V*	K1III/IV	10.22 : 9.21	
1RXSJ045453.0−583251	0.1410 (0.0226)	1.000	0.0	045453.04−583251.6	HD 31746	*	F3V	6.514 : 6.123	
1RXSJ045509.3+182631	0.2173 (0.0230)	0.997	10.2	045509.61+182631.5	HD 31281	TT	G0	9.83 : 9.19	
1RXSJ045536.6+301752	0.1154 (0.0180)	0.985	11.5	045536.91+301756.9	V* V396 Aur	V* (Orion)	K0V	11.87 : 10.85	
1RXSJ045651.0+335835	0.2489 (0.0252)	0.998	9.3	045651.73+335837.8	HD 31381	*	G5	8.86 : 7.78	
...	...	...	...	045651.73+335837.8	RGB J0456+339B	Rad.	./.	:	
1RXSJ045700.5+151756	0.0714 (0.0150)	0.980	10.9	045700.67+151753.9	HD 286179	TT	G0	10.94 : 10.5	P
1RXSJ045728.9−290953	0.1188 (0.0177)	0.992	10.1	045728.85−290946.5	CD−29 1965	*	./.	10.22 : 9.70	
1RXSJ045840.4−215922	0.1063 (0.0177)	0.987	11.3	045840.31−215931.0	ESO 552− 39	Gal.	S	:	P
1RXSJ045848.9−084329	0.1813 (0.0233)	0.988	10.9	045848.45−084338.8	BD−08 995	*	?...	11.2 : 10.41	
1RXSJ045915.4+375330	0.6581 (0.0393)	0.999	0.0	045915.39+375330.9	HD 31647	**	A1V	5.008 : 4.989	P
...	...	...	...	045915.39+375330.9	HD 31647 B	**	F9	:	
1RXSJ045932.3−191742	0.1605 (0.0233)	0.989	11.4	045931.97−191741.4	BD−19 1062	*	./.	11.8 : 10.6	
1RXSJ045944.7+155517	0.0544 (0.0134)	0.990	0.0	045944.32+155500.2	HD 31845	**	F5V	7.177 : 6.759	
1RXSJ045950.4−101544	0.5310 (0.0383)	1.000	0.0	045950.45−101547.9	HD 32008	*	G4V	6.166 : 5.399	P
1RXSJ050008.6+031711	0.0659 (0.0145)	0.998	9.7	050008.22+031711.4	HD 31993	V* (RS CVn)	K2	8.76 : 7.49	P
1RXSJ050024.8+150519	0.0892 (0.0162)	0.993	10.3	050024.34+150526.4	HD 31950	TT	G	10.38 : 9.86	P
1RXSJ050040.9−045617	0.0643 (0.0148)	0.992	11.2	050040.89−045615.4	BD−05 1122	*	./.	10.44 : 9.91	
1RXSJ050049.4−384038	0.2043 (0.0263)	0.987	9.4	050049.01−384026.8	NGC 1759	Gal.	S0	15. :	
...	...	...	...	050049.01−384026.8	[VCC89] ACO 3301 1	Gal. in Clust.	./.	:	
1RXSJ050138.3+025432	0.1530 (0.0216)	0.998	9.7	050138.02+025425.4	HD 32218	*	G5	9.75 : 9.00	
1RXSJ050144.5+422045	0.0786 (0.0147)	0.995	8.8	050145.25+422044.5	HD 31949	*	F8V	8.57 : 8.11	
1RXSJ050147.7+380545	0.0501 (0.0116)	0.984	11.4	050147.65+380542.1	HD 280340	*	G0	11.2 : 10.6	
1RXSJ050155.0−365846	0.0785 (0.0152)	0.999	0.0	050154.40−365842.9	HD 32491	*	K0III	8.40 : 7.62	
1RXSJ050158.7+095859	0.6615 (0.0598)	0.994	0.0	050158.79+095859.9	GJ 3322	*	M4	12.99 : 11.47	
...	...	...	...	050158.79+095859.9	HIC 23418	*	./.	12.990 : 11.450	
1RXSJ050207.7−220449	0.3033 (0.0282)	0.999	0.0	050207.84−220454.4	HD 32411	*	K1IV	9.82 : 8.75	
1RXSJ050230.4−395914	0.0699 (0.0155)	0.980	11.7	050230.35−395912.8	...	...	...	...	
1RXSJ050248.3−490900	0.1790 (0.0304)	0.999	0.0	050248.68−490905.1	GJ 187	**	F2V	5.776 : 5.387	
...	...	...	...	050248.68−490905.1	IRAS 05015−4913	IR	./.	:	
1RXSJ050306.3+064329	0.1109 (0.0183)	0.985	11.5	050305.91+064325.9	...	...	...	...	
1RXSJ050318.9+545457	0.0544 (0.0133)	0.996	8.8	050317.38+545457.6	HD 32016	*	G0	8.71 : 8.16	
1RXSJ050324.6+602642	0.0704 (0.0139)	0.998	0.0	050325.09+602632.1	HD 31910	**	G1Ib−II	4.906 : 4.032	P
...	...	...	...	050325.09+602632.1	IRAS 04589+6022	IR	./.	:	
1RXSJ050359.6−390018	0.0717 (0.0134)	0.993	10.6	050400.03−390011.1	CPD−39 570	*	./.	10.79 : 9.83	
1RXSJ050401.4−055104	0.1734 (0.0231)	0.995	9.1	050400.63−055103.9	HD 32580	*	F8	8.89 : 8.46	
1RXSJ050436.0+040236	0.1154 (0.0187)	0.985	11.1	050435.71+040247.7	GSC 00106−00776	*	./.	11.2 : 10.5	
1RXSJ050457.8−035451	0.9641 (0.0732)	0.999	9.1	050457.64−035452.4	HD 32704	*	G8V	9.43 : 8.66	
1RXSJ050458.0−634902	0.0658 (0.0066)	0.984	12.0	050457.53−634902.1	...	...	...	...	
1RXSJ050504.4+611725	0.2497 (0.0251)	1.000	0.0	050504.65+611721.0	HD 32155	*	F8	9.23 : 8.67	
1RXSJ050529.1−572816	0.4845 (0.1096)	0.996	0.0	050530.65−572821.8	GJ 189	*	F7V	5.193 : 4.720	
1RXSJ050559.4+280717	0.2424 (0.0239)	0.998	10.5	050559.67+280718.3	1RXS J050559.4+280717	TT	B4	:	P
...	...	...	...	050559.67+280718.3	HD 284065	*	G0	10.56 : 10.06	
1RXSJ050612.8+590116	0.4668 (0.0353)	1.000	0.0	050612.14+590117.0	HD 32357	V* (RS CVn)	K0III	7.202 : 6.089	P
1RXSJ050627.8−154923	0.1035 (0.0177)	0.997	9.3	050627.59−154928.0	HD 32981	*	F8V	9.71 : 9.13	
1RXSJ050639.1+513607	0.0506 (0.0133)	0.991	0.0	050640.63+513551.8	GJ 187.2A	V* (irregular)	F0V	5.280 : 4.980	
1RXSJ050645.5−043915	0.0854 (0.0163)	0.999	0.0	050645.65−043918.6	HD 32964	V* (alpha2 CVn)	B9V+...	5.050 : 5.097	P
1RXSJ050653.3+060648	0.1213 (0.0200)	0.988	10.9	050653.69+060656.7	...	...	...	...	
1RXSJ050656.8−293558	0.0810 (0.0150)	0.987	10.4	050656.95−293609.6	CD−29 2061	*	G5	:	
1RXSJ050717.4−835137	0.0782 (0.0104)	1.000	0.0	050718.59−835135.7	HD 35877	*	F8V	7.315 : 6.816	
1RXSJ050731.5+101045	0.1053 (0.0181)	0.988	11.0	050731.17+101037.7	GSC 00702−00642	TT	K2	11.2 : 10.42	
1RXSJ050806.9+143155	0.0892 (0.0156)	0.998	9.0	050806.38+143159.6	HD 33053	TT	G5III	8.89 : 7.90	P

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ050848.0−382023	0.0682 (0.0132)	0.981	11.7	050847.52−382028.5	...	...	...	...	
1RXSJ050945.5+424015	0.3587 (0.0295)	0.984	8.9	050946.60+424024.8	...	...	...	...	
1RXSJ051109.9−041047	0.4829 (0.0357)	0.998	9.7	051109.61−041051.9	HD 293857	*	G8V	9.96 : 9.26	
1RXSJ051111.1+281353	0.2245 (0.0240)	0.984	11.6	051110.54+281351.6	[LH98] 175	TT	K0V	:	P
1RXSJ051159.5−471617	0.0934 (0.0170)	0.998	0.0	051159.16−471626.5	HD 34025	*	F2IV	8.24 : 7.88	
1RXSJ051217.4−232020	0.1941 (0.0240)	0.983	10.9	051216.88−232026.3	...	...	...	...	
1RXSJ051217.7−115154	0.8257 (0.0683)	0.988	0.0	051217.90−115209.1	HD 33802	**	B8V	4.366 : 4.457	
...	...	...	...	051217.90−115209.1	IRAS 05099−1155	IR	./.	:	
1RXSJ051222.9+411940	0.1417 (0.0189)	0.988	11.6	051222.79+411945.1	HD 277665	*	K0	10.47 : 9.59	
1RXSJ051235.8−342844	0.1116 (0.0157)	0.999	0.0	051235.82−342848.2	HD 33999	**mul.	G0V	9.36 : 8.83	
1RXSJ051255.6−161225	0.3737 (0.0330)	0.999	0.0	051255.87−161219.5	HD 33904	V*	B9IV:...	3.188 : 3.279	P
1RXSJ051310.0+465110	0.1022 (0.0168)	0.993	9.0	051308.64+465114.4	HD 33520	*	G0	8.74 : 8.19	
1RXSJ051523.8+324107	5.0510 (0.1068)	1.000	0.0	051523.61+324105.1	HD 33959 C	**	A2	8.25 : 7.88	
1RXSJ051536.5−093050	0.1962 (0.0234)	0.994	11.3	051536.38−093050.9	BD−09 1108	*	./.	:	
...	...	...	...	051536.38−093050.9	RX J0515.6−0930	TT	G5	10.46 : 9.79	
1RXSJ051548.9+184419	0.1326 (0.0193)	0.985	11.8	051548.97+184421.6	GSC 01287−01038	TT	G7IV	11.4 : 10.7	P
1RXSJ051607.1−681538	0.1005 (0.0074)	0.997	11.1	051607.19−681535.1	2E 0516.2−6818	X	./.	:	
...	...	...	...	051607.19−681535.1	HD 269262	*	K0	11.289 : 10.554	
1RXSJ051642.2+460001	23.5400 (0.2441)	0.995	0.0	051641.30+455956.5	GJ 194A	**	G8III	1.51 : 0.71	
...	...	...	...	051641.30+455956.5	GJ 194B	**	G0III:	0.71 : 0.96	
...	...	...	...	051641.30+455956.5	HD 34029	V* (RS CVn)	G5IIIe+...	0.88 :	
1RXSJ051737.5−065028	0.1054 (0.0173)	0.985	0.0	051736.39−065039.8	HD 34503	**	B5III	3.47 : 3.59	
...	...	...	...	051736.39−065039.8	IRAS 05151−0653	IR	./.	:	
1RXSJ051809.6−285539	0.0698 (0.0151)	0.980	11.6	051809.84−285539.9	CD−29 2167	*	./.	11.00 : 10.30	
1RXSJ051833.3+755645	0.2051 (0.0233)	0.998	9.1	051830.91+755649.3	HD 33363	V*	G5	8.498 : 7.429	
1RXSJ051905.3+630335	0.3862 (0.0317)	0.997	10.2	051904.47+630336.2	...	...	...	...	
1RXSJ051909.0−374026	0.0562 (0.0114)	0.984	11.4	051908.40−374031.4	CD−37 2136	*	./.	11.2 : 10.30	
1RXSJ051935.1−131037	0.1632 (0.0215)	0.998	0.0	051934.53−131036.4	HD 34816	*	B0.5IV	4.040 : 4.270	
...	...	...	...	051934.53−131036.4	IRAS 05172−1313	IR	./.	:	
1RXSJ051936.1−323910	0.0639 (0.0155)	0.992	9.0	051935.79−323926.6	[TP95] ESO 362−18 10	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 11	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 12	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 13	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 14	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 16	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 17	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 18	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 19	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 20	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 21	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 22	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 23	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 24	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 25	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 26	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 27	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 5	HII (ionized) region	./.	:	
...	...	...	...	051935.79−323926.6	[TP95] ESO 362−18 9	HII (ionized) region	./.	:	
1RXSJ051944.7−520220	0.1408 (0.0167)	1.000	0.0	051944.82−520217.4	HD 35139	*	F3V	8.52 : 8.16	
1RXSJ051949.5−454644	0.6264 (0.0524)	0.990	11.6	051949.71−454643.6	QSO 0518−458	Sy1	./.	15.77 : 18.8	P
1RXSJ051957.5−661357	0.0579 (0.0070)	0.996	10.9	051957.07−661357.0	CAL A	X	./.	:	
...	...	...	...	051957.07−661357.0	HD 269339	*	G5	10.99 : 10.10	
1RXSJ052013.8−660423	0.0806 (0.0076)	1.000	0.0	052013.87−660425.3	2E 0520.1−6607	X	./.	:	
...	...	...	...	052013.87−660425.3	HD 271175	*	K0	11.5 : 10.7	
1RXSJ052038.3−394517	0.4579 (0.0503)	1.000	0.0	052038.05−394517.8	HD 35114	*	F6V	7.86 : 7.41	
1RXSJ052057.8−143758	0.0941 (0.0165)	0.998	8.5	052057.20−143751.5	HD 34995	*	F2V	8.59 : 8.22	
1RXSJ052113.0−140854	0.0522 (0.0134)	0.994	8.0	052113.05−140910.0	HD 35041	*	G6V	8.30 : 7.68	
1RXSJ052129.6−404858	0.1639 (0.0190)	0.982	10.9	052130.74−404901.1	APMBGC 305−081+042	Gal.	./.	:	
...	...	...	...	052130.74−404901.1	[VCC89] ACO 3336 1	Gal. in Clust.	./.	:	
1RXSJ052231.6−294239	0.3555 (0.0293)	1.000	0.0	052231.27−294239.3	...	...	...	...	
1RXSJ052245.7−391658	0.4059 (0.0487)	0.983	11.6	052245.70−391706.5	CD−39 1935	*	./.	11.9 : 10.9	
1RXSJ052254.9+085803	0.2996 (0.0275)	0.983	11.5	052254.79+085805.3	...	...	...	...	
1RXSJ052300.4−514514	0.1072 (0.0141)	0.992	10.8	052259.99−514511.9	CD−51 1471	*	./.	10.78 : 10.30	
1RXSJ052311.8−264215	0.1010 (0.0185)	0.990	11.1	052311.92−264220.0	HD 35386	*	F6V	6.945 : 6.495	
1RXSJ052338.6+171923	0.1100 (0.0169)	0.988	9.4	052337.56+171927.3	...	...	...	...	
1RXSJ052425.7+172301	1.3950 (0.0574)	1.000	0.0	052425.46+172300.7	GJ 202	HiPM*	F8V	5.52 : 5.00	P
1RXSJ052430.0−385808	0.3356 (0.0376)	0.999	9.8	052430.06−385810.4	HD 35650	*	K2	10.43 : 9.17	
1RXSJ052437.4−084200	0.1270 (0.0179)	0.998	10.5	052437.22−084201.3	BD−08 1115	TT	?...	10.59 : 9.96	
...	...	...	...	052437.22−084201.3	IRAS 05222−0844	IR	./.	:	
...	...	...	...	052437.22−084201.3	[DML87] 177	IR	./.	:	
1RXSJ052454.0+673939	0.4210 (0.0337)	1.000	0.0	052453.25+673939.3	BD+67 381	*	G0	9.75 : 9.01	
1RXSJ052507.7+062103	0.1824 (0.0217)	0.999	0.0	052507.87+062059.0	HD 35468	V*	B2III	1.42 :	
...	...	...	...	052507.87+062059.0	IRAS 05224+0618	IR	./.	:	
1RXSJ052652.5+062826	0.2737 (0.0262)	0.998	9.8	052652.00+062824.2	HD 35695	*	G0	9.80 : 9.24	
1RXSJ052704.7−115400	2.7320 (0.1952)	1.000	0.0	052704.76−115403.5	HD 35850	*	F7V:	6.812 : 6.309	P

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ052739.0−602450	0.1420 (0.0130)	0.999	0.0	052739.35−602457.6	GJ 204.1	*	G6/G8V	7.734 : 7.008	
1RXSJ052753.2+561647	0.0558 (0.0135)	0.998	8.3	052752.86+561647.3	HD 35421	*	F5	8.55 : 8.11	
1RXSJ052800.4−333432	0.0562 (0.0135)	0.983	11.6	052800.17−333436.5	...	...	...	...	
1RXSJ052814.7−204546	0.0674 (0.0141)	0.998	0.0	052814.73−204533.2	HD 36079	**mul.	G5II	3.642 : 2.840	
1RXSJ052844.7−652700	7.2230 (0.0432)	1.000	0.0	052844.85−652655.0	CPD−65 475B	Em. *	M3.5V:	:	
...	...	...	...	052844.85−652655.0	HD 36705	Rot. Var. *	K1IIIp...	7.73 : 6.93	P
...	...	...	...	052844.85−652655.0	LI−LMC 1117	*	./.	:	
1RXSJ052851.6−462817	0.0793 (0.0133)	0.994	10.7	052851.35−462820.6	HD 274576	*	G5	11.3 : 10.52	
1RXSJ052855.2−453455	0.0828 (0.0128)	0.983	11.8	052855.05−453458.7	HD 274561	*	K0	12.1 : 11.5	
1RXSJ052856.8−332806	0.4333 (0.0373)	0.986	11.2	052856.49−332815.2	V* UX Col	V*	K5V	11.8 : 10.55	
1RXSJ052905.8−013910	0.0696 (0.0149)	0.990	9.8	052905.50−013901.6	HD 290532	*	F8	10.00 : 9.50	
1RXSJ052921.8−020048	0.0608 (0.0139)	0.983	0.0	052921.20−020031.0	HD 36118	*	A0	8.85 : 8.87	
1RXSJ052924.1−343054	0.0580 (0.0128)	0.998	0.0	052924.10−343055.6	HD 36329	*	G2/G3V	9.10 : 8.49	
1RXSJ052941.8−004828	0.0831 (0.0158)	0.987	0.0	052941.63−004809.2	HD 36150	**mul.	A2	6.74 : 6.49	
1RXSJ052953.1+532605	0.0590 (0.0134)	0.999	0.0	052953.17+532558.1	HD 35741	*	F0	7.501 : 7.144	
1RXSJ053001.6−761451	0.0516 (0.0078)	0.999	0.0	053003.18−761455.4	HD 37513	Ecl. Bin. (Algol)	F8V	8.76 : 8.26	
1RXSJ053005.6+004121	0.2143 (0.0223)	0.999	0.0	053005.17+004120.4	GSC 00114−00101	TT	G2	10.15 : 9.56	
...	...	...	...	053005.17+004120.4	HD 290477	*	G0	:	
1RXSJ053018.7−191628	0.3540 (0.0295)	0.998	9.6	053019.05−191631.1	BD−19 1194	*	G5	10.22 : 9.60	
1RXSJ053048.3+025932	0.1222 (0.0182)	0.992	11.2	053047.99+025935.0	HD 287927	TT	F2	11.3 : 10.6	
1RXSJ053103.9+231232	0.5427 (0.0376)	0.996	10.0	053104.38+231236.4	HD 244354	TT	G0	9.78 : 9.18	P
1RXSJ053127.0−034013	0.1963 (0.0225)	0.999	0.0	053126.95−034019.7	...	...	...	...	
1RXSJ053155.7−071802	0.2723 (0.0260)	1.000	0.0	053155.86−071805.6	HD 36512	*	B0V	4.36 : 4.62	
1RXSJ053200.8−001755	1.5170 (0.1218)	0.999	0.0	053200.40−001756.7	HD 36486	Spec. Bin.	O9.5II	2.051 : 2.212	
1RXSJ053214.6+094923	0.6255 (0.0552)	0.981	0.0	053214.76+094916.8	GJ 206	V*	M3.5	13.10 : 11.48	P
1RXSJ053214.8−134102	0.0840 (0.0156)	0.987	10.1	053214.23−134108.8	BD−13 1177	*	./.	9.5 :	
1RXSJ053229.5+023859	0.0767 (0.0147)	0.990	0.0	053230.48+023854.2	HD 36525	*	F2	7.91 : 7.48	
1RXSJ053229.7−204348	0.0713 (0.0139)	0.983	10.8	053229.35−204333.8	BD−20 1111	*	./.	11.06 : 10.46	
1RXSJ053301.0−413544	0.1085 (0.0141)	0.988	11.2	053300.30−413547.1	HD 274311	*	K5	11.6 :	
1RXSJ053308.1−052019	0.0540 (0.0124)	0.984	10.3	053307.45−052025.9	HD 36655	*iC	B9V	8.57 : 8.60	
1RXSJ053332.8−405555	0.0620 (0.0121)	0.995	0.0	053331.98−405557.8	HD 37003	*	F5V	8.59 : 8.17	
1RXSJ053336.8−510356	0.4096 (0.0471)	0.999	0.0	053336.17−510356.6	HD 37144	**mul.	K2V	9.86 : 8.88	
1RXSJ053344.4+015644	0.5054 (0.0502)	0.996	0.0	053344.94+015644.8	GJ 9183	Flare *	M2.5	11.00 :	P
1RXSJ053409.7−151702	0.4384 (0.0327)	0.998	9.0	053409.06−151701.6	HD 36869	*	G2V	9.07 : 8.46	
1RXSJ053412.0+025206	0.0978 (0.0159)	0.997	10.4	053412.07+025206.5	...	...	...	...	
1RXSJ053424.7−600628	0.0807 (0.0112)	0.993	0.0	053426.14−600615.1	GSPC S120−A	*	./.	8.87 : 8.38	
...	...	...	...	053426.14−600615.1	HD 37402	*	F6V	8.85 : 8.39	
1RXSJ053434.7+100710	0.7364 (0.0592)	0.997	11.1	053434.85+100707.7	HD 245059	Em. *	K1	10.8 : 10.1	P
...	...	...	...	053434.85+100707.7	RX J0534.6+1007	TT	K3	:	
1RXSJ053441.7−042329	0.0790 (0.0153)	0.990	0.0	053443.23−042331.6	HD 36883	*iC	B5V	7.14 : 7.22	
1RXSJ053449.6+092859	0.0530 (0.0127)	0.988	0.0	053449.24+092922.5	HD 36822	Spec. Bin.	B0III	4.235 : 4.398	P
1RXSJ053459.0−295400	0.1832 (0.0208)	0.994	11.0	053459.20−295404.9	CD−29 2360	*	./.	11.5 : 10.65	
1RXSJ053504.2−050818	0.3394 (0.0282)	0.999	8.8	053504.47−050813.9	V* V1321 Ori	TT	G8n	11.94 : 10.65	
...	...	...	...	053504.47−050813.9	[AD95] 2450	*	./.	:	
...	...	...	...	053504.47−050813.9	[GC94b] 77	X	./.	:	
...	...	...	...	053504.47−050813.9	[H97b] 242	*	./.	14.2 :	
...	...	...	...	053504.47−050813.9	[JMO94] 26	IR	./.	:	
...	...	...	...	053504.47−050813.9	[YKS96] 7	X	./.	:	
1RXSJ053520.3+131704	0.0927 (0.0156)	0.999	8.5	053520.29+131706.3	HD 36860	*	F5	8.44 : 7.99	
1RXSJ053527.4+240226	0.0727 (0.0134)	0.999	0.0	053527.12+240222.5	HD 36819	TT	B2.5IV	5.280 : 5.371	P
1RXSJ053543.3−295536	0.1418 (0.0179)	0.996	10.5	053543.15−295541.8	CD−30 2511	*	./.	10.84 : 9.76	
1RXSJ053602.5−471844	0.2006 (0.0305)	0.990	11.2	053602.83−471849.1	HD 37434	V* (RS CVn)	K2III	7.268 : 6.106	
1RXSJ053612.8−011201	0.8284 (0.0782)	0.999	0.0	053612.81−011206.9	HD 37128	Em. *	B0Iab:	1.51 : 1.70	P
1RXSJ053644.4+783519	0.0933 (0.0159)	0.990	9.6	053644.66+783517.5	BD+78 192	*	F8	9.47 : 8.95	
1RXSJ053657.5−030043	0.1359 (0.0181)	0.984	11.7	053657.90−030046.2	HD 294243	*	G0	10.86 : 10.27	
...	...	...	...	053657.90−030046.2	RX J0537.0−0300	TT	G2	10.97 : 10.25	
1RXSJ053701.8−303818	0.0713 (0.0141)	0.982	11.5	053701.21−303823.3	GSC 07056−01008	*	./.	11.7 : 10.9	
1RXSJ053703.6+523128	0.1880 (0.0238)	0.988	11.4	053703.52+523134.1	...	...	...	...	
1RXSJ053704.7−393225	0.3618 (0.0364)	0.985	11.7	053705.22−393226.3	CD−39 2075	*	K0	10.47 : 9.64	
1RXSJ053713.0−242403	0.0671 (0.0138)	0.982	11.4	053713.55−242408.3	HD 37391	**mul.	F5V	8.090 : 7.699	
1RXSJ053717.5−275202	0.1153 (0.0172)	0.983	0.0	053716.50−275216.8	HD 37430	*	F0IV	6.439 : 6.150	
1RXSJ053718.4+133453	0.3383 (0.0276)	0.998	10.3	053718.39+133454.6	HD 245567	TT	G5	10.26 : 9.53	P
1RXSJ053720.8−483513	0.0588 (0.0095)	0.986	11.8	053720.52−483511.7	HD 275012	*	G5	11.8 :	
1RXSJ053732.3+370513	0.3460 (0.0302)	0.999	8.3	053732.68+370509.8	1RXS J053732.3+370513	TT	B0	:	P
...	...	...	...	053732.68+370509.8	HD 37071	V*	G0	8.58 : 8.07	
1RXSJ053744.9−284130	0.1513 (0.0168)	0.998	0.0	053744.62−284122.9	GJ 9186	*	F4V	5.77 : 5.31	P
1RXSJ053749.5−402332	0.1308 (0.0153)	0.999	0.0	053749.50−402338.7	HD 37609	*	G0V	10.18 : 9.65	
1RXSJ053807.6+144407	0.0530 (0.0118)	0.995	9.6	053807.36+144410.4	...	...	...	...	
1RXSJ053824.2−571906	0.0521 (0.0092)	0.987	11.7	053824.63−571907.3	CD−57 1241	*	./.	10.55 : 9.80	
...	...	...	...	053824.63−571907.3	RX J0538.4−5718	X	F9V	10.61 : 10.06	
1RXSJ053834.8−685305	0.2052 (0.0116)	1.000	0.0	053834.50−685306.7	HD 269921	*	./.	:	
1RXSJ053835.1−085639	0.2510 (0.0254)	0.998	10.7	053834.95−085639.0	GSC 05346−00132	TT	G7	10.55 : 9.81	
...	...	...	...	053834.95−085639.0	PPM 188296	*	./.	:	
1RXSJ053848.4−352935	0.0949 (0.0155)	0.986	10.5	053849.34−352932.4	CD−35 2433	*	./.	10.67 : 10.15	
1RXSJ053952.8+525358	0.0829 (0.0165)	0.999	9.0	053952.45+525357.2	HD 37216	*	G5	8.59 : 7.84	
1RXSJ053959.1+070832	0.3858 (0.0428)	0.993	11.1	053958.77+070835.1	HD 246155	*	G5	10.38 : 9.54	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ054006.9−405032	0.5045 (0.0427)	0.988	9.1	054006.64−405011.9	ESO 306− 17	Gal.	S0	13. :	
1RXSJ054021.8−450118	0.1755 (0.0168)	0.998	10.4	054021.55−450120.0	CD−45 2105	*	./.	10.55 : 10.00	
1RXSJ054039.6−201756	1.6090 (0.1366)	0.984	12.0	054039.63−201755.1	HD 37847	V* (RS CVn)	K0IV	8.52 : 7.46	
1RXSJ054045.4−015631	1.1550 (0.0897)	0.999	0.0	054045.52−015633.3	HD 37742	Em. *	O9Iab:	1.84 : 1.7	
...	...	...	...	054045.52−015633.3	HD 37742 J	**mul.	O9.5Ib	1.59 : 1.79	
...	...	...	...	054045.52−015633.3	HD 37743	**	B0III	4.2 : 4.21	
1RXSJ054048.7−312402	0.0885 (0.0144)	0.999	0.0	054049.00−312407.0	HD 37950	*	G6IV	9.76 : 8.67	
1RXSJ054105.5−615122	0.0602 (0.0082)	0.997	0.0	054104.93−615128.2	HD 38372	Ecl. Bin. (Algol)	F0V	10.05 : 9.67	
1RXSJ054127.3+034642	0.6261 (0.0533)	0.998	8.2	054126.69+034640.5	HD 37824	V* (RS CVn)	G5	7.94 : 6.82	P
...	...	...	...	054126.69+034640.5	IRAS 05388+0345	IR	./.	:	
1RXSJ054132.6−200249	0.0528 (0.0121)	0.983	11.4	054131.98−200243.7	BD−20 1154	*	./.	11.3 : 10.8	
1RXSJ054135.6−760434	0.1386 (0.0101)	0.984	11.2	054136.39−760424.6	HD 39150	*	G5/G6V	10.51 : 9.81	
1RXSJ054137.8−382227	0.0678 (0.0118)	0.989	10.2	054137.58−382224.1	CD−38 2165	*	./.	10.71 : 10.03	
1RXSJ054234.7−341536	0.1056 (0.0160)	0.983	11.2	054234.20−341542.5	CD−34 2406	*	./.	11.7 : 11.0	
1RXSJ054254.4−064747	0.0516 (0.0123)	0.983	11.5	054253.91−064747.9	HD 38089	**mul.	F3V	6.367 : 5.976	
...	...	...	...	054253.91−064747.9	IRAS 05404−0649	IR	./.	:	
1RXSJ054300.2−021845	0.0848 (0.0145)	0.999	0.0	054300.57−021845.4	HD 38087	Em. *	B5V	8.41 : 8.32	
...	...	...	...	054300.57−021845.4	IC 435	Reflection Nebula	./.	:	
1RXSJ054336.3−395526	0.1932 (0.0196)	0.999	0.0	054335.81−395524.8	HD 38397	*	G0V	8.69 : 8.15	
1RXSJ054348.9−600553	0.0883 (0.0095)	0.984	11.7	054349.73−600555.0	RX J0543.9−6005	X	G7Vvar+...	11.9 : 11.2	
1RXSJ054407.8−283638	0.2667 (0.0241)	0.995	11.3	054407.57−283638.0	CD−28 2406	*	G2	10.31 : 9.62	
1RXSJ054426.8−222507	0.3430 (0.0288)	0.998	0.0	054426.73−222515.5	GJ 216B	V*	K2V	7.09 : 6.15	
1RXSJ054442.4−442301	0.0742 (0.0109)	0.989	11.2	054441.80−442305.8	CD−44 2224	*	G5	11.12 : 10.47	
1RXSJ054448.1−225058	0.0523 (0.0121)	0.995	0.0	054447.18−225049.9	HD 38427	V*	F2IV	9.75 : 9.31	
1RXSJ054516.1−383641	0.1058 (0.0144)	0.985	11.4	054516.21−383649.3	...	...	...	...	
1RXSJ054521.8−240116	0.0566 (0.0129)	0.995	10.0	054522.01−240107.7	CD−24 3396	*	F8	10.02 : 9.57	
1RXSJ054541.8−155214	0.1570 (0.0199)	0.997	8.9	054541.99−155208.3	HD 38508	*	G2V	8.63 : 8.10	
1RXSJ054600.0−321824	0.1247 (0.0166)	1.000	0.0	054559.90−321823.1	HD 38666	V*	O9.5V	4.889 : 5.148	P
1RXSJ054616.4−082058	0.0518 (0.0122)	0.990	0.0	054616.90−082116.9	HD 38549	*	K0	9.85 : 9.11	
1RXSJ054632.3+201827	0.0537 (0.0124)	0.998	8.9	054632.45+201819.3	HD 38421	*	G0	9.21 : 8.58	
1RXSJ054635.4+011010	0.0686 (0.0134)	0.998	0.0	054634.91+011005.5	HD 38529	*	G4V	6.684 : 5.938	
1RXSJ054642.1−214935	0.0762 (0.0140)	0.999	0.0	054642.42−214936.5	HD 38700	*	G0V	9.16 : 8.61	
1RXSJ054656.0−333738	0.4150 (0.0400)	0.991	10.9	054656.30−333741.9	CTS 51	Gal.	./.	:	
1RXSJ054745.2−094013	0.3192 (0.0272)	1.000	0.0	054745.38−094010.8	HD 38771	V*	B0Iab:	1.937 : 2.049	
1RXSJ054750.0−400345	0.0984 (0.0139)	0.999	0.0	054749.51−400349.9	HD 39012	*	G6V	9.50 : 8.81	
1RXSJ054802.1−440300	0.0712 (0.0107)	0.984	11.5	054801.36−440257.0	GSC 07609−00597	*	./.	11.6 : 11.2	
1RXSJ054837.1−252835	0.1671 (0.0207)	0.985	9.4	054838.38−252840.6	ESO 488− 27	Gal. in Clust.	S0	13. :	
...	...	...	...	054838.38−252840.6	[QR95] 054636.6−252938	Gal. in Clust.	./.	:	
1RXSJ054838.6−561816	0.0826 (0.0092)	0.985	11.4	054838.08−561811.6	...	...	...	...	
1RXSJ054900.6+235315	0.1105 (0.0171)	0.985	11.1	054859.94+235308.4	GSC 01862−01743	*	./.	10.8 : 9.93	
1RXSJ054934.1+475043	0.1028 (0.0192)	0.998	9.1	054933.72+475047.3	HD 38620	*	F5	8.84 : 8.37	
1RXSJ054944.8−491826	0.0741 (0.0104)	0.981	11.9	054944.76−491826.8	...	...	...	...	
1RXSJ054949.7−561004	0.1744 (0.0121)	1.000	0.0	054949.67−561000.1	HD 39523	*	K1III	5.593 : 4.504	
1RXSJ055029.7+023541	0.1279 (0.0178)	0.987	10.2	055028.76+023539.7	HD 288264	**	G0	10.32 : 9.83	
1RXSJ055102.0−523828	0.1511 (0.0178)	0.988	0.0	055101.15−523812.8	...	...	...	...	
1RXSJ055115.5+035524	0.2707 (0.0248)	0.997	10.0	055114.96+035523.4	...	...	...	...	
1RXSJ055220.1−570919	0.6548 (0.0205)	1.000	0.0	055220.20−570922.3	HD 39937	V*	F7IV	6.562 : 5.948	
1RXSJ055223.9+195208	0.2363 (0.0236)	0.988	11.4	055223.52+195204.5	HD 39286	*	B8III+...	6.499 : 6.001	P
...	...	...	...	055223.52+195204.5	IRAS 05494+1951	IR	./.	:	
1RXSJ055306.7−334810	0.0549 (0.0110)	0.999	0.0	055306.88−334804.9	HD 39764	V*	B5V	4.733 : 4.863	
1RXSJ055327.8−433332	0.4542 (0.0480)	0.999	0.0	055327.37−433331.3	HD 39917	V* (RS CVn)	G8V	8.66 : 7.90	
1RXSJ055423.4+201630	1.9420 (0.0681)	0.999	0.0	055423.08+201635.1	GJ 222	HiPM*	G0V	5.00 : 4.41	P
1RXSJ055543.2−380618	0.2228 (0.0281)	1.000	0.0	055543.16−380616.3	HD 40216	*	F6V	7.91 : 7.48	
1RXSJ055624.0−140957	0.2236 (0.0233)	0.998	0.0	055624.32−141004.9	GJ 225	*	F1V	4.022 : 3.719	P
...	...	...	...	055624.32−141004.9	IRAS 05541−1410	IR	./.	:	
1RXSJ055705.0+490155	0.6070 (0.0430)	0.998	0.0	055704.64+490146.9	HD 39743	V*	G8III	7.57 : 6.59	
1RXSJ055708.4+194855	0.1980 (0.0229)	0.985	11.7	055708.44+194859.7	...	...	...	...	
1RXSJ055802.0−382001	0.1047 (0.0134)	0.984	11.9	055802.08−382004.4	3A 0557−383	Sy1	?	16.05 : 14.98	
...	...	...	...	055802.08−382004.4	EXO 055620−3820.2	Sy1	./.	:	
...	...	...	...	055802.08−382004.4	IRAS F05563−3820	Gal.	./.	:	
1RXSJ055843.3+204442	0.0560 (0.0132)	0.998	8.9	055843.28+204447.5	HD 40299	*	G0	9.28 : 8.79	
1RXSJ055913.1−384235	0.0871 (0.0129)	0.999	0.0	055913.38−384238.2	HD 40781	*	F7V	8.94 : 8.42	
1RXSJ055943.0+371251	0.1186 (0.0195)	0.999	0.0	055943.21+371246.1	HD 40312	V*	A0sp...	2.54 : 2.62	
...	...	...	...	055943.21+371246.1	IRAS 05563+3712	IR	./.	:	
1RXSJ055949.9−481425	0.1476 (0.0198)	0.999	0.0	055949.65−481422.9	HD 41004	*	K1V	9.49 : 8.65	
1RXSJ060055.4−545713	0.1071 (0.0095)	0.998	0.0	060055.36−545704.9	HD 41278	*	F5V	7.81 : 7.40	
1RXSJ060105.8−261111	0.0878 (0.0146)	0.998	10.2	060105.72−261110.0	...	...	...	...	
1RXSJ060222.9+093854	0.0913 (0.0162)	0.999	0.0	060222.99+093850.3	HD 40932	Spec. Bin.	A2V	4.29 :	
1RXSJ060239.9−005139	0.8927 (0.0765)	0.997	10.4	060240.34−005138.0	HD 291095	V*	K0	10.05 : 9.13	
1RXSJ060258.1−311945	0.0505 (0.0107)	0.986	11.4	060258.65−311950.2	...	...	...	...	
1RXSJ060312.5−243414	0.0648 (0.0126)	0.988	11.4	060312.88−243416.1	CD−24 3639	*	./.	11.43 : 10.69	
1RXSJ060335.0+153132	0.2260 (0.0245)	0.984	12.0	060335.01+153132.6	...	...	...	...	
1RXSJ060414.1+441653	0.0984 (0.0195)	0.988	10.2	060412.58+441648.6	BD+44 1351	*	K5	10.09 : 9.12	
1RXSJ060452.0+514200	0.1510 (0.0219)	0.997	10.3	060451.37+514201.3	...	...	...	...	
1RXSJ060606.4−253851	0.0923 (0.0147)	0.992	10.4	060606.00−253859.8	CD−25 2921	*	K0	10.66 : 9.85	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ060637.0−331033	0.1297 (0.0159)	0.988	11.6	060637.29−331032.6	...	...	...	...	
1RXSJ060640.1+153237	0.2575 (0.0271)	0.998	0.0	060640.48+153231.6	GJ 227	V*	K0V	7.571 : 6.767	
1RXSJ060652.5−313051	0.0611 (0.0112)	0.989	11.4	060652.76−313054.3	HD 41992	*	F8V	9.53 : 9.01	
1RXSJ060703.3−341837	0.1433 (0.0162)	0.999	0.0	060703.67−341843.3	HD 42054	Em. *	B4IVe	5.712 : 5.843	
1RXSJ060725.1−765537	0.0697 (0.0101)	0.998	9.9	060725.92−765539.3	HD 43601	*	F7V	10.21 : 9.65	
1RXSJ060755.1−662136	0.0733 (0.0028)	0.985	12.1	060755.26−662138.5	...	...	...	...	
1RXSJ060806.4−155406	0.0746 (0.0132)	0.999	0.0	060806.42−155404.5	HD 42074	*	F5V	7.363 : 6.953	
1RXSJ060833.4−340257	0.1842 (0.0178)	0.990	11.3	060833.87−340254.9	CD−34 2676	*	./.	10.93 : 10.15	
1RXSJ060919.3−354926	0.3669 (0.0238)	0.984	11.8	060919.24−354930.3	EUVE J0609−35.8	*	M1V:e	12.3 : 11.0	
...	...	...	...	060919.24−354930.3	RE J060918−354929	X	MV:e	:	
...	...	...	...	060919.24−354930.3	[CCD97] EUVE J0609−358 1	Object of unknown nature	./.	:	
1RXSJ060927.9+223629	0.3034 (0.0282)	0.993	11.5	060927.91+223629.4	...	...	...	...	
1RXSJ060948.4−224629	0.0728 (0.0126)	0.999	0.0	060947.96−224627.6	HD 42443	*	F5V	6.117 : 5.719	
1RXSJ061005.0−003345	0.0579 (0.0128)	0.998	9.1	061004.56−003349.7	HD 42336	*	G0	9.00 : 8.45	
1RXSJ061017.9−545813	0.0588 (0.0075)	0.999	0.0	061017.91−545807.0	HD 42933	Ecl. Bin. (beta Lyr)	B3III+...	4.58 :	
1RXSJ061033.4−431900	0.0565 (0.0094)	0.981	12.0	061033.76−431900.4	...	...	...	...	
1RXSJ061034.3−215154	0.0535 (0.0115)	0.999	0.0	061034.61−215152.6	GJ 229A	Flare *	M1/M2V	9.65 :	
1RXSJ061117.4−553301	0.0680 (0.0079)	0.982	11.7	061117.99−553303.1	...	...	...	...	
1RXSJ061128.8+202151	0.1487 (0.0197)	0.994	11.3	061128.92+202152.4	2E 0608.4+2022	X	./.	:	P
1RXSJ061140.2+104011	0.1511 (0.0197)	0.994	10.8	061140.16+104011.9	...	...	...	...	
1RXSJ061152.7−561909	0.0703 (0.0076)	0.985	11.8	061153.00−561905.6	...	...	...	...	
1RXSJ061155.8−352910	0.3795 (0.0240)	0.988	11.7	061155.74−352912.8	...	...	...	...	
1RXSJ061156.7−465320	0.0684 (0.0098)	0.981	11.4	061156.72−465315.5	...	...	...	...	
1RXSJ061222.1+581237	0.0858 (0.0175)	0.981	11.5	061221.91+581233.5	...	...	...	...	
1RXSJ061236.5−064411	0.2235 (0.0214)	0.997	10.3	061236.16−064416.3	HD 42827	*	K0	10.24 : 9.39	
1RXSJ061238.7−164839	1.5270 (0.1489)	0.994	11.3	061238.80−164837.9	V* HY CMa	V*	K0	10.33 : 9.33	
1RXSJ061239.9−085231	0.0660 (0.0128)	0.991	0.0	061240.15−085246.6	HD 42828	*	F5	9.81 : 9.41	
1RXSJ061243.3−363755	0.1213 (0.0134)	1.000	0.0	061243.58−363755.2	HD 43106	*	K0/K1III+...	9.14 : 8.20	
1RXSJ061244.8+094422	0.0699 (0.0143)	0.987	11.5	061244.98+094422.9	...	...	...	...	
1RXSJ061305.2−562023	0.1193 (0.0095)	0.999	0.0	061306.00−562025.2	CD−56 1450	*	./.	:	
1RXSJ061312.6+103742	0.1931 (0.0235)	1.000	0.0	061312.50+103737.7	GJ 230	HiPM*	G2V	7.12 : 6.44	
1RXSJ061314.3−011745	0.0809 (0.0143)	0.984	10.8	061313.73−011749.6	...	...	...	...	
1RXSJ061324.2−290029	0.2059 (0.0186)	0.981	11.1	061324.28−290022.9	...	...	...	...	
1RXSJ061357.6−071445	0.0677 (0.0136)	0.998	0.0	061357.10−071453.0	HD 43066	*	B9	6.769 : 6.778	P
1RXSJ061358.3+520047	0.0870 (0.0187)	0.998	0.0	061359.06+520040.8	HD 42508	*	F2	7.72 : 7.37	
1RXSJ061444.3+232143	0.0633 (0.0149)	0.991	9.0	061443.81+232142.1	HD 42953	*	F8	8.90 : 8.45	
1RXSJ061451.2−621700	0.3454 (0.0144)	1.000	0.0	061451.38−621702.2	HD 43957	*	F8V	8.84 : 8.34	
1RXSJ061533.6+710207	0.0558 (0.0135)	0.983	9.9	061536.30+710214.5	Mrk 3E	Rad.	./.	:	
...	...	...	...	061536.30+710214.5	Mrk 3W	Rad.	./.	:	
...	...	...	...	061536.30+710214.5	UGC 3426	Sy2	S0	13.8 :	P
...	...	...	...	061536.30+710214.5	[KGP93] Mrk 3 4	Rad.	./.	:	
1RXSJ061537.7−574154	0.0602 (0.0073)	0.985	9.5	061538.75−574206.3	HD 43976	*	G2V	9.48 : 8.88	
1RXSJ061626.5+121619	0.3519 (0.0294)	0.988	11.2	061626.32+121611.8	GJ 9207	HiPM*	F5IV−V	5.46 : 5.04	
1RXSJ061646.8+451610	0.0893 (0.0191)	0.984	11.7	061646.95+451604.6	...	...	...	...	
1RXSJ061709.6−371515	0.5004 (0.0267)	1.000	0.0	061709.57−371512.7	HD 43940	*	A3V	6.020 : 5.880	P
1RXSJ061724.5+572508	0.1877 (0.0260)	0.992	0.0	061723.34+572452.8	HD 42994	*	F8	7.63 : 7.17	
1RXSJ061746.9−584831	0.0802 (0.0078)	1.000	0.0	061747.14−584832.5	HD 44383	*	F5V	9.13 : 8.73	P
1RXSJ061828.8−720242	1.0260 (0.0304)	0.995	11.4	061828.18−720243.0	HD 45081	V*	K3:V:	11.05 : 10.09	P
1RXSJ061905.1+472323	0.0524 (0.0152)	0.995	0.0	061904.80+472338.5	HD 43523	*	F5	7.353 : 6.844	
1RXSJ061912.7−580312	0.4662 (0.0178)	0.995	11.3	061912.88−580316.3	HD 44627	V*	K2V	10.00 : 9.16	
1RXSJ062002.9−290510	0.0870 (0.0138)	0.988	11.6	062002.67−290509.7	...	...	...	...	
1RXSJ062009.2−264647	0.0634 (0.0119)	0.999	0.0	062008.98−264643.0	HD 44342	*	K1III/IV	9.44 : 8.46	
1RXSJ062031.8+133107	0.1327 (0.0182)	0.997	9.7	062032.06+133113.0	HD 255438	*	F8	9.72 : 9.21	
1RXSJ062043.1−434937	0.0575 (0.0105)	0.981	11.5	062043.44−434945.4	CD−43 2399	*	./.	:	
1RXSJ062104.2+104003	0.1255 (0.0179)	0.995	10.8	062104.15+104007.4	...	...	...	...	
1RXSJ062127.6−170645	0.0709 (0.0120)	0.985	11.4	062127.48−170646.7	...	...	...	...	
1RXSJ062156.6+541550	0.4118 (0.0376)	0.998	10.3	062156.90+541548.3	...	...	...	...	
1RXSJ062227.2−302743	0.1352 (0.0166)	0.998	10.5	062227.00−302746.1	...	...	...	...	
1RXSJ062230.9−601301	0.6160 (0.0223)	0.990	11.3	062230.95−601307.9	HD 45270	**	G1V	7.095 : 6.532	P
...	...	...	...	062230.95−601307.9	IRAS 06218−6011	IR	./.	:	
1RXSJ062233.8−231743	0.1667 (0.0173)	0.993	10.4	062233.53−231741.5	...	...	...	...	
1RXSJ062242.0−175726	0.3670 (0.0391)	1.000	0.0	062241.99−175721.3	HD 44743	V* (beta Cep)	B1II/III	1.75 :	P
...	...	...	...	062241.99−175721.3	IRAS 06204−1755	IR	./.	:	
1RXSJ062257.7−243328	0.1036 (0.0147)	0.999	0.0	062257.67−243321.8	HD 44821	*	K0/K1V+...	8.012 : 7.382	
1RXSJ062308.4−150746	0.0829 (0.0145)	0.996	9.6	062308.31−150740.2	BD−15 1364	*	K0	10.47 : 9.40	
1RXSJ062310.4−672532	0.1470 (0.0075)	0.992	11.0	062310.73−672525.0	CD−67 435	*	?	10.32 : 9.62	
1RXSJ062349.8−275333	0.1058 (0.0144)	0.984	11.5	062349.38−275326.6	...	...	...	...	
1RXSJ062357.2−524139	0.4714 (0.0232)	1.000	0.0	062357.10−524144.2	HD 45348	*	F0II	:	P
1RXSJ062445.4+431606	0.0846 (0.0190)	0.987	10.6	062445.30+431601.6	BD+43 1525	*	K0	10.90 : 9.69	
1RXSJ062507.2−250802	0.1061 (0.0151)	0.984	11.6	062507.40−250809.7	...	...	...	...	
1RXSJ062512.4−662905	0.0620 (0.0052)	0.993	11.1	062512.47−662910.8	CD−66 395	*	./.	11.6 : 11.1	
1RXSJ062539.5−720239	0.1436 (0.0119)	0.999	0.0	062540.33−720234.9	HD 46291	V* (RS CVn)	K2III+...	9.39 : 8.26	
1RXSJ062542.2−470801	0.1726 (0.0182)	0.991	10.7	062542.92−470755.6	CD−47 2352	*	G0	10.75 : 10.16	
1RXSJ062557.1+583606	0.0806 (0.0176)	0.998	0.0	062558.12+583611.9	HD 44536	*	F2	7.20 : 6.87	
1RXSJ062606.1−410250	0.1133 (0.0136)	0.986	11.3	062606.90−410254.3	GSC 07617−00549	*	./.	10.85 : 10.00	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ062619.2−534141	0.1985 (0.0107)	0.998	9.2	062620.00−534133.2	ESO 161− 7	Pair of Galaxies	./.	:	P
...	...	...	...	062620.00−534133.2	TCG Cl 0627−54 300	Gal. in Clust.	./.	:	
...	...	...	...	062620.00−534133.2	[GVD92] 062516.9−533943	Gal. in Clust.	./.	:	
1RXSJ062643.5−073035	0.1372 (0.0184)	0.998	0.0	062643.61−073032.9	BD−07 1428	**	?	9.0 : 8.7	
1RXSJ062707.1−375342	0.1470 (0.0162)	0.993	10.9	062707.62−375344.7	HD 45680	**	F3V	6.834 : 6.492	
1RXSJ062707.5−352917	0.4066 (0.0256)	0.988	10.1	062706.63−352916.7	Cul 0625−354	Rad.	./.	:	
...	...	...	...	062706.63−352916.7	PMN J0627−3529	Rad.	./.	:	
1RXSJ062807.1+100129	0.0922 (0.0162)	0.985	10.5	062806.98+100122.8	...	...	...	...	
1RXSJ062820.5−004346	0.3860 (0.0298)	0.998	8.5	062820.39−004346.2	HD 45600	Ecl. Bin. (Algol)	F5	8.21 : 7.77	
1RXSJ062904.0−253031	0.0599 (0.0119)	0.988	11.4	062903.65−253031.7	...	...	...	...	
1RXSJ062905.9+765946	0.1569 (0.0190)	0.998	9.1	062905.32+765948.5	HD 44028	*	F8	9.05 : 8.60	
1RXSJ062937.2+082930	0.0880 (0.0162)	0.999	0.0	062936.88+082932.8	HD 45759	*	F8	8.12 : 7.62	P
1RXSJ063105.2−590017	0.1655 (0.0162)	1.000	0.0	063105.73−590016.6	HD 46697	V* (RS CVn)	K1III/IVp	8.81 : 7.66	
1RXSJ063107.3−563914	0.0876 (0.0106)	0.987	11.5	063107.28−563914.0	CD−56 1546	*	G0	10.31 : 9.72	
1RXSJ063119.4−023218	0.0761 (0.0138)	0.985	11.3	063119.73−023214.5	...	...	...	...	
1RXSJ063151.2−232508	0.0692 (0.0129)	0.999	0.0	063151.37−232506.4	HD 46328	Ceph.	B1III	4.09 :	
1RXSJ063223.7−055209	0.1406 (0.0181)	0.998	0.0	063223.13−055207.7	BD−05 1678B	**	?	:	
...	...	...	...	063223.13−055207.7	HD 46304	**	F0Vnn	5.849 : 5.611	
1RXSJ063238.6−063157	0.1978 (0.0204)	0.998	10.2	063238.59−063156.8	HD 46361	*	G0	9.91 : 9.33	
1RXSJ063451.3+092409	0.0552 (0.0132)	0.998	0.0	063451.36+092403.1	HD 260020	*	K0	10.03 : 8.86	
1RXSJ063531.2−375110	0.0806 (0.0161)	0.986	0.0	063531.61−375127.6	HD 47187	*	K0III	8.58 : 7.56	
1RXSJ063536.4−623824	0.0839 (0.0101)	0.999	0.0	063536.06−623824.3	V* RR Pic	Nova	?p...	12.5 : 12.0	
1RXSJ063558.5+075527	0.1773 (0.0205)	0.988	11.3	063558.33+075521.1	...	...	...	...	
1RXSJ063606.8−180109	0.0615 (0.0122)	0.998	0.0	063607.08−180114.8	GSC 05952−01444	*	./.	11.13 : 10.54	
1RXSJ063622.8−183939	0.2497 (0.0225)	0.992	0.0	063622.86−183935.8	HD 47138	**	G8/K0III+...	6.519 : 5.704	
...	...	...	...	063622.86−183935.8	IRAS 06341−1837	IR	./.	:	
1RXSJ063723.3+060802	0.1415 (0.0188)	0.997	0.0	063724.04+060807.4	HD 47129	Em. *	O8V+...	6.072 : 6.060	
...	...	...	...	063724.04+060807.4	HD 47129 A	*	?	:	
...	...	...	...	063724.04+060807.4	HD 47129 B	*	?	:	
1RXSJ063740.4+203245	0.0501 (0.0124)	0.998	10.2	063740.07+203247.5	HD 260720	*	A2	10.16 : 9.69	
1RXSJ063742.7+162356	0.2190 (0.0248)	1.000	0.0	063742.73+162357.4	HD 47105	**	A0IV	1.93 : 1.90	
1RXSJ063812.2+105321	0.2015 (0.0225)	0.984	11.7	063812.03+105317.8	HD 47271	*	G0	9.31 : 8.77	
1RXSJ063830.8−155047	0.0506 (0.0117)	0.984	11.2	063830.37−155045.2	...	...	...	...	
1RXSJ063848.6−274438	0.0583 (0.0146)	0.990	0.0	063849.53−274449.0	HD 47718	HiPM*	G0/G1V	8.64 : 8.10	
1RXSJ063855.1+331303	0.1787 (0.0232)	0.980	10.0	063854.36+331256.6	HD 260940	*	K5	9.63 : 8.46	
1RXSJ063940.7−512517	0.4104 (0.0223)	0.988	11.7	063940.76−512514.6	[TDZ97] GJ0639−5125	IR	./.	:	
1RXSJ063947.4−375003	0.0749 (0.0134)	0.981	11.4	063946.73−375010.7	GSC 07614−01074	*	./.	11.6 : 10.7	
1RXSJ063947.8+023709	0.0524 (0.0119)	0.992	10.2	063947.42+023717.9	HD 288889	*	F8	10.41 : 9.98	
1RXSJ063951.7−612842	0.1427 (0.0136)	0.987	10.7	063950.10−612843.2	CD−61 1439	*	M1V	11.2 : 9.70	
1RXSJ064011.5−255337	0.2733 (0.0285)	0.997	9.4	064011.71−255343.9	ESO 490− 26	Gal.	S:	15.1 :	P
1RXSJ064022.4−033154	0.5851 (0.0411)	0.999	9.6	064022.40−033157.3	HD 295290	*	G0	9.79 : 8.99	
1RXSJ064044.2−514008	0.0523 (0.0091)	0.999	0.0	064043.93−514009.5	HD 48465	*	F5V	9.11 : 8.69	
1RXSJ064104.5+532356	1.6140 (0.0746)	1.000	8.0	064104.18+532354.3	HD 47355	*	F5	8.00 : 7.52	
1RXSJ064108.3+052250	0.0864 (0.0181)	0.989	11.3	064108.01+052250.1	...	...	...	...	
1RXSJ064114.3+194741	0.0569 (0.0132)	0.998	10.1	064114.37+194736.9	HD 261872	**mul.	F8	10.06 : 9.61	
1RXSJ064118.1−382038	0.1164 (0.0152)	0.988	11.4	064118.57−382036.0	...	...	...	...	
1RXSJ064120.3+821603	0.4080 (0.0280)	0.998	9.7	064118.18+821609.2	HD 44982	V* (RS CVn)	G5V:+...	10.01 : 9.34	
1RXSJ064128.0−744030	0.1200 (0.0147)	0.999	0.0	064128.51−744026.6	HD 49656	*	F5V	9.21 : 8.83	
1RXSJ064130.6−652806	0.1223 (0.0096)	0.981	12.1	064129.97−652805.0	HD 49006	*	F3/F5V	8.34 : 7.90	
1RXSJ064136.2+080218	0.0535 (0.0126)	0.980	11.0	064136.01+080205.3	HD 262113	*	G	11.2 : 10.3	
1RXSJ064159.8+062035	0.0558 (0.0135)	0.998	0.0	064159.23+062043.5	HD 48099	Em. *	O6e	6.283 : 6.366	
1RXSJ064207.0−643126	0.1146 (0.0071)	0.998	0.0	064207.36−643126.3	CPD−64 608B	**	?	:	
...	...	...	...	064207.36−643126.3	HD 49078	**	F0V	8.5 : 8.1	
1RXSJ064224.5+173851	0.0925 (0.0181)	0.998	0.0	064224.33+173843.1	HD 48097	*	A2V	5.27 : 5.21	
1RXSJ064254.3+295912	0.1101 (0.0179)	0.999	0.0	064254.67+295912.5	HD 262242	*	K0	9.84 : 8.82	
1RXSJ064255.9+552835	0.0782 (0.0172)	0.988	10.9	064255.10+552827.2	HD 47648	Semi−Reg. Pulsating *	M2	10.04 : 8.52	
1RXSJ064310.6+123549	0.2326 (0.0239)	0.995	11.2	064310.77+123550.7	...	...	...	...	
1RXSJ064342.1−395150	0.0715 (0.0127)	0.994	0.0	064342.75−395154.1	HD 48875	*	F5V	8.10 : 7.67	
1RXSJ064404.9−495307	0.0628 (0.0102)	0.982	11.6	064404.40−495310.3	...	...	...	...	
1RXSJ064425.8−335835	0.0875 (0.0145)	0.992	0.0	064426.47−335848.0	CCDM J06444−3359AB	**mul.	G2	10.20 : 9.67	
1RXSJ064431.6−261926	0.1615 (0.0224)	0.992	11.2	064431.91−261928.1	...	...	...	...	
1RXSJ064438.1+315815	0.1151 (0.0195)	0.985	0.0	064436.30+315812.0	HD 48391	*	F5	8.39 : 7.90	
1RXSJ064452.4−235132	0.2690 (0.0308)	0.997	0.0	064452.54−235144.0	HD 48916	**mul.	K0IV	9.33 : 8.24	
1RXSJ064452.5−663657	0.0599 (0.0066)	0.999	10.0	064452.07−663657.5	CD−66 426	*	./.	10.12 : 9.65	
1RXSJ064454.1−470052	0.0610 (0.0117)	0.985	10.3	064453.96−470044.5	CD−46 2649	*	G0	10.40 : 10.01	
1RXSJ064517.8+125348	0.3934 (0.0311)	0.999	0.0	064517.43+125345.8	GJ 242	V*	F5IV	3.79 :	
1RXSJ064525.0+113440	0.0543 (0.0127)	0.998	0.0	064524.23+113437.9	HD 48751	*	G5	8.85 : 8.23	
1RXSJ064538.3−411235	0.1011 (0.0140)	0.985	11.6	064537.92−411241.0	...	...	...	...	
1RXSJ064558.4−550147	0.0520 (0.0133)	0.998	0.0	064557.79−550146.2	HD 49595	*	F5IV/V	9.21 : 8.76	
1RXSJ064609.9−835934	0.1592 (0.0257)	0.989	11.4	064613.01−835931.5	HD 53842	*	F5V	7.9 : 7.5	
1RXSJ064641.1+082152	0.0916 (0.0179)	0.999	0.0	064640.72+082147.3	HD 49015	*	F0IV	7.5 : 7.5	
1RXSJ064709.1−305724	0.0600 (0.0121)	0.997	0.0	064709.65−305727.6	HD 49468	**mul.	F5III	8.34 : 7.88	
1RXSJ064748.3+742850	0.0617 (0.0131)	0.998	8.9	064746.21+742854.7	NGC 2258	Gal.	S0	13.2 :	
1RXSJ064752.7−252329	0.2558 (0.0237)	0.992	11.3	064752.29−252329.2	CD−25 3636	*	./.	:	
1RXSJ064754.5+521502	0.0570 (0.0152)	0.984	9.8	064753.44+521509.9	HD 48780	*	G5	9.49 : 8.84	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ064804.4−441905	0.1814 (0.0212)	0.982	0.0	064804.70−441858.4	HD 49798	Spec. Bin.	sdO6p	7.99 : 8.27	
1RXSJ064812.0−615623	0.0777 (0.0090)	0.998	0.0	064811.54−615631.1	GJ 248	HiPM*	A7IV	3.48 : 3.30	
1RXSJ065000.0−601459	0.1007 (0.0145)	0.998	0.0	065001.03−601457.0	HD 50571	*	F7III−IV	6.523 : 6.114	
1RXSJ065040.2−113343	0.3594 (0.0354)	0.998	10.4	065040.28−113346.1	BD−11 1657	*	./.	10.38 : 9.63	
1RXSJ065047.5−144426	0.3117 (0.0319)	0.997	9.3	065046.97−144430.5	HD 50044	*	G8III/IV	9.04 : 8.11	
1RXSJ065049.7−003220	0.3661 (0.0430)	0.984	11.7	065049.71−003219.0	BD−00 1462B	**	?	:	
...	...	...	...	065049.71−003219.0	HD 49933	**	F2V	6.135 : 5.783	
...	...	...	...	065049.71−003219.0	IRAS 06482−0028	IR	./.	:	
1RXSJ065202.4−111220	0.0784 (0.0156)	0.998	8.0	065202.59−111217.1	HD 50255	*	G5	8.11 : 7.43	
1RXSJ065209.8+742537	0.0622 (0.0124)	0.985	11.3	065212.28+742537.0	IC 450	Sy1	S0a	14.8 :	P
1RXSJ065218.0−051018	0.2293 (0.0316)	0.999	0.0	065218.05−051025.4	GJ 250A	HiPM*	K3V	7.64 : 6.57	P
1RXSJ065228.7+572054	0.1614 (0.0235)	0.990	10.9	065229.29+572046.8	HD 237554	*	K0	10.63 : 9.62	
1RXSJ065231.9−253332	0.1705 (0.0194)	0.998	9.3	065232.05−253331.4	HD 50494	*	F6/F7V	9.36 : 8.82	
1RXSJ065246.9−435832	0.1383 (0.0171)	1.000	0.0	065247.14−435832.1	HD 50860	**	B8V	6.365 : 6.465	
1RXSJ065250.3+082258	0.0575 (0.0158)	0.996	0.0	065249.47+082249.4	HD 50277	*	F0Vn	5.996 : 5.753	
1RXSJ065305.6+235113	0.0525 (0.0132)	0.998	9.6	065305.47+235116.7	...	...	...	...	
1RXSJ065354.1+235227	0.0914 (0.0167)	0.987	9.6	065355.05+235223.5	HD 265765	*	G0	9.66 : 9.18	
1RXSJ065413.8−235543	0.0803 (0.0139)	0.998	0.0	065413.04−235542.1	HD 50896	WR *	WN...	6.679 : 6.735	P
1RXSJ065505.3+201855	0.0514 (0.0134)	0.997	10.0	065504.88+201856.3	HD 266141	*	F5	9.87 : 9.45	
1RXSJ065536.3−200811	0.0529 (0.0123)	0.995	0.0	065537.40−200811.7	HD 51199	V*	F2IV/V	5.019 : 4.687	
1RXSJ065623.6−464650	0.2726 (0.0247)	0.985	11.2	065623.54−464655.8	HD 51797	V*	K0III:	10.68 : 9.81	
1RXSJ065624.5+035721	0.0825 (0.0192)	0.991	9.3	065624.61+035707.6	HD 51170	*	G5	9.34 : 8.56	
1RXSJ065715.8+582530	0.1033 (0.0191)	0.998	0.0	065716.59+582521.8	HD 50522	**mul.	G5III−IV	5.20 : 4.35	
1RXSJ065717.9−353026	0.4120 (0.0322)	0.988	11.6	065717.52−353027.7	HD 51825	**mul.	F8IV−V	6.654 : 6.237	
1RXSJ065720.5−492907	0.6351 (0.0457)	0.995	11.1	065720.37−492907.8	HD 52118	**mul.	G5/G6III:	10.23 : 9.47	
1RXSJ065735.1−243750	0.0955 (0.0148)	0.991	0.0	065733.97−243751.8	HD 51733	**mul.	F3V	5.82 : 5.46	
1RXSJ065825.6−125929	0.5033 (0.0341)	0.996	10.5	065825.79−125924.7	GJ 256	V*	K4V	10.30 : 9.17	
1RXSJ065837.3−285814	0.5299 (0.0358)	0.999	0.0	065837.55−285819.5	CD−28 3666B	**	?	:	
...	...	...	...	065837.55−285819.5	HD 52089	**	B2Iab:	1.386 : 1.513	
...	...	...	...	065837.55−285819.5	IRAS 06566−2854	IR	./.	:	
1RXSJ065948.1+274200	0.0678 (0.0148)	0.996	10.8	065948.38+274200.6	...	...	...	...	
1RXSJ065950.0−493033	0.0551 (0.0170)	0.998	0.0	065950.00−493025.8	CD−49 2554B	**	?	:	
...	...	...	...	065950.00−493025.8	HD 52758	**	G1Vw	9.60 : 9.06	
...	...	...	...	065950.00−493025.8	Ruiz 207− 84	*	./.	:	
1RXSJ070002.4−570421	0.0914 (0.0144)	0.987	11.6	070002.49−570421.0	...	...	...	...	
1RXSJ070031.0−794147	0.1944 (0.0223)	0.990	11.3	070030.37−794147.4	HD 55279	*	K3V	11.02 : 10.12	
1RXSJ070113.7−255653	0.1985 (0.0237)	0.990	11.4	070113.45−255655.4	GJ 259	HiPM*	K1V	7.61 : 6.71	
1RXSJ070153.4−422759	0.0593 (0.0130)	0.988	10.8	070153.42−422757.2	...	...	...	...	
1RXSJ070204.3+125758	0.7686 (0.0473)	0.994	11.2	070204.04+125755.9	2RE J0702+125	UV	./.	:	
...	...	...	...	070204.04+125755.9	GSC 00757−01608	*	./.	:	P
1RXSJ070210.7−830828	0.1675 (0.0223)	0.988	11.3	070207.11−830828.5	...	...	...	...	
1RXSJ070212.8−241610	0.3145 (0.0268)	0.992	11.3	070213.09−241606.6	HD 52943	**mul.	G3/G5V	10.26 : 9.57	
1RXSJ070223.1+255044	0.9768 (0.0665)	0.999	8.6	070223.43+255045.9	HD 52452	*	G5	8.72 : 8.05	
1RXSJ070228.9+454736	0.0821 (0.0160)	0.993	10.3	070228.29+454742.8	...	...	...	...	
1RXSJ070237.1+155843	0.1053 (0.0225)	0.993	8.9	070237.50+155829.1	HD 52634	**	G0V	8.79 : 8.28	
1RXSJ070307.6−351653	0.1556 (0.0212)	0.983	11.6	070307.23−351648.5	...	...	...	...	
1RXSJ070317.9−054407	0.1472 (0.0221)	0.988	10.6	070318.27−054416.0	V* VV Mon	V* (RS CVn)	G0	10.28 : 9.50	P
1RXSJ070332.3+714531	0.1214 (0.0176)	0.999	0.0	070333.57+714529.2	HD 51370	*	F8	7.629 : 7.156	
1RXSJ070350.6−582719	0.0509 (0.0100)	0.981	11.6	070350.40−582727.7	...	...	...	...	
1RXSJ070414.7−625404	0.0862 (0.0075)	0.988	11.8	070414.65−625407.2	...	...	...	...	
1RXSJ070415.5+752442	0.2406 (0.0230)	1.000	0.0	070415.04+752440.6	HD 51066	V*	G5	7.925 : 6.998	P
1RXSJ070441.1+090643	0.1218 (0.0190)	0.988	10.3	070441.13+090654.8	GSC 00749−00958	*	./.	10.33 : 9.76	
1RXSJ070512.3−573402	0.0594 (0.0112)	0.983	10.4	070512.34−573413.4	GSC 08545−01235	*	./.	10.67 : 9.89	
1RXSJ070516.8−340832	0.0887 (0.0159)	0.999	0.0	070516.97−340836.1	CD−33 3478C	**	?	:	
...	...	...	...	070516.97−340836.1	HD 53891	**mul.	F6V	7.98 : 7.52	
1RXSJ070532.3−403831	0.0731 (0.0134)	0.999	0.0	070532.73−403825.5	HD 54038	*	G8III	7.624 : 6.734	
1RXSJ070616.5+224101	0.0769 (0.0163)	0.999	0.0	070616.80+224100.6	HD 53532	*	G0	8.95 : 8.27	
1RXSJ070753.2−345002	0.3902 (0.0302)	1.000	0.0	070753.06−345001.5	HD 54579	V*	G0V	8.62 : 8.07	
1RXSJ070833.4−283643	0.2159 (0.0235)	0.999	0.0	070833.73−283647.5	HD 54672	*	F7V	8.07 : 7.53	
1RXSJ070854.7−181113	0.0738 (0.0159)	0.994	0.0	070853.93−181103.4	HD 54637	*	G1V	7.93 : 7.38	
1RXSJ070922.9−572953	0.0907 (0.0136)	0.992	0.0	070923.58−572947.2	HD 55402	*	F5V	9.58 : 9.16	
1RXSJ071009.7−184113	0.0517 (0.0133)	0.998	0.0	071009.36−184108.1	BD−18 1711C	**	?	:	
...	...	...	...	071009.36−184108.1	HD 54958	**mul.	F3V	6.63 : 6.23	
1RXSJ071011.0+182625	0.7140 (0.0434)	0.999	10.1	071011.03+182626.2	BD+18 1512	*	K0	9.92 : 9.16	
...	...	...	...	071011.03+182626.2	RE J071010+182742	X	K3	:	
1RXSJ071019.1−272924	0.1176 (0.0182)	0.999	0.0	071019.32−272929.4	HD 55070	*	G8III	6.435 : 5.457	
1RXSJ071110.4+501059	0.0905 (0.0194)	0.982	9.3	071110.73+501027.9	NGC 2340	Gal.	E	13.9 :	
1RXSJ071120.7+025258	0.0537 (0.0120)	0.998	0.0	071120.86+025252.3	HD 55033	*	A2	8.22 : 8.06	
1RXSJ071212.8−611627	0.0708 (0.0080)	0.983	10.0	071212.26−611619.7	CD−61 1583	*	F8	10.07 : 9.59	
1RXSJ071216.4−544557	0.1416 (0.0182)	0.984	10.9	071217.29−544609.6	GSC 08554−02168	*	./.	11.4 : 10.7	
1RXSJ071234.2−464514	0.1062 (0.0269)	0.990	0.0	071233.63−464533.5	GJ 268.1	V* (alpha2 CVn)	F0IV	4.795 : 4.502	P
1RXSJ071413.7−362533	0.9621 (0.0478)	1.000	0.0	071414.05−362536.1	HD 56142	*	F6/F7V	8.14 : 7.59	
1RXSJ071450.3−270203	0.1724 (0.0225)	0.993	0.0	071451.16−270216.8	HD 56160	*	K4III	6.828 : 5.591	P
1RXSJ071450.8−591600	0.0544 (0.0078)	0.998	9.9	071450.52−591603.8	HD 56785	V*	F7IV/V	9.86 : 9.31	
1RXSJ071504.9−301135	0.1795 (0.0237)	0.999	0.0	071504.69−301129.1	2E 0713.1−3006	X	./.	:	
...	...	...	...	071504.69−301129.1	HD 56258	*	F5V	9.21 : 8.74	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ071508.9+155544	0.2131 (0.0272)	0.998	0.0	071508.66+155546.4	G 88−16	HiPM*	K2	12.43 : 11.49	
1RXSJ071517.5+033325	0.0620 (0.0138)	0.985	11.4	071517.63+033324.1	HD 55977	*	G0	9.24 : 8.72	
1RXSJ071519.3−282143	0.0523 (0.0144)	0.998	0.0	071519.05−282152.8	HD 56282	*	G3/G5IV	8.46 : 7.65	
1RXSJ071529.4−583228	0.1842 (0.0146)	1.000	0.0	071529.09−583233.5	HD 56910	*	A2/A3m...	7.089 : 6.851	
1RXSJ071619.2+050443	0.0557 (0.0133)	0.996	9.4	071618.60+050436.3	HD 56202	*	G5	9.03 : 8.43	
1RXSJ071647.5+005837	0.0563 (0.0158)	0.995	9.8	071647.56+005846.0	HD 56361	**mul.	K0	9.37 : 8.61	
1RXSJ071656.3−140644	0.0608 (0.0153)	0.994	9.1	071657.13−140645.6	HD 56575	*	K0III	8.94 : 8.08	
1RXSJ071729.0−465842	0.2511 (0.0408)	0.994	0.0	071729.58−465850.7	HD 57095	HiPM*	K3V	7.66 : 6.67	
...	...	...	...	071729.58−465850.7	IRAS 07160−4653	IR	./.	:	
1RXSJ071747.9−255852	0.0740 (0.0172)	0.987	0.0	071746.98−255908.4	HD 56875	**	F3V	8.216 : 7.851	
1RXSJ071811.4+173515	0.2272 (0.0242)	0.983	11.7	071810.94+173517.3	...	...	...	...	
1RXSJ071827.7−572101	0.7791 (0.0339)	0.999	0.0	071827.12−572106.6	CCDM J07184−5721B	**	./.	:	
...	...	...	...	071827.12−572106.6	CCDM J07184−5721C	**	./.	:	
...	...	...	...	071827.12−572106.6	HD 57555	**	G0IV/V	8.7 : 8.0	P
1RXSJ071908.5−380219	0.0988 (0.0198)	0.999	0.0	071908.58−380216.9	HD 57355	*	K0III	8.109 : 7.020	
1RXSJ071928.0−162339	0.4434 (0.0344)	1.000	0.0	071928.18−162342.9	GJ 9232	Ecl. Bin. (Algol)	F2III/IV	6.05 :	
1RXSJ072007.4+215916	0.1082 (0.0185)	0.988	0.0	072007.39+215856.4	BD+22 1645B	**	K3V	:	
...	...	...	...	072007.39+215856.4	GJ 271A	Spec. Bin.	F0IV	3.87 : 3.53	
...	...	...	...	072007.39+215856.4	GJ 271B	*	K6V:	:	
...	...	...	...	072007.39+215856.4	IRAS 07171+2204	IR	./.	:	
1RXSJ072048.0−051535	0.0971 (0.0181)	0.998	10.0	072048.41−051535.7	HD 57364	V* (RS CVn)	K0II	9.84 : 8.79	P
1RXSJ072058.8−142136	0.1279 (0.0207)	0.999	0.0	072058.29−142137.8	HD 57478	*	G8/K0III	6.533 : 5.589	
1RXSJ072123.9−572034	0.1801 (0.0164)	0.997	10.9	072123.68−572037.7	GSC 08559−01016	*	./.	11.5 : 10.7	
...	...	...	...	072123.68−572037.7	RX J0721.3−5720	*	K0Vmevar+...	:	P
1RXSJ072132.9+260939	0.2798 (0.0276)	0.999	8.4	072132.76+260934.6	HD 57267	Semi−Reg. Pulsating *	G2V	8.37 : 7.60	
1RXSJ072328.3+250301	0.0890 (0.0175)	0.994	10.9	072328.64+250302.9	HD 57727	*	G8III	5.924 : 5.035	
1RXSJ072421.6+695641	0.0641 (0.0139)	0.998	9.0	072420.64+695651.2	HD 56819	*	F0	9.11 : 8.74	
1RXSJ072530.4−051752	0.1304 (0.0197)	0.999	10.0	072530.48−051751.9	BD−05 2109	*	./.	9.77 : 9.36	
1RXSJ072557.8−021458	0.1072 (0.0189)	0.997	0.0	072557.21−021454.5	HD 58556	*	G0	7.7 : 7.1	
1RXSJ072655.6−454245	0.0811 (0.0205)	0.992	0.0	072655.79−454249.6	HD 59260	*	F0V	8.73 : 8.41	
1RXSJ072700.5−561439	0.0641 (0.0103)	0.989	11.4	072700.39−561440.4	HD 59487	*	F7IV/V	9.7 : 9.1	
1RXSJ072902.7+302020	0.0546 (0.0125)	0.993	11.1	072902.83+302018.1	...	...	...	...	
1RXSJ072905.9−384839	0.4957 (0.0483)	0.999	0.0	072905.69−384843.5	HD 59635	*	B5Vp	5.245 : 5.391	P
1RXSJ072906.6+314700	0.3469 (0.0289)	1.000	0.0	072906.72+314704.2	GJ 274A	HiPM*	F0V	4.47 : 4.16	
...	...	...	...	072906.72+314704.2	IRAS 07259+3153	IR	./.	:	
1RXSJ072931.8−380730	0.1460 (0.0260)	0.998	0.0	072931.42−380721.6	HD 59704	**	F7V	8.22 : 7.75	
1RXSJ073028.9−563525	0.0683 (0.0096)	0.984	11.4	073028.02−563530.4	...	...	...	...	
1RXSJ073055.1+634405	0.1097 (0.0199)	0.981	10.8	073055.28+634349.9	GSC 04116−00276	*	./.	10.93 : 9.93	
1RXSJ073059.8−841939	0.1497 (0.0236)	0.992	10.3	073059.76−841928.8	CD−84 80	*	G5	10.78 : 9.95	
1RXSJ073113.7−623051	0.0625 (0.0113)	0.989	11.2	073113.77−623053.8	CPD−62 837	*	./.	10.45 : 9.73	
1RXSJ073141.5+714928	0.0855 (0.0165)	0.989	0.0	073138.78+714915.1	HD 58381	*	G5	9.19 : 8.27	
1RXSJ073157.1+361340	1.0060 (0.0485)	0.999	0.0	073157.31+361347.4	GJ 277B	V*	M3.5	13.3 : 11.8	P
1RXSJ073216.9+854231	0.0643 (0.0109)	0.999	8.0	073219.41+854232.9	NAME NGC 2300 GROUP	Group of Galaxies	./.	:	
...	...	...	...	073219.41+854232.9	NGC 2300	Galaxy in Pair of Galaxies	E	12.2 :	
1RXSJ073228.9−074233	0.0659 (0.0158)	0.998	9.3	073228.89−074235.1	HD 60048	*	F8	9.44 : 8.87	
1RXSJ073300.9+370146	0.1294 (0.0192)	0.999	9.0	073300.85+370146.5	HD 59747	*	G5	8.56 : 7.71	
1RXSJ073322.3−425541	0.0681 (0.0192)	0.980	11.4	073321.25−425541.0	...	...	...	...	
1RXSJ073341.0−574555	0.0609 (0.0087)	0.998	0.0	073340.66−574548.3	CD−57 1785	**	F9	10.2 : 9.8	
1RXSJ073427.6−525804	0.4421 (0.0427)	1.000	0.0	073428.04−525805.4	HD 61033	HiPM*	G5/G6V	8.3 : 7.6	
1RXSJ073434.4+351853	0.0583 (0.0132)	0.989	10.1	073434.75+351902.5	CCDM J07346+3519AB	**mul.	F8	10.2 : 9.6	
1RXSJ073437.2+315223	3.6970 (0.0911)	0.983	0.0	073437.45+315210.3	GJ 278C	V* (BY Dra)	M0	10.56 : 9.07	P
1RXSJ073614.4−445717	0.2148 (0.0313)	0.997	0.0	073613.81−445727.5	HD 61245	V* (RS CVn)	K2III	7.935 : 6.915	
1RXSJ073657.0+584610	0.1297 (0.0224)	0.987	11.6	073657.05+584613.3	Mrk 9	Sy1	S0p	14.5 :	
...	...	...	...	073657.05+584613.3	[DML87] 220	IR	./.	:	
1RXSJ073743.1−371124	0.2376 (0.0447)	0.998	0.0	073742.42−371123.4	CD−36 3761	*	G8	10.80 : 9.91	
1RXSJ073749.2−441049	0.1012 (0.0216)	0.983	11.7	073749.71−441051.6	...	...	...	...	
1RXSJ073801.2−080729	0.0501 (0.0138)	0.998	0.0	073801.55−080734.5	HD 61236	*	G5	7.8 : 6.9	
1RXSJ073825.5+311953	0.0534 (0.0130)	0.986	9.8	073824.10+311945.1	HD 61013	*	K0	9.44 : 8.34	
1RXSJ073828.0−054719	0.1225 (0.0235)	0.998	9.7	073827.57−054720.6	HD 61299	*	G5	9.32 : 8.80	
1RXSJ073844.8+191729	0.0699 (0.0152)	0.996	11.0	073844.73+191728.3	...	...	...	...	
1RXSJ073918.3+051332	3.6550 (0.0979)	0.999	0.0	073918.54+051339.0	...	...	...	...	
1RXSJ073922.4+503136	0.0923 (0.0191)	0.998	0.0	073921.60+503142.8	HD 60912	*	F5	7.316 : 6.910	
1RXSJ074226.4−161654	0.2457 (0.0354)	0.997	10.6	074226.55−161659.3	HD 62237	*	G6IV/V	10.34 : 9.67	
1RXSJ074232.9+494830	2.1960 (0.0763)	0.984	10.8	074232.74+494834.2	QSO 0738+499	Sy1	?	13.3 :	
1RXSJ074249.0+255835	0.0573 (0.0140)	0.995	9.9	074248.91+255839.0	BD+26 1630	*	G5	10.10 : 9.35	
1RXSJ074250.3+610931	0.4678 (0.0364)	0.999	0.0	074250.49+610926.5	HD 61396	Semi−Reg. Pulsating *	K0	9.13 : 7.89	
...	...	...	...	074250.49+610926.5	RX J0742.7+6109	X	./.	:	
1RXSJ074335.2+224254	0.5539 (0.0380)	0.997	10.8	074335.05+224250.4	BD+23 1799	*	K0	11.0 : 9.91	
1RXSJ074413.8−502734	0.3424 (0.0282)	0.990	0.0	074412.62−502725.5	HD 63008	**	F8V	7.114 : 6.641	
1RXSJ074425.8+242351	0.0543 (0.0134)	0.995	0.0	074426.87+242353.3	BD+24 1759B	**	?	:	
...	...	...	...	074426.87+242353.3	HD 62345	**	G8IIIa	4.50 : 3.57	
1RXSJ074430.0−244240	0.0597 (0.0178)	0.998	0.0	074429.82−244249.9	GSC 06544−02879	*	./.	10.8 : 10.1	
1RXSJ074519.3+280123	0.0593 (0.0145)	0.997	0.0	074519.36+280134.7	BD+28 1463B	**	?	:	
...	...	...	...	074519.36+280134.7	GJ 286	V*	K0IIIb	2.15 :	
1RXSJ074544.4−154741	0.2275 (0.0310)	0.992	10.6	074545.04−154741.3	...	...	...	...	
1RXSJ074610.3+285826	0.4261 (0.0337)	0.989	11.3	074610.76+285827.2	BD+29 1599	*	K5	11.2 : 10.14	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ074652.7+814058	0.1491 (0.0173)	1.000	0.0	074652.86+814056.9	HD 60062	Be Star	B9	7.93 : 7.89	
1RXSJ074659.9+045518	0.1141 (0.0228)	0.993	0.0	074700.42+045530.9	HD 63021	*	B9	7.13 : 7.05	
1RXSJ074701.7+413211	0.0774 (0.0142)	0.985	11.2	074702.09+413210.4	...	...	...	...	
1RXSJ074721.2+472018	0.2110 (0.0227)	1.000	0.0	074720.82+472017.6	HD 62668	Pulsating variable Star	K0	8.83 : 7.73	
1RXSJ074729.4+605601	0.5864 (0.0395)	0.998	10.7	074728.99+605601.2	UGC 4013	Sy1	Sb	14.0 :	
1RXSJ074901.1+283434	0.0568 (0.0129)	0.986	0.0	074900.82+283434.6	BD+28 1474B	**	?	:	
...	...	...	...	074900.82+283434.6	HD 63238	**	F0	8.11 : 7.92	
1RXSJ074914.7−462219	0.1283 (0.0195)	0.999	0.0	074914.29−462223.6	HD 63922	**	B0III	3.908 : 4.091	
1RXSJ074921.3+534605	0.1927 (0.0303)	0.988	11.2	074921.89+534607.6	...	...	...	...	
1RXSJ074922.8−654934	0.0636 (0.0096)	0.986	11.5	074923.21−654927.4	HD 64426	*	G8III	9.56 : 8.60	
1RXSJ074955.3+272152	0.2240 (0.0243)	0.991	0.0	074955.06+272147.4	HD 63433	*	G5IV	7.57 : 6.93	
1RXSJ075029.7+333845	0.0829 (0.0157)	0.987	11.2	075029.82+333853.7	...	...	...	...	
1RXSJ075036.2−185634	0.1405 (0.0229)	0.991	8.7	075036.24−185627.3	HD 63911	*	F3V	8.18 : 7.80	
1RXSJ075045.8+022759	0.0579 (0.0170)	0.990	8.6	075046.87+022811.7	HD 63776	*	F8	8.72 : 8.22	
1RXSJ075143.9−211029	0.0964 (0.0259)	0.987	0.0	075143.02−211025.2	HD 64152	*	K0III	6.566 : 5.619	
1RXSJ075248.4−052531	0.3111 (0.0375)	0.988	0.0	075247.86−052541.8	HD 64235	V*	F5IV	6.143 : 5.773	
1RXSJ075504.6+404036	0.0554 (0.0134)	0.983	10.4	075504.55+404028.1	GSC 02964−00272	*	./.	10.35 : 9.78	
1RXSJ075553.1+650907	0.0590 (0.0135)	0.991	10.7	075554.23+650911.5	BD+65 601	*	G5	10.42 : 9.53	
1RXSJ075556.1−212412	0.1129 (0.0272)	0.982	10.5	075556.15−212424.0	BD−21 2181	*	./.	:	
1RXSJ075607.6−034231	0.1567 (0.0234)	0.992	10.6	075607.58−034224.9	BD−03 2123	*	./.	:	
1RXSJ075636.8−414506	0.0540 (0.0159)	0.982	0.0	075636.08−414526.5	HD 65358	**mul.	K3III+...	9.96 : 8.92	
1RXSJ075647.9−525901	0.0659 (0.0105)	0.998	0.0	075646.71−525856.4	HD 65575	V* (beta Cep)	B3IVp	3.287 : 3.444	P
1RXSJ075659.3−280940	0.1131 (0.0229)	0.998	0.0	075659.84−280947.5	GSC 06565−02881	*	./.	11.27 : 10.47	
1RXSJ080020.5+263649	0.0632 (0.0174)	0.992	10.6	080020.98+263649.1	IC 486	Sy1	SBa	14.7 :	
1RXSJ080121.5+590255	0.1094 (0.0186)	0.999	0.0	080120.74+590250.3	HD 65301	*	F2:V:	6.151 : 5.784	
1RXSJ080150.7+085503	0.1241 (0.0339)	0.995	0.0	080150.73+085450.4	HD 66011	*	G0IV	6.757 : 6.235	
1RXSJ080157.7−494639	0.1626 (0.0164)	0.996	11.0	080157.90−494642.9	ESO 209− 12	Gal.	Sa:	:	P
1RXSJ080235.6+571630	1.3470 (0.0572)	1.000	0.0	080235.78+571625.0	HD 65626	V* (RS CVn)	F8V	7.083 : 6.496	P
1RXSJ080237.8−535437	0.1312 (0.0180)	0.987	11.5	080238.30−535442.6	...	...	...	...	
1RXSJ080401.4−265809	0.0665 (0.0176)	0.994	0.0	080401.31−265824.0	HD 66740	*	F5V	7.586 : 7.177	
1RXSJ080426.7+333957	0.0534 (0.0135)	0.997	9.3	080427.14+333948.2	HD 66370	*	G5	9.03 : 8.40	
1RXSJ080527.8−564757	0.0526 (0.0078)	0.994	11.3	080527.65−564755.4	...	...	...	...	
1RXSJ080554.1+801310	0.1687 (0.0193)	0.999	9.7	080553.81+801309.7	HD 64555	*	G5	9.66 : 9.10	
1RXSJ080654.4−510516	0.0591 (0.0101)	0.986	11.6	080653.91−510512.4	...	...	...	...	
1RXSJ080657.4+253204	0.1151 (0.0197)	0.990	11.0	080657.74+253208.0	BD+25 1848	**	K5	10.75 : 9.74	
1RXSJ080732.2−241749	0.0790 (0.0224)	0.986	0.0	080732.70−241816.0	HD 67523	V* (delta Sct)	F6IIp...	3.24 :	
1RXSJ080901.3−611801	0.3514 (0.0325)	0.998	0.0	080900.67−611808.6	GJ 9254	HiPM*	F5V	5.19 : 4.76	
1RXSJ080901.6−191441	0.1191 (0.0204)	1.000	0.0	080901.63−191441.9	HD 67797	*	B5V	4.247 : 4.390	P
1RXSJ080916.8−542155	0.1157 (0.0137)	0.988	11.0	080916.78−542204.3	...	...	...	...	
1RXSJ080918.4−510041	0.0636 (0.0105)	0.996	0.0	080918.45−510044.5	HD 68276	**	A0V	7.66 : 7.60	
1RXSJ080918.6+663922	0.0505 (0.0125)	0.993	10.6	080918.22+663924.0	...	...	...	...	
1RXSJ080920.6−114544	0.8512 (0.0587)	0.996	10.5	080920.69−114551.9	HD 67813	*	G5	10.31 : 9.53	
1RXSJ080928.4+561008	0.1692 (0.0227)	0.983	11.5	080929.21+561011.1	...	...	...	...	
1RXSJ080942.7−565219	0.0988 (0.0124)	0.985	11.5	080942.68−565220.3	...	...	...	...	
1RXSJ080950.4−843600	0.0899 (0.0188)	0.994	10.7	080951.77−843604.2	CPD−84 176	*	./.	11.13 : 10.22	
1RXSJ081058.1−483006	0.1034 (0.0143)	1.000	0.0	081058.17−483003.6	CD−48 3573	*	K0	8.06 : 7.52	
1RXSJ081350.3−073823	0.4012 (0.0526)	0.988	10.6	081351.06−073822.4	BD−07 2388	*	K0	10.17 : 9.39	
1RXSJ081601.4+495419	0.0559 (0.0125)	0.997	9.7	081602.18+495413.5	HD 68746	*	G5	9.68 : 9.27	
1RXSJ081727.5+515150	0.0661 (0.0139)	0.993	10.7	081727.55+515150.4	BD+52 1296	*	F8	10.28 : 9.75	
1RXSJ081742.4−824331	0.7912 (0.0535)	0.984	11.9	081740.02−824331.6	EUVE J0817−82.7	UV	./.	:	
...	...	...	...	081740.02−824331.6	[CCD97] EUVE J0817−827 1	Object of unknown nature	./.	:	
1RXSJ081820.3−484745	0.0508 (0.0103)	0.983	11.2	081819.77−484755.6	GSC 08157−00376	*	./.	11.00 : 10.46	
1RXSJ081830.5−765514	0.2295 (0.0220)	1.000	0.0	081831.55−765511.0	GJ 305	*	F5III	4.436 : 4.066	P
1RXSJ081852.8−452832	0.0777 (0.0149)	0.984	11.3	081852.75−452839.7	...	...	...	...	
1RXSJ081858.0−225229	0.4023 (0.0336)	0.988	11.3	081857.73−225236.7	RX J0818.9−2252	X	./.	:	P
1RXSJ081938.3−520421	0.0904 (0.0126)	0.980	11.5	081937.94−520426.2	...	...	...	...	
1RXSJ082027.4−225527	0.0500 (0.0137)	0.998	0.0	082027.35−225528.8	BD−22 2233B	**	?	:	
...	...	...	...	082027.35−225528.8	HD 70302	**	G8/K0III	7.148 : 6.124	
...	...	...	...	082027.35−225528.8	IRAS 08182−2245	IR	./.	:	
1RXSJ082033.1+652357	0.0584 (0.0147)	0.988	9.2	082033.23+652337.2	HD 69328	*	G5	9.24 : 8.43	
1RXSJ082105.2+652635	0.0782 (0.0164)	0.998	9.0	082103.75+652633.0	HD 69433	*	G0	8.72 : 8.01	
1RXSJ082250.2+015152	0.0841 (0.0200)	0.989	9.2	082250.06+015136.8	HD 70573	*	G	9.29 : 8.70	P
1RXSJ082315.2+612749	0.2102 (0.0265)	0.988	9.3	082316.22+612737.3	HD 70050	*	G5	8.96 : 8.21	
1RXSJ082401.6−694149	0.0500 (0.0129)	0.985	11.5	082401.28−694142.3	HD 311345	*	A2	10.37 : 9.28	
1RXSJ082405.5−633403	0.2258 (0.0240)	0.991	11.4	082405.98−633402.9	CD−63 408	*	G0	10.60 : 9.95	
1RXSJ082413.0−020504	0.0589 (0.0164)	0.981	11.2	082412.52−020455.0	NPM1G −01.0192	Gal.	./.	15.7 :	
1RXSJ082435.5−034456	0.6863 (0.0503)	0.998	0.0	082435.01−034504.5	GJ 306	Spec. Bin.	F3V	6.07 : 5.60	
1RXSJ082504.8−490930	0.1132 (0.0211)	0.998	0.0	082504.20−490935.9	HD 71386	**mul.	K0	8.42 : 7.68	
1RXSJ082513.1+730634	0.0980 (0.0162)	0.993	10.8	082513.29+730640.0	V* Z Cam	DN	?p...	:	
...	...	...	...	082513.29+730640.0	[SPB96] 1405	UV	./.	:	
1RXSJ082514.3−071012	0.1841 (0.0274)	0.995	0.0	082514.08−071012.9	HD 71071	V* (RS CVn)	G5	8.30 : 7.36	
1RXSJ082517.3−342159	0.3761 (0.0312)	0.981	0.0	082517.72−342201.3	HD 71285	*	G1V	8.45 : 7.87	
...	...	...	...	082517.72−342201.3	RE J082521−342231	X	G:...	:	
1RXSJ082518.7−210247	0.1659 (0.0237)	0.995	0.0	082519.01−210245.5	HD 71196	*	F2/F3V	6.379 : 6.005	
1RXSJ082618.8−270839	0.0842 (0.0162)	0.993	0.0	082617.57−270842.1	HD 71399	*	F5V	7.395 : 6.992	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ082622.5−535519	0.0802 (0.0157)	0.983	11.1	082621.66−535526.6	HD 71724	*	K0/K1III:	10.55 : 9.82	
1RXSJ082626.1−035906	0.0965 (0.0214)	0.993	0.0	082627.20−035914.8	HD 71297	V* (delta Sct)	A5III−IV	5.802 : 5.595	
1RXSJ082659.9−563158	0.1123 (0.0151)	0.987	10.5	082700.82−563204.9	CD−56 2249	*	./.	11.1 : 10.18	
1RXSJ082704.2+293430	0.0507 (0.0130)	0.997	9.3	082704.92+293428.2	HD 71208	*	F5	9.12 : 8.62	P
1RXSJ082709.9−650447	0.5162 (0.0623)	0.993	11.3	082709.59−650444.7	CPD−64 887	*	./.	10.70 : 9.68	
1RXSJ082716.6−314013	0.4167 (0.0320)	0.998	0.0	082716.42−314021.9	HD 71622	*	G8III	7.211 : 6.335	
1RXSJ082717.4−062441	0.0718 (0.0181)	0.989	0.0	082717.27−062435.0	HD 71433	*	F4III	7.080 : 6.605	
1RXSJ082814.5−084343	0.0560 (0.0150)	0.985	11.6	082814.48−084343.4	HD 71641	*	K0	9.78 : 8.76	
1RXSJ082815.1−480155	0.0620 (0.0117)	0.980	11.4	082815.19−480200.3	...	...	...	...	
1RXSJ082832.2−513828	0.1530 (0.0212)	0.980	11.1	082832.38−513833.0	GSC 08162−00330	*	G	11.4 : 10.9	P
1RXSJ082833.1−335033	0.1143 (0.0167)	0.986	0.0	082833.80−335049.9	HD 71894	*	B9.5V	8.38 : 8.40	
1RXSJ082845.5−520523	0.0538 (0.0085)	0.995	11.0	082845.67−520527.4	...	...	...	...	
1RXSJ082940.0−095836	0.1240 (0.0254)	0.982	11.5	082940.61−095836.6	BD−09 2535	*	K4	11.5 : 10.26	
1RXSJ083014.7+604306	0.0866 (0.0176)	0.998	0.0	083016.03+604306.4	BD+61 1054B	**	?	:	
...	...	...	...	083016.03+604306.4	HD 71369	V*	G5III	4.192 : 3.362	
1RXSJ083017.0−672520	0.2553 (0.0253)	0.988	10.5	083016.62−672529.1	...	...	...	...	
1RXSJ083040.0−514100	0.0515 (0.0084)	0.993	10.6	083039.23−514101.4	CD−51 3057	*	K0	10.99 : 10.53	
1RXSJ083049.5+021625	0.1963 (0.0271)	0.997	10.1	083049.43+021626.4	V* GK Hya	V* (RS CVn)	G4V	9.10 :	P
1RXSJ083134.8+345759	0.1724 (0.0273)	1.000	0.0	083135.04+345758.3	HD 71974	**mul.	G5	7.9 : 7.3	
1RXSJ083137.6+192339	0.7261 (0.0496)	1.000	0.0	083137.72+192340.2	GJ 2069A	Flare *	M3.5	13.6 : 12.2	P
1RXSJ083217.4+291920	0.8246 (0.0663)	0.998	0.0	083217.35+291909.7	HD 72146	V*	G5	8.31 : 7.37	
...	...	...	...	083217.35+291909.7	RX J0832.2+2919	X	./.	:	
1RXSJ083258.6−343755	0.7146 (0.0633)	0.999	0.0	083258.50−343802.5	HD 72688	V*	K0V	7.303 : 6.371	
1RXSJ083336.1+335029	0.3364 (0.0327)	0.997	11.1	083335.96+335029.3	...	...	...	...	
1RXSJ083618.5−522017	0.0843 (0.0121)	0.995	10.7	083618.33−522020.3	...	...	...	...	
1RXSJ083637.0+481955	0.0820 (0.0177)	0.985	8.7	083639.43+481957.2	BD+48 1666	*	F8	8.70 : 8.26	
1RXSJ083656.7−785643	0.4038 (0.0457)	0.990	11.5	083656.52−785645.4	GSC 09402−00921	TT	K1	12.0 : 10.5	P
1RXSJ083740.1+054217	0.1015 (0.0210)	0.998	0.0	083739.36+054213.6	HD 73262	**	A1Vnn	4.157 : 4.137	
1RXSJ083859.7−530121	0.0758 (0.0131)	0.988	10.9	083859.82−530126.6	CPD−52 1568	*iC	F5V	10.15 : 9.67	
...	...	...	...	083859.82−530126.6	IC 2391 52	*iC	./.	10.08 : 9.62	
1RXSJ083903.1−524238	0.1152 (0.0220)	0.992	0.0	083903.41−524239.8	CPD−52 1569B	**	?	:	
...	...	...	...	083903.41−524239.8	HD 74009	**	F3V	9.26 : 8.91	
1RXSJ083908.9+314754	0.0661 (0.0152)	0.995	9.9	083908.50+314745.7	HD 73343	V* (RS CVn)	K2III	10.14 : 9.02	P
1RXSJ083912.0+650118	0.7966 (0.0468)	0.988	11.4	083911.99+650111.5	GJ 311	*	G1.5Vb	6.225 : 5.645	P
1RXSJ083912.3−583433	0.1591 (0.0202)	0.986	11.3	083911.59−583428.9	CD−58 2194	*	./.	10.79 : 10.21	
1RXSJ083922.3−363623	0.1233 (0.0205)	1.000	0.0	083922.08−363624.1	HD 73900	HiPM*	F1IV	6.506 : 6.122	
1RXSJ083938.7−531008	0.0764 (0.0127)	0.999	0.0	083938.82−531007.2	...	...	...	...	
1RXSJ083959.5−531539	0.0684 (0.0120)	0.999	0.0	083959.36−531539.4	HD 74169	V* (alpha2 CVn)	A0IVp	7.21 : 7.24	
1RXSJ084043.1−573247	0.5313 (0.0500)	0.999	0.0	084043.13−573245.7	HD 74341	**mul.	A3V	6.54 : 6.34	
1RXSJ084121.4−355704	0.1455 (0.0237)	0.988	0.0	084121.32−355715.5	HD 74208	*	F2V	8.26 : 7.93	
1RXSJ084212.5−530602	0.0644 (0.0119)	1.000	0.0	084212.29−530603.8	CD−52 2501	**	F5V	10.04 : 9.60	
1RXSJ084214.8−525607	0.0575 (0.0107)	0.987	11.6	084214.82−525603.6	CPD−52 1604	*iC	G9	11.51 : 10.70	
...	...	...	...	084214.82−525603.6	VXR PSPC 45	X	./.	:	
1RXSJ084318.9−385254	0.4603 (0.0466)	0.998	0.0	084318.03−385256.6	GJ 320	HiPM*	K1V	7.49 : 6.56	
1RXSJ084442.4+004419	0.4274 (0.0445)	0.990	11.5	084442.48+004416.1	...	...	...	...	
1RXSJ084443.0−544226	0.2642 (0.0343)	0.998	0.0	084442.20−544230.8	GJ 321.3A	**	A1V	2.00 : 1.95	
1RXSJ084520.6+304211	0.0550 (0.0149)	0.989	0.0	084521.42+304151.9	HD 74485	*	G5III	7.034 : 6.122	
1RXSJ084616.1−534518	0.0788 (0.0135)	0.981	11.6	084615.38−534523.6	CPD−53 1880	*	./.	10.89 : 10.28	
1RXSJ084748.9+255732	0.1139 (0.0231)	0.989	11.1	084749.33+255737.1	BD+26 1842	*	G5	10.67 : 9.81	
1RXSJ084800.6−493427	0.0568 (0.0101)	0.999	0.0	084800.80−493429.4	HD 75426	*	F5IV/V	7.4 : 6.7	
1RXSJ084919.7+055234	0.4934 (0.0490)	0.983	11.3	084919.94+055229.6	BD+06 2043	*	K0	10.4 : 9.6	
1RXSJ084921.8−032633	0.1191 (0.0215)	0.999	0.0	084921.72−032634.7	HD 75333	V*	B9mnp...	5.22 : 5.31	
1RXSJ084938.6−623036	0.0966 (0.0150)	0.985	11.3	084937.65−623028.6	HD 75908	*	F3V	7.83 : 7.44	
1RXSJ085003.4+081751	0.3975 (0.0400)	0.994	10.2	085003.77+081752.3	CCDM J08501+0818AB	**mul.	G5	10.61 : 9.91	
1RXSJ085008.3−574554	0.2229 (0.0241)	0.996	10.9	085008.35−574559.9	...	...	...	...	
1RXSJ085019.4−285644	0.0614 (0.0137)	0.984	11.5	085019.53−285639.7	...	...	...	...	
1RXSJ085032.1+331703	0.4477 (0.0427)	1.000	0.0	085032.22+331706.2	HD 75332	*	F7Vn	6.718 : 6.220	P
1RXSJ085112.8+050931	0.0641 (0.0180)	0.982	10.2	085111.79+050949.6	BD+05 2067	*	G5	9.83 : 9.18	
1RXSJ085312.3−074312	0.9579 (0.0789)	0.998	10.1	085312.18−074319.0	HD 75997	*	G5	9.74 : 8.95	P
1RXSJ085345.1+471847	0.1837 (0.0231)	0.993	10.1	085346.15+471845.4	BD+47 1620	*	G5V	9.94 : 9.05	
1RXSJ085427.8+141442	0.1074 (0.0242)	0.999	0.0	085427.42+141441.9	HD 76081	*	G5	9.07 : 7.86	P
1RXSJ085512.1−545754	0.4605 (0.0345)	1.000	0.0	085511.78−545756.8	GJ 3519	*	F6V	6.155 : 5.711	
1RXSJ085527.8+704724	0.0590 (0.0143)	0.992	0.0	085527.23+704742.1	...	...	...	...	
1RXSJ085632.5+122607	0.1950 (0.0337)	0.991	8.9	085633.18+122556.1	HD 76446	*	F8	9.03 : 8.41	
1RXSJ085657.1−502121	0.1983 (0.0194)	0.995	0.0	085657.32−502123.8	HD 76875	Semi−Reg. Pulsating *	K2/K3III+...	8.83 : 7.72	
1RXSJ085752.2−494149	0.1180 (0.0161)	0.990	11.5	085752.18−494150.9	CD−49 4008	*	K2	11.2 : 10.51	
1RXSJ085848.4−611516	0.4640 (0.0350)	0.997	10.2	085848.52−611515.3	HD 77307	*	G6III/IV	10.35 : 9.69	
1RXSJ085913.0+480227	0.1693 (0.0272)	0.999	0.0	085912.84+480232.5	GJ 331A	Spec. Bin.	A7V	3.33 :	
...	...	...	...	085912.84+480232.5	GJ 331B	HiPM*	M1V	10.8 : 10.8	
...	...	...	...	085912.84+480232.5	IRAS 08557+4814	IR	./.	:	
1RXSJ085918.3−244334	0.0586 (0.0171)	0.992	0.0	085918.26−244343.9	HD 77056	*	G8V	9.01 : 8.32	
1RXSJ085920.7−632800	0.1963 (0.0197)	0.994	11.3	085920.76−632801.5	HD 77455	*	A0V	7.1 : 7.0	
1RXSJ085922.5−091632	0.0596 (0.0152)	0.986	11.4	085922.68−091629.8	BD−08 2544	*	./.	11.4 : 10.23	
1RXSJ085923.9−590459	0.2187 (0.0283)	1.000	0.0	085924.19−590501.4	GJ 333.1	HiPM*	F3V	5.58 : 5.16	
1RXSJ085928.8−544654	0.1729 (0.0214)	0.987	11.4	085928.82−544649.4	CD−54 2499	*	G0	10.61 : 9.99	

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ090006.0−411507	0.3460 (0.0381)	0.998	0.0	090005.40−411513.0	HD 77258	Spec. Bin.	K0III+...	5.074 : 4.468	
1RXSJ090022.8−630012	0.1952 (0.0246)	0.990	10.5	090022.93−630002.5	V* V474 Car	V*	./.	11.13 : 10.28	
1RXSJ090032.9−120827	0.1298 (0.0208)	0.999	7.9	090033.01−120825.6	HD 77177	*	F0	7.672 : 7.375	
1RXSJ090038.2+414702	0.6760 (0.0448)	0.999	0.0	090038.75+414700.4	HD 76943	Spec. Bin.	F5V	4.41 : 3.97	
...	...	...	...	090038.75+414700.4	HD 76943 B	*	./.	:	
...	...	...	...	090038.75+414700.4	IRAS 08573+4158	IR	./.	:	
1RXSJ090109.6−192028	0.1061 (0.0198)	0.989	7.8	090109.64−192030.3	HD 77283	*	A5IV	7.5 : 7.5	
1RXSJ090207.0−403311	1.4550 (0.1066)	0.984	11.6	090206.76−403317.2	HD 77581	High Mass X−ray Binary	B0Ia	7.301 : 6.926	
1RXSJ090324.6+380602	0.0631 (0.0185)	0.991	10.5	090324.39+380553.8	V* UV Lyn	Ecl. Bin. (beta Lyr)	G0	10.17 : 9.58	
1RXSJ090326.2−484103	0.0833 (0.0143)	0.986	0.0	090324.40−484115.5	HD 77883	*	G0V	9.61 : 9.10	
1RXSJ090347.0−194917	0.0815 (0.0171)	0.986	9.4	090347.54−194930.3	HD 77748	*	F7V	9.26 : 8.80	
1RXSJ090355.9−235051	0.0618 (0.0133)	0.999	0.0	090356.08−235054.7	HD 77787	*	A7V	8.57 : 8.28	
1RXSJ090413.4−241421	0.0677 (0.0143)	0.995	0.0	090412.24−241424.8	HD 77841	*	A9/F0V	8.18 : 7.91	
1RXSJ090420.4−155501	0.1106 (0.0205)	0.987	9.6	090421.04−155449.3	HD 77825	*	K2V	9.75 : 8.76	
1RXSJ090505.4+045448	0.0991 (0.0181)	0.996	9.9	090504.99+045449.3	BD+05 2111	*	G0	9.70 : 9.14	
1RXSJ090508.2−723611	0.0753 (0.0143)	0.998	0.0	090508.81−723609.7	HD 78791	*	F9II	5.055 : 4.479	
1RXSJ090558.7+050541	0.1268 (0.0199)	0.998	0.0	090558.38+050532.4	HD 77996	*	K2Iab:	6.234 : 4.996	
1RXSJ090744.0+370434	0.0578 (0.0147)	0.998	8.8	090744.38+370429.4	HD 78138	*	F5	8.59 : 8.19	
1RXSJ090744.3−821926	1.0200 (0.0856)	0.999	0.0	090747.18−821929.7	HD 80258	V*	F7V	8.12 : 7.67	P
1RXSJ090817.3−370649	0.9456 (0.0861)	0.997	0.0	090817.14−370653.6	HD 78644	*	G3V	8.84 : 8.24	
1RXSJ090911.4−122130	0.1683 (0.0233)	0.999	0.0	090911.51−122127.7	HD 78668	*	G6III	6.683 : 5.777	
1RXSJ091003.8+353341	0.5935 (0.0396)	0.998	10.9	091003.78+353340.5	1RXS J091003.8+353341	X	M:	:	P
1RXSJ091004.0−652934	0.0582 (0.0151)	0.986	0.0	091007.74−652922.2	HD 79337	*	F3V	7.692 : 7.297	
1RXSJ091058.6−585755	0.1427 (0.0248)	0.999	0.0	091058.09−585800.9	HD 79351	Spec. Bin.	B2IV−V	3.25 : 3.40	
1RXSJ091110.5−041607	0.0866 (0.0181)	0.984	11.0	091110.35−041612.5	BD−03 2599	*	./.	11.1 : 10.22	
1RXSJ091154.9−601805	0.0822 (0.0184)	0.998	0.0	091153.98−601809.2	HD 79490	*	A1/A2V	7.79 : 7.69	
1RXSJ091243.9+093549	0.0714 (0.0167)	0.988	10.7	091243.51+093539.4	BD+10 1955	*	F8	10.46 : 9.88	
1RXSJ091329.9−625906	0.1454 (0.0203)	0.986	11.7	091330.37−625909.8	CPD−62 1197	*	./.	11.3 : 10.48	
...	...	...	...	091330.37−625909.8	[CCD97] EUVE J0913−629 1	Object of unknown nature	./.	:	
1RXSJ091334.4+745146	0.1327 (0.0191)	0.990	10.6	091332.02+745142.5	BD+75 364B	*	G5	10.39 : 9.55	
1RXSJ091407.4−603208	0.1859 (0.0219)	0.999	0.0	091406.87−603207.6	HD 79905	*	B9.5V	7.49 : 7.45	
1RXSJ091424.4+524118	0.2570 (0.0301)	0.990	0.0	091424.27+524116.7	GJ 338B	HiPM*	K7	9.16 : 7.74	
1RXSJ091453.8+042636	0.4232 (0.0366)	0.984	11.9	091454.06+042633.6	GJ 339	HiPM*	K0	8.97 : 7.96	
1RXSJ091519.0+060135	0.0566 (0.0152)	0.995	0.0	091518.36+060131.2	CCDM J09153+0602AB	**mul.	G5	10.36 : 9.63	
1RXSJ091555.7−121402	0.5583 (0.0422)	0.998	9.8	091556.02−121405.1	HD 79826	*	G5	9.42 : 8.77	
1RXSJ091618.2+445530	0.8118 (0.0538)	0.998	9.5	091618.82+445529.4	HD 79551	**	G5	9.39 : 8.76	
1RXSJ091639.8+004356	0.1258 (0.0212)	0.997	0.0	091639.98+004344.4	GJ 3544	**mul.	F5	7.2 : 6.5	
1RXSJ091750.9+075657	0.0834 (0.0165)	0.998	0.0	091750.84+075645.8	HD 80065	*	G5	7.98 : 7.08	
1RXSJ091756.4−372350	0.1224 (0.0151)	1.000	0.0	091756.34−372352.4	HD 80332	*	G3III/IV	7.698 : 7.082	
1RXSJ091806.4−121858	0.0534 (0.0134)	0.985	9.7	091805.85−121908.7	HD 80198	**mul.	G0	9.63 : 9.10	
1RXSJ091808.7+030353	0.0846 (0.0191)	0.983	10.4	091808.21+030403.0	BD+03 2186	*	K0	9.92 : 8.92	
1RXSJ091826.2+161825	0.7561 (0.0507)	0.981	11.9	091826.01+161819.8	QSO 0915+165	Sy1	./.	15.2 :	P
1RXSJ091922.2+620321	0.1999 (0.0257)	0.998	0.0	091922.87+620316.8	GJ 3547	HiPM*	M0	13.00 : 11.42	
1RXSJ092055.4−153655	0.0853 (0.0162)	0.998	0.0	092055.50−153704.2	HD 80719	*	F6V	6.742 : 6.324	
1RXSJ092056.6−151536	0.0570 (0.0141)	0.984	11.5	092056.29−151540.7	GSC 06029−00351	*	./.	11.8 : 10.8	
1RXSJ092059.5+381118	0.0649 (0.0144)	0.999	0.0	092059.37+381117.9	BD+38 2025A	**	F2V	:	
...	...	...	...	092059.37+381117.9	BD+38 2025B	**	F4V	:	
...	...	...	...	092059.37+381117.9	HD 80441	**mul.	F2V+...	6.54 : 6.16	
...	...	...	...	092059.37+381117.9	IRAS 09178+3824	IR	./.	:	
1RXSJ092115.7+393955	0.4768 (0.0359)	0.982	0.0	092115.47+393959.3	HD 80492	*	K0	7.570 : 6.669	
1RXSJ092139.9+321601	0.0637 (0.0169)	0.992	0.0	092139.41+321551.3	HD 80580	*	A0	6.918 : 6.796	
1RXSJ092226.2+401213	2.9080 (0.0823)	0.997	0.0	092225.94+401203.8	GJ 1124	V* (BY Dra)	K2V	8.62 : 7.63	P
...	...	...	...	092225.94+401203.8	IRAS 09192+4025	IR	./.	:	
1RXSJ092253.7−134919	0.6527 (0.0571)	0.996	11.3	092253.73−134921.5	HD 81032	*	K0IV	9.94 : 8.91	
1RXSJ092317.9−501350	0.0882 (0.0138)	0.983	11.8	092317.39−501347.6	HD 297439	*	G0	10.52 : 9.91	
1RXSJ092334.8−611143	0.1921 (0.0274)	0.986	11.6	092334.97−611136.2	HD 81544	V*	G8/K0V:	10.81 : 9.96	
1RXSJ092449.2−234933	1.7030 (0.1549)	0.994	0.0	092449.04−234934.4	HD 81410	V* (RS CVn)	K2IV/Vp	8.38 : 7.37	
1RXSJ092501.0−643726	0.1539 (0.0234)	0.992	9.8	092501.87−643733.0	HD 309681	*	G0	9.77 : 9.16	
1RXSJ092505.9−432752	0.2483 (0.0248)	0.986	11.6	092506.19−432757.5	...	...	...	...	
1RXSJ092529.6+540528	0.3144 (0.0277)	0.998	10.5	092530.11+540529.7	HD 233629	*	F8	10.48 : 9.88	
1RXSJ092536.0−531508	1.0170 (0.0921)	0.991	0.0	092536.32−531506.6	CSI−53−09240	*	?	12.61 : 11.73	
...	...	...	...	092536.32−531506.6	HD 81734	**	F7V	7.43 : 6.98	
1RXSJ092717.9−222033	0.1593 (0.0191)	0.998	0.0	092718.41−222037.7	HD 81799	HiPM*	K1III	5.83 : 4.69	
1RXSJ092728.5+393035	0.1000 (0.0173)	0.985	11.1	092727.90+393025.0	GJ 9298	*	K5	11.2 : 9.85	
1RXSJ092737.3−350032	0.0642 (0.0116)	0.996	0.0	092738.40−350026.7	HD 81919	**mul.	A5III/IV	6.842 : 6.643	
1RXSJ092757.6−660618	0.0814 (0.0197)	0.998	0.0	092757.58−660608.3	HD 82282	*	K1V	9.68 : 8.87	
1RXSJ092922.3−431127	0.0701 (0.0138)	0.999	0.0	092922.50−431124.9	HD 82224	*	F5IV	7.040 : 6.607	
1RXSJ092927.6−443153	0.2965 (0.0269)	0.997	0.0	092928.65−443156.6	HD 82241	**	F7V	7.439 : 6.978	
1RXSJ092935.3−581754	0.0843 (0.0178)	0.983	11.2	092936.75−581758.3	HD 82421	*	K0III	7.784 : 6.779	
...	...	...	...	092936.75−581758.3	IRAS 09281−5804	IR	./.	:	
1RXSJ092955.6+053920	0.1843 (0.0231)	0.989	8.5	092956.49+053913.0	...	...	...	...	
1RXSJ093010.3+533908	0.4329 (0.0350)	0.992	10.5	093010.83+533859.7	GSC 03807−00759	*	./.	10.65 : 9.81	
1RXSJ093021.8−313259	0.1446 (0.0195)	0.993	11.3	093022.07−313300.5	HD 82314	*	F2IV	7.5 : 7.1	
1RXSJ093041.9−402757	0.5582 (0.0382)	1.000	0.0	093042.12−402800.9	HD 82434	HiPM*	F3IV+...	3.914 : 3.590	
1RXSJ093226.5−523732	0.0786 (0.0175)	0.986	0.0	093226.11−523739.7	...	...	...	...	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ093313.9−484834	0.1494 (0.0201)	1.000	0.0	093314.34−484833.4	...	...	...	...	
1RXSJ093322.7−063032	0.0682 (0.0145)	0.999	8.9	093322.76−063034.9	HD 82688	*	F2	8.91 : 8.48	
1RXSJ093346.5+624943	2.1440 (0.0708)	0.992	11.6	093346.69+624941.1	HD 82286	V*	G5	8.85 : 7.89	P
1RXSJ093353.1+152946	0.0977 (0.0265)	0.980	10.1	093352.59+152935.3	BD+16 1992	*	G0	10.03 : 9.39	
1RXSJ093406.5+440214	0.1235 (0.0179)	0.985	11.9	093406.44+440213.4	...	...	...	...	
1RXSJ093428.7+694950	2.0290 (0.0712)	1.000	0.0	093428.86+694949.2	GJ 355.1	V*	G4III−IV	5.318 : 4.565	P
1RXSJ093530.9−280255	0.2567 (0.0263)	0.986	11.7	093531.33−280254.1	GSC 06609−00298	*	M0Ve	:	P
1RXSJ093547.4−133455	0.1014 (0.0198)	0.986	10.8	093547.14−133508.1	BD−12 2942	*	./.	10.59 : 10.08	
1RXSJ093613.6−782037	0.0753 (0.0125)	0.992	9.1	093617.98−782042.6	HD 84075	TT	G2V	9.14 : 8.59	P
1RXSJ093633.6−244210	0.0529 (0.0129)	0.998	0.0	093633.66−244210.2	HD 83261	**mul.	F3IV/V	6.896 : 6.546	
1RXSJ093659.5−334748	0.0840 (0.0154)	0.992	10.3	093700.13−334748.2	CD−33 6211	*	./.	10.54 : 9.80	
1RXSJ093712.5−420123	0.1208 (0.0181)	0.990	0.0	093712.96−420114.5	HD 83442	V* (RS CVn)	K2IIIp	10.31 : 9.10	
1RXSJ093851.0−030527	0.3512 (0.0302)	0.985	11.9	093851.09−030527.1	...	...	...	...	
1RXSJ093945.7−410405	0.1752 (0.0230)	0.999	0.0	093946.36−410403.2	GJ 358	V*	M2	12.31 : 10.77	
1RXSJ094039.1+134144	0.0750 (0.0152)	0.998	10.2	094038.92+134142.0	BD+14 2128	*	G0	10.01 : 9.23	
1RXSJ094054.4−245800	0.1030 (0.0185)	0.984	11.3	094053.78−245804.0	CD−24 8341	*	./.	:	
1RXSJ094110.2+095330	0.0723 (0.0169)	0.991	0.0	094109.03+095332.3	HD 83808	Spec. Bin.	A5V+...	3.993 : 3.531	
1RXSJ094134.3−175307	0.3986 (0.0446)	0.988	11.1	094134.92−175309.1	HD 83988	*	K0V	9.68 : 8.94	
1RXSJ094140.9−255751	0.0591 (0.0134)	0.983	0.0	094141.87−255751.7	HD 84040	*	F7V	9.01 : 8.52	
1RXSJ094354.2−312703	0.0807 (0.0145)	0.998	0.0	094354.75−312710.4	CD−30 7841	*	G0	10.59 : 9.91	
1RXSJ094411.5+252116	0.1957 (0.0236)	0.998	9.7	094411.16+252115.1	HD 84207	Ecl. Bin. (Algol)	G0	9.82 : 9.34	
1RXSJ094414.2−115218	0.2984 (0.0269)	0.999	9.9	094414.27−115219.7	HD 84323	*	G0	9.83 : 9.24	
1RXSJ094538.0−005829	0.3805 (0.0307)	0.985	11.9	094538.10−005828.4	1RXS J094538.0−005829	*	K	:	P
...	...	...	...	094538.10−005828.4	GSC 04895−01173	*	./.	11.6 : 10.7	
1RXSJ094541.9−141927	0.2842 (0.0287)	0.996	9.8	094541.98−141936.2	NGC 2992	Sy2	Sa	13. :	P
1RXSJ094543.2+410422	0.0569 (0.0137)	0.994	10.2	094543.83+410418.2	CCDM J09457+4104AB	**mul.	G0	9.80 : 9.12	
1RXSJ094617.6−764620	0.0563 (0.0136)	0.989	0.0	094620.42−764633.6	HD 85396	*	G8III	6.323 : 5.444	P
1RXSJ094740.4−305655	0.2556 (0.0233)	0.999	9.4	094740.13−305656.0	ESO 434− 40	Sy2	?	14.74 : 13.69	P
1RXSJ094740.6−282240	0.1065 (0.0160)	0.998	0.0	094740.28−282247.3	HD 84887	*	F7V	7.74 : 7.28	
1RXSJ095019.3+745818	0.1800 (0.0210)	0.988	11.2	095017.24+745815.3	HD 84482	V* (irregular)	G	9.68 : 9.06	
1RXSJ095036.5−293333	0.1669 (0.0203)	0.988	11.3	095036.76−293326.9	...	...	...	...	
1RXSJ095039.1−053029	0.1120 (0.0229)	0.988	10.6	095039.32−053040.6	BD−04 2739	*	./.	10.47 : 10.01	
1RXSJ095156.0+004722	0.0633 (0.0137)	0.984	11.0	095155.43+004727.6	...	...	...	...	
1RXSJ095356.7−240837	0.0881 (0.0174)	0.985	11.1	095357.14−240847.6	...	...	...	...	
1RXSJ095402.6−341339	0.0671 (0.0140)	0.983	12.0	095402.43−341340.3	WPVS 46	Emission−line galaxy	./.	:	
1RXSJ095411.2−533825	0.0863 (0.0193)	0.993	0.0	095411.02−533827.9	HD 86021	*	G6/G8IV/V	10.32 : 9.67	
1RXSJ095429.6−011559	0.0568 (0.0140)	0.986	8.5	095430.50−011614.8	HD 85834	*	B8	8.63 : 8.52	
1RXSJ095507.7−263216	0.0544 (0.0125)	0.992	0.0	095506.40−263219.1	HD 85994	**mul.	K2V	9.39 : 8.57	
1RXSJ095658.7−383313	0.2409 (0.0251)	0.988	11.6	095658.46−383314.3	...	...	...	...	
1RXSJ095712.9+572512	0.6160 (0.0338)	0.998	0.0	095713.61+572505.6	HD 85945	*	G5III	6.834 : 5.972	
1RXSJ095740.5+410319	0.0872 (0.0187)	0.998	0.0	095741.05+410320.3	GJ 3574	Spec. Bin.	F6Vs	5.543 : 5.118	
1RXSJ095816.4−341535	0.0511 (0.0137)	0.981	11.4	095816.71−341544.2	CD−33 6547	*	./.	10.92 : 10.29	
1RXSJ095824.2−265536	0.0522 (0.0136)	0.982	11.6	095824.58−265535.6	NGC 3078	Gal.	E...	12.10 : 11.07	P
...	...	...	...	095824.58−265535.6	PMN J0958−2655	Rad.	./.	:	
1RXSJ095834.0−462522	0.8051 (0.0672)	0.998	0.0	095834.33−462530.3	GJ 375	Flare *	M3.5	12.83 :	
1RXSJ095845.2−413802	0.0740 (0.0153)	0.989	11.1	095844.68−413804.7	...	...	...	...	
1RXSJ095906.9−220825	0.0660 (0.0126)	0.996	10.7	095907.07−220830.1	BD−21 2959	*	./.	11.00 : 10.20	
1RXSJ095908.2−223934	0.4182 (0.0435)	0.998	10.6	095908.50−223934.6	BD−21 2961	*	K	11.1 : 10.03	
...	...	...	...	095908.50−223934.6	RE J095905−224017	X	G9V	:	
1RXSJ095945.7+384910	0.3070 (0.0273)	0.994	11.2	095945.75+384906.1	BD+39 2300	*	K2	11.02 : 9.95	
1RXSJ095950.0+710552	0.0600 (0.0141)	0.985	10.9	095952.81+710554.6	BD+71 521	*	K0	11.03 : 9.95	
1RXSJ100002.3+243313	2.0530 (0.0679)	1.000	8.7	100002.47+243311.2	...	...	...	...	
1RXSJ100033.9−565652	0.1143 (0.0157)	0.984	11.5	100034.68−565646.4	CPD−56 2746B	**	?	:	
...	...	...	...	100034.68−565646.4	HD 87030	**	K0III	7.479 : 6.528	
1RXSJ100114.3−235338	0.1813 (0.0218)	0.981	11.9	100114.56−235339.7	...	...	...	...	
1RXSJ100140.5+172436	0.3681 (0.0321)	0.997	10.7	100140.23+172435.2	V* XY Leo	Ecl. Bin. (W UMa)	K0V	10.70 : 9.67	P
1RXSJ100228.3−150745	0.0551 (0.0142)	0.997	9.3	100228.24−150756.1	HD 87097	*	G3V	9.01 : 8.45	
1RXSJ100229.6+443452	0.0553 (0.0136)	0.990	10.3	100229.68+443445.8	...	...	...	...	
1RXSJ100344.3+281400	0.0957 (0.0166)	0.998	10.2	100344.38+281355.6	BD+28 1833	*	G5	10.06 : 9.53	
1RXSJ100352.1−561134	0.5856 (0.0512)	0.992	0.0	100352.57−561122.9	HD 87525	*	K1/K2III	9.34 : 8.10	P
1RXSJ100434.5+535329	0.0533 (0.0125)	0.995	0.0	100436.32+535330.2	HD 87141	*	F5V	6.174 : 5.722	
1RXSJ100554.9−230318	0.1314 (0.0187)	0.995	10.2	100555.34−230325.3	...	...	...	...	
1RXSJ100643.0−704455	0.1227 (0.0154)	0.988	10.2	100641.41−704452.5	HD 88117	**mul.	K1/K2III/IV	10.14 : 9.06	
1RXSJ100647.9+053645	0.0669 (0.0142)	0.998	0.0	100647.42+053641.4	HD 87682	*	K1III	7.109 : 6.193	
1RXSJ100739.0−850443	0.2178 (0.0304)	0.985	0.0	100729.52−850433.0	HD 89499	HiPM*	F8/G0	9.42 : 8.68	
1RXSJ100755.8−133146	0.0720 (0.0137)	0.995	9.7	100755.18−133152.7	HD 87916	*	G8III/IV	9.69 : 8.59	
1RXSJ100803.4−263634	0.0797 (0.0160)	0.987	11.5	100803.61−263638.8	...	...	...	...	
1RXSJ100813.4+120005	0.0931 (0.0178)	0.990	0.0	100812.94+115949.0	GJ 9316B	HiPM*	K2V	8.99 : 8.13	
1RXSJ100826.4−110708	0.0504 (0.0131)	0.990	8.9	100827.18−110656.3	HD 87978	*	G5	8.77 : 8.12	
1RXSJ100852.1−294500	0.0537 (0.0137)	0.998	0.0	100852.80−294458.5	HD 88088	*	F5V	8.77 : 8.34	
1RXSJ100913.4+332026	0.0771 (0.0159)	0.986	10.0	100913.61+332024.7	BD+34 2091	*	G0	10.22 : 9.71	
1RXSJ100931.2+412632	0.0768 (0.0149)	0.994	10.6	100930.56+412629.6	CCDM J10095+4126AB	**mul.	M0	10.6 : 9.1	
1RXSJ100932.3−325045	0.1205 (0.0248)	0.983	11.7	100932.14−325049.5	HD 88201	HiPM*	G0IV	8.00 : 7.44	
1RXSJ100937.2+152058	0.1294 (0.0326)	0.982	9.2	100935.11+152054.9	HD 88060	*	G0	9.05 : 8.52	
1RXSJ101001.4−290328	0.4708 (0.0362)	0.986	11.4	101001.96−290330.3	CD−28 7948	*	F8	10.79 : 9.89	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ101011.8−030510	0.0600 (0.0134)	0.989	10.8	101012.22−030505.0	BD−02 3079	*	G0	10.45 : 9.84	
1RXSJ101108.8+204151	0.0501 (0.0140)	0.998	0.0	101108.56+204146.1	HD 88270	*	sdF2	6.965 : 6.648	
1RXSJ101124.1+492718	0.1768 (0.0213)	0.999	0.0	101123.36+492719.7	...	...	...	...	
1RXSJ101205.1+211757	0.0832 (0.0165)	0.998	9.6	101205.18+211756.7	HD 88417	**mul.	F8	9.35 : 8.80	
1RXSJ101211.0−271540	0.0652 (0.0157)	0.999	0.0	101210.92−271538.2	HD 88538	**mul.	G5V	9.24 : 8.58	
1RXSJ101317.3−082702	0.1141 (0.0187)	0.986	8.9	101316.34−082642.9	HD 88654	*	G5	8.52 : 7.69	
1RXSJ101323.3−402838	0.1289 (0.0213)	0.997	0.0	101323.28−402849.9	...	...	...	...	
1RXSJ101324.2+120849	0.0592 (0.0150)	0.983	11.6	101323.92+120845.4	V* EQ Leo	V*	K0	10.48 : 9.39	
1RXSJ101332.2−050512	0.0856 (0.0190)	0.998	8.1	101331.51−050512.3	HD 88682	*	F2	7.9 : 7.5	
1RXSJ101405.3−153839	0.0530 (0.0119)	0.983	11.2	101406.03−153842.5	...	...	...	...	
1RXSJ101419.3+210437	0.5075 (0.0435)	0.999	0.0	101419.18+210429.5	GJ 2079	V*	K7	11.56 : 10.20	P
1RXSJ101436.0+534606	0.1427 (0.0189)	0.993	9.0	101437.20+534612.6	...	...	...	...	
1RXSJ101456.7−273756	0.0979 (0.0182)	0.982	11.3	101456.22−273801.1	CD−27 7309	*	./.	10.76 : 10.14	
1RXSJ101731.3−080900	0.0886 (0.0155)	0.984	10.5	101730.92−080906.9	BD−07 3000	*	?...	10.7 : 10.1	
1RXSJ101741.4−345150	0.1040 (0.0234)	0.987	0.0	101739.49−345153.3	HD 89326	**mul.	K0/K1III+...	10.10 : 9.41	
1RXSJ101744.0−380513	0.1373 (0.0223)	0.988	11.0	101744.72−380518.5	GSC 07708−01467	*	./.	11.4 : 10.5	
1RXSJ101748.1+052231	0.0623 (0.0147)	0.996	8.7	101748.48+052222.5	HD 89253	*	F5	8.69 : 8.28	
1RXSJ101753.7+592520	0.1493 (0.0185)	0.984	11.6	101752.95+592524.7	...	...	...	...	
1RXSJ101807.5−484609	0.0687 (0.0168)	0.996	10.7	101807.84−484607.6	...	...	...	...	
1RXSJ101838.4−560621	0.1064 (0.0240)	0.993	0.0	101837.91−560637.3	HD 89569	HiPM*	F6V	6.29 : 5.80	
1RXSJ101856.1−482514	0.3579 (0.0348)	0.987	11.4	101855.88−482514.3	...	...	...	...	
1RXSJ101936.3+195215	3.7010 (0.1944)	1.000	0.0	101936.28+195212.0	GJ 388	Flare *	M3	10.97 :	P
1RXSJ101956.8−084150	0.0837 (0.0152)	0.998	10.3	101956.66−084155.5	V* RW Sex	Nova−like Star	DAe	10.65 : 10.7	P
1RXSJ102116.3−651138	0.1689 (0.0275)	0.998	0.0	102117.66−651144.3	HD 90020	*	A0V	7.5 : 7.4	
1RXSJ102313.7−300947	0.0758 (0.0181)	0.998	0.0	102313.14−300944.1	HD 90071	*	F0III	6.535 : 6.263	
1RXSJ102405.9+262113	0.1505 (0.0216)	0.996	9.7	102406.08+262102.4	HD 90052	*	G5	9.58 : 9.30	
1RXSJ102421.8−740151	0.1820 (0.0467)	0.993	0.0	102423.69−740153.8	GJ 391	V*	F2IV	4.324 : 3.995	P
1RXSJ102622.8+374515	0.1845 (0.0222)	0.997	10.8	102623.12+374512.0	BD+38 2140	*	K2	10.62 : 9.61	
1RXSJ102654.2+193053	0.0650 (0.0157)	0.998	8.3	102654.24+193046.2	HD 90460	**mul.	F8	8.31 : 7.72	
1RXSJ102710.8−414408	0.1472 (0.0235)	0.989	0.0	102709.70−414358.5	CD−41 5872	*	K5	10.36 : 9.42	
1RXSJ102812.1−254815	0.0749 (0.0176)	0.982	0.0	102810.56−254827.7	CD−25 8055C	**	?	:	
...	...	...	...	102810.56−254827.7	HD 90737	**mul.	G3V	9.02 : 8.47	
1RXSJ102851.5+385731	0.0798 (0.0160)	0.992	11.0	102851.31+385724.4	GSC 03002−00530	*	./.	10.84 : 10.30	
1RXSJ102913.5−015949	0.0510 (0.0136)	0.986	0.0	102913.70−015955.1	HIC 51343	*	./.	12.755 : 11.579	
1RXSJ103037.7+555856	0.1954 (0.0209)	0.999	0.0	103037.58+555849.9	GJ 395	**	F8V	5.319 : 4.831	P
1RXSJ103102.5−213834	0.1494 (0.0272)	0.986	11.0	103102.89−213825.4	...	...	...	...	
1RXSJ103105.7+823327	0.3091 (0.0328)	0.999	0.0	103105.02+823330.7	GJ 9330	V*	F2V	5.608 : 5.261	
1RXSJ103149.0−281412	0.0676 (0.0167)	0.996	10.3	103148.80−281412.7	HD 91280	*	F7V	6.512 : 6.050	
1RXSJ103153.8+065657	0.0941 (0.0211)	0.998	0.0	103154.09+065647.3	HD 91205	*	G0	9.88 : 9.37	
1RXSJ103240.3−065341	0.2930 (0.0410)	0.991	10.2	103239.71−065334.4	HD 91351	*	G5	9.89 : 9.32	
1RXSJ103511.1+570454	0.1044 (0.0165)	0.997	0.0	103509.62+570457.2	HD 91480	*	F1V	5.474 : 5.161	
1RXSJ103559.9−231000	0.0516 (0.0137)	0.992	11.2	103559.80−230958.0	CCDM J10360−2310AB	**mul.	?	:	
1RXSJ103647.7+474324	0.1161 (0.0167)	0.998	8.3	103648.15+474315.8	HD 91782	*	G0	8.59 : 8.08	P
1RXSJ103700.4−085019	0.1282 (0.0193)	0.999	0.0	103700.01−085023.6	HD 91962	**mul.	G0	7.65 : 7.03	
1RXSJ103717.9−481333	0.2028 (0.0277)	1.000	0.0	103718.12−481332.3	HD 92139	Spec. Bin.	F4IV+...	4.14 : 3.84	
1RXSJ103749.5−270715	0.0512 (0.0151)	0.998	9.2	103749.51−270716.8	ESO 501− 59	Gal. in Clust.	Sa	15.11 :	
...	...	...	...	103749.51−270716.8	[S96b] ACO 1060 72	Gal. in Clust.	S	:	
1RXSJ103813.1+455744	0.0808 (0.0162)	0.990	10.8	103813.16+455735.9	** COU 2092	**mul.	G5	10.89 : 9.92	
1RXSJ103932.7+151954	0.1056 (0.0278)	0.994	10.2	103932.64+151957.4	HD 92281	*	K0	9.92 : 9.23	
1RXSJ103958.4+132733	0.1769 (0.0316)	0.983	11.1	103958.98+132723.2	BD+14 2279	*	./.	11.3 : 10.28	
1RXSJ104012.1−650614	0.0561 (0.0166)	0.997	0.0	104011.45−650600.7	HD 92664	V*	Ap...	5.350 : 5.496	P
1RXSJ104251.6−233245	0.0965 (0.0176)	0.996	0.0	104252.33−233256.5	HD 92844	*	G8III	7.688 : 6.797	
1RXSJ104257.1−642339	0.4217 (0.0400)	1.000	0.0	104257.43−642340.1	HD 93030	*iC	B0Vp	2.54 : 2.78	P
...	...	...	...	104257.43−642340.1	IRAS 10411−6407	IR	./.	:	
1RXSJ104328.1−290353	0.1176 (0.0205)	0.999	0.0	104328.27−290351.4	GJ 3615	HiPM*	K1V	8.65 : 7.76	
1RXSJ104439.4+384541	0.3508 (0.0302)	0.980	11.8	104439.13+384535.3	MCG+07−22−053	Gal.	./.	15.0 :	
1RXSJ104447.7−505310	0.1577 (0.0255)	0.998	0.0	104447.88−505306.1	HD 93199	*	G6IV/V	8.54 : 7.74	
1RXSJ104506.8+162016	0.1866 (0.0274)	0.999	8.8	104506.85+162017.6	HD 93077	Ecl. Bin. (beta Lyr)	F5	8.71 : 8.25	
1RXSJ104520.5+453404	0.1858 (0.0282)	0.998	0.0	104520.49+453358.8	HD 93033	Ecl. Bin. (Algol)	B8V	:	
1RXSJ104731.1−222058	0.0516 (0.0147)	0.998	0.0	104731.15−222052.9	HD 93528	*	K0V	9.18 : 8.36	
1RXSJ104809.7−320106	0.3489 (0.0336)	0.985	11.9	104809.56−320108.4	CD−31 8535	*	F8	9.97 : 9.40	
1RXSJ105025.7−125045	0.5632 (0.0394)	0.999	9.0	105026.06−125042.1	...	...	...	...	
1RXSJ105029.4−024133	0.0763 (0.0159)	0.996	9.9	105029.80−024139.0	HD 93917	*	K0	9.56 : 9.01	
1RXSJ105041.5+514807	0.1568 (0.0202)	0.998	9.3	105041.34+514758.2	GJ 3627A	HiPM*	G5	9.26 : 8.34	
1RXSJ105328.6−585107	0.1349 (0.0290)	0.998	0.0	105329.65−585111.5	GJ 9339	V*	K1III	4.713 : 3.790	
1RXSJ105501.0−421502	0.1431 (0.0250)	0.999	0.0	105501.01−421503.9	HD 94660	V* (alpha2 CVn)	A0sp...	6.025 : 6.085	
1RXSJ105544.0+602810	0.8971 (0.0393)	1.000	0.0	105543.59+602809.8	V* DM UMa	V* (RS CVn)	K0	10.31 : 9.31	P
1RXSJ105630.6+072314	0.1534 (0.0223)	0.999	0.0	105630.80+072318.5	GJ 3633	HiPM*	K0	8.655 : 7.715	P
1RXSJ105711.2+285626	0.0539 (0.0148)	0.987	10.4	105710.16+285624.8	...	...	...	...	
1RXSJ105711.7−444845	0.0834 (0.0218)	0.997	0.0	105711.24−444835.0	HD 94973	*	F0IV/V	7.663 : 7.381	
1RXSJ105813.0−292611	0.1084 (0.0246)	0.995	0.0	105814.16−292612.5	RX J1058.2−2926	X	K0Vvar+...	11.8 : 10.98	
1RXSJ105841.3−290813	0.1698 (0.0290)	0.999	0.0	105841.81−290815.1	HD 95135	*	K1III+...	9.21 : 8.34	
1RXSJ105904.3−770141	0.0966 (0.0181)	0.998	0.0	105906.97−770140.3	HBC 244	Em. *	K2	12.57 : 11.37	P
1RXSJ105940.4−691710	0.2296 (0.0267)	0.984	11.7	105940.97−691704.3	HD 310308	*	G0	10.29 : 9.57	
1RXSJ110110.9−313250	0.1079 (0.0207)	0.987	11.6	110110.96−313249.4	CD−30 8896	*	./.	11.3 : 10.43	

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	110110.96−313249.4	RX J1101.1−3132	X	K3V	11.24 : 10.30	
1RXSJ110122.9−115401	0.0669 (0.0168)	0.996	10.3	110122.80−115359.6	BD−11 2999	*	G5	10.10 : 9.44	
1RXSJ110138.0+572926	0.2480 (0.0242)	0.993	11.2	110137.32+572926.0	HD 237963	*	G5	10.94 : 10.20	
1RXSJ110200.0+783848	0.1592 (0.0200)	0.993	11.4	110159.95+783848.2	BD+79 349	*	K2	11.06 : 10.02	
1RXSJ110202.4+223546	1.0070 (0.0711)	0.998	10.0	110202.72+223545.5	HD 95559	*	G5	9.79 : 8.92	
1RXSJ110238.1+215808	0.2404 (0.0393)	0.985	11.6	110237.86+215803.9	GJ 410	V* (BY Dra)	M0	11.00 : 9.69	
1RXSJ110320.5+355900	0.1670 (0.0241)	0.999	0.0	110320.61+355853.3	...	...	...	...	
1RXSJ110322.3+613917	0.0952 (0.0143)	1.000	0.0	110321.86+613915.3	HD 95638	Spec. Bin.	F8	7.66 : 7.12	P
1RXSJ110327.5−324527	0.1029 (0.0212)	0.985	11.7	110327.85−324527.5	...	...	...	...	
1RXSJ110504.2+050914	0.0625 (0.0155)	0.982	11.5	110504.73+050909.7	V* AP Leo	Ecl. Bin. (W UMa)	F8V	9.97 : 9.53	
1RXSJ110533.7−504119	0.1101 (0.0278)	0.983	11.4	110534.67−504123.5	CD−50 5674	*	G0	10.72 : 10.16	
1RXSJ110546.8+501023	0.1527 (0.0225)	0.999	0.0	110546.17+501020.8	HD 96105	*	F5	7.516 : 7.040	
1RXSJ110551.0+515110	0.0802 (0.0151)	0.990	10.8	110550.87+515118.2	HD 233802	V*	K0	10.51 : 9.38	
1RXSJ110555.4−760728	0.0541 (0.0145)	0.986	0.0	110557.81−760748.9	HD 96675	Star in Association	B6IV/V	7.8 : 7.6	P
1RXSJ110638.3+701835	0.1655 (0.0198)	0.987	11.0	110639.28+701827.1	GSC 04388−01284	*	./.	10.96 : 10.14	
1RXSJ110643.5+723407	0.1403 (0.0195)	0.988	8.8	110647.54+723407.9	NGC 3516	Sy1	SB0	12.3 :	P
1RXSJ110830.8+011742	0.0726 (0.0148)	0.995	11.0	110830.95+011739.4	...	...	...	...	
1RXSJ110940.0−390657	0.1163 (0.0197)	0.998	0.0	110940.09−390647.3	CD−38 6968	*	./.	10.54 : 9.96	
1RXSJ111140.4−224933	0.4689 (0.0433)	0.997	0.0	111139.48−224932.2	GJ 416.1	*	A1V	4.493 : 4.461	P
1RXSJ111209.9+675211	0.1064 (0.0143)	0.985	9.6	111209.20+675156.9	HD 97139	*	K0	9.46 : 8.41	
1RXSJ111210.2−461555	0.0720 (0.0203)	0.998	0.0	111210.20−461600.3	HD 97413	*	A1V	6.420 : 6.276	
1RXSJ111349.5+093518	0.2676 (0.0260)	0.985	10.8	111349.75+093511.3	IC 2637	Sy	./.	13.9 :	P
1RXSJ111502.0−331905	0.1796 (0.0269)	0.999	0.0	111502.40−331903.9	HD 97840	*	F5IV	7.310 : 6.991	
1RXSJ111510.2−611540	0.1415 (0.0288)	0.986	0.0	111507.36−611538.6	CD−60 3452C	**	WN...	12.83 : 10.8	
...	...	...	...	111507.36−611538.6	CD−60 3452D	**	?	:	
...	...	...	...	111507.36−611538.6	CD−60 3452E	**	?	:	
...	...	...	...	111507.36−611538.6	HD 97950	WR *	WN...	9.83 : 9.03	
1RXSJ111556.7+373828	0.0543 (0.0166)	0.987	10.7	111556.16+373837.1	BD+38 2220	*	F8	10.36 : 9.82	
1RXSJ111606.4+013509	0.0741 (0.0159)	0.986	9.8	111607.33+013512.0	HD 97975	**mul.	F8	9.48 : 9.01	
1RXSJ111653.2+140428	0.0531 (0.0130)	0.984	11.6	111652.73+140427.1	BD+14 2370	*	G5	10.7 : 10.2	
1RXSJ111900.0+643842	0.0724 (0.0126)	0.981	11.7	111859.12+643839.5	...	...	...	...	
1RXSJ111915.9−643500	0.0509 (0.0128)	0.998	0.0	111916.42−643457.0	HD 98560	HiPM*	F6IV	6.45 : 5.99	
1RXSJ111948.2−703711	0.0924 (0.0220)	0.985	0.0	111952.74−703706.5	HD 98660	*	F2V	8.50 : 8.15	
1RXSJ112018.8−782821	0.2360 (0.0278)	0.996	11.0	112019.64−782822.5	GSC 09415−02314	TT	K5	:	P
1RXSJ112026.0−583355	0.1913 (0.0316)	0.987	10.9	112026.30−583402.6	HD 304169	*	K0	10.8 :	
...	...	...	...	112026.30−583402.6	...	...	...	...	
1RXSJ112041.6−842025	0.0610 (0.0185)	0.986	11.1	112035.04−842029.1	HD 99134	*	G3III:	9.74 : 8.61	P
1RXSJ112205.4−244632	0.6564 (0.0461)	0.999	0.0	112205.34−244639.3	GJ 2084A	**	K5	10.27 : 9.11	P
...	...	...	...	112205.34−244639.3	GJ 2084B	**	?	:	
1RXSJ112536.2+162735	0.0695 (0.0156)	0.989	0.0	112536.37+162723.5	HD 99285	**	F2V	5.926 : 5.587	
...	...	...	...	112536.37+162723.5	IRAS 11230+1643	IR	./.	:	
1RXSJ112545.4−763035	0.2763 (0.0307)	0.998	0.0	112547.95−763029.0	HD 99558	*	K0III	10.32 : 9.13	P
1RXSJ112557.8−401547	0.2630 (0.0380)	0.998	0.0	112558.29−401550.0	HD 99409	*	G6II/III	9.01 : 7.93	
1RXSJ112709.5−122113	0.0966 (0.0186)	0.984	11.2	112709.76−122124.7	HD 99564	**	F4III−IV	6.379 : 5.935	
...	...	...	...	112709.76−122124.7	IRAS 11246−1204	IR	./.	:	
1RXSJ112729.0−395257	0.1724 (0.0311)	0.990	0.0	112728.80−395257.4	CD−39 7118B	**	?	11.2 : 10.6	
1RXSJ112754.5−101124	0.2696 (0.0334)	0.998	10.5	112754.61−101122.8	BD−09 3290	*	F8	10.39 : 9.64	
1RXSJ112756.0+443404	0.6421 (0.0445)	0.982	0.0	112755.84+443356.7	HD 99607	**mul.	F0	7.194 : 6.881	P
1RXSJ113026.1−151914	0.0876 (0.0187)	0.997	9.6	113026.27−151921.5	HD 100022	V*	G2V	10.04 : 9.42	P
1RXSJ113147.3−410248	0.6624 (0.0602)	1.000	0.0	113147.07−410248.7	GJ 431	Flare *	M3.5	12.9 :	
1RXSJ113209.3−580319	0.0825 (0.0213)	0.993	10.3	113208.39−580319.6	HD 304428	*	G5	10.3 :	
...	...	...	...	113208.39−580319.6	...	...	...	...	
1RXSJ113249.2+121022	1.0040 (0.0881)	0.995	10.2	113249.77+121024.8	BD+12 2343	**	G5	10.06 : 9.33	P
1RXSJ113249.7+314652	0.0630 (0.0163)	0.998	9.9	113249.80+314654.9	BD+32 2155	*	G0	10.02 : 9.49	
1RXSJ113259.7−315127	0.2881 (0.0290)	0.999	0.0	113300.11−315127.3	HD 100407	HiPM*	G7III	4.48 : 3.54	
1RXSJ113308.2+072425	0.0801 (0.0165)	0.988	9.5	113307.50+072441.0	HD 100388	*	K0	9.36 : 8.20	
1RXSJ113314.0−161642	0.0512 (0.0150)	0.997	0.0	113314.82−161649.3	HD 100418	*	F8/G0Ib/II	6.615 : 6.057	
1RXSJ113318.5+191059	0.0729 (0.0162)	0.986	10.9	113318.41+191046.5	BD+19 2469	*	F8	10.85 : 10.29	
1RXSJ113410.2+110127	0.0549 (0.0143)	0.998	0.0	113409.94+110125.9	HD 100518	*	A2m	6.73 : 6.55	
1RXSJ113422.1+030338	0.2419 (0.0268)	1.000	0.0	113421.95+030336.6	GJ 9367	*	F5V:	6.23 : 5.77	
...	...	...	...	113421.95+030336.6	HD 100563	HiPM*	F5V	6.23 : 5.70	
1RXSJ113448.4+490438	0.2602 (0.0201)	0.991	10.6	113449.27+490440.5	20P 39	Rad.	./.	:	
...	...	...	...	113449.27+490440.5	IC 712	Gal. in Clust.	./.	14.8 :	
...	...	...	...	113449.27+490440.5	[FTC95] ACO 1314 2	Gal. in Clust.	./.	:	
...	...	...	...	113449.27+490440.5	[LO95] 1132+493	Rad.	./.	:	
...	...	...	...	113449.27+490440.5	[OLK95] 1132+493	Rad. Gal.	./.	:	
1RXSJ113547.5−630120	0.1922 (0.0280)	0.998	0.0	113546.88−630111.4	HD 100841	**	B9III	3.081 : 3.117	
1RXSJ113616.1−380210	0.2089 (0.0267)	0.988	11.6	113616.30−380211.1	V* V858 Cen	V* (RS CVn)	?	11.5 : 10.5	
1RXSJ113629.4+213552	0.4869 (0.0340)	0.997	10.4	113629.14+213547.0	Mrk 739A	Sy1	./.	14.3 :	
...	...	...	...	113629.14+213547.0	Mrk 739B	Sy1	./.	14.8 :	
...	...	...	...	113629.14+213547.0	NGC 3758	Sy1	S0	14.8 :	
1RXSJ113714.2−694025	0.4923 (0.0535)	1.000	0.0	113714.65−694027.2	HD 101088	*	F5IV	7.102 : 6.660	
1RXSJ113901.6−374420	1.3660 (0.0964)	0.985	11.8	113901.76−374418.8	NGC 3783	Sy1	?	12.89 : 12.24	P
1RXSJ113922.1−392315	0.9286 (0.0744)	0.998	0.0	113922.23−392307.6	HD 101309	V* (RS CVn)	G8IV	8.78 : 7.87	
1RXSJ113929.4−652352	2.9590 (0.2113)	1.000	0.0	113929.63−652351.9	HD 101379	**	G5:IIIp	5.97 : 5.17	
...	...	...	...	113929.63−652351.9	HD 101379 J	Eclipsing binary	G2III+...	5.97 :	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
...	...	...	...	113929.63−652351.9	HD 101380	**	A0/A1V	6.3 : 6.3	
...	...	...	...	113929.63−652351.9	PMN J1139−6523	Rad.	./.	:	
1RXSJ114020.2+622347	0.0598 (0.0128)	0.998	0.0	114018.62+622347.5	HD 101365	*	F5	7.590 : 7.089	
1RXSJ114042.0−174008	0.3293 (0.0336)	0.996	11.1	114042.26−174010.0	...	...	...	...	
1RXSJ114045.7+520003	0.0782 (0.0166)	0.985	11.0	114046.47+515953.8	V* RW UMa	V* (RS CVn)	F9V:+...	10.68 : 10.17	P
1RXSJ114102.7+341221	0.3480 (0.0371)	0.987	0.0	114103.01+341205.8	GJ 434	V*	G8V	6.05 :	P
1RXSJ114137.6+043537	0.0596 (0.0144)	0.996	8.1	114138.24+043526.5	HD 101621	*	F0	8.31 : 8.02	
1RXSJ114148.2−583502	0.1446 (0.0244)	0.997	9.9	114148.48−583511.6	HD 301809	*	G0	10.48 : 9.72	
1RXSJ114150.4−403417	0.1697 (0.0427)	0.985	0.0	114149.31−403425.1	HD 101680	HiPM*	K0Vp...	10.08 : 9.21	
1RXSJ114205.5+221251	0.0591 (0.0139)	0.997	0.0	114205.19+221239.8	HD 101688	*	F2IV−V	7.01 : 6.59	
1RXSJ114235.5−143612	0.1437 (0.0226)	0.995	10.6	114235.22−143608.2	BD−13 3427	*	./.	10.59 : 9.82	
1RXSJ114303.1+603436	0.0559 (0.0130)	0.982	11.3	114302.30+603436.1	BD+61 1260	*	F8	10.13 : 9.70	
1RXSJ114318.2−125235	0.0891 (0.0182)	0.987	10.9	114318.60−125241.8	IRAS 11407−1236	IR	./.	:	
...	...	...	...	114318.60−125241.8	NGC 3831	Gal.	SB0a	14. :	
...	...	...	...	114318.60−125241.8	[NLB95] f642g003	Gal.	./.	:	
1RXSJ114347.4+240043	0.3312 (0.0309)	0.999	8.5	114347.11+240036.7	BD+24 2386B	**	?	:	
...	...	...	...	114347.11+240036.7	HD 101906	**	G2V	8.25 : 7.40	
1RXSJ114406.1−533139	0.2156 (0.0341)	0.991	0.0	114407.25−533149.3	GSC 08630−01701	*	./.	11.5 : 10.54	
1RXSJ114439.2−492458	0.7233 (0.0834)	0.992	0.0	114438.58−492502.3	CCDM J11446−4925C	**	./.	:	
...	...	...	...	114438.58−492502.3	HD 102077	V* (BY Dra)	K0/K1Vp	9.2 :	
...	...	...	...	114438.58−492502.3	HIC 57269	*	./.	:	
1RXSJ114516.1+794054	0.3746 (0.0271)	0.993	11.2	114516.34+794052.7	1ES 1141+79.9	Quasar	SB0a	14.8 :	
...	...	...	...	114516.34+794052.7	1RXS J114516.1+794054	Sy1	./.	:	P
1RXSJ114540.5−182716	3.2930 (0.2119)	0.991	10.8	114540.51−182715.0	1A 1143−18	Sy1	./.	14.58 :	
1RXSJ114744.7+004831	0.0796 (0.0172)	0.998	0.0	114744.04+004827.1	...	...	...	...	
1RXSJ114746.2+125408	0.3505 (0.0315)	0.981	11.9	114745.93+125404.2	BPM 87617	*	K4	12.4 : 10.7	
1RXSJ114755.9+544251	0.1482 (0.0222)	0.984	10.1	114756.48+544239.2	HD 238043	*	G0	10.25 : 9.73	
1RXSJ114759.3+201312	1.1220 (0.0518)	1.000	0.0	114759.13+201308.2	HD 102509	V* (RS CVn)	A7V+...	5.053 : 4.537	P
1RXSJ114824.0−372838	0.3435 (0.0564)	0.997	0.0	114824.22−372849.1	CCDM J11484−3729B	**	./.	:	
...	...	...	...	114824.22−372849.1	CD−36 7429	**	./.	11.5 :	
1RXSJ114839.6+231136	0.1017 (0.0163)	0.982	11.8	114839.86+231141.4	...	...	...	...	
1RXSJ114942.5+345557	0.0666 (0.0166)	0.998	0.0	114941.70+345554.3	HD 102713	Spec. Bin.	F5IV	6.165 : 5.740	
1RXSJ115041.4+014603	0.3437 (0.0302)	0.998	0.0	115041.29+014555.4	GJ 449	HiPM*	F9V	4.16 : 3.61	
1RXSJ115108.5−515223	0.2548 (0.0359)	0.998	0.0	115109.10−515232.5	HD 102982	*	G3V	8.96 : 8.36	
1RXSJ115352.3+534153	0.0502 (0.0136)	0.985	0.0	115349.83+534140.9	HD 103287	Em. *	A0V	2.468 : 2.427	
1RXSJ115632.7+071749	0.3913 (0.0324)	0.988	10.6	115632.06+071753.1	HD 103694	*	K2	10.34 : 9.52	
1RXSJ115826.5−775433	0.2986 (0.0391)	0.996	0.0	115828.15−775429.6	V* DW Cha	V*	K2	12.10 : 10.75	
...	...	...	...	115828.15−775429.6	[AKS95b] RX J1158.5−7754a	TT	K2	:	
...	...	...	...	115828.15−775429.6	[AKS95b] RX J1158.5−7754b	TT	M2	:	
1RXSJ115839.5−524618	0.0806 (0.0200)	0.998	0.0	115838.96−524607.3	HD 104021	*	A7V	7.693 : 7.487	
1RXSJ115936.5+713448	0.0698 (0.0104)	0.999	8.9	115935.85+713442.4	HD 104112	V*	F5	8.73 : 8.31	
1RXSJ115941.8−760130	0.1030 (0.0175)	0.985	11.6	115942.38−760127.2	GSC 09411−02191	*	K2	12.2 : 11.0	P
1RXSJ120005.7−781139	0.1248 (0.0139)	0.999	0.0	120005.20−781134.5	HD 104237	Em. *	A:pe	6.807 : 6.592	
1RXSJ120146.3−343847	0.1624 (0.0341)	0.995	0.0	120146.24−343901.3	HD 104471	HiPM*	G0V	7.499 : 6.955	
1RXSJ120708.6−254121	0.0922 (0.0172)	0.988	9.7	120707.96−254135.1	ESO 505− 15	Gal.	S...	:	
1RXSJ120752.1−755516	0.3213 (0.0273)	0.998	10.7	120752.15−755516.4	CCDM J12079−7555A	TT	M	11.25 : 10.12	
...	...	...	...	120752.15−755516.4	CCDM J12079−7555B	**	./.	10.00 : 8.53	
1RXSJ120824.6−244336	1.3620 (0.0995)	0.999	0.0	120824.75−244343.6	GJ 9389	*	F0IV/V	4.34 : 4.00	P
1RXSJ120911.5−784648	0.0622 (0.0116)	0.998	0.0	120907.70−784652.8	HD 105515	*	A6III/IV	7.076 : 6.849	
1RXSJ120914.0+310150	0.0507 (0.0126)	0.986	10.1	120913.39+310138.0	BD+31 2335	*	G6V	10.12 : 9.36	
1RXSJ120921.0−275854	0.5962 (0.0616)	0.992	0.0	120920.81−275855.9	HD 105575	Ecl. Bin. (beta Lyr)	K2V	9.97 : 9.04	
1RXSJ121131.9−581651	0.2406 (0.0297)	0.999	0.0	121131.46−581653.2	CD−57 4328	*	./.	10.95 : 10.10	
1RXSJ121137.3−711032	0.2682 (0.0418)	0.983	11.6	121138.29−711035.7	HD 105923	*	G3IV	9.86 : 9.14	
1RXSJ121210.1+773702	0.2709 (0.0598)	0.998	0.0	121211.95+773658.5	HD 106112	Spec. Bin.	A5m	5.467 : 5.155	
1RXSJ121215.7+685306	0.1514 (0.0164)	0.987	11.4	121215.84+685259.9	...	...	...	...	
1RXSJ121248.7−623027	0.4211 (0.0387)	0.983	11.9	121248.99−623032.2	...	...	...	...	
1RXSJ121306.5−405619	0.1193 (0.0287)	0.996	0.0	121306.99−405631.5	CD−40 7164	*	G	10.36 : 9.81	
1RXSJ121320.7−090442	0.4289 (0.0379)	0.998	10.0	121320.73−090447.2	HD 106225	V* (RS CVn)	K0	9.71 : 8.75	
1RXSJ121452.4−554704	0.5652 (0.0486)	1.000	0.0	121452.30−554703.6	CPD−55 4937	**	?	10.32 : 9.57	
1RXSJ121458.1−410811	0.1330 (0.0278)	0.997	0.0	121457.40−410822.0	HD 106489	HiPM*	G5V	8.13 : 7.48	
1RXSJ121506.7+331129	0.5210 (0.0740)	0.985	7.8	121505.09+331150.0	...	...	...	...	
1RXSJ121710.0+071127	0.1037 (0.0168)	0.987	11.5	121709.83+071128.5	NGC 4235	Sy1	Sa	13.2 :	P
1RXSJ121824.3+701748	0.0871 (0.0126)	0.980	11.7	121823.20+701747.8	...	...	...	...	
1RXSJ121858.2−573713	0.2933 (0.0317)	0.994	10.7	121858.06−573718.8	CD−56 4401	*	./.	10.86 : 9.93	
1RXSJ122022.9−524211	0.1393 (0.0214)	0.980	11.9	122023.03−524216.9	...	...	...	...	
1RXSJ122034.1−753930	0.2394 (0.0221)	0.984	11.9	122035.01−753929.2	GSC 09412−01370	TT	K2	11.5 : 10.41	P
1RXSJ122105.7+200541	0.0579 (0.0135)	0.982	11.6	122105.70+200548.4	BD+20 2710	*	K5	11.6 : 10.50	
1RXSJ122116.7−531747	0.4339 (0.0405)	0.996	11.1	122116.52−531745.3	HD 107441	*	K2IV:+...	9.99 : 9.35	
1RXSJ122204.0−484118	0.1102 (0.0185)	0.988	11.4	122204.34−484124.2	...	...	...	...	
1RXSJ122230.9+255033	0.6485 (0.0404)	0.988	0.0	122230.31+255046.2	HD 107700	Spec. Bin.	F2	5.30 :	
1RXSJ122306.6+103722	0.3830 (0.0332)	0.989	10.8	122306.70+103716.9	NGC 4325	Gal. in Clust.	E	15.0 :	
1RXSJ122308.9+255058	0.0610 (0.0148)	0.986	9.6	122308.46+255105.5	HD 107793	*iC	F8V	9.69 : 9.22	
1RXSJ122326.8−774055	0.0565 (0.0108)	0.994	0.0	122329.04−774051.4	HD 107722	TT	F6V	8.72 : 8.27	P
1RXSJ122328.3−230944	0.2720 (0.0406)	0.993	11.1	122328.26−230941.4	V* UY Crv	V*	K4.5	12.1 : 10.9	
1RXSJ122447.4−750309	0.2026 (0.0214)	1.000	0.0	122447.33−750309.0	CD−74 681	*	./.	:	

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	122447.33−750309.0	RX J1224.8−7503	*TT	K2	:	
1RXSJ122500.3−501121	0.1019 (0.0191)	0.998	0.0	122459.64−501130.7	HD 108035	**mul.	A8/A9V	8.50 : 8.22	
1RXSJ122501.8+253341	0.6001 (0.0405)	0.998	8.4	122502.40+253340.2	HD 108102	V* (RS CVn)	F8	8.63 : 8.14	
1RXSJ122549.8+094550	0.0897 (0.0169)	0.981	11.9	122549.82+094548.0	...	...	...	...	
1RXSJ122603.0−542113	0.0690 (0.0166)	0.986	11.3	122602.24−542115.8	...	...	...	...	
1RXSJ122719.8−581831	0.2729 (0.0313)	0.998	9.6	122719.99−581834.6	CD−57 4497	*	./.	10.35 : 9.59	
1RXSJ122757.1−521108	0.1181 (0.0225)	0.985	11.2	122756.59−521059.7	GSC 08243−02885	*	./.	10.84 : 10.07	
1RXSJ122823.4−632100	0.7481 (0.0753)	0.994	0.0	122825.39−632058.8	CD−62 657	*	./.	10.06 : 9.30	
1RXSJ122840.3−552707	0.1683 (0.0258)	0.995	0.0	122840.05−552719.3	HD 108568	*	G1	9.49 : 8.90	
1RXSJ122906.5+020311	7.0440 (0.3902)	1.000	0.0	122906.70+020308.6	[VV96] J122906.7+020308	Quasar	S...	13.07 :	P
1RXSJ122941.8+243120	0.2012 (0.0234)	0.987	10.5	122940.94+243114.9	V* HZ Com	V* (RS CVn)	G8:V...	10.58 : 9.76	
1RXSJ123011.4+635329	0.3908 (0.0328)	0.999	9.8	123011.46+635323.8	V* FK Dra	Ecl. Bin. (Algol)	K0	10.05 : 9.28	
1RXSJ123013.7+215812	0.0584 (0.0132)	0.992	10.5	123013.94+215811.9	BD+22 2477	*	G0	10.59 : 10.10	
1RXSJ123034.0+343033	0.0645 (0.0138)	0.983	9.7	123033.71+343045.0	HD 108891	*	G5	9.49 : 8.83	
1RXSJ123119.6+550722	0.0599 (0.0151)	0.992	8.9	123118.22+550709.0	GJ 1160	V*	K2V	9.04 : 8.10	
1RXSJ123137.4−475800	0.3814 (0.0348)	0.998	10.2	123137.13−475802.5	IRAS 12288−4741	Gal.	./.	16.5 :	P
1RXSJ123204.3−161145	0.2089 (0.0320)	1.000	0.0	123204.22−161145.6	GJ 471.2	V*	F2V	4.69 :	
1RXSJ123241.1+234756	0.0899 (0.0166)	0.998	0.0	123240.68+234805.0	Cl* Melotte 111 AV 2098	*iC	./.	10.92 : 10.21	P
1RXSJ123357.2−495427	0.1224 (0.0220)	0.985	0.0	123359.11−495435.3	HD 109312	**	F3III−IV	6.786 : 6.393	
...	...	...	...	123359.11−495435.3	IRAS 12312−4938	IR	./.	:	
1RXSJ123533.8−120110	0.0541 (0.0159)	0.998	0.0	123533.18−120115.8	HD 109545	**	G5	7.62 : 6.70	
1RXSJ123539.7−210247	0.0585 (0.0169)	0.985	11.3	123540.38−210248.2	...	...	...	...	
1RXSJ123550.8+511318	0.1887 (0.0231)	0.998	9.6	123550.69+511317.2	HD 109647	*	K0	9.50 : 8.54	
1RXSJ123552.9+690051	0.1046 (0.0137)	0.999	8.2	123551.86+690050.1	HD 109701	*	G5	8.07 : 7.41	
...	...	...	...	123551.86+690050.1	[R97] 4 Dra 8	X	./.	:	
1RXSJ123559.7−395205	0.1131 (0.0237)	0.995	0.0	123601.03−395210.2	CD−39 7717B	**	?	:	
...	...	...	...	123601.03−395210.2	HD 109573	**	A0V	5.792 : 5.783	
...	...	...	...	123601.03−395210.2	[DML87] 300	IR	./.	:	
1RXSJ123616.7+513053	0.1011 (0.0176)	0.998	9.7	123617.09+513054.2	HD 109703	*	G5	9.60 : 8.60	
1RXSJ123637.5−634446	0.2167 (0.0371)	0.998	0.0	123639.02−634443.4	CPD−63 2367	*	./.	10.88 : 9.95	
1RXSJ123651.1+453907	0.5261 (0.0355)	0.996	10.6	123651.22+453904.6	MCG+08−23−067	Gal.	./.	15.2 :	
1RXSJ123741.4+264229	5.0950 (0.1054)	0.985	12.1	123741.21+264227.8	1RXS J123741.4+264229	X	S...	:	P
...	...	...	...	123741.21+264227.8	IC 3599	Sy	./.	15.7 : 16.5	
1RXSJ123753.6−515957	0.1325 (0.0230)	0.993	0.0	123752.25−520005.2	GJ 479	HiPM*	M2	12.21 : 10.64	
1RXSJ123807.2−555557	0.4610 (0.0443)	0.999	0.0	123807.24−555554.4	HD 109808	**mul.	A1/A2V	7.10 : 6.95	
1RXSJ123904.1+470233	0.1027 (0.0195)	0.989	0.0	123904.37+470224.1	GJ 3738	*	M2	14.1 :	
1RXSJ123920.9−750244	0.1908 (0.0201)	0.986	11.2	123921.34−750238.4	GSC 09412−00059	TT	K2	11.12 : 10.31	P
1RXSJ123938.4−573141	0.2344 (0.0290)	0.996	10.6	123937.97−573140.8	...	...	...	...	
1RXSJ123959.8−113725	0.1085 (0.0222)	0.995	10.4	123959.42−113722.9	RX J123959−11373	X	./.	:	
1RXSJ124014.6−184806	0.1882 (0.0440)	0.992	9.8	124014.91−184800.8	HD 110139	Ecl. Bin. (W UMa)	F7V	9.57 : 9.06	
1RXSJ124118.5−582556	0.1187 (0.0242)	0.998	10.2	124118.34−582556.0	HD 110244	*	G5	10.71 : 9.91	
1RXSJ124144.4+350353	0.2216 (0.0231)	0.998	8.8	124144.48+350342.3	NGC 4619	Sy1	SBb	13.5 :	
1RXSJ124144.8+554327	0.0609 (0.0165)	0.999	0.0	124144.52+554328.8	AG+55 5955	*	./.	:	
...	...	...	...	124144.52+554328.8	GJ 3743	*	K3V	9.25 : 8.28	
1RXSJ124226.8−610103	0.3715 (0.0586)	1.000	0.0	124227.21−610106.6	HD 110390	*	A1V	7.342 : 7.191	
1RXSJ124250.1−630332	0.1591 (0.0315)	0.998	0.0	124250.27−630330.9	HD 110432	Be Star	B2pe	5.489 : 5.316	P
...	...	...	...	124250.27−630330.9	IRAS 12398−6247	IR	./.	:	
1RXSJ124414.7+514545	0.1584 (0.0254)	0.998	0.0	124414.53+514533.6	GJ 483	HiPM*	K3V	7.98 : 7.04	
1RXSJ124420.6+461916	0.0529 (0.0124)	0.984	11.7	124420.17+461913.8	...	...	...	...	
1RXSJ124422.6+215938	0.1390 (0.0194)	1.000	0.0	124422.62+215936.6	HD 110789	HiPM*	F6V	8.07 : 7.60	
1RXSJ124445.9−350039	0.0752 (0.0172)	0.996	0.0	124446.51−350030.0	CD−34 8394	*	./.	11.4 : 10.8	
1RXSJ124626.5−575657	0.6946 (0.0631)	0.999	0.0	124626.02−575701.6	HD 110971	V*	K3/K4V	9.90 : 8.80	
1RXSJ124742.5−594125	1.4790 (0.1426)	0.999	0.0	124743.32−594119.4	HD 111123	V* (beta Cep)	B0.5IV	1.145 : 1.297	
1RXSJ124749.5+190127	0.0507 (0.0129)	0.998	8.4	124749.11+190127.5	HD 111238	*	F6	8.19 : 7.73	
1RXSJ124751.7−512638	0.1812 (0.0251)	0.987	0.0	124751.89−512638.0	HD 111170	*	G8/K0V	10.30 : 9.53	
1RXSJ124814.8+615105	0.2086 (0.0225)	0.998	9.4	124815.12+615059.5	HD 111394	V*	K0	9.52 : 8.53	
1RXSJ124839.3+601913	0.5035 (0.0343)	0.994	11.3	124838.78+601912.5	GJ 9417	*	F5V	6.279 : 5.845	P
1RXSJ124843.3+065426	0.4087 (0.0506)	0.998	9.8	124842.97+065424.1	BD+07 2577	*	G0	9.58 : 8.81	
...	...	...	...	124842.97+065424.1	RBS 1161	X	./.	:	P
1RXSJ124847.4−563525	0.0977 (0.0198)	0.995	0.0	124848.21−563537.7	CPD−55 5237	*	./.	10.92 : 10.21	
1RXSJ124848.1+245031	0.1332 (0.0206)	0.983	11.8	124848.13+245029.6	...	...	...	...	
1RXSJ124848.7+144531	0.0710 (0.0162)	0.987	11.2	124848.21+144531.4	BD+15 2510	*	K0	10.80 : 9.88	
1RXSJ124848.7−411826	3.2050 (0.1303)	0.984	10.8	124849.25−411839.0	NGC 4696	Gal. in Clust.	S...	11.75 :	P
...	...	...	...	124849.25−411839.0	PMN J1248−4118	Rad.	./.	:	
1RXSJ124903.8+660643	0.2265 (0.0253)	0.992	0.0	124902.74+660636.7	GJ 487	Flare *	M3	12.56 : 10.92	
1RXSJ124931.1−195347	0.0903 (0.0203)	0.986	9.6	124930.38−195347.7	HD 111458	*	F6V	9.36 : 8.83	
1RXSJ124931.3−340925	0.1767 (0.0227)	0.999	0.0	124931.06−340930.5	...	...	...	...	
1RXSJ124938.8−060436	0.2288 (0.0288)	0.996	10.7	124938.62−060442.4	HD 111487	Ecl. Bin. (Algol)	G5	10.33 : 9.69	P
1RXSJ125151.5+000524	0.1172 (0.0278)	0.992	8.5	125151.83+000507.6	HD 111816	*	F8	8.31 : 7.83	
1RXSJ125303.4+193618	0.1323 (0.0197)	0.998	8.1	125304.18+193618.8	HD 111997	*	F7	8.12 : 7.68	
1RXSJ125309.0−145742	0.0832 (0.0202)	0.985	8.1	125309.55−145757.2	HD 111962	*	F6V	8.03 : 7.61	
1RXSJ125310.3−033313	0.1353 (0.0233)	0.996	0.0	125311.16−033311.2	HD 111998	HiPM*	F5V	6.61 : 6.11	
1RXSJ125523.9+695317	0.1980 (0.0209)	0.985	11.3	125522.67+695316.1	CCDM J12554+6953AB	**mul.	G5	9.71 : 8.89	
1RXSJ125534.6+270355	0.0834 (0.0167)	0.983	11.5	125535.11+270349.1	...	...	...	...	
1RXSJ125740.2+351334	0.8377 (0.0418)	0.993	0.0	125740.26+351330.3	GJ 490A	V*	M0.5	12.2 : 10.5	

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ125812.9−541112	0.3446 (0.0346)	0.993	0.0	125811.80−541114.7	CPD−53 5405B	**	F	7.5 :	
1RXSJ125824.6−702848	0.2303 (0.0287)	0.994	11.0	125825.58−702848.9	2E 1255.1−7012	X	./.	:	
...	...	...	...	125825.58−702848.9	CD−69 1055	*	./.	10.85 : 9.91	
1RXSJ125850.0−365827	0.1395 (0.0236)	0.999	0.0	125849.71−365833.0	HD 112669	Ecl. Bin. (W UMa)	G5V	10.26 : 9.64	
1RXSJ125904.0+470904	0.3950 (0.0306)	0.998	0.0	125903.85+470905.1	HD 112859	V*	G8III−IVp	9.01 : 8.09	
1RXSJ130002.6+805226	0.2192 (0.0192)	1.000	8.3	130003.60+805228.8	HD 113435	*	G0	7.97 : 7.27	
1RXSJ130017.6−083929	0.1382 (0.0245)	0.987	11.0	130017.24−083928.3	...	...	...	...	
1RXSJ130028.8−090604	0.0832 (0.0202)	0.997	8.2	130029.64−090559.7	HD 112964	*	G0	7.97 : 7.37	
1RXSJ130210.9+105724	0.1308 (0.0252)	0.998	0.0	130210.59+105732.9	HD 113226	HiPM*	G8III	3.77 : 2.83	P
1RXSJ130339.6−162009	0.1067 (0.0233)	0.999	8.1	130339.39−162009.1	HD 113414	*	F7/F8V	8.26 : 7.73	
1RXSJ130349.5−050932	0.1699 (0.0277)	0.997	8.7	130350.22−050932.1	...	...	...	...	
1RXSJ130517.6−505117	0.1294 (0.0227)	0.995	0.0	130516.80−505123.8	HD 113553	*	G5V	8.99 : 8.34	
1RXSJ130528.5+124925	0.1164 (0.0240)	0.983	10.9	130529.04+124936.0	HD 113714	*	G5	10.83 : 10.13	
1RXSJ130615.6+204348	0.1510 (0.0192)	0.986	11.5	130615.53+204340.9	GJ 499A	**	K5	10.9 : 9.47	
1RXSJ130618.4−482744	0.2260 (0.0293)	0.988	0.0	130616.73−482747.7	HD 113703	**	B5V	4.564 : 4.694	
1RXSJ130625.7−045035	0.1936 (0.0277)	0.996	0.0	130626.01−045045.3	HD 113816	V* (RS CVn)	K0	9.49 : 8.37	
1RXSJ130733.2−525421	0.1257 (0.0237)	1.000	0.0	130733.50−525419.8	HD 113901	*	F5V	9.35 : 8.86	
1RXSJ130737.0−532755	0.1187 (0.0260)	0.988	0.0	130738.28−532735.1	HD 113902	*	B8V	5.640 : 5.701	
1RXSJ130959.3+173136	0.8762 (0.0632)	0.998	0.0	130959.29+173146.0	GJ 501A	**	F5V	5.67 : 5.22	P
...	...	...	...	130959.29+173146.0	GJ 501B	**	F5V	5.6 : 5.22	
...	...	...	...	130959.29+173146.0	HD 114378 J	V*	F5V	4.77 :	
...	...	...	...	130959.29+173146.0	IRAS 13075+1747	IR	./.	:	
1RXSJ131017.1−072712	0.1246 (0.0241)	0.997	10.4	131017.11−072716.6	MCG−01−34−008	Gal.	./.	15. :	
...	...	...	...	131017.11−072716.6	[MSD96] 13076−0711	Gal.	S...	:	
1RXSJ131036.5+355604	0.8862 (0.0444)	0.999	8.8	131037.05+355604.0	GJ 501.1=RS CVn	V* (RS CVn)	F4V+...	8.79 : 8.23	
1RXSJ131055.3−484407	0.2554 (0.0279)	0.988	11.5	131055.13−484403.4	...	...	...	...	
1RXSJ131152.9+275242	0.2550 (0.0370)	0.998	0.0	131152.92+275233.7	...	...	...	...	
1RXSJ131203.4−374803	0.0998 (0.0225)	0.998	0.0	131203.18−374810.9	GJ 501.2	HiPM*	G3V	5.55 : 4.85	
1RXSJ131216.5−462156	0.0532 (0.0153)	0.996	0.0	131216.10−462205.8	HD 114599	*	F5IV/V	9.58 : 9.17	
1RXSJ131245.8+343141	0.0792 (0.0142)	0.998	8.7	131246.66+343144.2	HD 114838	*	F5	8.60 : 8.10	
1RXSJ131255.3−594852	0.7567 (0.0746)	0.998	0.0	131255.71−594858.8	GJ 2099A	**	G0V	6.738 : 6.202	
...	...	...	...	131255.71−594858.8	IRAS 13097−5933	IR	./.	:	
1RXSJ131300.2+504857	0.1688 (0.0202)	0.993	0.0	131300.02+504856.5	HIC 64481	*	./.	:	
1RXSJ131327.3−600032	0.1231 (0.0340)	0.996	0.0	131328.14−600044.6	GSC 08990−00701	*	./.	10.63 : 10.01	
1RXSJ131424.3−505402	0.2723 (0.0320)	1.000	0.0	131423.84−505402.0	...	...	...	...	
1RXSJ131501.3+211356	0.1061 (0.0179)	0.996	9.6	131501.39+211354.2	BD+22 2561	*	G2	9.51 : 9.01	
1RXSJ131506.8+440230	0.2498 (0.0230)	0.998	10.2	131506.79+440234.2	BD+44 2258	*	K0V	10.34 : 9.61	
1RXSJ131516.1−505803	0.2142 (0.0272)	0.999	0.0	131516.66−505807.4	HD 115029	*	G8IV	10.00 : 9.13	
1RXSJ131533.1−544134	0.1070 (0.0292)	0.984	0.0	131532.77−544109.8	GSC 08653−00384	*	./.	10.80 : 10.21	
1RXSJ131603.0−054000	1.5240 (0.1110)	0.999	8.5	131603.34−054005.7	HD 115247	*	F8	8.24 : 7.68	P
1RXSJ131621.4+290555	72.8400 (0.3228)	0.997	0.0	131621.85+290555.4	EGGR 98	WD	DAw...	12.52 : 12.66	P
...	...	...	...	131621.85+290555.4	GAT 300	*	./.	12.1 :	
1RXSJ131646.6+092530	1.1220 (0.0870)	1.000	0.0	131646.51+092527.0	GJ 504	HiPM*	G0Vs	5.81 : 5.22	P
1RXSJ131703.4−021538	0.5335 (0.0463)	0.992	11.2	131703.42−021541.1	IC 4218	Sy1	S	14.4 :	
1RXSJ131738.6+711449	0.2813 (0.0209)	1.000	8.6	131738.12+711446.6	2E 1316.1+7130	X	./.	:	
...	...	...	...	131738.12+711446.6	HD 115849	*	F8	8.29 : 7.80	
1RXSJ131805.3+502650	0.0574 (0.0135)	0.982	8.9	131805.05+502646.1	HD 115706	*	F2	8.34 : 7.96	
1RXSJ131854.7+023239	0.2074 (0.0271)	0.997	9.8	131854.17+023237.7	V* LR Vir	Semi−Reg. Pulsating *	K2	9.69 : 8.42	
1RXSJ131855.7−231011	0.2734 (0.0324)	0.998	0.0	131855.25−231017.1	HD 115659	V*	G8III	3.92 :	P
1RXSJ132050.9+435927	0.0767 (0.0131)	0.999	0.0	132051.00+435924.6	HD 116127	*	F2	6.901 : 6.520	
1RXSJ132141.7+020521	0.3111 (0.0356)	0.999	0.0	132141.64+020514.1	HD 116160	*	A2V	5.735 : 5.693	
1RXSJ132209.8+050918	0.1240 (0.0237)	0.989	11.4	132209.86+050919.0	HD 116235	*	A2m	5.997 : 5.885	
1RXSJ132227.9−255031	0.0694 (0.0184)	0.998	0.0	132227.47−255027.1	HD 116211	*	F5V	7.50 : 7.12	
1RXSJ132424.3−021849	0.4843 (0.0431)	0.997	10.6	132423.96−021848.7	HD 116544	V* (RS CVn)	K5	10.34 : 9.19	
1RXSJ132426.3−043659	0.6968 (0.0502)	0.997	9.8	132425.78−043659.3	HD 116546	*	G	9.67 : 9.04	
1RXSJ132435.5−194504	0.0665 (0.0168)	0.983	10.1	132435.28−194511.2	...	...	...	...	
1RXSJ132511.6−110932	0.9618 (0.0868)	0.999	0.0	132511.60−110940.5	HD 116658	Elliptical variable Star	B1III−IV+...	0.91 : 1.04	P
1RXSJ132516.0−642914	0.1619 (0.0311)	0.996	0.0	132513.93−642906.6	HD 116457	**	F2III	5.691 : 5.321	
...	...	...	...	132513.93−642906.6	IRAS 13218−6413	IR	./.	:	
1RXSJ132545.5+565815	0.2009 (0.0220)	1.000	0.0	132545.52+565813.7	HD 116956	HiPM*	G9IV−V	8.5 : 8.1	
1RXSJ132548.2−481451	0.2375 (0.0296)	0.999	0.0	132547.87−481457.7	HD 116650	V*	K1:V:+...	10.36 : 9.80	
1RXSJ132657.6+783838	0.2980 (0.0258)	1.000	0.0	132656.80+783838.0	HD 117566	*	G2.5IIIb	6.485 : 5.750	
1RXSJ132706.3−485617	0.2191 (0.0331)	0.993	11.3	132706.02−485617.7	...	...	...	...	
1RXSJ132821.7+085030	0.0829 (0.0196)	0.980	11.1	132822.46+085026.6	BD+09 2764	*	G5	11.17 : 10.42	
1RXSJ132902.8+421415	0.0617 (0.0127)	0.998	8.2	132903.90+421418.4	HD 117378	*	G0	8.185 : 7.641	
1RXSJ132906.4+062743	0.0785 (0.0192)	0.985	11.6	132906.63+062744.4	...	...	...	...	
1RXSJ132943.2−045418	0.2876 (0.0379)	0.998	10.0	132943.32−045422.7	HD 117332	*	G0	10.28 : 9.60	
1RXSJ132946.7−322010	0.1307 (0.0260)	0.998	0.0	132946.35−322001.9	CD−31 10403	**	K0	10.66 : 9.95	
1RXSJ133047.5+241349	0.1797 (0.0269)	0.997	9.1	133047.02+241359.0	HD 117555	V*	G5II	9.04 : 8.17	P
1RXSJ133113.0−405242	0.1116 (0.0282)	0.984	11.6	133112.76−405244.4	...	...	...	...	
1RXSJ133113.6−252406	0.6661 (0.0499)	0.998	10.1	133113.88−252408.3	ESO 509− 38	Quasar	S	16.8 :	
1RXSJ133134.3+585727	0.0916 (0.0131)	0.984	8.6	133134.13+585710.1	HD 117845	*	G2V	8.63 : 8.09	
1RXSJ133152.6−511335	0.2134 (0.0463)	0.989	10.3	133153.72−511332.6	HD 117524	*	G5/G6V	10.61 : 9.92	
1RXSJ133350.2+172519	0.3381 (0.0340)	0.998	8.8	133350.28+172530.6	HD 118000	V*	F8	8.80 : 8.26	
1RXSJ133424.6+344135	0.0858 (0.0158)	0.988	9.4	133425.23+344125.1	NGC 5223	Gal.	E	14.4 :	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ133432.2−420929	0.1892 (0.0282)	1.000	0.0	133431.89−420930.7	...	...	...	...	
1RXSJ133443.7−082036	1.0610 (0.0600)	0.984	10.9	133444.14−082027.0	...	...	...	...	
1RXSJ133447.5+371100	2.7680 (0.0747)	1.000	0.0	133447.74+371056.8	HD 118216	V* (RS CVn)	F2IV	5.317 : 4.942	P
1RXSJ133508.2+204641	0.4258 (0.0337)	0.990	0.0	133508.12+204654.8	HD 118234	V*	K0	8.92 : 7.82	
1RXSJ133554.1−341739	2.9630 (0.1792)	0.998	9.7	133553.76−341743.7	...	...	...	...	
1RXSJ133608.2−332840	0.1270 (0.0238)	0.998	9.9	133608.32−332844.4	HD 118238	V*	K2IIIp	10.28 : 9.06	
1RXSJ133710.9−233702	0.0614 (0.0160)	0.998	0.0	133710.56−233657.6	HD 118412	V*	A9V	7.40 : 7.15	
1RXSJ133750.4−240738	0.0590 (0.0147)	0.996	0.0	133750.38−240741.6	HD 118528	*	G5V	9.98 : 9.31	
1RXSJ133952.7−532745	0.2277 (0.0449)	0.996	0.0	133953.27−532758.9	HD 118716	V* (beta Cep)	B1III	2.098 : 2.265	
...	...	...	...	133953.27−532758.9	IRAS 13366−5312	IR	./.	:	
1RXSJ134023.3+503113	0.3653 (0.0287)	0.996	0.0	134023.23+503109.9	GJ 521.2A	**	F7.7V	6.827 : 6.342	
...	...	...	...	134023.23+503109.9	GJ 9457A	*	F8V:	:	
...	...	...	...	134023.23+503109.9	GJ 9457B	*	./.	:	
1RXSJ134045.3+104257	0.1228 (0.0220)	0.984	11.4	134045.93+104253.6	CSI+10−13383	*	G5IV	11.4 : 10.7	
1RXSJ134105.2−342745	0.1914 (0.0283)	0.997	0.0	134104.17−342751.0	GJ 1175	HiPM*	K2V	7.79 : 6.93	
1RXSJ134322.9−463814	0.1237 (0.0314)	0.996	0.0	134321.96−463808.6	HD 119279	*	F3V	9.09 : 8.63	
1RXSJ134331.9−352027	0.1216 (0.0227)	0.996	0.0	134331.12−352025.1	CD−34 9097	*	G2	10.05 : 9.00	
1RXSJ134357.2−412057	0.0718 (0.0187)	0.998	0.0	134357.31−412056.8	HD 119416	*	G0V	8.43 : 7.89	P
1RXSJ134541.5−330232	0.6154 (0.0489)	1.000	0.0	134541.56−330236.1	GJ 525.1	Spec. Bin.	F3IV	4.61 : 4.23	
...	...	...	...	134541.56−330236.1	IRAS 13428−3247	IR	./.	:	
1RXSJ134601.2+420108	0.2911 (0.0238)	0.994	11.4	134601.41+420108.7	BD+42 2437	*	G0	10.17 : 9.34	
1RXSJ134613.0+305339	0.1640 (0.0236)	0.995	0.0	134613.73+305349.3	HD 120005	Spec. Bin.	F5	7.00 : 6.50	
1RXSJ134619.1+383013	0.1422 (0.0179)	0.994	0.0	134619.06+383013.0	HD 120048	*	G9III	6.861 : 5.924	
1RXSJ134716.2+172733	0.5627 (0.0614)	0.998	0.0	134716.03+172724.4	GJ 527A	V*	F6IV	4.98 :	P
...	...	...	...	134716.03+172724.4	GJ 527B	**	M2	:	
1RXSJ134810.0−104718	0.0613 (0.0154)	0.987	10.6	134810.82−104719.0	...	...	...	...	
1RXSJ134919.0−301830	2.9610 (0.1796)	0.999	9.2	134919.15−301836.2	ESO 445− 50	Sy1	?	14.15 : 13.10	
...	...	...	...	134919.15−301836.2	[RP98d] H11	X	./.	:	
1RXSJ135005.7−405001	0.1536 (0.0313)	0.981	11.5	135006.31−405008.7	HD 120411	*	G1V	10.43 : 9.79	P
1RXSJ135007.4−445058	0.1284 (0.0254)	0.984	0.0	135007.74−445103.4	HD 120395	**mul.	G0V	8.86 : 8.31	
1RXSJ135026.5+583219	0.0748 (0.0134)	0.985	11.2	135027.93+583221.8	HD 120874	*	A3V	6.536 : 6.448	
1RXSJ135129.7−181337	0.6644 (0.0471)	0.985	11.3	135129.52−181346.3	CTS 103	Quasar	./.	17.5 :	
1RXSJ135137.9+300031	0.0873 (0.0161)	0.988	9.9	135139.06+300028.2	HD 120876	*	G	9.79 : 9.31	
1RXSJ135247.0−464412	0.1957 (0.0344)	0.995	10.2	135247.83−464409.6	HD 120812	*	F8/G0V	10.22 : 9.59	
1RXSJ135312.9+175610	0.1268 (0.0221)	0.998	0.0	135312.93+175558.3	HD 121107	*	G5III	6.531 : 5.711	P
1RXSJ135331.6−353942	0.0808 (0.0186)	0.990	0.0	135332.79−353950.8	HD 120987	**mul.	F4V	5.953 : 5.565	
1RXSJ135420.2+325547	0.8346 (0.0459)	0.998	10.7	135420.04+325548.3	RBS 1329	Sy1	./.	:	P
...	...	...	...	135420.04+325548.3	UGC 8829	Gal.	SBa	14.8 :	
1RXSJ135441.2+182410	0.1438 (0.0231)	0.996	0.0	135441.11+182354.9	GJ 534	Spec. Bin.	G0IV	3.26 : 2.68	
1RXSJ135458.3−054348	0.0880 (0.0240)	0.997	9.6	135458.75−054350.8	HD 121323	*	G5	9.65 : 8.94	
1RXSJ135734.1−313908	0.3224 (0.0340)	1.000	0.0	135733.95−313910.7	HD 121688	V*	K0V	10.76 : 9.75	
1RXSJ135813.6+191709	0.2623 (0.0289)	0.997	10.2	135814.07+191713.4	BD+19 2735	*	K2	10.25 : 9.28	P
1RXSJ135824.4−013946	0.1649 (0.0226)	0.992	10.4	135824.84−013938.8	HD 121909	V* (RS CVn)	G0Vvar...	10.29 : 9.68	
1RXSJ135829.8−140710	0.0535 (0.0147)	0.998	0.0	135829.84−140719.4	HD 121883	*	K0III	7.807 : 6.848	
1RXSJ135952.9−222049	0.0614 (0.0159)	0.998	0.0	135953.40−222041.3	HD 122055	Pulsating variable Star	K1/K2III	9.99 : 8.75	
1RXSJ135958.5−250031	0.0975 (0.0225)	0.990	0.0	140000.12−250037.4	HD 122066	*	F6V	6.25 : 5.77	
1RXSJ140153.2+002520	0.0756 (0.0164)	0.994	8.8	140152.41+002522.3	HD 122444	*	F8	8.83 : 8.34	
1RXSJ140350.2−041447	0.0653 (0.0165)	0.986	11.3	140350.63−041446.9	HD 122746	*	G5	10.77 : 10.04	
1RXSJ140402.2−002135	0.0939 (0.0173)	0.998	9.1	140402.28−002144.7	HD 122798	Ecl. Bin. (beta Lyr)	F5	9.03 : 8.50	
1RXSJ140424.8−685653	0.2723 (0.0257)	0.981	11.7	140425.05−685645.6	CD−68 1317	*	./.	10.67 : 9.79	
1RXSJ140510.7−090256	0.0723 (0.0167)	0.999	8.8	140510.98−090255.1	HD 122973	*	G0	8.66 : 8.09	
1RXSJ140602.3−583246	0.1722 (0.0235)	0.993	11.2	140602.89−583244.5	...	...	...	...	
1RXSJ140614.7−174110	0.1010 (0.0191)	0.992	10.3	140615.09−174118.7	...	...	...	...	
1RXSJ140626.3+305051	0.8100 (0.0454)	0.999	8.6	140625.98+305054.3	HD 123351	Pulsating variable Star	K0	8.64 : 7.62	
1RXSJ140640.8−794910	0.0776 (0.0200)	0.985	11.5	140642.95−794913.4	HD 122235	*	G8/K0III:	11.3 : 9.94	P
1RXSJ141042.7−290616	0.3034 (0.0339)	0.998	10.5	141042.53−290616.4	HD 123851	*	K3III	10.79 : 9.82	
1RXSJ141340.4−005043	0.1158 (0.0188)	0.998	0.0	141340.79−005043.7	HD 124425	Spec. Bin.	F7Vw	6.38 : 5.90	P
1RXSJ141600.9−055955	0.9461 (0.0783)	1.000	0.0	141600.88−055958.3	GJ 9473	V*	F7IV	4.60 :	P
1RXSJ141611.7+211439	0.1020 (0.0200)	0.984	0.0	141611.28+211433.8	HD 124986	*	F8	8.05 : 7.63	
1RXSJ141611.8+512240	0.0582 (0.0119)	0.999	0.0	141612.17+512234.8	GJ 9474B	*	K1	9.05 : 8.23	
...	...	...	...	141612.17+512234.8	HD 234121	**	K1V	9.17 : 8.35	
1RXSJ141623.6+394448	0.0684 (0.0135)	0.997	0.0	141624.27+394440.9	HD 125111	*	F2IV	6.724 : 6.386	
1RXSJ141649.5+491100	0.2521 (0.0274)	0.981	11.9	141649.60+491104.5	BD+49 2285	*	?	11.30 : 10.17	
1RXSJ141703.0+505945	0.4409 (0.0272)	1.000	0.0	141703.10+505944.7	HD 125307	**mul.	G5	9.13 : 8.55	
1RXSJ141747.6+590336	0.1478 (0.0173)	0.998	10.1	141748.04+590335.8	HD 238339	*	G0	10.16 : 9.39	
1RXSJ141752.3−680255	0.4728 (0.0472)	0.999	0.0	141751.44−680249.3	CCDM J14179−6803B	**	./.	13.0 :	
...	...	...	...	141751.44−680249.3	HD 124672	**	F6V	8.03 : 7.56	
1RXSJ141805.9−621902	0.2285 (0.0246)	0.991	9.8	141804.97−621859.2	HD 124831	*	G5	10.03 : 9.44	P
1RXSJ142023.7+191505	0.0727 (0.0141)	0.998	10.1	142023.72+191505.8	BD+19 2795	*	K0	10.21 : 9.07	
1RXSJ142057.2+345958	0.2698 (0.0240)	0.981	12.2	142057.12+345956.3	BD+35 2550	**	K2	11.33 : 10.31	
1RXSJ142118.8+105013	0.1431 (0.0251)	0.991	8.4	142118.26+105014.6	HD 125752	*	F5	8.34 : 7.97	
1RXSJ142148.7−480420	0.4489 (0.0384)	1.000	0.0	142148.30−480418.8	HD 125599	*	F7/F8V	9.01 : 8.45	
1RXSJ142206.2−541706	0.1179 (0.0194)	0.984	11.4	142207.32−541705.1	...	...	...	...	
1RXSJ142356.2−503006	0.1811 (0.0250)	0.998	0.0	142356.41−502958.0	HD 125896	**mul.	F7V	10.11 : 9.48	
1RXSJ142412.6+082617	0.0549 (0.0146)	0.981	11.3	142412.87+082614.4	BD+09 2883	*	G5	10.29 : 9.59	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ142459.2−372638	0.1982 (0.0546)	0.985	0.0	142501.02−372649.3	HD 126194	*	A1V	6.802 : 6.690	
1RXSJ142511.9+515109	1.9960 (0.0547)	0.999	0.0	142511.79+515102.7	GJ 549A	V*	F7V	4.55 :	
...	...	...	...	142511.79+515102.7	IRAS 14234+5204	IR	./.	:	
1RXSJ142545.7−550736	0.1757 (0.0232)	0.985	10.9	142547.15−550739.1	HD 126181	*	F7V	9.99 : 9.48	
1RXSJ142612.7+191249	0.1320 (0.0193)	0.989	9.1	142612.24+191233.3	HD 126631	*	K0	9.32 : 8.27	
1RXSJ142705.3−471420	0.1531 (0.0244)	0.986	11.6	142705.58−471420.9	...	...	...	...	
1RXSJ142724.3−060722	0.0764 (0.0204)	0.998	0.0	142724.38−060713.3	HD 126722	*	A2IV	6.274 : 6.171	
1RXSJ142808.1+464157	0.2034 (0.0203)	0.981	11.8	142808.09+464203.1	CASG 440	Gal.	./.	:	
...	...	...	...	142808.09+464203.1	[BFE95] 176	Active Galaxy Nucleus	./.	18.0 :	
1RXSJ142810.2−292919	0.0915 (0.0192)	0.998	0.0	142810.44−292929.7	CD−28 10712C	**	?	:	
...	...	...	...	142810.44−292929.7	HD 126769	V*	B8V	4.899 : 4.972	
1RXSJ142812.3−021341	1.2110 (0.0706)	0.998	0.0	142812.13−021340.6	GJ 550.2A	V*	G2IV	5.497 : 4.844	
...	...	...	...	142812.13−021340.6	GJ 550.2B	**	G4V	:	
...	...	...	...	142812.13−021340.6	GJ 9481A	*	G2III	:	
...	...	...	...	142812.13−021340.6	IRAS 14256−0200	IR	./.	:	
1RXSJ142901.5+120725	0.4008 (0.0323)	0.998	9.2	142901.54+120716.8	GJ 3850	*	G5	9.32 : 8.42	
1RXSJ142903.2+335033	0.1765 (0.0202)	0.997	10.2	142902.83+335038.7	HD 127165	*	G	9.94 : 9.26	
1RXSJ142926.6−004940	0.1146 (0.0210)	0.987	11.2	142926.23−004945.8	CCDM J14294−0050AB	**mul.	G5V	10.9 : 10.3	
1RXSJ142947.9−624058	1.3740 (0.1107)	0.999	0.0	142947.75−624052.9	...	...	...	...	
1RXSJ143020.4−493121	0.1651 (0.0233)	0.995	0.0	143020.94−493108.5	HD 126983	Spec. Bin.	A1V+...	5.436 : 5.383	
1RXSJ143027.9+250531	0.0972 (0.0181)	0.998	9.0	143028.41+250523.4	HD 127386	*	G5	9.06 : 8.63	
1RXSJ143104.8+281716	0.5775 (0.0407)	0.982	11.7	143104.80+281714.8	Mrk 684	Sy1	S...	15.1 : 14.7	P
1RXSJ143114.5+453537	0.1874 (0.0200)	0.999	0.0	143114.33+453542.7	HD 127662	Pulsating variable Star	K5	9.66 : 8.44	
1RXSJ143132.5−283740	0.0848 (0.0185)	0.994	0.0	143133.50−283734.4	HD 127359	*	F3V	9.1 : 8.60	
1RXSJ143135.2−444526	0.1085 (0.0206)	0.982	0.0	143135.89−444527.4	...	...	...	...	
1RXSJ143230.5+504944	0.0640 (0.0107)	0.998	9.6	143230.62+504942.3	HD 234150	Ecl. Bin. (beta Lyr)	G5	9.91 : 9.45	
1RXSJ143250.4−464212	0.2826 (0.0327)	0.999	0.0	143250.30−464207.1	HD 127444	*	F6V	8.73 : 8.18	
1RXSJ143412.1+323206	0.0895 (0.0164)	0.982	0.0	143411.70+323204.1	HD 128093	**	F5V	6.714 : 6.320	
1RXSJ143413.7−191332	0.2434 (0.0315)	0.997	9.1	143413.90−191336.4	2E 1431.4−1900	X	./.	:	
...	...	...	...	143413.90−191336.4	HD 127858	*	F6V	9.04 : 8.53	
1RXSJ143423.7+684211	0.0581 (0.0096)	0.996	9.8	143424.36+684210.2	HD 128624	*	K0	9.75 : 9.10	
1RXSJ143440.3+294441	0.1706 (0.0225)	0.998	10.2	143440.07+294437.0	...	...	...	...	
1RXSJ143503.8+090647	0.0810 (0.0178)	0.998	9.8	143503.53+090653.1	HD 128141	V*	F8	9.59 : 9.09	
1RXSJ143536.1−534729	0.0588 (0.0153)	0.987	11.1	143536.64−534738.2	GSC 08679−00484	*	./.	11.7 : 10.32	
1RXSJ143552.0−470431	0.1035 (0.0195)	0.999	0.0	143551.61−470425.8	HD 127977	**mul.	F7V	9.55 : 9.06	
1RXSJ143600.5+094453	0.1489 (0.0239)	0.996	8.7	143559.89+094459.9	...	...	...	...	
1RXSJ143615.2−242318	0.1623 (0.0241)	0.996	10.0	143615.18−242326.7	HD 128203	*	G5V	10.08 : 9.38	
1RXSJ143622.2+584750	0.1022 (0.0165)	0.988	10.8	143622.00+584739.4	UGC 9412	Sy1	E/S0	14.3 :	
1RXSJ143704.6−414504	0.1680 (0.0271)	0.998	0.0	143704.23−414502.8	HD 128242	**mul.	G3V	10.35 : 9.69	
1RXSJ143850.0+442418	0.3418 (0.0300)	1.000	0.0	143850.22+442416.2	HD 129002	*	A1V	5.423 : 5.395	
1RXSJ143859.9+641731	0.9810 (0.0423)	0.998	8.4	143901.15+641731.6	GJ 559.1	V* (BY Dra)	F8	8.20 : 7.61	P
1RXSJ144010.7+574248	0.0508 (0.0113)	0.999	8.3	144011.11+574247.0	HD 129425	*	F8	8.35 : 7.88	
1RXSJ144037.9−600138	0.2397 (0.0264)	0.999	0.0	144038.58−600136.6	HD 128696	*	G5	10.64 : 9.82	
1RXSJ144045.6+143841	0.3039 (0.0300)	0.998	9.8	144045.74+143835.1	BD+15 2743	*	G0	9.84 : 9.24	
1RXSJ144132.3−664740	0.1026 (0.0157)	0.987	11.5	144131.65−664740.4	HD 128700	*	G5	10.83 : 9.86	
1RXSJ144138.4+080953	0.0789 (0.0185)	0.998	0.0	144138.75+080942.4	HD 129312	V*	G7III	5.859 : 4.865	
1RXSJ144149.7−750827	0.1402 (0.0264)	0.998	0.0	144152.44−750822.1	GJ 3863	*	G5V	7.414 : 6.743	
1RXSJ144156.3−472332	0.0840 (0.0179)	0.995	0.0	144155.77−472317.3	HD 129056	V* (beta Cep)	B1.5III	2.125 : 2.276	
1RXSJ144243.6−484808	0.3809 (0.0356)	0.998	0.0	144243.57−484758.7	HD 129181	*	F7/F8V	9.02 : 8.48	
1RXSJ144243.9−003955	0.1327 (0.0213)	0.991	10.6	144244.39−003952.1	BD−00 2862	*	?	10.74 : 10.04	
...	...	...	...	144244.39−003952.1	RX J1442.7−0039	X	G5Vvar+...	10.82 : 10.12	
1RXSJ144303.4−053926	0.6422 (0.0463)	1.000	0.0	144303.56−053926.8	GJ 9491	HiPM*	F2III	4.26 : 3.90	P
1RXSJ144306.2+425405	0.0684 (0.0126)	0.998	9.9	144306.84+425406.6	HD 129754	Semi−Reg. Pulsating *	K0	9.89 : 8.84	
1RXSJ144321.8+515512	0.0891 (0.0108)	0.990	8.7	144322.60+515459.4	HD 129920	*	F8	8.85 : 8.24	P
1RXSJ144351.3+474303	0.1845 (0.0200)	0.998	9.9	144351.12+474307.1	BD+48 2231	**	G0	9.90 : 9.29	
...	...	...	...	144351.12+474307.1	BD+48 2231B	**	?	:	
1RXSJ144414.4−694028	0.2518 (0.0273)	1.000	0.0	144414.14−694026.9	HD 129060	*	F7V	7.499 : 7.002	
1RXSJ144520.1−064402	0.3030 (0.0429)	1.000	0.0	144520.26−064404.1	HD 129903	V*	G0	8.53 : 8.00	
1RXSJ144556.0−445202	0.1195 (0.0206)	0.993	0.0	144557.64−445203.1	HD 129791	**	A0V	6.960 : 6.909	
1RXSJ144603.4+273049	0.0591 (0.0135)	0.998	9.0	144602.97+273046.1	HD 130215	*	K2V	8.81 : 7.96	
1RXSJ144620.2−674621	0.3297 (0.0285)	0.982	11.4	144621.58−674615.2	HD 129496	*	F7/F8V	9.35 : 8.83	
1RXSJ144843.1−420543	0.0601 (0.0154)	0.988	11.3	144843.14−420549.0	HD 130312	*	G3/G5V	10.22 : 9.61	
1RXSJ144926.8+571803	0.0921 (0.0133)	0.982	11.5	144927.53+571756.9	GSC 03864−01315	*	./.	10.76 : 10.02	
1RXSJ145015.3+823048	0.1155 (0.0139)	0.990	11.4	145016.20+823053.3	IRAS 14536+8243	IR	./.	:	
1RXSJ145015.4+235449	0.4067 (0.0306)	0.985	11.4	145015.24+235440.8	GJ 564	*	G1V	6.434 : 5.880	
1RXSJ145025.4−350645	0.0903 (0.0203)	0.990	10.9	145025.84−350648.4	RX J1450.4−3507	X	K1	:	
1RXSJ145040.5−155952	0.2828 (0.0307)	0.998	0.0	145041.20−155950.1	GJ 563.4	**	F3V	5.515 : 5.152	
...	...	...	...	145041.20−155950.1	IRAS 14479−1547	IR	./.	:	
1RXSJ145102.3+094318	0.0890 (0.0206)	0.988	0.0	145102.06+094319.3	GJ 3868A	HiPM*	K0	8.16 : 7.40	
...	...	...	...	145102.06+094319.3	GJ 3869B	HiPM*	K4	:	
1RXSJ145248.4−333652	0.1124 (0.0222)	0.985	9.9	145247.02−333653.2	HD 131119	*	K1V	10.04 : 9.29	
1RXSJ145324.3+190915	0.3629 (0.0341)	0.998	0.0	145323.77+190910.1	GJ 567	V*	K2V	6.84 :	
1RXSJ145424.0+451749	0.0928 (0.0128)	0.998	8.3	145424.81+451753.4	HD 131861	Spec. Bin.	F5V	8.30 : 7.92	
1RXSJ145525.8+134737	0.1665 (0.0261)	0.984	11.0	145525.39+134724.9	HD 131825	*	G5	10.80 : 10.17	
1RXSJ145555.7−765556	0.0720 (0.0207)	0.984	10.4	145553.68−765606.3	CCDM J14559−7656AB	**mul.	K0	10.80 : 10.11	
1RXSJ145629.8+170614	0.3504 (0.0332)	1.000	8.4	145630.03+170613.8	HD 132031	*	G0	8.34 : 7.79	

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ145708.0+352929	0.0860 (0.0147)	0.981	8.0	145707.07+352929.7	HD 132276	**	F2	7.735 : 7.377	
1RXSJ145721.8−401401	0.0994 (0.0203)	0.996	10.8	145722.09−401358.6	...	...	...	...	
1RXSJ145837.6−354036	0.0829 (0.0189)	0.980	11.0	145837.72−354030.6	CD−35 9931	*	./.	11.7 : 10.9	
...	...	...	...	145837.72−354030.6	RX J1458.6−3541	X	K3	:	
1RXSJ145920.2+464910	0.1959 (0.0182)	0.996	9.7	145920.47+464903.0	V* ET Boo	Ecl. Bin. (beta Lyr)	F8	9.68 : 9.09	
1RXSJ145923.0−401319	0.1869 (0.0270)	0.988	11.2	145922.84−401311.8	HD 132264	*	G8IV:	10.42 : 9.72	P
...	...	...	...	145922.84−401311.8	RX J1459.3−4013	X	G6	:	
1RXSJ145944.8−342549	0.1220 (0.0225)	0.990	0.0	145944.74−342546.7	...	...	...	...	
1RXSJ145951.7−401158	0.0849 (0.0194)	0.985	11.3	145952.49−401159.4	HD 132349	*	F7/F8V	10.37 : 9.90	P
1RXSJ145959.4+120124	0.0868 (0.0195)	0.998	9.2	145959.63+120126.2	HD 132658	*	F5	9.27 : 8.90	
1RXSJ150054.7+452541	0.1468 (0.0162)	0.997	0.0	150055.58+452533.9	GJ 572	HiPM*	K7	10.64 : 9.17	
1RXSJ150058.0−083103	0.6318 (0.0424)	0.999	0.0	150058.35−083108.3	HD 132742	Ecl. Bin. (Algol)	B9.5V	4.94 : 4.95	P
1RXSJ150059.4+730316	0.0535 (0.0108)	0.998	9.4	150100.01+730309.6	HD 133767	Ecl. Bin. (beta Lyr)	F8	9.22 : 8.67	
1RXSJ150111.6+014151	0.5451 (0.0422)	0.985	8.0	150111.18+014207.2	NGC 5813	Gal.	E...	12.5 :	
1RXSJ150112.0−412040	0.1784 (0.0250)	0.992	10.4	150111.57−412040.3	RX J1501.2−4121	X	G4	:	
1RXSJ150428.9−392423	0.0509 (0.0153)	0.987	11.3	150428.69−392427.1	CD−38 9913	*	./.	11.6 : 10.7	
1RXSJ150534.3−303301	0.1796 (0.0264)	0.992	10.7	150533.77−303305.5	HD 133469	*	F6V	6.8 : 6.5	
1RXSJ150717.8+245212	0.2084 (0.0258)	1.000	0.0	150718.07+245209.0	GJ 578	V*	F5V	5.36 :	
1RXSJ150725.6−490516	0.1183 (0.0188)	0.999	0.0	150725.95−490519.0	HD 133631	*	G8III	6.698 : 5.774	
1RXSJ150806.6+694359	0.0520 (0.0089)	0.985	11.6	150806.30+694353.0	BD+70 824	*	G5	11.07 : 10.28	
1RXSJ150928.2−465109	0.0776 (0.0163)	0.995	0.0	150927.93−465057.2	...	...	...	...	
1RXSJ151159.4−211903	0.3649 (0.0326)	0.992	11.2	151159.81−211901.8	CTS 26	Sy1	./.	15.5 :	
...	...	...	...	151159.81−211901.8	[DML87] 363	IR	./.	:	
1RXSJ151223.7−751518	0.2586 (0.0354)	0.999	0.0	151223.43−751515.6	HD 133813	V*	G8/K0V:	10.25 : 9.43	
1RXSJ151513.5−305850	0.0538 (0.0144)	0.988	10.5	151513.97−305839.6	HD 135271	*	F8/G0V	9.78 : 9.28	
1RXSJ151523.3+553057	0.3095 (0.0197)	0.999	9.4	151523.41+553103.1	IRAS 15140+5541	IR	./.	:	
...	...	...	...	151523.41+553103.1	NGC 5905	Gal.	SBb	13.6 :	
1RXSJ151558.3−441131	0.0995 (0.0182)	0.993	10.0	151558.35−441122.2	HD 135308	*	F6IV	9.90 : 9.49	
1RXSJ151658.5−605730	0.0968 (0.0173)	0.998	0.0	151656.89−605726.0	** HDO 245	Elliptical variable Star	O8.5V	4.98 : 5.07	
1RXSJ151722.1−275949	0.1046 (0.0190)	0.997	0.0	151721.09−275950.3	HIC 74815	*	./.	:	
1RXSJ151802.0−531719	0.2232 (0.0256)	0.982	11.5	151801.87−531727.4	GSC 08694−01685	*	./.	10.84 : 10.13	
1RXSJ151810.1−482831	0.0587 (0.0148)	0.985	9.7	151809.44−482833.0	HD 135646	*	F6V	9.74 : 9.25	
1RXSJ151827.3−373808	0.1302 (0.0223)	0.980	11.4	151826.91−373802.4	...	...	...	...	
1RXSJ151834.0−475254	0.1554 (0.0215)	0.996	0.0	151833.78−475245.2	HD 135748	**	A2/A3V:	6.87 : 6.76	
1RXSJ151951.6+162749	0.3380 (0.0375)	0.998	10.2	151952.03+162750.6	HD 136377	Variable Star with rapid variations	K5	10.10 : 8.86	
1RXSJ151955.7−300630	0.1622 (0.0237)	0.998	0.0	151956.53−300624.9	HD 136123	V*	G0V	9.74 : 9.19	
1RXSJ152046.2−405405	0.0743 (0.0164)	0.993	0.0	152046.97−405352.8	HD 136206	*	F8	8.30 : 7.83	
1RXSJ152153.0+205830	0.9945 (0.0798)	0.983	11.8	152152.65+205833.4	BPM 90688	*	M0Ve	12.2 : 10.1	P
...	...	...	...	152152.65+205833.4	GJ 9520	*	M1.5	:	
...	...	...	...	152152.65+205833.4	V* OT Ser	V*	M9	11.4 : 10.16	
1RXSJ152206.3+511102	0.0853 (0.0128)	0.992	10.5	152206.16+511053.1	HD 234224	V*	G5	10.15 : 9.48	
1RXSJ152208.7−475536	0.1557 (0.0222)	0.999	0.0	152208.27−475540.0	GJ 3901	HiPM*	F8V	5.50 : 5.00	
1RXSJ152211.6−460528	0.3818 (0.0340)	0.985	11.6	152211.88−460521.3	HD 136391	**	G8V	9.81 : 9.06	
1RXSJ152244.2+161550	0.4247 (0.0408)	0.993	8.8	152244.83+161541.1	...	...	...	...	
1RXSJ152301.4−453647	0.0519 (0.0131)	0.988	11.6	152301.05−453648.5	CD−45 9877	*	G0	11.05 : 10.32	
1RXSJ152312.1+301719	0.1477 (0.0238)	0.999	0.0	152312.24+301718.0	GJ 584A	**	G0V	6.16 : 5.58	
...	...	...	...	152312.24+301718.0	GJ 584B	**	G3V	6.7 : 6.08	
...	...	...	...	152312.24+301718.0	HD 137107 J	Spec. Bin.	G2V	5.58 :	
...	...	...	...	152312.24+301718.0	IRAS 15211+3027	IR	./.	:	
1RXSJ152319.3+402221	0.0755 (0.0127)	0.998	10.0	152319.40+402217.3	** COU 1441	**mul.	K0	9.75 : 8.66	
1RXSJ152326.0−063650	0.1381 (0.0196)	0.997	0.0	152326.05−063637.8	HD 136905	V* (RS CVn)	K0	8.40 : 7.36	P
1RXSJ152445.4−394238	0.1051 (0.0192)	0.999	0.0	152445.02−394236.5	HD 136933	**mul.	A0sp...	5.276 : 5.367	
1RXSJ152512.5−465922	0.1554 (0.0224)	0.982	11.2	152511.77−465912.5	CCDM J15252−4659B	**	./.	:	
...	...	...	...	152511.77−465912.5	CD−46 10045	**	F5	10.64 : 9.77	
1RXSJ152516.8−384526	0.2086 (0.0251)	1.000	0.0	152517.04−384525.6	HD 137059	TT	G5V	9.72 : 9.09	
1RXSJ152627.2−311920	0.0822 (0.0169)	0.998	0.0	152627.17−311914.5	HD 137340	*	F6V	7.74 : 7.34	
1RXSJ152648.5−655341	0.1325 (0.0200)	0.986	11.4	152649.25−655336.2	...	...	...	...	
1RXSJ152756.5−393155	0.1838 (0.0247)	0.997	9.4	152756.65−393153.7	HD 137515	*	F5V	9.69 : 9.23	
1RXSJ152757.4+651533	0.1420 (0.0133)	0.987	11.4	152756.30+651536.6	...	...	...	...	
1RXSJ152812.1−092128	0.1456 (0.0231)	0.998	0.0	152812.16−092125.2	GJ 586B	HiPM*	K2V	8.52 : 7.62	
1RXSJ152944.9+161124	0.1973 (0.0255)	0.997	0.0	152944.45+161131.2	HD 138157	V*	K0	8.16 : 7.14	P
1RXSJ153026.1−321815	0.6091 (0.0617)	0.999	0.0	153026.26−321812.6	HD 138009	V*	G6V	9.4 : 8.7	P
1RXSJ153144.1−073451	0.0697 (0.0154)	0.980	11.6	153144.35−073454.0	BD−07 4043	*	./.	11.4 : 10.7	
1RXSJ153223.4−083212	0.1530 (0.0237)	0.982	10.8	153223.14−083201.0	V* UZ Lib	V*	Kp	10.12 : 9.11	P
1RXSJ153230.8−380419	0.0630 (0.0154)	0.984	11.7	153230.95−380417.3	HD 138285	*	A0V	7.523 : 7.491	
1RXSJ153441.5+264252	0.1184 (0.0246)	0.999	0.0	153441.27+264252.9	GJ 9524	Ecl. Bin. (Algol)	A0V	2.244 : 2.214	
1RXSJ153701.9−313647	0.3916 (0.0347)	0.998	0.0	153702.15−313639.5	CCDM J15370−3137BC	**mul.	?	:	
...	...	...	...	153702.15−313639.5	CD−31 12102	**	G5	10.68 : 9.85	
1RXSJ153713.6−182009	0.1690 (0.0228)	0.999	0.0	153713.37−182006.1	BD−17 4379B	**	?	:	
...	...	...	...	153713.37−182006.1	HD 139183	**	K1III+...	9.20 : 8.47	
1RXSJ153811.9+491148	0.2578 (0.0185)	0.998	10.5	153812.21+491151.5	BD+49 2412	*	G0	10.35 : 9.71	
1RXSJ153843.1−441149	0.1406 (0.0209)	0.985	11.8	153843.12−441147.2	CD−43 10072	*	./.	:	
1RXSJ153859.3−574225	1.4230 (0.0722)	0.990	0.0	153857.56−574227.3	HD 139084	V* (BY Dra)	K0V	8.97 : 8.14	
1RXSJ153924.0−271035	0.2332 (0.0261)	0.989	0.0	153924.41−271021.9	HD 139498	**mul.	G8V:	10.30 : 9.57	
1RXSJ154111.0−443945	0.5232 (0.0372)	0.999	0.0	154111.38−443940.3	GJ 594	HiPM*	F5IV−V	5.04 : 4.64	
1RXSJ154131.4−252043	0.3096 (0.0300)	0.983	11.3	154131.23−252036.2	CD−24 12231	*	K0	10.70 : 9.88	

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ154154.9+182744	0.0672 (0.0212)	0.998	0.0	154154.71+182750.5	HD 140232	*	A2m	6.004 : 5.804	
1RXSJ154240.4−344247	0.0879 (0.0172)	0.997	0.0	154241.04−344237.2	HD 140008	Spec. Bin.	B5V	4.591 : 4.717	
1RXSJ154308.3−842756	0.2684 (0.0396)	0.998	0.0	154316.94−842755.0	HD 137333	*	A2V	5.686 : 5.575	
1RXSJ154502.0−405043	0.2510 (0.0276)	0.989	0.0	154501.83−405031.0	HD 140421	*	G1V	10.03 : 9.50	
1RXSJ154506.8−350613	0.1077 (0.0185)	0.981	11.6	154506.34−350606.5	HD 140475	**mul.	A2V	7.82 : 7.71	
1RXSJ154513.6−341733	0.1368 (0.0199)	0.982	0.0	154512.86−341730.7	V* HT Lup	V* (Orion)	Ge	11.7 : 10.4	
1RXSJ154610.7−280437	0.0694 (0.0152)	0.985	0.0	154610.79−280423.2	HD 140722 C	**	G0	9.97 : 9.18	
1RXSJ154619.6−114037	0.1376 (0.0183)	0.984	11.6	154619.98−114032.0	BD−11 4003	*	./.	11.2 : 10.41	
1RXSJ154625.5+072111	0.0620 (0.0140)	0.991	0.0	154626.61+072111.0	GJ 598	Spec. Bin.	G0V	5.03 :	P
1RXSJ154635.6−612744	0.1025 (0.0183)	0.993	0.0	154635.94−612739.5	...	...	...	...	
1RXSJ154650.1+250515	0.0601 (0.0149)	0.997	9.2	154650.29+250504.8	HD 141176	*	G2IV	8.98 : 8.36	
1RXSJ154659.6−624741	0.1296 (0.0210)	0.999	0.0	154700.20−624747.6	HD 140408	*	F6/F7V	7.559 : 7.118	
1RXSJ154729.8−375456	0.1468 (0.0227)	0.984	11.7	154729.70−375455.3	GJ 599A	HiPM*	G6V	6.73 : 6.01	
...	...	...	...	154729.70−375455.3	IRAS 15442−3745	IR	./.	:	
1RXSJ154809.6−232222	0.0796 (0.0156)	0.985	11.6	154809.33−232224.0	BD−22 4027	*	G	10.41 : 9.80	
1RXSJ154824.9−134532	0.2278 (0.0232)	0.998	10.5	154824.95−134527.7	NGC 5995	Sy2	./.	14. :	
1RXSJ154841.7−433529	0.1146 (0.0192)	0.998	0.0	154842.02−433520.9	...	...	...	...	
1RXSJ154843.3−320717	0.3135 (0.0306)	0.985	11.0	154843.25−320711.7	IRAS 15455−3157	Gal.	./.	:	
1RXSJ154925.0+460822	0.1368 (0.0184)	0.999	0.0	154924.81+460822.3	...	...	...	...	
1RXSJ154935.4+260358	0.6704 (0.0435)	0.998	0.0	154935.65+260406.2	HD 141714	V* (RS CVn)	G3.5III	5.358 : 4.601	P
1RXSJ154944.7−392509	0.1321 (0.0198)	0.982	11.7	154945.04−392508.9	HD 141277	TT	K0V:	11.6 : 10.5	
1RXSJ154949.7+472828	0.4538 (0.0294)	0.998	9.5	154949.48+472822.4	HD 141970	*	G5	9.28 : 8.58	
1RXSJ154957.0−035526	0.0933 (0.0171)	0.996	0.0	154957.74−035516.3	HD 141569	Em. *	B9	6.9 : 7.0	
1RXSJ155033.4+375017	0.2553 (0.0371)	0.983	9.6	155032.74+375006.8	HD 141990	Ecl. Bin. (W UMa)	G5	9.27 : 8.69	
1RXSJ155048.5+721237	0.0703 (0.0083)	0.994	11.0	155049.36+721240.5	V* RS UMi	V* (RS CVn)	G0	10.96 : 10.12	P
1RXSJ155057.4−333741	0.1545 (0.0240)	0.999	0.0	155057.54−333737.9	HD 141556	Spec. Bin.	B9IV	3.926 : 3.957	
...	...	...	...	155057.54−333737.9	IRAS 15477−3328	IR	./.	:	
1RXSJ155113.5−421858	0.1025 (0.0174)	0.985	11.4	155113.71−421851.0	HD 141521	*	G8V	10.28 : 9.57	
1RXSJ155154.6−262207	0.1413 (0.0189)	0.988	11.6	155154.44−262205.1	HD 141813	*	K0/K1III+...	10.15 : 9.51	
1RXSJ155204.3−374751	0.0952 (0.0164)	0.999	0.0	155204.54−374744.0	HD 141741	*	K1III	10.02 : 8.72	
1RXSJ155312.9−304659	0.1084 (0.0204)	0.994	0.0	155312.97−304644.2	HD 142016	*	A4IV/V	7.4 : 7.3	
1RXSJ155327.1−421609	0.9081 (0.0704)	0.998	0.0	155327.29−421600.7	HD 141943	*	G1V	8.47 : 7.87	
1RXSJ155413.0−585532	0.0721 (0.0163)	0.993	9.0	155413.49−585523.9	HD 141841	*	K2III	9.76 : 8.46	
1RXSJ155500.0−234729	0.4501 (0.0479)	0.998	9.4	155459.85−234719.6	HD 142361	**	G3V	9.64 : 8.96	P
1RXSJ155500.4−192305	0.0596 (0.0135)	0.999	0.0	155500.37−192258.4	HD 142378	V*	B2/B3V	5.930 : 5.957	
1RXSJ155508.2−632553	0.1443 (0.0247)	0.999	0.0	155508.81−632547.1	GJ 601A	HiPM*	F2III	3.14 : 2.85	
...	...	...	...	155508.81−632547.1	IRAS 15507−6316	IR	./.	:	
1RXSJ155518.0−232205	0.0576 (0.0134)	0.999	0.0	155517.58−232203.7	HD 142424	*	A4IV/V	8.77 : 8.43	
...	...	...	...	155517.58−232203.7	RX J155517.5−232155	X	./.	:	P
1RXSJ155703.2+635029	0.0971 (0.0124)	0.992	11.4	155703.38+635027.4	MCG+11−19−030	Sy2	./.	15.3 :	
1RXSJ155718.5−300005	0.0603 (0.0151)	0.987	0.0	155717.65−295946.2	HD 142727	*	F7V	8.55 : 8.05	
1RXSJ155738.6−242448	0.0695 (0.0160)	0.981	10.2	155738.79−242432.7	CD−24 12415	*	./.	10.52 : 9.92	
1RXSJ155752.5+774738	0.0650 (0.0097)	0.982	11.6	155750.86+774739.4	...	...	...	...	
1RXSJ155843.8+253405	0.6426 (0.0338)	0.988	9.4	155844.21+253416.6	GJ 3930	V* (BY Dra)	K2V	9.21 : 8.21	P
1RXSJ155942.5−383400	0.1443 (0.0242)	0.986	10.9	155942.21−383348.9	HD 143052	**	F5V	10.04 : 9.49	
1RXSJ155949.1−362839	0.1477 (0.0210)	0.996	0.0	155949.51−362827.9	CD−36 10569	TT	K3	:	
1RXSJ155953.5−075333	0.1516 (0.0325)	0.985	10.2	155953.43−075314.4	HD 143298	*	G0	9.50 : 8.60	
1RXSJ160020.8−163154	0.0867 (0.0171)	0.990	0.0	160019.60−163200.0	GJ 3931	Spec. Bin.	F7V	5.99 : 5.47	
1RXSJ160118.6−265220	0.0977 (0.0160)	0.991	11.0	160118.38−265220.5	CCDM J16013−2652B	**	./.	:	
...	...	...	...	160118.38−265220.5	HD 143441	**	G0V	10.05 : 9.42	
1RXSJ160141.2+664811	1.0520 (0.0304)	0.989	11.8	160141.13+664810.4	V* AG Dra	Symbiotic Star	K0	11.3 : 9.82	P
1RXSJ160147.7+512053	0.8557 (0.0510)	0.999	9.4	160147.81+512050.6	HD 144110	V*	G5	9.30 : 8.61	
1RXSJ160153.9+583352	0.7500 (0.0231)	1.000	0.0	160153.36+583355.0	GJ 9538	Spec. Bin.	F8IV	4.53 : 4.01	P
...	...	...	...	160153.36+583355.0	IRAS 16009+5842	IR	./.	:	
1RXSJ160158.0−200817	0.1548 (0.0217)	0.993	11.1	160158.21−200811.7	BD−19 4288	*	./.	11.5 : 10.4	
1RXSJ160244.3−304010	0.1537 (0.0214)	0.983	11.4	160244.15−304000.9	HD 143637	*	G1V	9.63 : 9.10	
1RXSJ160248.3+252031	0.1967 (0.0191)	0.988	0.0	160248.37+252038.6	...	...	...	...	
1RXSJ160312.8−491340	0.1709 (0.0242)	0.999	0.0	160312.90−491346.9	HD 143546	*	G8III	5.560 : 4.648	
1RXSJ160330.5−574637	2.0450 (0.1388)	0.981	0.0	160330.87−574635.2	CPD−57 7500C	**	G8V	8.75 : 8.02	
...	...	...	...	160330.87−574635.2	IRAS 15594−5738	IR	./.	:	
1RXSJ160345.8−435544	0.4091 (0.0325)	0.986	11.3	160345.37−435549.1	HD 143677	TT	G8V	10.55 : 9.67	
1RXSJ160352.0−393901	0.1288 (0.0235)	0.982	11.6	160352.52−393901.0	...	...	...	...	
1RXSJ160403.4−215545	0.9880 (0.0729)	1.000	0.0	160403.34−215548.2	...	...	...	...	
1RXSJ160415.8+035806	0.0724 (0.0140)	0.998	10.2	160416.12+035806.0	BD+04 3107	*	G5	10.33 : 9.70	
1RXSJ160422.5−112230	0.2535 (0.0246)	0.998	0.0	160422.18−112222.9	BD−10 4237C	**	?	8.05 : 7.30	
...	...	...	...	160422.18−112222.9	GJ 9540A	*	F6IV	4.62 : 4.16	
...	...	...	...	160422.18−112222.9	GJ 9540B	*	G0	:	
...	...	...	...	160422.18−112222.9	GJ 9540C	**mul.	G8V	8.05 : 7.30	
...	...	...	...	160422.18−112222.9	HD 144069	**	F5IV	5.6 : 5.07	
...	...	...	...	160422.18−112222.9	HD 144069 J	Spec. Bin.	F6IV	4.64 : 4.17	
...	...	...	...	160422.18−112222.9	HD 144070	**	F5IV	5.24 : 4.77	
...	...	...	...	160422.18−112222.9	IRAS 16016−1114	IR	./.	:	
1RXSJ160444.6−392602	0.0706 (0.0175)	0.998	0.0	160444.49−392604.8	HD 143939	V*	B9p	6.864 : 6.947	
...	...	...	...	160444.49−392604.8	HD 143939 B	**	K3Ve	:	
1RXSJ160550.5−253321	0.1242 (0.0174)	0.998	0.0	160550.69−253313.7	GSC 06784−01219	*	G7	11.7 :	
1RXSJ160606.3−233632	0.0799 (0.0161)	0.997	0.0	160606.39−233622.7	HD 144334	Rot. Var. *	B8V	5.823 : 5.893	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ160651.0+271631	0.1017 (0.0139)	0.992	11.0	160650.77+271634.8	V* TW CrB	V*	F8	10.96 : 10.40	
1RXSJ160658.5−274321	0.0780 (0.0161)	0.991	0.0	160657.96−274309.8	HD 144432	Em. *	A9/F0V	8.50 : 8.16	
1RXSJ160704.4+023823	0.2030 (0.0229)	0.993	11.0	160704.73+023821.5	...	...	...	...	
1RXSJ160718.5−220345	0.1096 (0.0182)	0.986	0.0	160717.79−220336.6	HD 144548	*	F7V	9.34 : 8.72	
1RXSJ160735.1+324006	0.3586 (0.0253)	0.995	10.2	160734.99+324013.7	EF B1605+3246	Rad.	./.	:	
...	...	...	...	160734.99+324013.7	HD 145022	*	G5	9.85 : 9.25	
1RXSJ160804.3+170243	0.1765 (0.0200)	0.999	0.0	160804.53+170249.1	HD 145001	**	G8III	5.915 : 5.000	
...	...	...	...	160804.53+170249.1	IRAS 16058+1710	IR	./.	:	
1RXSJ160805.1−245536	0.2661 (0.0264)	0.999	9.3	160805.25−245533.2	HD 144713	**mul.	F3/F5V	9.77 : 9.18	
1RXSJ160835.6−204530	0.1186 (0.0181)	0.998	9.3	160835.18−204528.4	HD 144822	*	F3V	8.99 : 8.41	
1RXSJ160843.5−252238	0.0920 (0.0177)	0.999	0.0	160843.67−252236.6	HD 144823	*	F3V	9.27 : 8.80	
1RXSJ160938.4+055238	0.1375 (0.0194)	0.986	11.6	160938.09+055238.2	HD 145230	V*	K2	10.28 : 9.30	
1RXSJ161003.3−502605	0.0980 (0.0181)	0.987	11.1	161003.25−502612.4	CD−50 10181	*	K0	11.2 : 9.93	
1RXSJ161004.9−401614	0.0791 (0.0150)	0.990	11.4	161004.82−401612.0	...	...	...	...	
1RXSJ161028.6−221347	0.2501 (0.0269)	0.998	10.2	161028.86−221347.2	HD 145208	*	G5V	10.51 : 9.70	
1RXSJ161158.5−192709	0.1783 (0.0291)	0.993	0.0	161158.55−192700.4	HD 145501 C	**mul.	B8/B9V	6.43 : 6.30	
1RXSJ161335.9−454901	0.0540 (0.0146)	0.982	9.1	161334.44−454904.0	HD 145560	*	F5V	9.32 : 8.92	
1RXSJ161357.9−361813	0.1736 (0.0219)	0.989	11.6	161358.03−361813.9	...	...	...	...	
1RXSJ161358.4−281509	0.2393 (0.0318)	1.000	0.0	161358.12−281509.5	HD 145793	**mul.	A2V+...	8.17 : 7.95	
1RXSJ161411.7−541012	0.1204 (0.0207)	0.992	0.0	161411.26−541016.5	HD 145523	*	G2V	8.37 : 7.84	
1RXSJ161422.0+023858	0.0538 (0.0130)	0.991	0.0	161422.13+023849.9	HD 146102	*	F5	7.415 : 6.939	
1RXSJ161451.3−502621	0.2372 (0.0293)	0.999	0.0	161452.02−502618.5	...	...	...	...	
1RXSJ161532.2+360923	0.0547 (0.0097)	0.985	10.8	161532.01+360934.8	GSC 02586−01331	*	./.	10.77 : 10.27	P
1RXSJ161543.4+443310	0.5832 (0.0400)	0.995	9.4	161542.38+443311.6	HD 146696	*	G0	9.48 : 8.87	
1RXSJ161721.9−040646	0.0585 (0.0133)	0.994	10.7	161721.72−040648.4	BD−03 3912	*	./.	10.63 : 9.79	
1RXSJ161731.8−230337	0.2161 (0.0272)	0.998	0.0	161731.40−230335.9	HD 146516	*	G1V	10.96 : 10.14	
1RXSJ161811.4−291108	0.1392 (0.0197)	0.993	10.7	161811.12−291111.5	CD−28 12034	*	./.	11.1 : 10.3	
1RXSJ161816.7+071954	0.3141 (0.0275)	1.000	9.4	161816.71+071956.9	HD 146875	*	G5	9.54 : 8.81	
1RXSJ161837.2−592722	0.2692 (0.0337)	0.982	11.6	161836.49−592717.5	...	...	...	...	
1RXSJ161838.4−352431	0.1613 (0.0236)	0.995	0.0	161839.03−352430.5	HD 146626	*	F3V	9.11 : 8.71	
1RXSJ161949.6−335456	0.0838 (0.0172)	0.989	0.0	161950.59−335445.2	CD−33 11099	*	./.	10.81 : 10.09	
1RXSJ162013.2+243606	0.2943 (0.0228)	0.989	10.9	162013.72+243611.3	BD+24 2995	*	K0	10.60 : 9.48	
1RXSJ162235.7−503237	0.1555 (0.0236)	1.000	0.0	162235.85−503238.0	HD 147170	*	F6/F7V	8.86 : 8.22	P
1RXSJ162255.0+224559	0.1081 (0.0149)	0.982	11.3	162255.45+224603.6	RX J1622.8+2246	X	K	:	P
1RXSJ162323.1−262216	0.2887 (0.0266)	0.998	10.1	162322.91−262216.4	CCDM J16234−2622B	**	./.	:	
...	...	...	...	162322.91−262216.4	HD 147491	V* (delta Sct)	G0V	10.26 : 9.66	
1RXSJ162330.1−395806	0.0792 (0.0175)	0.982	11.6	162329.59−395800.3	HD 147402	TT	G0	11.6 : 10.6	
...	...	...	...	162329.59−395800.3	RX J1623.5−3958	X	./.	:	
1RXSJ162334.8−440710	0.1020 (0.0195)	0.984	10.8	162333.58−440703.3	HD 147373	**mul.	K5	11.06 : 10.30	
1RXSJ162335.9−463145	0.0520 (0.0141)	0.998	0.0	162335.60−463145.8	CD−46 10694	*	./.	:	
1RXSJ162346.6−284959	0.0903 (0.0168)	0.986	11.6	162347.00−285002.5	...	...	...	...	
1RXSJ162401.2−391143	0.6544 (0.0449)	0.998	0.0	162401.29−391134.7	GJ 620.1A	V*	G5V	5.973 : 5.376	P
...	...	...	...	162401.29−391134.7	SRS 43479	*	./.	:	
1RXSJ162402.5−291042	0.5048 (0.0388)	0.984	11.6	162402.09−291042.0	HD 147611	*	K5	11.4 : 10.17	
1RXSJ162410.9+455535	0.1274 (0.0187)	0.984	10.9	162410.46+455522.4	BD+46 2173	*	G5	10.77 : 9.95	
1RXSJ162448.9−032723	0.3163 (0.0275)	0.988	9.8	162448.76−032709.8	BD−03 3937	*	K0	10.01 : 9.10	
1RXSJ162451.3−223928	0.2192 (0.0224)	0.997	10.9	162451.33−223932.1	GSC 06794−00156	*	G6	10.4 :	
...	...	...	...	162451.33−223932.1	HD 147808	*	G6/G8V	10.8 : 10.2	
1RXSJ162457.0−252116	0.0572 (0.0127)	0.984	0.0	162459.15−252118.0	HD 147809	*	A1V	8.99 : 8.63	
...	...	...	...	162459.15−252118.0	IRAS 16219−2514	IR	M	8.5 : 8.38	
...	...	...	...	162459.15−252118.0	VSS II−19	IR	./.	9.06 : 8.66	
1RXSJ162506.5+300218	0.2195 (0.0201)	0.982	11.4	162506.41+300227.6	...	...	...	...	
1RXSJ162519.7−242638	0.0926 (0.0164)	0.994	0.0	162519.24−242652.7	2E 1622.3−2420	X	A2IIvar...	9.3 :	
...	...	...	...	162519.24−242652.7	CCDM J16253−2427AB	**mul.	?	9.2 : 9.7	
...	...	...	...	162519.24−242652.7	NTTS 162218−2420	TT	./.	10.72 : 9.91	
...	...	...	...	162519.24−242652.7	ROXR1 1	X	./.	:	
1RXSJ162534.6+835937	0.3331 (0.0172)	0.991	11.2	162538.63+835937.9	BD+84 365	*	K0	10.10 : 8.95	
1RXSJ162630.3−274116	0.2573 (0.0290)	0.999	0.0	162629.91−274120.2	HD 148040	*	G0V	9.15 : 8.63	
1RXSJ162640.6+335033	0.0777 (0.0123)	0.986	10.4	162641.43+335043.5	BD+34 2784	*	G0	10.42 : 9.68	
1RXSJ162653.2−234317	0.1469 (0.0208)	0.985	11.6	162652.82−234312.4	VSS II−28	IR	G5	12.57 : 11.26	
1RXSJ162657.7−303228	0.2351 (0.0275)	0.996	11.0	162657.39−303226.1	...	...	...	...	
1RXSJ162724.3+424041	0.1088 (0.0135)	0.988	10.7	162725.22+424047.1	NGC 6159	Gal.	E/S0	15.2 :	
1RXSJ162726.5−372841	0.1248 (0.0213)	0.995	9.3	162726.28−372838.4	HD 148121	Ecl. Bin. (beta Lyr)	G3V	9.26 : 8.64	
1RXSJ162729.4−083420	0.0599 (0.0146)	0.995	10.0	162729.18−083419.6	HD 148300	*	G5	9.55 : 8.81	
1RXSJ162748.2−082213	0.2882 (0.0292)	0.999	0.0	162748.19−082218.1	HD 148367	Spec. Bin.	A3m	4.80 : 4.63	
1RXSJ162749.6−411840	0.0753 (0.0176)	0.997	0.0	162749.00−411829.8	HD 148138	*	F7V	8.60 : 8.11	
1RXSJ162752.8−354702	0.3405 (0.0344)	0.998	9.7	162752.33−354700.0	HD 148187	V*	G6V	10.02 : 9.37	
1RXSJ162828.0−700508	1.0270 (0.0807)	1.000	0.0	162828.15−700503.9	GJ 624	Spec. Bin.	F9V	5.46 : 4.91	
1RXSJ162851.5−301700	0.0852 (0.0177)	0.999	0.0	162851.34−301655.2	HD 148396	**mul.	G0	10.1 : 9.6	
1RXSJ162920.2−305743	0.1626 (0.0238)	0.983	11.6	162920.19−305738.4	HD 148440	*	G8V	10.55 : 9.77	
1RXSJ162947.1−143300	0.0979 (0.0138)	0.999	0.0	162946.92−143303.1	HD 148604	*	G5III/IV	6.470 : 5.675	
1RXSJ162948.3+672247	0.1940 (0.0108)	0.993	10.8	162948.42+672241.4	Mrk 885	Sy1	S	15.4 :	
1RXSJ163013.4+212922	0.1118 (0.0175)	0.999	0.0	163013.26+212922.7	HD 148856	Spec. Bin.	G7IIIa	3.717 : 2.786	P
1RXSJ163224.7−351245	0.1553 (0.0233)	0.981	12.1	163224.72−351245.2	...	...	...	...	
1RXSJ163230.3+823214	0.1017 (0.0099)	0.997	9.8	163232.05+823216.8	1Jy 1637+826	Rad.	./.	:	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	163232.05+823216.8	CJ1 1637+826	Rad.	./.	:	
...	...	...	...	163232.05+823216.8	NGC 6251	Sy2	E	14.0 :	
...	...	...	...	163232.05+823216.8	S5 1637+826	Rad.	./.	:	
1RXSJ163237.7−155913	0.2279 (0.0249)	0.999	0.0	163238.13−155915.1	HD 149013	*	F8V	7.52 : 7.02	
1RXSJ163349.9−511908	0.1127 (0.0202)	0.993	0.0	163350.45−511901.4	...	...	...	...	
1RXSJ163352.2−480643	0.2299 (0.0277)	1.000	0.0	163352.39−480640.5	HD 148937	V*	O+...	7.01 : 6.77	
1RXSJ163405.4−440251	0.0550 (0.0153)	0.998	0.0	163405.02−440243.2	HD 149038	V*	B0Ia	4.951 : 4.914	
1RXSJ163409.8−382310	0.0567 (0.0157)	0.990	0.0	163410.46−382325.1	HD 149090	*	F2	8.19 : 7.49	
1RXSJ163450.6+214411	0.0519 (0.0136)	0.983	9.0	163451.11+214431.4	HD 149560	*	K0	8.71 : 8.05	
1RXSJ163453.6−251817	0.2133 (0.0254)	0.992	11.1	163453.17−251816.6	HD 149309	*	K0/K1III	11.3 : 10.37	
1RXSJ163528.5−480556	0.0767 (0.0167)	0.995	10.4	163528.63−480600.9	GSC 08329−01465	*	./.	11.1 : 10.2	
1RXSJ163530.0+303603	0.2126 (0.0213)	0.998	9.7	163530.15+303611.4	HD 149751	*	K5	10.01 : 8.79	
1RXSJ163553.7−281252	1.5570 (0.0989)	0.997	0.0	163552.95−281257.6	HD 149438	*	B0V	2.613 : 2.814	P
1RXSJ163611.5+525419	0.0720 (0.0154)	0.992	0.0	163611.44+525359.9	HD 150100	**	B9.5Vn	5.475 : 5.513	
1RXSJ163621.3−021925	0.2579 (0.0319)	1.000	0.0	163621.45−021928.5	GJ 631	V* (BY Dra)	K2V	6.57 : 5.76	
1RXSJ163622.5−425125	0.0630 (0.0157)	0.999	0.0	163622.57−425131.9	HD 149404	Em. *	O+...	5.87 :	
1RXSJ163635.0−753603	0.2962 (0.0462)	0.995	0.0	163632.34−753603.2	CD−75 919	*	./.	10.65 : 9.80	
1RXSJ163708.6+001531	0.1169 (0.0162)	0.985	0.0	163708.43+001515.6	BD+00 3553B	**	?	:	
...	...	...	...	163708.43+001515.6	HD 149806	**	K0	7.91 : 7.10	
1RXSJ163709.4−103406	0.3473 (0.0277)	0.999	0.0	163709.53−103401.8	HD 149757	V*	O9V	2.595 : 2.578	
...	...	...	...	163709.53−103401.8	NAME DZE OPH CLOUD	./.	./.	:	
1RXSJ163748.8+134103	0.0643 (0.0142)	0.995	0.0	163748.01+134113.3	HD 150012	*	F5IV	6.695 : 6.305	
1RXSJ163800.9+560101	0.2036 (0.0175)	0.982	11.7	163800.50+560054.4	HD 150449	*	K1III	6.337 : 5.287	
1RXSJ163811.5−294048	0.0664 (0.0167)	0.990	0.0	163810.81−294040.4	HD 149790	*	F5	9.59 : 9.15	
1RXSJ163830.9−205520	0.4989 (0.0373)	0.992	11.4	163830.90−205524.2	IRAS 16355−2049	Gal.	S0	:	
1RXSJ163839.2−393307	0.0845 (0.0176)	0.993	0.0	163838.47−393303.6	HD 149777	*	F5V	9.63 : 9.00	
1RXSJ163904.1+604201	0.4933 (0.0194)	0.997	0.0	163903.95+604159.3	BD+60 1691B	**	G5V	10.24 : 9.67	
...	...	...	...	163903.95+604159.3	HD 150708	V* (RS CVn)	G0V	9.29 : 8.59	
1RXSJ163908.0−582121	0.0850 (0.0205)	0.981	11.7	163907.92−582124.7	...	...	...	...	
1RXSJ163958.7−392457	0.0739 (0.0163)	0.985	11.1	163959.28−392459.4	HD 321857	*	G5	10.4 :	
...	...	...	...	163959.28−392459.4	...	...	...	...	
1RXSJ164029.3−655514	0.0813 (0.0230)	0.998	9.8	164029.53−655512.9	HD 149613	*	F3V	9.70 : 9.29	
1RXSJ164120.8+003019	0.1560 (0.0182)	0.998	9.3	164120.94+003026.3	HD 150484	Ecl. Bin. (W UMa)	G2V+...	9.13 : 8.53	P
1RXSJ164126.8−242405	0.0687 (0.0162)	0.999	0.0	164126.56−242408.5	HD 150345	*	F5V	8.72 : 8.28	
1RXSJ164129.6+011902	0.0893 (0.0165)	0.986	10.3	164129.55+011854.7	HD 150511	HiPM*	K2	10.35 : 9.48	
1RXSJ164254.0+385506	0.0566 (0.0128)	0.996	0.0	164253.74+385520.9	GJ 636	V*	G7.5IIIb	4.392 : 3.487	
1RXSJ164357.2−250838	0.3504 (0.0350)	0.999	0.0	164356.92−250836.8	...	...	...	...	
1RXSJ164517.4+564700	0.2350 (0.0193)	0.999	0.0	164517.81+564654.6	HD 151613	Spec. Bin.	F2V	5.187 : 4.849	
1RXSJ164558.1+820214	1.0480 (0.0289)	1.000	0.0	164558.24+820214.1	HD 153751	V* (RS CVn)	G5III	5.098 : 4.222	
1RXSJ164840.4−690138	0.1291 (0.0302)	0.999	0.0	164839.87−690139.6	HD 150798	*	K2II−III	3.36 : 1.92	
1RXSJ164859.9−085546	0.1015 (0.0171)	1.000	0.0	164859.80−085548.0	HD 151632	*	F5	8.40 : 7.95	
1RXSJ164900.2−825315	0.1272 (0.0322)	0.985	11.2	164900.25−825308.2	CPD−82 690	*	./.	10.92 : 10.03	
1RXSJ164913.6−435527	0.1235 (0.0227)	0.986	11.5	164913.41−435527.4	HD 326277	*	G5	10.8 :	
...	...	...	...	164913.41−435527.4	...	...	...	...	
1RXSJ164927.6−154008	0.2016 (0.0240)	1.000	0.0	164927.67−154004.7	HD 151676	Ecl. Bin. (beta Lyr)	A3V	6.40 : 6.19	
1RXSJ164935.8−272810	0.2070 (0.0291)	1.000	0.0	164935.99−272807.7	...	...	...	...	
1RXSJ164944.7−362421	0.2214 (0.0299)	1.000	0.0	164944.55−362422.2	HD 151581	*	G6IV/V	9.15 : 8.14	
1RXSJ164949.8−104653	0.1628 (0.0214)	0.999	0.0	164950.03−104659.0	HD 151769	Spec. Bin.	F7IV	5.090 : 4.646	
1RXSJ165005.1−122315	0.1282 (0.0196)	0.988	11.4	165005.39−122309.7	HD 151798	*	G3V	8.52 : 7.95	
1RXSJ165022.6−023917	0.0652 (0.0137)	0.999	0.0	165022.25−023915.7	HD 151900	*	F1III−IV	6.684 : 6.323	
1RXSJ165057.5−364520	0.6749 (0.0483)	1.000	0.0	165057.48−364519.1	HD 151770	*	G3/G5V	8.99 : 8.34	
1RXSJ165242.7−384534	0.1127 (0.0212)	0.997	0.0	165241.72−384537.3	HD 152041	*	F3V	9.30 : 8.82	
1RXSJ165258.2+314203	0.0647 (0.0114)	0.999	0.0	165258.06+314206.0	HD 152598	**	F1V	5.626 : 5.344	
...	...	...	...	165258.06+314206.0	IRAS 16510+3146	IR	./.	:	
1RXSJ165259.3−000123	0.3172 (0.0281)	1.000	0.0	165259.22−000122.1	...	...	...	...	
1RXSJ165336.1+734414	0.0787 (0.0089)	0.998	9.6	165336.32+734418.5	BD+73 750	*	K0	9.37 : 8.73	
1RXSJ165352.6+394538	4.1220 (0.0882)	0.998	10.3	165352.26+394536.6	QSO 1652+39	BL Lac − type object	B...	14.54 :	P
1RXSJ165451.1−245531	0.1985 (0.0273)	0.984	11.7	165451.44−245532.9	CD−24 12932	*	./.	:	
1RXSJ165601.2+650807	0.4058 (0.0133)	0.990	10.6	165559.95+650803.7	...	...	...	...	
1RXSJ165614.8−403951	0.0872 (0.0199)	0.992	0.0	165615.03−403935.8	HD 152623	*iC	O8:	6.77 : 6.68	
1RXSJ165633.9−635302	0.0718 (0.0206)	0.998	9.4	165632.81−635302.1	CD−63 1238	*	G6	9.78 : 8.81	
1RXSJ165803.5+054707	0.0795 (0.0149)	0.997	10.7	165803.57+054704.6	HD 153252	*	G5	10.45 : 9.77	
1RXSJ165809.9−485343	0.2853 (0.0341)	0.982	11.8	165810.15−485346.4	...	...	...	...	
1RXSJ165851.0+035820	0.0914 (0.0159)	0.988	0.0	165850.29+035801.3	HD 153332	**mul.	G0	9.09 : 8.63	
1RXSJ165852.9−234502	0.1023 (0.0200)	0.987	0.0	165852.18−234447.6	HD 153190	*	G2/G3V	9.14 : 8.51	
1RXSJ170009.6−245925	0.0976 (0.0217)	0.999	0.0	170009.52−245920.7	HD 153363	*	F3V	6.103 : 5.744	
1RXSJ170030.6+773654	0.1052 (0.0097)	1.000	8.6	170030.73+773653.3	HD 155247	*	F8	8.54 : 8.08	
1RXSJ170032.9+200137	0.0793 (0.0133)	0.997	0.0	170033.85+200133.9	CCDM J17006+2002AB	**mul.	G5	11.2 : 10.3	
1RXSJ170121.5+420939	0.0697 (0.0129)	0.992	9.9	170121.91+420951.1	CCDM J17014+4210AB	**mul.	G0	10.11 : 9.53	
1RXSJ170135.5−364000	0.0586 (0.0158)	0.983	11.3	170136.08−364006.1	CD−36 11150	*	F8	10.11 : 9.57	
1RXSJ170226.7−320431	0.1242 (0.0251)	0.995	0.0	170227.81−320436.3	CD−31 13486	*	G0	10.5 : 9.9	
1RXSJ170313.2+245332	0.0657 (0.0115)	0.997	0.0	170313.52+245321.1	GSC 02064−01273	*	./.	10.60 : 9.83	
1RXSJ170431.2+520936	0.1038 (0.0109)	0.983	11.7	170430.60+520939.6	HD 234382	*	G0	9.18 : 8.61	
1RXSJ170507.9−014708	0.3658 (0.0425)	0.997	10.5	170508.27−014708.2	HD 154361	*	K0	10.60 : 9.55	
1RXSJ170513.8+753015	0.0599 (0.0070)	0.989	9.0	170516.65+753003.4	BD+75 615	*	F5	9.03 : 8.62	
1RXSJ170516.7+004214	0.2300 (0.0235)	0.999	0.0	170516.82+004209.2	GJ 654.1	V* (BY Dra)	F8.5IV−V	6.59 : 6.01	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	170516.82+004209.2	IRAS 17027+0046	IR	./.	:	
1RXSJ170519.9+542809	0.4844 (0.0210)	0.998	0.0	170520.11+542812.2	GJ 9584	**	F7V	6.28 : 5.80	
...	...	...	...	170520.11+542812.2	GJ 9584A	*	F6	5.39 : 4.92	
...	...	...	...	170520.11+542812.2	GJ 9584B	*	F7	:	
...	...	...	...	170520.11+542812.2	HD 154905	**	F7V	6.2 : 5.83	
...	...	...	...	170520.11+542812.2	HD 154905 J	**mul.	F5	5.40 : 4.92	
...	...	...	...	170520.11+542812.2	IRAS 17042+5432	IR	./.	:	
1RXSJ170634.5+235816	1.4270 (0.0487)	1.000	9.5	170634.52+235818.9	HD 154791	Low Mass X−ray Binary	M...	9.24 : 7.64	P
1RXSJ170736.2−464043	0.0774 (0.0198)	0.998	0.0	170735.16−464046.9	HD 154426	Ecl. Bin. (beta Lyr)	A7III	7.15 : 6.89	
1RXSJ170856.9−235936	0.0849 (0.0196)	0.998	0.0	170857.71−235937.2	HD 154866	*	F3V	8.51 : 8.09	
1RXSJ170910.9−245032	0.0552 (0.0153)	0.995	0.0	170911.94−245028.7	HD 154882	*	G6IV	10.21 : 9.09	
1RXSJ171025.5+485748	0.3656 (0.0217)	0.996	9.1	171025.57+485757.6	HD 155638	Ecl. Bin. (Algol)	G8IV	9.04 : 8.13	P
1RXSJ171208.3−431431	0.1080 (0.0206)	0.996	0.0	171209.19−431421.1	GJ 657	HiPM*	F3III−IVp	3.74 : 3.33	
1RXSJ171246.2+300558	0.0762 (0.0126)	0.996	9.8	171246.41+300600.8	BD+30 2947	*	F8	9.90 : 9.38	
1RXSJ171303.5−001048	0.0798 (0.0144)	0.987	10.8	171302.99−001052.4	HD 155661	*	K0	10.45 : 9.27	
1RXSJ171320.9−432617	0.0842 (0.0190)	0.997	9.9	171321.21−432612.2	HD 155406	*	K2III:	10.08 : 8.69	
1RXSJ171331.0+232021	0.1021 (0.0136)	0.987	11.3	171330.95+232028.0	...	...	...	...	
1RXSJ171332.0−260204	0.2211 (0.0284)	0.992	0.0	171332.85−260206.8	GSC 06816−00234	*	./.	11.0 : 10.12	
1RXSJ171358.0+162051	0.0643 (0.0118)	0.996	8.8	171357.72+162103.3	HD 155937	Ecl. Bin. (W UMa)	F8Vvar	9.01 : 8.51	
1RXSJ171503.2−274934	0.3366 (0.0365)	0.990	10.8	171503.62−274939.0	CD−27 11535	*	./.	11.6 : 10.7	
1RXSJ171541.1−094842	0.0698 (0.0150)	0.998	0.0	171541.08−094831.7	HD 156034	**mul.	F5	7.74 : 6.98	
1RXSJ171607.3−372826	0.1099 (0.0214)	0.985	11.6	171607.74−372827.1	HD 322990	Pulsating variable Star	K2	11.6 :	
1RXSJ171613.8−263236	0.2546 (0.0315)	0.997	0.0	171613.36−263246.1	GJ 664	V* (RS CVn)	K5V	7.50 : 6.34	
1RXSJ171632.8+430221	0.1323 (0.0139)	0.984	11.7	171632.75+430228.1	...	...	...	...	
1RXSJ171657.5−071259	0.0611 (0.0145)	0.982	11.6	171658.00−071301.5	BD−07 4418	*	?...	11.7 : 10.6	
1RXSJ171657.9−310904	0.4160 (0.0401)	0.994	11.1	171657.97−310903.4	HD 156097	*	G3/G5III	10.13 : 9.52	
1RXSJ171725.5−665707	4.7580 (0.2713)	1.000	0.0	171725.54−665702.5	HD 155555	V* (RS CVn)	K1Vp	7.657 : 6.877	
1RXSJ171800.1+212816	0.0534 (0.0111)	0.989	10.8	171800.32+212808.7	...	...	...	...	
1RXSJ171924.4+091500	0.0800 (0.0151)	0.996	9.2	171924.61+091454.8	HD 156823	*	G0	9.14 : 8.62	
1RXSJ171953.4+262958	0.5944 (0.0306)	0.993	0.0	171954.21+263003.0	GJ 669A	Flare *	M4	12.98 : 11.42	
...	...	...	...	171954.21+263003.0	IRAS 17178+2632	IR	./.	:	
1RXSJ172012.8−700246	0.7174 (0.0727)	0.989	11.3	172012.76−700239.9	GJ 665	HiPM*	G0.5IV:	7.13 : 6.52	
1RXSJ172021.1+575825	0.0956 (0.0086)	0.999	9.2	172021.38+575829.3	HD 238677	Ecl. Bin. (beta Lyr)	F8	9.26 : 8.80	
1RXSJ172022.3−475548	0.0807 (0.0207)	0.998	0.0	172022.46−475555.9	HD 156528	*	F5V	8.16 : 7.75	
1RXSJ172100.9−210640	0.1124 (0.0215)	0.998	0.0	172100.22−210644.8	GJ 670A	HiPM*	F2/F3V	4.78 : 4.39	
1RXSJ172103.4+114237	0.1549 (0.0180)	0.988	0.0	172103.29+114236.4	...	...	...	...	
1RXSJ172143.1+395828	0.1749 (0.0151)	0.999	0.0	172143.62+395828.7	CCDM J17217+3958B	**	F7V	:	
...	...	...	...	172143.62+395828.7	HD 157482	Ecl. Bin. (Algol)	F9Vn...	6.200 : 5.567	
1RXSJ172153.3−250330	0.1468 (0.0229)	1.000	0.0	172153.34−250326.9	CD−24 13291	*	G	:	
1RXSJ172239.8+305252	1.5260 (0.0466)	0.997	11.3	172239.99+305252.4	QSO 1720+309	Sy	S	15.3 :	
1RXSJ172325.9+193119	0.0630 (0.0121)	0.983	11.9	172325.94+193122.7	...	...	...	...	
1RXSJ172359.0−092127	0.0685 (0.0158)	0.989	8.5	172357.99−092128.8	HD 157498	**mul.	G0	8.45 : 7.83	
1RXSJ172520.5−562224	0.0935 (0.0279)	0.985	0.0	172523.77−562241.2	HD 157246	**	B1Ib	3.176 : 3.312	
...	...	...	...	172523.77−562241.2	IRAS 17211−5619	IR	./.	:	
1RXSJ172534.5−384835	0.3804 (0.0380)	1.000	0.0	172534.27−384839.7	HD 157529	*	K1/K2III:	10.44 : 9.45	
1RXSJ172600.7−503752	0.1934 (0.0379)	0.998	0.0	172600.04−503800.6	HD 157457	**	G8III	6.243 : 5.204	
...	...	...	...	172600.04−503800.6	IRAS 17220−5035	IR	./.	:	
1RXSJ172637.4−050509	0.0927 (0.0174)	0.999	0.0	172637.88−050511.5	HD 157950	Spec. Bin.	F3V	4.93 :	P
...	...	...	...	172637.88−050511.5	IRAS 17239−0502	IR	./.	:	
1RXSJ172725.6−331652	0.0858 (0.0190)	0.982	11.6	172725.53−331648.5	HD 317637	*	K5	10.8 :	
...	...	...	...	172725.53−331648.5	...	...	...	...	
1RXSJ172809.1−012856	0.2072 (0.0232)	0.982	11.1	172809.38−012849.1	BD−01 3338	*	K2	11.08 : 10.11	
1RXSJ172839.3+590158	0.9091 (0.0228)	0.998	8.7	172839.37+590207.0	HD 159023	Pulsating variable Star	G0	8.84 : 8.26	
1RXSJ172839.7−465335	0.2666 (0.0409)	0.995	0.0	172839.95−465342.7	GJ 674	HiPM*	M2.5	10.89 : 9.36	
1RXSJ172955.0−541536	0.4462 (0.0535)	0.994	0.0	172955.09−541548.6	CD−54 7336	*	G4	10.32 : 9.49	
1RXSJ173004.9+184340	0.1658 (0.0175)	0.988	11.6	173004.98+184339.7	BD+18 3387	*	K0	11.34 : 10.43	
1RXSJ173006.8−380332	0.5045 (0.0444)	0.998	10.2	173006.71−380338.9	HD 323523	*	G0	10.1 :	
...	...	...	...	173006.71−380338.9	...	...	...	...	
1RXSJ173025.4+521757	0.3225 (0.0166)	0.998	0.0	173025.98+521804.9	BD+52 2065B	**	?	:	
...	...	...	...	173025.98+521804.9	HD 159181	**	G2Iab:	3.77 : 2.79	
1RXSJ173030.3−343219	0.2846 (0.0342)	1.000	0.0	173030.66−343220.6	HD 158394	V* (RS CVn)	G8III:+...	9.12 : 8.36	
1RXSJ173033.3−333915	0.2003 (0.0266)	1.000	0.0	173033.36−333915.9	HD 158393	V* (RS CVn)	G8/K0III+...	9.52 : 8.53	
1RXSJ173047.4−371727	0.0659 (0.0181)	0.986	0.0	173045.84−371745.0	HD 158408	*	B2IV	2.47 : 2.70	P
1RXSJ173103.4+281510	0.2869 (0.0215)	0.994	0.0	173103.32+281506.1	...	...	...	...	
1RXSJ173241.3+741337	1.2720 (0.0237)	1.000	0.0	173241.21+741338.4	HD 160538	V* (RS CVn)	K0III	7.673 : 6.635	P
1RXSJ173313.5−583327	0.1049 (0.0286)	0.993	0.0	173311.36−583327.1	HD 158503	Be Star	B7:Vnnpe	7.20 : 7.03	
1RXSJ173336.7−370604	0.3751 (0.0380)	0.998	0.0	173336.53−370613.5	HD 158926	V* (beta Cep)	B2IV+...	1.48 : 1.62	
1RXSJ173358.2+285436	0.0720 (0.0121)	0.998	8.6	173358.61+285431.8	HD 159519	*	F5	8.46 : 8.04	
1RXSJ173456.3+123344	0.1241 (0.0165)	0.999	0.0	173456.01+123338.1	GJ 681	V*	A5III	2.23 : 2.10	P
1RXSJ173543.3−372620	0.0804 (0.0190)	0.998	0.0	173543.07−372623.6	HD 159312	*	A0V	6.487 : 6.481	
1RXSJ173614.7+650229	0.1022 (0.0056)	0.985	12.0	173614.17+650226.6	...	...	...	...	
1RXSJ173657.6+684522	0.4655 (0.0103)	0.999	0.0	173657.09+684528.7	GJ 4017	Spec. Bin.	F5V	5.23 : 4.80	P
1RXSJ173711.7+072137	0.0661 (0.0148)	0.985	11.2	173712.20+072145.0	HD 159970	*	G0	9.03 : 8.56	
1RXSJ173735.1−152357	0.8152 (0.0525)	1.000	0.0	173735.20−152355.0	HD 159876	Spec. Bin.	F0IIIp	3.795 : 3.539	
1RXSJ173839.7+611410	0.6343 (0.0156)	0.988	11.7	173839.75+611413.8	GJ 4020A	*	K7	11.5 : 10.18	P
1RXSJ173846.7−440612	0.1801 (0.0321)	0.997	0.0	173846.36−440600.5	HD 159808	**mul.	F5V	8.54 : 8.12	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ174022.9−492502	0.1277 (0.0328)	0.998	0.0	174023.83−492456.1	GJ 686.2	*	F3IV	5.17 : 4.77	
...	...	...	...	174023.83−492456.1	IRAS 17365−4923	IR	./.	:	
1RXSJ174146.2+022857	0.0818 (0.0159)	0.997	10.3	174146.17+022856.1	BD+02 3384	*	K5	10.43 : 9.38	
1RXSJ174148.5−504321	0.3541 (0.0535)	0.998	0.0	174149.04−504328.1	HD 160305	*	F8/G0V	8.88 : 8.35	
1RXSJ174156.2+720905	0.1251 (0.0069)	0.997	0.0	174156.31+720858.2	GJ 9602A	HiPM*	F5IV−V	5.00 : 4.56	
1RXSJ174229.2−390205	0.0661 (0.0198)	0.993	0.0	174229.28−390148.2	HD 160578	V* (beta Cep)	B1.5III	2.208 : 2.375	
1RXSJ174311.5+334950	0.1235 (0.0140)	0.999	0.0	174311.07+334948.9	...	...	...	...	
1RXSJ174411.0+720304	0.1424 (0.0069)	0.985	11.9	174410.93+720301.9	...	...	...	...	
1RXSJ174450.2+745226	0.3021 (0.0109)	0.994	11.5	174449.77+745226.9	BD+74 736	*	K0	10.35 : 9.60	
1RXSJ174625.4+035852	0.1573 (0.0231)	0.992	11.3	174625.61+035851.6	BD+04 3503	*	G0	10.47 : 9.60	
1RXSJ174627.3+274322	0.1970 (0.0188)	0.999	0.0	174627.52+274314.5	GJ 695A	HiPM*	G5IV	4.17 : 3.41	
1RXSJ174700.8+724026	0.3587 (0.0105)	0.986	12.0	174701.33+724025.8	...	...	...	...	
1RXSJ174706.0−650348	0.2891 (0.0485)	0.988	10.4	174705.99−650344.8	CD−65 2367	*	K0	10.54 : 9.77	
1RXSJ174707.6+473648	0.0819 (0.0087)	0.999	0.0	174708.03+473644.0	HD 162132	Spec. Bin.	A2Vs	6.560 : 6.468	
1RXSJ174738.1+730753	0.0654 (0.0052)	1.000	0.0	174738.18+730757.6	HD 163183	*	G0	8.30 : 7.75	
1RXSJ174738.8−354825	0.2507 (0.0495)	0.999	0.0	174739.31−354824.8	HD 161529	*	A0/A1V+...	9.29 : 8.78	
1RXSJ174825.6+203402	0.0793 (0.0129)	0.997	0.0	174824.77+203355.6	HD 162076	*	G5IV	6.633 : 5.700	P
1RXSJ174849.4+253722	0.0750 (0.0126)	1.000	0.0	174849.15+253722.3	HD 162211	*	K2III	6.254 : 5.104	
1RXSJ174850.1−372443	0.0625 (0.0186)	0.995	0.0	174849.95−372443.5	HD 161719	*	G5/G6III	8.66 : 7.66	
1RXSJ174856.8−253107	0.0758 (0.0185)	0.985	11.2	174857.09−253056.4	...	...	...	...	
1RXSJ175024.9+704537	0.1547 (0.0061)	0.992	11.6	175025.17+704535.3	HIC 87311	*	./.	:	
1RXSJ175038.2−401913	0.1900 (0.0353)	0.994	9.5	175038.33−401904.8	HD 162020	*	K2V:	10.14 : 9.18	
1RXSJ175140.9+730509	0.0508 (0.0044)	0.985	12.0	175141.31+730509.8	...	...	...	...	
1RXSJ175147.3+230407	0.1580 (0.0169)	0.984	8.8	175148.82+230418.4	NGC 6482	Gal.	E	12.8 :	
1RXSJ175314.2+060607	0.1007 (0.0197)	0.999	0.0	175314.19+060605.1	HD 162917	*	F4IV−V	6.173 : 5.773	
1RXSJ175454.2−245331	0.0877 (0.0189)	0.993	0.0	175454.05−245313.6	BD−24 3615	*	B3	:	
...	...	...	...	175454.05−245313.6	HD 162978	*	O8III	6.195 : 6.198	
1RXSJ175454.2−264941	0.5628 (0.0453)	1.000	0.0	175454.14−264941.6	...	...	...	...	
1RXSJ175524.7+361122	1.8750 (0.0472)	0.999	8.7	175525.16+361121.0	GJ 4034	V* (RS CVn)	G5	8.78 : 7.93	P
1RXSJ175555.2+560205	0.1356 (0.0084)	0.999	9.6	175555.15+560201.4	HD 164025	*	K0	9.55 : 8.85	
1RXSJ175620.0−721850	0.1264 (0.0324)	0.998	0.0	175621.30−721843.1	HD 162128	**mul.	F2IV	8.77 : 8.37	
1RXSJ175644.7−820359	0.0804 (0.0218)	0.997	0.0	175644.21−820408.6	HD 160581	*	F3/F5V	9.24 : 8.83	
1RXSJ175652.8+045907	0.1205 (0.0201)	0.998	8.4	175652.16+045911.1	GAT 1022	*	F3V	8.18 : 7.73	
...	...	...	...	175652.16+045911.1	HD 163611	Ecl. Bin. (W UMa)	F4V	7.99 : 7.60	
1RXSJ175745.7+291453	1.5090 (0.0466)	1.000	0.0	175745.89+291452.3	HD 163993	V*	G8III	4.621 : 3.705	
1RXSJ175801.0+640932	0.0678 (0.0032)	0.988	11.7	175801.31+640933.8	BD+64 1235	*	G	11.4 : 10.21	
1RXSJ175805.3+323849	0.0677 (0.0110)	0.999	0.0	175805.00+323853.0	HD 164078	Ecl. Bin. (beta Lyr)	F5	7.054 : 6.671	
1RXSJ175910.1+584300	0.0601 (0.0050)	0.992	11.5	175910.30+584258.2	...	...	...	...	
1RXSJ180048.0+412847	0.0784 (0.0105)	0.984	11.5	180048.78+412847.5	HD 164754	*	K0	9.33 : 8.12	
1RXSJ180107.0+021313	0.0973 (0.0184)	0.984	11.5	180107.32+021306.3	BD+02 3461	*	G0	10.09 : 9.59	
1RXSJ180147.5+273918	0.0721 (0.0115)	0.990	10.8	180147.28+273909.5	...	...	...	...	
1RXSJ180211.6+402634	0.0611 (0.0098)	0.997	10.8	180211.16+402634.1	BD+40 3267	*	F8	10.96 : 10.34	
1RXSJ180235.2+303320	0.0515 (0.0099)	0.999	0.0	180234.66+303319.8	HD 165008	*	F2	6.996 : 6.590	
1RXSJ180239.2+335639	0.1149 (0.0135)	0.994	10.0	180238.75+335633.6	BD+33 3013	*	G5	10.17 : 9.50	
1RXSJ180326.2−251556	0.0812 (0.0193)	0.986	9.6	180326.39−251559.9	HD 164679	*	G8III/IV	9.92 : 8.79	
1RXSJ180443.4+400459	0.0748 (0.0108)	0.999	0.0	180443.20+400503.1	HD 165567	*	F7V	6.987 : 6.533	
1RXSJ180505.8−041037	0.1857 (0.0255)	0.985	11.9	180505.79−041036.2	BD−04 4392	*	./.	:	
1RXSJ180510.9−242354	0.1103 (0.0233)	0.999	0.0	180510.55−242354.8	BD−24 3864	*	B0	:	
...	...	...	...	180510.55−242354.8	HD 165052	*iC	O+...	6.91 : 6.84	
1RXSJ180531.5+720422	0.3300 (0.0100)	0.998	10.0	180531.95+720429.4	BD+72 823	*	G5	9.94 : 9.32	
1RXSJ180549.9+212638	2.8860 (0.0749)	0.996	0.0	180549.73+212645.6	HD 165590	V* (RS CVn)	G0	7.716 : 7.096	
1RXSJ180700.7−481506	0.2339 (0.0523)	0.989	0.0	180700.25−481450.2	HD 165141	V* (RS CVn)	G8/K0II/IIIp	8.102 : 7.123	
1RXSJ180724.2+194217	0.6042 (0.0361)	0.983	11.8	180724.10+194223.6	HD 347929	*	K2	10.27 : 9.13	
1RXSJ180729.0+432745	0.1281 (0.0122)	1.000	0.0	180728.73+432742.8	HD 166208	*	G8IIICN...	5.904 : 5.011	
1RXSJ180815.9+294127	3.1130 (0.0672)	1.000	0.0	180816.03+294128.1	HD 166181	V* (RS CVn)	G5	8.40 : 7.70	P
1RXSJ180820.2−564522	0.1962 (0.0468)	0.990	9.4	180820.80−564531.7	CD−56 7181	*	G5	10.10 : 9.42	
1RXSJ180836.3−042622	0.0873 (0.0186)	0.998	0.0	180837.03−042626.0	HD 165944	*	K2	9.41 : 8.07	
1RXSJ180847.7−260037	0.0755 (0.0193)	0.994	0.0	180846.78−260041.6	CD−26 12853	*	./.	10.37 : 9.60	
1RXSJ180921.5+295704	0.5042 (0.0292)	1.000	0.0	180921.38+295706.1	HD 166435	*	G0	7.432 : 6.849	P
1RXSJ180934.2+035933	0.0552 (0.0158)	0.997	0.0	180933.89+035935.9	ADS 11111 B	**	./.	:	
...	...	...	...	180933.89+035935.9	HD 166233	V*	F2V	6.055 : 5.717	
1RXSJ180954.5+694046	0.1699 (0.0061)	0.997	9.8	180955.70+694040.9	HD 167605	HiPM*	K2	9.57 : 8.63	P
1RXSJ181024.3+332402	0.1167 (0.0142)	0.984	10.7	181024.04+332411.0	V* PW Her	V* (RS CVn)	K0IV−V	10.97 : 10.16	
1RXSJ181224.3−104359	0.1739 (0.0267)	0.995	9.4	181224.63−104353.3	HD 166734	Em. *	O8e	9.35 : 8.49	
1RXSJ181353.7+642348	0.2423 (0.0071)	1.000	0.0	181353.83+642350.3	GJ 708.1	HiPM*	F5V	5.41 : 5.03	
...	...	...	...	181353.83+642350.3	IRAS 18136+6422	IR	./.	:	
1RXSJ181511.0+294827	0.0598 (0.0117)	0.995	9.9	181510.40+294824.0	BD+29 3217	*	G0	9.74 : 9.19	
1RXSJ181630.9+284805	0.0533 (0.0106)	0.997	10.1	181631.29+284809.5	BD+28 2972	*	G0	10.07 : 9.49	
1RXSJ182019.7+651918	0.0686 (0.0035)	1.000	8.4	182019.09+651917.7	HD 169531	*	F8	8.42 : 7.98	
1RXSJ182049.0+273144	0.1396 (0.0164)	0.998	0.0	182049.26+273149.1	HD 168874	**mul.	G2IV	7.594 : 7.008	
1RXSJ182217.2+014227	0.2889 (0.0313)	0.981	12.0	182216.96+014226.5	BD+01 3657	*	K7V	11.3 : 10.04	
1RXSJ182358.7+584918	0.1270 (0.0086)	0.998	0.0	182358.44+584926.4	HD 238865	**	F8	8.34 : 7.90	
1RXSJ182410.4+281820	0.1085 (0.0135)	0.998	10.3	182409.95+281820.9	CCDM J18242+2818AB	**mul.	G0	10.6 : 9.9	
1RXSJ182410.8−342259	0.1287 (0.0345)	0.999	0.0	182410.35−342303.5	HD 169022	**	B9.5III	1.82 : 1.80	
...	...	...	...	182410.35−342303.5	IRAS 18208−3424	IR	./.	:	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ182445.6+473352	0.0832 (0.0093)	0.984	10.3	182444.44+473351.3	BD+47 2634	*	K2	10.20 : 9.06	
1RXSJ182529.6+220206	0.0945 (0.0150)	0.998	0.0	182529.29+220200.6	HD 169780	*	G5	8.004 : 7.254	
1RXSJ182533.4+623416	0.1327 (0.0075)	0.982	12.0	182532.95+623415.4	...	...	...	...	
1RXSJ182656.6+174400	0.2118 (0.0243)	0.998	10.2	182657.00+174402.8	HD 348731	Semi−Reg. Pulsating *	K2	10.15 : 8.89	
1RXSJ182849.7+350637	0.0624 (0.0101)	0.998	9.4	182850.21+350634.4	BD+35 3261	*	G5	9.54 : 9.00	
1RXSJ182903.6+435615	0.2351 (0.0173)	0.995	8.3	182903.33+435612.2	...	...	...	...	
1RXSJ182912.6+064717	0.0625 (0.0146)	0.988	11.3	182912.79+064713.0	HD 170451	*iC	G	9.97 : 9.44	
1RXSJ182935.0+295807	0.2007 (0.0173)	0.999	9.6	182934.88+295805.4	BD+29 3272B	**	F8	9.66 : 9.10	
1RXSJ182957.4−573118	0.1879 (0.0463)	0.992	10.9	182956.71−573122.3	HD 169836	**mul.	K0III	6.74 : 5.76	
1RXSJ183227.5−481149	0.1510 (0.0414)	0.999	0.0	183227.45−481150.2	HD 170554	*	G1V	9.93 : 9.44	
1RXSJ183435.3+123221	0.0541 (0.0147)	0.997	9.2	183435.55+123219.2	HD 171489	*	G5	8.89 : 8.29	
1RXSJ183502.4−105841	0.1943 (0.0279)	1.000	0.0	183502.39−105837.9	HD 171391	*	G8III	6.026 : 5.130	P
1RXSJ183548.6+323117	0.0661 (0.0117)	0.997	10.7	183548.81+323121.6	2E 1833.9+3228	X	./.	:	P
1RXSJ183627.7+090710	0.1795 (0.0226)	0.998	0.0	183627.84+090721.0	CCDM J18367+0640D	**	./.	6.2 :	
...	...	...	...	183627.84+090721.0	HD 171802	*	F5III	5.76 : 5.39	
1RXSJ183638.4+064022	0.1239 (0.0208)	0.998	0.0	183639.07+064018.5	HD 171834	**	F3V	5.777 : 5.441	
1RXSJ183657.1−592412	0.1627 (0.0378)	0.981	11.1	183658.24−592408.2	FRL 49	Sy2	./.	15. :	P
1RXSJ183658.1+721550	0.0624 (0.0057)	0.997	9.2	183658.34+721559.7	HD 173127	*	G5	9.09 : 8.55	
1RXSJ183828.7−524917	0.3324 (0.0632)	0.998	0.0	183828.26−524912.4	HD 171563	HiPM*	K3V	10.4 : 9.2	
1RXSJ183942.5+375934	0.0675 (0.0113)	0.999	0.0	183942.12+375935.1	HD 172649	*	F5	7.99 : 7.51	
1RXSJ184021.3+334059	0.0574 (0.0113)	0.999	0.0	184021.02+334104.2	HD 172742	*	F5	7.8 : 7.1	
1RXSJ184038.1−770930	0.4492 (0.0507)	1.000	9.0	184038.62−770927.9	ESO 45− 11	Gal.	S0	:	P
...	...	...	...	184038.62−770927.9	PKS 1833−77	Gal.	E	14.5 :	
...	...	...	...	184038.62−770927.9	PMN J1840−7709	Rad.	./.	:	
1RXSJ184149.2−352543	0.2026 (0.0422)	0.997	0.0	184148.57−352543.6	...	...	...	...	
1RXSJ184222.4−474540	0.4178 (0.0691)	1.000	0.0	184222.48−474539.5	HD 172416	*	F5V	7.048 : 6.632	
1RXSJ184257.6−235758	0.1580 (0.0272)	0.983	0.0	184257.87−235803.2	HD 172751	*	F7/F8V	7.79 : 7.30	
1RXSJ184446.1+373620	0.2511 (0.0223)	1.000	0.0	184446.34+373618.2	HD 173648	Spec. Bin.	Am	4.531 : 4.338	
1RXSJ184453.6−622149	0.4014 (0.0568)	0.998	10.1	184453.95−622153.5	ESO 140− 43	Sy1	SBc	14.83 : 14.10	P
1RXSJ184538.1−645144	1.0670 (0.0944)	0.999	0.0	184537.00−645144.6	CD−64 1208	*	M0	10.4 : 9.2	P
...	...	...	...	184537.00−645144.6	WT 588	*	./.	11.0 :	
1RXSJ184540.1+203242	0.3765 (0.0387)	0.999	0.0	184539.73+203246.7	BD+20 3926P	**	?	14.61 : 13.92	
...	...	...	...	184539.73+203246.7	GJ 725.2	V*	F6V	4.65 :	
...	...	...	...	184539.73+203246.7	IRAS 18435+2029	IR	./.	:	
1RXSJ184616.1−272043	0.1207 (0.0247)	0.999	0.0	184616.28−272046.5	HD 173427	**mul.	G2V	8.71 : 8.16	
1RXSJ184643.6+525912	0.0679 (0.0100)	0.997	10.4	184643.05+525916.6	HD 174237	Em. *	B2.5Ve	5.80 : 5.90	P
1RXSJ184646.0−363621	0.1380 (0.0352)	0.989	11.1	184645.65−363618.1	...	...	...	...	
1RXSJ184739.9+293038	0.1833 (0.0180)	0.986	11.8	184739.93+293038.3	BD+29 3349	*	K0	10.79 : 9.94	
1RXSJ184745.9−402421	0.2892 (0.0524)	0.995	0.0	184744.62−402422.2	HD 173540	*	G5.5III	5.967 : 5.217	
1RXSJ184847.1+804022	0.1766 (0.0136)	0.995	11.1	184848.62+804022.8	...	...	...	...	
1RXSJ184854.7+003501	0.4162 (0.0366)	1.000	0.0	184854.64+003502.9	FASTT 1189	V*	./.	:	
...	...	...	...	184854.64+003502.9	HD 174107	Nova	sd:Be+...	11.65 :	P
1RXSJ184936.4+275355	0.0795 (0.0123)	0.980	11.4	184937.02+275403.4	GSC 02116−01161	*	./.	11.4 : 10.60	
1RXSJ184948.7−235003	0.9420 (0.0809)	0.999	0.0	184948.96−235008.8	CD−23 14742	*	./.	:	
...	...	...	...	184948.96−235008.8	GJ 729	Flare *	M3.5	12.55 :	P
1RXSJ184950.1−715703	0.2410 (0.0453)	0.996	0.0	184948.68−715710.0	GSC 09300−00891	*	./.	11.9 : 11.0	
1RXSJ185005.1−292957	0.0552 (0.0156)	0.985	11.3	185005.41−293000.2	...	...	...	...	
1RXSJ185112.4+592314	0.0505 (0.0064)	0.999	0.0	185112.10+592318.0	HD 175306	V* (RS CVn)	G9IIIb	5.813 : 4.642	
1RXSJ185131.1+584258	0.0631 (0.0073)	0.984	12.0	185130.96+584257.9	...	...	...	...	
1RXSJ185306.0−501045	1.0000 (0.0884)	1.000	0.0	185305.88−501049.9	HD 174429	V*	K0Vp	9.19 : 8.42	P
1RXSJ185312.7+504237	0.1614 (0.0168)	0.998	0.0	185313.54+504229.6	HD 175535	*	G7IIIa	5.82 : 4.92	
1RXSJ185440.4−785350	0.1065 (0.0243)	0.995	9.3	185440.14−785354.4	ESO 25− 2	Gal.	Sa	:	
1RXSJ185447.1+485133	0.1020 (0.0135)	0.983	0.0	185447.12+485133.8	HD 175824	**mul.	F3III	6.254 : 5.846	
...	...	...	...	185447.12+485133.8	IRAS 18534+4847	IR	./.	:	
1RXSJ185609.2+021744	0.0582 (0.0135)	0.981	11.5	185609.69+021744.5	...	...	...	...	
1RXSJ185626.0+651533	0.1116 (0.0073)	0.988	11.7	185626.05+651530.1	HD 176598	*	G8III	6.555 : 5.632	
1RXSJ185701.7+325405	0.1011 (0.0144)	0.997	0.0	185701.47+325405.9	HD 176051	HiPM*	F9V	5.81 : 5.22	
...	...	...	...	185701.47+325405.9	IRAS 18551+3250	IR	./.	:	
1RXSJ185713.2+640623	0.0560 (0.0054)	0.995	10.6	185712.43+640620.7	BD+63 1470	*	K5	10.56 : 9.52	
1RXSJ185719.7+012039	0.1676 (0.0218)	0.998	0.0	185719.46+012033.3	BD+01 3828	**	G0	10.29 : 9.51	
...	...	...	...	185719.46+012033.3	BD+01 3828B	**	?	:	
1RXSJ185843.5−370618	0.0881 (0.0233)	0.998	0.0	185843.39−370626.4	HD 175813	Ecl. Bin. (W UMa)	F2V	5.19 : 4.83	P
1RXSJ190106.6−284250	0.1069 (0.0224)	0.996	0.0	190106.04−284250.4	HD 176367	**	G2V	9.02 : 8.49	
1RXSJ190127.6−342227	0.1148 (0.0240)	0.985	0.0	190128.68−342235.6	HD 176383	*	F5V	8.74 : 8.27	
1RXSJ190216.3+024419	0.1225 (0.0201)	0.980	10.0	190217.04+024424.1	HD 176898	*	G	10.07 : 9.21	
1RXSJ190240.7+323133	0.1756 (0.0179)	0.988	0.0	190240.12+323133.2	...	...	...	...	
1RXSJ190328.9+620539	0.0753 (0.0059)	1.000	0.0	190328.78+620540.2	HD 178156	*	G5	7.66 : 7.05	
1RXSJ190619.7−522028	2.0850 (0.1318)	0.998	10.7	190619.79−522026.9	HD 177171	*	F7V	5.681 : 5.182	
1RXSJ190621.4+274247	0.8354 (0.0395)	1.000	0.0	190621.32+274247.8	HD 337518	V*	K0	9.8 : 8.6	
1RXSJ190816.0+252228	0.0554 (0.0118)	0.999	0.0	190816.49+252229.8	HD 178593	*	F8	7.957 : 7.483	
1RXSJ190826.1+522532	1.2750 (0.0382)	1.000	0.0	190825.79+522532.6	HD 179094	V* (RS CVn)	K1IV	6.985 : 5.900	P
1RXSJ190850.0−422536	0.4213 (0.0460)	0.999	0.0	190850.49−422541.2	GJ 4096	*	K1V	8.74 : 7.88	
1RXSJ190859.7+060426	0.1039 (0.0270)	0.999	0.0	190859.91+060423.6	HD 178596	*	F0III−IV	5.553 : 5.230	
1RXSJ190911.4+763338	0.1271 (0.0098)	1.000	0.0	190909.87+763337.8	GJ 748.1	V*	A9V	5.408 : 5.124	
...	...	...	...	190909.87+763337.8	GJ 9649	*	F2V	:	
1RXSJ191057.1−601604	0.1620 (0.0428)	0.994	0.0	191057.84−601620.0	HD 178085	*	G0V	8.90 : 8.32	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ191130.6+264415	0.0688 (0.0119)	0.999	0.0	191130.98+264409.1	HD 179422	*	F5V	6.735 : 6.347	
1RXSJ191134.7−343500	0.1247 (0.0265)	0.981	11.4	191134.70−343509.6	GSC 07418−02446	*	./.	10.81 : 9.99	
1RXSJ191145.5−191116	0.4851 (0.0411)	0.990	11.3	191145.37−191121.8	BD−19 5336B	**	?	:	
...	...	...	...	191145.37−191121.8	HD 179024	**	G3/G5V:	8.96 : 8.16	
1RXSJ191205.1+461931	0.0799 (0.0131)	0.995	10.3	191204.86+461924.7	HD 179890	Ecl. Bin. (Algol)	G0V	9.87 : 9.34	
1RXSJ191251.7+365513	0.0723 (0.0118)	0.980	11.8	191251.49+365513.7	HD 179910	*	K0	9.27 : 8.38	
1RXSJ191420.0+623004	0.0999 (0.0078)	0.996	11.0	191419.66+622959.0	BD+62 1699	*	K0	10.68 : 9.95	
1RXSJ191440.1+191901	0.5498 (0.0485)	0.989	0.0	191439.16+191903.7	CCDM J19147+1919A	**	./.	:	
...	...	...	...	191439.16+191903.7	GJ 9652A	*	M3.5	:	
1RXSJ191449.0+315131	0.0573 (0.0127)	0.994	0.0	191450.21+315137.3	HD 180314	*	K0	7.609 : 6.618	
1RXSJ191450.6+243227	0.0667 (0.0126)	0.999	0.0	191450.77+243230.3	HD 343989	**mul.	F5	9.74 : 9.34	
1RXSJ191510.0−043009	0.1477 (0.0224)	0.981	11.6	191510.03−043003.7	...	...	...	...	
1RXSJ191533.7+443704	0.0678 (0.0119)	0.995	10.8	191533.84+443702.7	...	...	...	...	
1RXSJ191611.4−532823	0.2622 (0.0467)	0.991	0.0	191610.97−532810.1	CD−53 8075	*	./.	10.94 : 10.02	
1RXSJ191614.0−302727	0.0774 (0.0191)	0.992	0.0	191613.51−302734.5	HD 180068	*	A3IV	7.44 : 7.28	
1RXSJ191724.3−375655	0.1926 (0.0278)	0.991	10.5	191723.80−375650.1	CD−38 13398	*	K2	11.07 : 10.15	
1RXSJ191739.0−253435	0.0667 (0.0173)	0.999	0.0	191739.24−253431.9	HD 180468	*	K2/K3III	10.30 : 9.08	
1RXSJ191812.8−382305	0.9859 (0.0596)	1.000	0.0	191812.57−382303.7	HD 180445	*	G8V	9.21 : 8.42	P
1RXSJ191845.4+162912	0.1607 (0.0206)	0.999	0.0	191845.16+162918.1	HD 181144	Spec. Bin.	F8IV−V	7.4 : 6.92	
1RXSJ191848.6+193636	0.1376 (0.0162)	1.000	0.0	191848.41+193637.7	HD 181182	Ecl. Bin. (Algol)	B8III+...	6.498 : 6.508	P
1RXSJ191936.8+372005	0.1046 (0.0166)	0.984	0.0	191937.20+372017.5	...	...	...	...	
1RXSJ192031.9−052502	0.1324 (0.0210)	0.993	0.0	192032.91−052456.8	HD 181391	Spec. Bin.	G8III	5.917 : 4.995	
1RXSJ192129.2−345904	0.6266 (0.0493)	0.990	11.0	192129.69−345859.1	GJ 755	*	G5V	7.08 : 6.49	P
1RXSJ192152.1+070608	0.0543 (0.0132)	0.999	0.0	192152.41+070608.3	HD 181853	*	F2V	8.77 : 8.35	
1RXSJ192240.0−203840	1.3450 (0.1017)	0.999	0.0	192240.30−203834.5	HD 181809	V* (RS CVn)	K2IIICNpvar	7.75 : 6.74	
1RXSJ192432.8+262136	0.1423 (0.0160)	0.998	0.0	192433.08+262144.0	HD 338286	*	M0	10.82 : 9.54	
1RXSJ192433.0+501415	0.0631 (0.0102)	0.994	0.0	192433.07+501429.1	HD 182917	Semi−Reg. Pulsating *	M7IIIvar	10.16 : 8.84	
1RXSJ192502.2+442948	0.2423 (0.0218)	0.996	10.9	192501.85+442950.2	GSC 03146−00035	*	K1V	10.78 : 9.87	P
1RXSJ192506.4−230238	0.2275 (0.0313)	0.989	0.0	192506.19−230230.8	HD 182346	**mul.	F6V	7.8 : 8.1	
1RXSJ192520.8+201604	0.0776 (0.0171)	0.987	0.0	192522.40+201618.2	HD 182761	*iC	A0V	6.294 : 6.303	P
1RXSJ192530.0+030640	0.2415 (0.0274)	0.993	0.0	192529.91+030653.3	GJ 760	V*	F0IV	3.68 : 3.40	
1RXSJ192558.3−563344	6.8590 (0.5767)	0.985	10.9	192558.54−563336.6	CD−56 7708	*	./.	10.4 :	
1RXSJ192631.9+115111	0.0512 (0.0121)	0.998	0.0	192631.93+115103.8	HD 182901	*	F5III	7.310 : 6.914	
1RXSJ192636.0+784005	0.1977 (0.0138)	0.981	11.4	192634.61+784000.1	...	...	...	...	
1RXSJ192736.3+375621	0.0582 (0.0113)	0.999	0.0	192736.40+375628.3	HD 183362	Be Star	B3Ve	6.175 : 6.294	
1RXSJ192741.1+740932	0.0766 (0.0078)	0.985	11.5	192742.75+740936.1	EXO 1928.7+7403	*	./.	11.3 : 10.7	P
1RXSJ192822.2+273124	0.1198 (0.0217)	0.982	10.3	192822.12+273117.9	HD 338348	*	G0	10.25 : 9.56	
1RXSJ192832.0−350801	0.3002 (0.0336)	0.996	11.1	192832.04−350758.9	HD 182928	*	G5V	10.36 : 9.69	
1RXSJ192929.6+361709	0.0951 (0.0157)	0.999	0.0	192930.08+361714.9	HD 183752	Elliptical variable Star	F0	6.989 : 6.676	
1RXSJ192941.3−304804	0.0816 (0.0198)	0.994	0.0	192940.57−304752.0	HD 183216	HiPM*	G2V	7.74 : 7.14	
1RXSJ193113.9+554350	0.1079 (0.0101)	1.000	0.0	193113.56+554354.6	AG+55 3729	*	./.	:	
...	...	...	...	193113.56+554354.6	HD 184399	V* (RS CVn)	K2II−IIIe+...	7.503 : 6.379	
1RXSJ193142.5+525951	0.0669 (0.0087)	0.999	9.1	193142.87+525954.6	HD 184424	**	G0	9.00 : 8.40	
1RXSJ193220.4+693958	0.2557 (0.0142)	1.000	0.0	193220.59+693955.5	EUVE J1932+69.6	UV	./.	:	
1RXSJ193359.6+152228	0.0520 (0.0112)	0.999	8.9	193359.50+152229.3	HD 184472	*	F5	8.91 : 8.48	
1RXSJ193445.6+303100	0.0662 (0.0158)	0.999	0.0	193445.24+303058.9	HD 184738	PN	WC...	10.35 : 10.41	
1RXSJ193506.8−103346	0.1008 (0.0240)	0.998	0.0	193507.26−103337.6	HD 184492	*	G8IIIa	6.233 : 5.137	
1RXSJ193509.4−695823	0.1652 (0.0366)	0.998	0.0	193509.72−695832.1	HD 183414	*	G3V	8.519 : 7.906	
1RXSJ193551.0−022712	0.0639 (0.0158)	0.998	0.0	193550.73−022720.7	HD 184701	*	F5	7.3 : 6.88	
1RXSJ193556.4+565856	0.0500 (0.0066)	0.999	0.0	193555.61+565902.0	HD 185414	HiPM*	G0	7.35 : 6.74	
1RXSJ193605.8+244354	0.0563 (0.0124)	0.998	8.7	193605.19+244347.6	HD 184979	**mul.	G5	8.79 : 8.27	
1RXSJ193616.0+142332	0.0779 (0.0147)	0.998	0.0	193615.69+142327.9	HD 184944	*	K0II−III	7.412 : 6.364	
1RXSJ193623.1+155330	0.1304 (0.0195)	0.996	0.0	193623.01+155332.4	HD 184962	**	F8	7.601 : 7.136	
1RXSJ193627.1+501310	0.3235 (0.0212)	0.999	0.0	193626.53+501316.0	GJ 765A	HiPM*	F4V	4.86 : 4.48	
...	...	...	...	193626.53+501316.0	IRAS 19350+5006	IR	./.	:	
1RXSJ193637.6+444137	0.0932 (0.0149)	0.999	0.0	193637.97+444141.7	HD 185351	*	G9IIIbCN...	6.105 : 5.180	
1RXSJ193642.6−245301	0.4746 (0.0415)	1.000	0.0	193642.39−245300.8	HD 184707	V*	B8/B9V	4.537 : 4.598	
1RXSJ193707.3−513410	0.1722 (0.0357)	0.990	0.0	193708.70−513400.7	CCDM J19371−5134A	**	./.	12.76 : 11.10	
...	...	...	...	193708.70−513400.7	CCDM J19371−5134B	**	./.	:	
1RXSJ193716.3+260929	0.0988 (0.0180)	0.994	9.0	193715.93+260917.2	HD 185270	*	F8V	8.97 : 8.47	
1RXSJ193732.8−061305	1.7810 (0.0719)	0.998	10.2	193733.07−061304.0	1ES 1934−06.3	Em. *	?	:	
...	...	...	...	193733.07−061304.0	1H 1934−063	Sy	./.	16.12 : 15.35	
...	...	...	...	193733.07−061304.0	CGMW 3−4394	Gal.	./.	:	
...	...	...	...	193733.07−061304.0	IRAS 19348−0619	Gal.	./.	:	
1RXSJ193748.2−043852	0.0929 (0.0180)	0.997	0.0	193747.32−043851.5	HD 185124	*	F3IV	6.07 : 5.68	
1RXSJ193804.4−510950	0.7373 (0.0689)	0.995	11.2	193804.34−510949.2	CSRG 863	Sy1	./.	15.20 :	
1RXSJ193832.2+383737	0.1366 (0.0180)	0.988	11.7	193832.21+383735.9	...	...	...	...	
1RXSJ193841.9+545823	0.1231 (0.0106)	0.985	11.3	193841.06+545817.4	HD 185912	Ecl. Bin. (Algol)	F6Va	6.325 : 5.899	
1RXSJ193852.6−255224	0.1762 (0.0282)	0.993	0.0	193851.52−255219.4	HD 185181	HiPM*	G8IV	9.6 : 8.5	
1RXSJ193856.2+351407	0.2903 (0.0283)	0.995	9.2	193855.63+351415.9	HD 185696	**mul.	G0	8.81 : 8.29	
1RXSJ193938.6−060349	0.3647 (0.0322)	0.996	11.3	193938.74−060347.9	HD 185510	V* (RS CVn)	G5	9.45 : 8.34	
1RXSJ194044.8+253541	0.1851 (0.0218)	0.996	10.7	194044.69+253547.0	HD 338736	*	K0	10.59 : 9.59	
1RXSJ194046.3−161702	0.0810 (0.0179)	0.997	0.0	194045.46−161701.3	HD 185673	**	F7/F8V	8.65 : 8.11	
1RXSJ194132.3−464619	0.0586 (0.0176)	0.987	0.0	194134.12−464612.7	HD 185494	V*	K0V	10.9 : 9.84	
1RXSJ194138.4−083758	0.0507 (0.0140)	0.984	0.0	194137.43−083744.4	HD 185862	*	K0	9.74 : 8.51	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ194245.9+082257	0.0965 (0.0180)	0.999	0.0	194245.88+082257.9	HD 186226	**	F5	7.35 : 6.83	
1RXSJ194307.0−163258	0.0510 (0.0147)	0.981	10.6	194306.49−163258.1	HD 186108	*	K0III	10.43 : 9.20	
1RXSJ194334.2−152814	0.0997 (0.0207)	0.998	0.0	194333.54−152812.4	HD 186185	HiPM*	F5V	5.95 : 5.49	
1RXSJ194343.0+254615	0.0506 (0.0110)	0.999	0.0	194342.92+254618.9	HD 186486	*	G8III	6.420 : 5.497	
1RXSJ194625.6+334338	0.1356 (0.0180)	0.996	0.0	194625.60+334339.4	GJ 767.1A	HiPM*	F7V	5.46 : 4.99	
...	...	...	...	194625.60+334339.4	IRAS 19445+3336	IR	./.	:	
1RXSJ194733.8+010522	0.2464 (0.0257)	0.999	0.0	194733.32+010520.0	HD 187003	HiPM*	G5	7.39 : 6.80	
1RXSJ194753.6−454302	0.0977 (0.0212)	0.993	0.0	194752.35−454303.8	HD 186682	*	A3V	7.39 : 7.26	
1RXSJ194902.9+295258	0.3569 (0.0303)	1.000	9.2	194903.00+295258.4	HD 187460	Pulsating variable Star	K2II−III	9.20 : 8.32	
1RXSJ194935.6−080448	0.2102 (0.0309)	0.990	10.8	194935.21−080448.9	...	...	...	...	
1RXSJ194942.9−324555	0.1013 (0.0265)	0.993	0.0	194944.09−324550.3	HD 187154	*	G2V	8.38 : 7.78	
1RXSJ194956.5+270500	0.0839 (0.0169)	0.998	0.0	194955.82+270506.6	HD 187614	*	G8III	7.374 : 6.476	P
1RXSJ195046.6−104611	0.0652 (0.0192)	0.988	0.0	195046.81−104549.0	HD 187532	**	F0V	5.77 : 5.39	
...	...	...	...	195046.81−104549.0	IRAS 19480−1053	IR	./.	:	
1RXSJ195047.0+085159	0.1479 (0.0199)	0.999	0.0	195046.69+085202.6	GJ 768	HiPM*	A7V	0.99 : 0.77	
1RXSJ195113.5+084219	0.1551 (0.0201)	1.000	0.0	195113.39+084219.9	1E 1948.6+0834	*	./.	:	
1RXSJ195118.5+472234	0.0745 (0.0104)	0.998	0.0	195119.38+472238.1	HD 188074	*	F2V	6.577 : 6.231	
1RXSJ195125.1+404405	0.0571 (0.0113)	0.996	0.0	195124.80+404407.4	HD 226195	**mul.	G5	8.84 : 8.30	
1RXSJ195146.7+080415	0.0860 (0.0147)	0.999	0.0	195146.94+080418.2	HD 187854	*	A2	7.7 : 7.6	
1RXSJ195209.1+072728	0.0604 (0.0132)	0.998	0.0	195209.39+072736.1	HD 187897	*	G5	7.740 : 7.143	
1RXSJ195241.7+315655	0.0703 (0.0135)	0.999	0.0	195241.94+315649.8	HD 331403	**mul.	F5	9.35 : 9.04	
1RXSJ195306.6−143610	0.3836 (0.0433)	0.982	0.0	195306.39−143611.6	HD 187949	Ecl. Bin. (Algol)	A1V	6.629 : 6.490	
1RXSJ195330.1+254020	0.1671 (0.0218)	0.998	10.2	195330.15+254027.1	HD 339112	*	F5	9.90 : 9.37	
1RXSJ195352.0−824038	0.1329 (0.0222)	0.987	11.2	195356.64−824041.6	CPD−82 784	*	./.	9.4 :	
1RXSJ195518.8+062440	0.2479 (0.0292)	0.985	0.0	195518.79+062424.4	GJ 771A	V*	G8IV	4.57 : 3.71	
1RXSJ195541.5+320546	0.0916 (0.0147)	0.998	0.0	195542.34+320549.1	IRAS 19537+3157	IR	./.	:	
1RXSJ195640.9+373401	0.1372 (0.0191)	0.993	9.3	195642.07+373405.6	HD 189039	*	K0III	9.16 : 8.07	
1RXSJ195646.5+530424	0.1552 (0.0118)	0.986	11.7	195646.05+530421.4	GSC 03935−01634	*	K0V	:	P
1RXSJ195713.0+294921	0.2408 (0.0232)	0.999	9.0	195713.06+294915.2	...	...	...	...	
1RXSJ195758.2+664253	0.1834 (0.0118)	0.996	11.0	195758.42+664250.0	...	...	...	...	
1RXSJ195805.9−040310	0.1552 (0.0285)	1.000	0.0	195805.85−040309.8	BD−04 4981	*	./.	11.0 : 10.3	
1RXSJ195836.9+154353	0.1679 (0.0238)	0.998	9.8	195836.58+154356.1	HD 189281	*	G5	9.54 : 8.92	
1RXSJ195923.9−043155	0.0717 (0.0182)	0.987	10.4	195924.05−043203.4	HD 189285	*	G5	10.17 : 9.46	
1RXSJ200008.7+074538	0.1254 (0.0188)	0.999	0.0	200008.18+074538.2	HD 189509	*	F5	7.701 : 7.242	
1RXSJ200020.1−334211	1.7890 (0.1252)	1.000	0.0	200020.15−334209.7	GJ 9679	V*	F7V	6.15 :	
1RXSJ200043.3+224240	0.1083 (0.0180)	0.998	0.0	200043.71+224239.1	GJ 4130	HiPM*	G5	8.7 : 7.5	
1RXSJ200247.9−043601	0.0545 (0.0131)	0.988	11.1	200247.59−043552.7	BD−05 5141	*	./.	10.8 : 10.2	
1RXSJ200314.6+584333	0.0824 (0.0092)	0.997	9.8	200314.13+584332.0	HD 239303	*	G5	9.62 : 8.94	
1RXSJ200339.4−032237	0.0510 (0.0133)	0.988	10.9	200339.89−032237.8	HD 190155	Classical Cepheid (delta Cep type)	G5	10.25 : 8.92	
1RXSJ200407.7+170432	0.0560 (0.0146)	0.985	0.0	200406.47+170416.2	GJ 779	V*	G1V	6.41 :	
1RXSJ200408.5+071637	0.2698 (0.0266)	1.000	0.0	200408.32+071640.6	HD 190327	*	K0III	6.569 : 5.521	
1RXSJ200448.3+262909	0.0747 (0.0133)	0.997	8.9	200448.34+262859.6	HD 339479	*	G0V	9.03 : 8.51	
1RXSJ200509.7+382838	0.5268 (0.0283)	1.000	0.0	200509.78+382842.5	GJ 9685	HiPM*	G5IV	6.82 : 6.17	
1RXSJ200557.2+691857	0.0768 (0.0096)	0.997	9.9	200556.49+691851.5	BD+68 1106	*	G0	9.91 : 9.33	
1RXSJ200621.8+355820	0.3356 (0.0244)	1.000	0.0	200621.93+355824.7	HD 191026	V* (RS CVn)	K0IV	6.21 : 5.36	
...	...	...	...	200621.93+355824.7	IRAS 20044+3549	IR	./.	:	
1RXSJ200658.1−343301	0.3747 (0.0427)	0.992	10.2	200658.22−343251.7	CTS 28	Sy1	./.	15.5 :	
1RXSJ200705.8+364932	0.0640 (0.0109)	0.999	0.0	200706.20+364936.0	HD 191158	*	Am	7.126 : 6.962	
1RXSJ200724.0−514728	0.4752 (0.0449)	1.000	0.0	200723.77−514727.3	...	...	...	...	
1RXSJ200744.6−314508	0.2045 (0.0352)	0.998	0.0	200744.79−314507.8	GJ 781.1A	HiPM*	M3	12.9 :	
1RXSJ200759.3+160955	0.6996 (0.0562)	1.000	0.0	200759.23+160958.1	HD 191179	*	G5	9.18 : 8.43	
1RXSJ200905.0−261328	0.0731 (0.0180)	0.986	11.5	200905.18−261325.4	HD 191089	*	F5V	7.590 : 7.192	
...	...	...	...	200905.18−261325.4	IRAS 20060−2622	IR	./.	:	
1RXSJ200925.6−484953	2.5970 (0.1188)	0.994	11.3	200925.41−484953.8	QSO 2005−489	BL Lac − type object	B...	16.5 : 13.4	P
1RXSJ201017.5−133258	0.0569 (0.0140)	0.985	10.3	201016.70−133304.8	HD 191431	*	G2/G3V:	10.10 : 9.51	
1RXSJ201022.9+113235	0.0636 (0.0142)	0.995	9.7	201022.57+113230.4	HD 191592	*	F8	9.38 : 8.72	
1RXSJ201043.9+045448	0.6087 (0.0458)	0.986	11.9	201043.81+045451.3	HD 191616	*	K0	10.43 : 9.39	
1RXSJ201125.7+382355	0.0649 (0.0118)	0.998	0.0	201125.12+382400.5	GJ 4138	*	G8V	8.82 : 7.97	P
1RXSJ201134.7+620442	0.1213 (0.0117)	0.994	0.0	201134.90+620442.7	HD 192455	**	F5V	6.192 : 5.716	
1RXSJ201237.0+311524	0.0526 (0.0112)	0.996	9.9	201237.52+311531.4	HD 332021	*	F8	9.82 : 9.33	
1RXSJ201352.2−451005	0.0927 (0.0211)	0.994	0.0	201352.75−450949.1	GJ 784	HiPM*	K7	9.43 : 7.97	
1RXSJ201354.3+162526	0.0562 (0.0117)	1.000	0.0	201354.28+162525.3	HD 192362	*	K7	9.61 : 8.38	
1RXSJ201415.6−500651	0.0977 (0.0225)	0.997	0.0	201414.29−500650.0	GSC 08400−00567	*	./.	10.92 : 9.84	
1RXSJ201449.4+450143	0.5492 (0.0264)	1.000	0.0	201449.10+450143.5	HD 192785	*	K0	8.80 : 7.75	P
1RXSJ201541.5+655112	0.2183 (0.0139)	1.000	8.2	201541.39+655112.8	HD 193341	*	F5	8.25 : 7.76	
1RXSJ201647.3+244011	0.0690 (0.0126)	0.999	0.0	201647.09+244015.9	HD 192944	*	G8III	6.235 : 5.306	
1RXSJ201700.4+372524	0.0612 (0.0107)	0.995	0.0	201700.02+372523.8	HD 193077	WR *	WNs...	8.34 : 8.06	P
1RXSJ201803.2−123241	0.2488 (0.0308)	1.000	0.0	201803.22−123241.5	CCDM J20181−1233BC	**mul.	?	:	
...	...	...	...	201803.22−123241.5	HD 192947	**	G6/G8III	4.521 : 3.585	
1RXSJ201834.3−655124	0.2730 (0.0427)	0.998	0.0	201835.09−655127.1	HD 192356	*	G6/G8IV/Vp	9.98 : 9.20	
1RXSJ201859.2+563617	0.0837 (0.0095)	0.988	10.9	201858.95+563617.8	HD 239379	V*	F8	10.59 : 9.95	
1RXSJ201903.1−140205	0.3826 (0.0375)	0.998	11.0	201902.86−140204.3	PPM 721734	*	./.	:	
1RXSJ201937.4+621530	0.0693 (0.0094)	0.999	0.0	201936.73+621526.9	HD 193964	Spec. Bin.	B9V	5.667 : 5.712	
1RXSJ201950.0−123037	0.0584 (0.0139)	0.994	10.5	201949.45−123036.0	HD 193276	*	F8/G0V	10.8 : 9.9	
1RXSJ202003.8+233818	0.1646 (0.0237)	0.999	9.1	202003.68+233817.1	HD 193554	*	G5	8.88 : 8.29	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ202028.5+435111	0.8402 (0.0326)	0.998	0.0	202027.97+435116.3	BD+43 3571B	**	?	:	
...	...	...	...	202027.97+435116.3	HD 193793	WR *	WC...	7.281 : 6.887	
...	...	...	...	202027.97+435116.3	IRAS 20187+4341	IR	./.	:	
1RXSJ202110.1+141945	0.0574 (0.0120)	0.998	9.8	202110.50+141949.2	HD 355538	*	F8	9.75 : 9.32	
1RXSJ202133.0+321853	0.2390 (0.0208)	1.000	8.7	202132.93+321850.1	HD 193891	V* (RS CVn)	K0	8.86 : 7.85	
1RXSJ202143.0−363637	0.1209 (0.0246)	0.981	11.8	202143.05−363634.5	HD 193464	*	G0/G1V	7.99 : 7.49	
1RXSJ202253.6+143313	0.0507 (0.0126)	0.986	0.0	202252.37+143304.0	GJ 789	*	F8V	6.619 : 6.167	
1RXSJ202509.2+363121	0.0590 (0.0105)	0.984	11.5	202509.63+363115.1	...	...	...	...	
1RXSJ202538.9+415345	0.0530 (0.0100)	1.000	0.0	202539.04+415345.6	HD 229293	*	K0	9.36 : 8.81	
1RXSJ202702.9−303109	0.1911 (0.0256)	0.994	10.6	202702.72−303111.6	MCG−05−48−013	Gal.	./.	15. :	
1RXSJ202738.6+773414	0.0500 (0.0103)	0.990	11.3	202740.34+773417.2	BD+77 779	*	K2	10.31 : 9.17	
1RXSJ202817.1−134829	0.1311 (0.0220)	0.992	9.8	202816.41−134822.6	HD 194827	*	G6V	9.53 : 8.86	
1RXSJ202823.9+113115	0.1027 (0.0179)	0.986	11.5	202823.92+113112.7	...	...	...	...	
1RXSJ202843.1−094317	0.0508 (0.0143)	0.985	10.3	202842.27−094316.6	HD 194956	*	G5	10.15 : 9.31	
1RXSJ202843.5−112828	0.1938 (0.0319)	0.988	0.0	202843.56−112834.6	...	...	...	...	
1RXSJ202843.7−000651	0.1106 (0.0167)	0.998	9.8	202843.50−000645.8	HD 195004	*	F8	9.46 : 8.77	
1RXSJ202858.6−172606	0.0862 (0.0161)	0.999	0.0	202858.99−172605.1	HD 194959	*	G2IV	7.37 : 6.73	
1RXSJ202908.5+124102	0.0902 (0.0170)	0.998	0.0	202908.76+124051.8	HD 195134	*	B9	7.01 : 6.98	
1RXSJ202935.2+482524	0.0665 (0.0107)	0.998	0.0	202935.10+482517.2	HD 195462	*	G5	8.63 : 7.95	
1RXSJ202937.2−210739	0.0671 (0.0163)	0.997	0.0	202936.86−210734.7	HD 195040	V* (RS CVn)	G6III/IV	10.16 : 9.06	
1RXSJ203054.1+301728	0.0853 (0.0133)	0.999	8.9	203053.69+301724.9	HD 195531	*	F6V	8.82 : 8.39	
1RXSJ203241.2+411408	0.0896 (0.0128)	0.991	0.0	203240.96+411429.3	EM* AS 424	Em. *	./.	9.5 :	
...	...	...	...	203240.96+411429.3	HIC 101364	*	./.	12.30 : 10.60	
...	...	...	...	203240.96+411429.3	NAME VI CYG 12	Star in Association	B5Iab:	14.41 : 11.40	
1RXSJ203323.0−413119	0.3189 (0.0515)	0.997	0.0	203322.90−413129.2	HD 195521	HiPM*	G5V	7.429 : 6.815	
1RXSJ203426.2+825334	0.3752 (0.0219)	0.993	11.5	203426.11+825334.0	BD+82 622	*	K2	10.51 : 9.55	
1RXSJ203429.1−253250	0.2194 (0.0291)	0.998	0.0	203428.47−253247.0	CD−25 14874	*	./.	11.8 : 10.5	
1RXSJ203435.7−132329	0.0788 (0.0157)	0.997	10.4	203435.83−132323.7	HD 195928	*	K0IV:	10.78 : 9.73	
1RXSJ203512.7+465112	0.0843 (0.0110)	1.000	0.0	203512.65+465112.1	CSI+46−20336	*	B...	12.28 : 10.92	
1RXSJ203556.4+274237	0.8781 (0.0394)	0.999	9.8	203556.42+274236.8	HD 340540	*	K0	10.08 : 9.15	
1RXSJ203719.4+753554	1.4160 (0.0388)	0.999	0.0	203720.81+753556.8	GJ 9703	Ecl. Bin. (W UMa)	K0Vvar	8.13 :	P
1RXSJ203732.7+143537	0.3880 (0.0413)	0.999	0.0	203732.87+143542.7	HD 196524	Spec. Bin.	F5IV	4.044 : 3.632	
...	...	...	...	203732.87+143542.7	IRAS 20352+1425	IR	./.	:	
1RXSJ203820.3−010625	0.0515 (0.0122)	0.998	0.0	203820.28−010618.4	HD 196574	Spec. Bin.	G8III	5.240 : 4.314	
1RXSJ203903.6+640707	0.0552 (0.0076)	0.991	11.2	203904.28+640706.5	...	...	...	...	
1RXSJ203908.4+100510	0.0813 (0.0155)	0.997	0.0	203907.59+100510.1	HD 196755	HiPM*	G5IV+...	5.77 : 5.05	
1RXSJ203937.3+045809	0.0561 (0.0134)	0.989	0.0	203937.21+045818.6	GJ 795	HiPM*	K5Va	9.11 : 7.88	
...	...	...	...	203937.21+045818.6	IRAS 20371+0447	IR	./.	:	
1RXSJ203941.1+264449	0.2127 (0.0205)	0.996	10.6	203940.72+264449.3	...	...	...	...	
1RXSJ204009.4−005216	0.8374 (0.0820)	0.994	0.0	204009.17−005215.0	V* AE Aqr	CV (DQ Her type)	K5IV−Vvar	10.40 :	P
1RXSJ204017.4+603015	0.1189 (0.0129)	0.999	0.0	204017.88+603017.3	HD 197373	*	F6IV	6.424 : 6.025	P
1RXSJ204035.1+153838	0.0693 (0.0136)	0.999	0.0	204035.31+153835.7	HD 197039	*	F5	7.18 : 6.77	
1RXSJ204054.0−003548	0.1733 (0.0221)	0.999	9.8	204054.15−003549.1	HD 197010	Ecl. Bin. (beta Lyr)	F8	9.75 : 9.22	P
1RXSJ204142.6−221910	0.5249 (0.0568)	0.996	0.0	204142.25−221920.5	GJ 9704	HiPM*	K5	10.76 : 9.66	P
1RXSJ204151.2−322604	3.9080 (0.1200)	0.998	0.0	204150.97−322603.6	GJ 799A	V*	M4.5	11.83 : 10.25	P
1RXSJ204233.1−842423	0.0568 (0.0154)	0.994	11.2	204233.43−842425.0	HD 194149	*	A1m...	7.137 : 6.936	
1RXSJ204420.2−535111	0.2465 (0.0342)	0.998	0.0	204420.89−535102.9	CD−54 8764	*	G5	11.0 : 10.11	
1RXSJ204509.4−312023	5.9520 (0.1208)	1.000	0.0	204509.53−312027.2	GJ 803	V*	M0	10.05 : 8.61	P
...	...	...	...	204509.53−312027.2	IRAS 20420−3131	IR	./.	:	
1RXSJ204600.9−373732	0.1955 (0.0329)	0.997	10.9	204601.24−373733.3	CD−38 14209	*	./.	11.4 : 10.50	
1RXSJ204606.2−251611	0.6341 (0.0561)	0.999	0.0	204605.77−251613.9	GJ 805	*	F5V	4.545 : 4.152	P
1RXSJ204617.9+281552	0.1937 (0.0268)	0.983	11.0	204618.82+281543.6	HD 335198	Ecl. Bin. (Algol)	G0	10.80 : 10.16	
1RXSJ204621.0−024849	0.4378 (0.0402)	0.997	10.6	204620.84−024846.5	Mrk 896	Sy1	./.	16.0 :	P
1RXSJ204639.3+160729	0.2544 (0.0248)	1.000	0.0	204639.52+160729.2	HD 197963	HiPM*	F7V	5.63 : 5.14	
...	...	...	...	204639.52+160729.2	HD 197964	HiPM*	K1IV	5.31 : 4.27	
1RXSJ204744.0+431614	0.0886 (0.0125)	0.999	8.7	204743.25+431612.8	HD 198264	Ecl. Bin. (beta Lyr)	A3	8.47 : 8.32	
1RXSJ204744.8−363539	6.1100 (0.3623)	1.000	0.0	204745.00−363540.1	HD 197890	V*	K0V	10.38 : 9.44	P
1RXSJ204818.7+690829	0.0653 (0.0099)	0.996	8.5	204817.62+690827.8	HD 198767	*	G0	8.55 : 7.99	
1RXSJ204859.5−064453	0.3639 (0.0352)	0.992	11.1	204859.52−064447.7	HD 198217	*	G5	10.33 : 9.55	
1RXSJ204929.5+714626	0.0873 (0.0106)	0.998	9.1	204928.04+714624.1	HD 199019	*	G5	8.95 : 8.21	
1RXSJ204937.4−800800	1.1250 (0.0840)	1.000	0.0	204937.27−800801.0	HD 196818	V* (RS CVn)	K0IIIp	8.98 : 7.91	
1RXSJ205010.8+292300	0.2648 (0.0259)	1.000	0.0	205010.56+292302.9	GJ 808.2	*	K5V	9.42 : 8.33	
1RXSJ205208.5+270546	0.2251 (0.0227)	0.997	0.0	205207.73+270549.7	GJ 4168	V*	G7III	5.389 : 4.576	
1RXSJ205257.6+425825	0.1330 (0.0159)	0.987	0.0	205257.35+425826.9	BD+42 3895	*	K2	11.12 : 10.14	
1RXSJ205257.8+440716	0.0790 (0.0161)	0.998	0.0	205258.27+440720.0	GSC 03179−01343	*	G5V	11.2 : 10.5	
...	...	...	...	205258.27+440720.0	RX J2052.9+4407	X	./.	:	P
1RXSJ205353.7+442308	1.6210 (0.0750)	1.000	0.0	205353.65+442311.1	HD 199178	Rot. Var. *	G2V	7.98 : 7.24	P
1RXSJ205421.7+090229	0.1306 (0.0183)	0.994	9.2	205420.96+090227.0	HD 199058	*	G5	9.24 : 8.61	
1RXSJ205522.3+502530	0.0528 (0.0086)	0.989	10.0	205523.30+502536.4	GSC 03583−01038	*	G0V	9.91 : 9.41	
1RXSJ205522.8+022118	0.0552 (0.0117)	0.985	11.3	205522.27+022116.5	...	...	...	...	
1RXSJ205641.3−852710	0.1612 (0.0231)	0.995	0.0	205639.16−852724.1	HD 195819	*	G6III/IV	9.25 : 8.46	
1RXSJ205644.3+494011	0.0767 (0.0102)	0.984	9.6	205641.99+494017.9	BD+49 3420	*	A2	9.48 : 8.85	
1RXSJ205647.0−261751	0.3885 (0.0338)	0.999	0.0	205647.34−261747.1	GJ 811	V*	F7V	6.20 :	
1RXSJ205648.0−045045	0.3104 (0.0274)	1.000	0.0	205648.07−045047.2	GJ 812A	Flare *	M4	13.36 : 11.87	
1RXSJ205710.3+193855	0.0959 (0.0206)	0.998	9.4	205709.79+193855.5	HD 199497	V*	G5	9.16 : 8.67	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ205818.2−434513	0.1704 (0.0307)	0.997	0.0	205818.81−434506.7	HD 199388	**mul.	G3/G5V	9.9 : 8.8	
1RXSJ205826.7+105032	0.0538 (0.0119)	0.995	0.0	205825.94+105021.4	HD 199665	**	G6III:	6.440 : 5.522	
...	...	...	...	205825.94+105021.4	IRAS 20560+1038	IR	./.	:	
1RXSJ205846.2+141743	0.1790 (0.0210)	0.988	11.7	205845.96+141745.5	HD 199742	*	M...	10.36 : 9.01	
1RXSJ205854.9+440339	0.0882 (0.0155)	0.998	0.0	205855.64+440337.6	HD 199956	*	K0	7.712 : 6.642	
1RXSJ205941.5−385847	0.1341 (0.0210)	0.988	11.1	205940.80−385843.2	...	...	...	...	
1RXSJ210010.5−340817	0.1344 (0.0228)	0.985	11.3	210010.61−340808.4	CD−34 14786	*	./.	:	
1RXSJ210118.3−321535	0.5449 (0.0526)	0.993	0.0	210117.46−321528.0	HD 199951	**	G4III	5.543 : 4.677	
...	...	...	...	210117.46−321528.0	IRAS 20582−3227	IR	./.	:	
1RXSJ210139.7+680936	0.0514 (0.0089)	0.990	0.0	210136.93+680947.8	HD 200775	V* (Orion)	B2Ve	7.73 : 7.42	
...	...	...	...	210136.93+680947.8	[SPB96] 2161	UV	./.	:	
1RXSJ210145.1+100843	0.1652 (0.0198)	0.991	10.6	210144.70+100841.4	BD+09 4700	*	K2	10.75 : 9.74	
1RXSJ210225.7+274829	2.3100 (0.1750)	1.000	0.0	210225.91+274826.4	HD 200391	Ecl. Bin. (W UMa)	G0V+...	7.93 : 7.36	
1RXSJ210246.8−351115	0.2368 (0.0290)	0.985	11.5	210246.20−351112.5	...	...	...	...	
1RXSJ210257.9−383754	0.1150 (0.0217)	0.999	0.0	210257.97−383752.3	HD 200163	*	F3V	5.700 : 5.330	
1RXSJ210258.7−225603	0.3125 (0.0282)	0.983	11.8	210258.35−225600.3	HD 200244	*	G8V	10.79 : 10.14	
1RXSJ210404.1+142215	0.0984 (0.0164)	0.980	0.0	210403.55+142224.3	HD 200598	*	A2	8.02 : 7.87	
1RXSJ210408.5+632244	0.0592 (0.0091)	0.996	0.0	210406.42+632246.6	HD 201032	Spec. Bin.	A5	7.69 : 7.34	
1RXSJ210417.6−221011	0.1134 (0.0179)	0.985	11.3	210417.29−221017.2	...	...	...	...	
1RXSJ210442.9−770124	1.0240 (0.0791)	1.000	0.0	210443.08−770125.5	HD 199532	Spec. Bin.	A7III+...	5.64 : 5.15	
1RXSJ210508.1+075645	0.0645 (0.0135)	0.998	8.4	210507.93+075647.9	HD 200746	*	G5	8.59 : 7.98	
1RXSJ210549.8+394947	0.0799 (0.0133)	0.988	0.0	210550.97+394948.2	GSC 03172−00652	*	./.	11.5 : 10.7	
1RXSJ210559.0−361534	0.3060 (0.0320)	0.999	0.0	210558.99−361534.0	HD 200670	V*	F6/F7V	8.27 : 7.80	
1RXSJ210601.7+542149	0.0984 (0.0122)	0.986	11.3	210600.66+542150.9	HD 235440	**mul.	F8	9.71 : 9.15	P
1RXSJ210621.9+690645	0.1133 (0.0126)	0.996	10.8	210621.66+690640.9	BD+68 1182	*	F8	10.74 : 10.12	
1RXSJ210716.7−221839	0.2740 (0.0302)	0.982	11.4	210716.86−221837.1	...	...	...	...	
1RXSJ210845.8−042539	0.6032 (0.0382)	0.998	10.7	210845.68−042536.4	BD−05 5480	*	M1	10.62 : 9.43	P
1RXSJ210924.0−731010	0.2432 (0.0463)	0.995	0.0	210922.41−731023.1	GJ 818.1C	**	?	:	
...	...	...	...	210922.41−731023.1	HD 200525	HiPM*	F9V	6.27 : 5.68	
1RXSJ210928.6−381310	0.1166 (0.0202)	0.992	10.5	210928.73−381311.3	AM 2106−382	Gal.	Sa	:	
1RXSJ210932.3−203318	0.0880 (0.0185)	0.988	11.2	210932.82−203322.3	HD 201352	V*	F2IV/V	6.608 : 6.260	
1RXSJ210951.3−242409	0.0744 (0.0170)	0.998	0.0	210951.57−242402.5	HD 201385	*	G5V	8.83 : 8.11	
1RXSJ211155.9−325833	0.1862 (0.0241)	0.983	11.4	211155.13−325837.5	CD−33 15436	*	./.	11.3 : 10.6	
1RXSJ211214.2−401610	0.1190 (0.0177)	0.999	0.0	211213.71−401609.7	GJ 9726	HiPM*	F5IV	6.28 : 5.83	
...	...	...	...	211213.71−401609.7	IRAS 21090−4028	IR	./.	:	
1RXSJ211347.2+700139	0.2837 (0.0195)	0.994	0.0	211347.13+700139.3	HD 202719	*	K0	7.541 : 6.682	
1RXSJ211402.1−293949	0.1280 (0.0206)	0.999	0.0	211401.80−293948.7	HD 201989	HiPM*	G3/G5V	8.1 : 7.4	
1RXSJ211431.2−304527	0.5120 (0.0377)	1.000	0.0	211431.15−304527.0	HD 202077	V* (RS CVn)	G6IV/V	9.05 : 8.26	
1RXSJ211432.4−005853	0.1593 (0.0199)	0.998	9.9	211432.39−005853.6	HD 202244	*	G0	9.76 : 9.11	
1RXSJ211432.5−225244	0.1517 (0.0207)	0.998	0.0	211432.85−225241.2	HD 202116	*	G3V	8.99 : 8.41	
1RXSJ211447.4+380233	0.2396 (0.0249)	0.998	0.0	211447.46+380243.4	HD 202444	V*	F0IV	4.11 : 3.72	
1RXSJ211453.4−311102	0.4017 (0.0327)	0.998	0.0	211452.74−311100.8	HD 202134	V* (RS CVn)	K1IIIp	8.88 : 7.76	
1RXSJ211549.8+051458	0.1089 (0.0161)	0.998	0.0	211549.43+051452.3	HD 202448	Spec. Bin.	G0III+...	4.449 : 3.949	P
1RXSJ211637.4−361007	0.0811 (0.0164)	0.993	0.0	211637.98−361024.2	HD 202398	*	F5/F6V	8.53 : 8.09	
1RXSJ211717.8−385150	0.1373 (0.0220)	1.000	0.0	211717.71−385152.5	...	...	...	...	
1RXSJ211720.5+315422	0.1261 (0.0194)	0.981	0.0	211721.30+315357.9	HD 202779	*	G0	8.57 : 7.74	
1RXSJ211805.1−293043	0.0638 (0.0168)	0.993	0.0	211805.15−293048.2	HD 202648	**	G5V	9.12 : 8.48	
1RXSJ211826.0+435635	0.0579 (0.0103)	0.988	0.0	211827.19+435645.4	HD 203064	Elliptical variable Star	O8e	4.982 : 5.043	
1RXSJ211827.2−034053	0.0968 (0.0164)	0.998	8.3	211826.86−034049.4	HD 202818	*	F0	8.09 : 7.81	
1RXSJ211833.5−063140	0.2341 (0.0249)	0.990	11.2	211833.45−063142.3	BD−07 5533	*	?...	10.78 : 10.03	
1RXSJ211842.7−612117	0.0741 (0.0221)	0.997	0.0	211844.32−612109.8	GJ 825.1	HiPM*	G5V	7.29 : 6.60	
1RXSJ211912.0+174917	0.0558 (0.0125)	0.998	0.0	211911.21+174919.9	HD 203015	*	F2	7.1 : 6.6	
1RXSJ212026.7−591328	0.0866 (0.0186)	0.999	0.0	212025.85−591327.0	HD 202743	*	F2V	8.89 : 8.53	
1RXSJ212048.2−384704	0.1159 (0.0205)	0.988	0.0	212046.60−384653.3	HD 203019	*	G5V	8.51 : 7.87	
1RXSJ212050.3−530200	0.6200 (0.0451)	1.000	0.0	212049.93−530202.3	HD 202917	*	G5V	9.32 : 8.67	P
1RXSJ212101.6+402044	0.7292 (0.0377)	1.000	0.0	212101.43+402042.1	HD 203454	Spec. Bin.	F8V	6.93 : 6.40	P
1RXSJ212107.1−114114	0.0672 (0.0149)	0.987	11.5	212107.17−114110.7	HD 203190	*	F3V	10.53 : 9.95	
1RXSJ212121.6+101954	0.4171 (0.0461)	0.984	11.9	212121.49+101957.6	HD 203345	Spec. Bin.	F5	7.203 : 6.725	
1RXSJ212124.3−665455	0.5243 (0.0557)	1.000	0.0	212124.49−665457.4	HD 202746	V*	K2Vp...	9.94 : 8.93	P
1RXSJ212125.1−030936	0.0654 (0.0139)	0.989	10.5	212125.00−030931.8	V* HV Aqr	Ecl. Bin. (W UMa)	./.	10.51 : 10.04	
1RXSJ212159.4−373323	0.0621 (0.0145)	0.998	0.0	212200.02−373315.9	HD 203227	**mul.	F0V	9.41 : 9.05	
1RXSJ212214.7−165003	0.8425 (0.0740)	1.000	0.0	212214.78−165004.4	HD 203387	V*	G8III	5.176 : 4.299	P
1RXSJ212320.5−641750	0.0858 (0.0197)	0.989	11.1	212319.41−641747.1	...	...	...	...	
1RXSJ212342.2+152151	0.0518 (0.0135)	0.987	11.1	212341.66+152148.4	GSC 01663−01940	*	./.	11.3 : 10.5	
1RXSJ212342.7−394747	0.0756 (0.0169)	0.987	0.0	212344.25−394808.0	HD 203494	*	F6V	9.39 : 8.92	
1RXSJ212441.0−681348	0.1896 (0.0356)	0.988	11.2	212440.05−681344.2	GJ 1262	HiPM*	G5V	7.70 : 6.97	
1RXSJ212541.2−490935	0.1456 (0.0236)	0.990	10.9	212540.73−490938.4	FRL 969	Gal.	./.	:	
1RXSJ212626.8+192224	1.0520 (0.0678)	0.999	0.0	212626.66+192232.3	HD 204188	Spec. Bin.	A8m	6.294 : 6.078	P
1RXSJ212628.5+010620	0.0564 (0.0154)	0.998	0.0	212628.05+010612.1	HD 204121	*	F5V	6.549 : 6.124	
1RXSJ212703.5−854203	0.0940 (0.0189)	0.984	11.4	212658.39−854206.9	GSC 09528−00727	*	./.	11.02 : 10.15	
1RXSJ212732.9−205443	0.0686 (0.0163)	0.986	11.4	212733.29−205448.4	BD−21 6021	*	./.	11.2 : 10.48	
1RXSJ212808.5+321337	0.0602 (0.0142)	0.998	0.0	212808.26+321331.2	HD 204485	*	F0V	6.049 : 5.757	
1RXSJ212820.4−524917	0.3456 (0.0341)	0.987	11.6	212819.88−524915.0	HD 204128	V* (RS CVn)	K1IIICNp...	10.13 : 9.15	
1RXSJ212844.2−471531	0.1447 (0.0230)	0.998	0.0	212844.44−471541.6	HIC 106043	*	./.	13.620 : 12.200	
1RXSJ213011.1−241124	0.1978 (0.0273)	0.988	11.1	213010.69−241131.5	CD−24 16684	*	./.	11.10 : 10.7	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ213024.9−601225	0.2626 (0.0313)	0.985	0.0	213025.01−601225.0	HD 204353	**	G3/G5IV	8.54 : 7.73	
1RXSJ213101.3+232009	0.9233 (0.0537)	0.998	10.6	213101.28+232014.3	GJ 4199	V*	K8	10.28 : 9.24	P
1RXSJ213119.0−094733	0.0594 (0.0145)	0.998	0.0	213118.63−094726.5	GJ 831	V*	M4e...	13.59 : 11.95	
...	...	...	...	213118.63−094726.5	GJ 831B	*	./.	:	
1RXSJ213256.3−173355	0.1887 (0.0240)	0.996	9.7	213256.96−173350.7	HD 205032	*	K0III	10.02 : 9.05	
1RXSJ213359.4+453530	0.6947 (0.0345)	0.999	0.0	213358.85+453530.6	HD 205435	*	G8III	4.861 : 3.998	P
1RXSJ213434.5+663655	0.1552 (0.0189)	0.983	11.9	213433.93+663655.5	BD+65 1606	*	K	11.15 : 10.29	
1RXSJ213605.2+524859	0.0642 (0.0132)	0.994	8.3	213605.04+524859.7	HD 205807	*	F2	8.40 : 8.08	
1RXSJ213642.6−505033	0.0588 (0.0145)	0.995	0.0	213641.24−505043.4	GJ 833	HiPM*	K2V	8.03 : 7.15	
1RXSJ213704.8+194655	0.0664 (0.0157)	0.987	8.1	213703.22+194700.3	HD 205762	*	K0	8.211 : 7.273	
1RXSJ213816.6−451137	0.2306 (0.0262)	0.986	11.6	213816.17−451137.1	CD−45 14393	*	./.	11.42 : 10.58	
1RXSJ213949.1−160018	0.3056 (0.0331)	0.995	10.8	213948.78−160020.7	HD 206046	V* (RS CVn)	K0IV/V	10.67 : 9.81	P
1RXSJ213952.5−222817	0.1833 (0.0263)	0.990	9.3	213951.41−222826.2	NGC 7103	Gal.	S0a	:	
1RXSJ214023.7−280433	0.1757 (0.0232)	0.987	11.1	214024.35−280434.9	HD 206092	*	G8/K0IIICNvar...	10.75 : 9.77	
1RXSJ214116.5+265900	0.0967 (0.0172)	0.992	10.7	214116.75+265857.8	...	...	...	...	
1RXSJ214133.2−140247	0.6390 (0.0515)	0.999	0.0	214132.87−140251.4	HD 206301	V* (RS CVn)	G2V	5.83 : 5.18	
1RXSJ214303.0−145213	0.0597 (0.0150)	0.991	10.5	214303.58−145207.5	HD 206544	*	G0V	10.50 : 9.98	
1RXSJ214413.6+063827	0.0619 (0.0160)	0.988	0.0	214413.19+063830.7	GJ 4213	HiPM*	M3	13.55 : 12.02	
1RXSJ214426.3+465139	0.0697 (0.0113)	0.998	0.0	214425.42+465146.2	HD 206963	*	F5	6.991 : 6.619	
1RXSJ214431.7+144612	0.6346 (0.0597)	0.998	0.0	214431.33+144619.0	GJ 836.7	V*	G0V	6.53 : 6.00	P
...	...	...	...	214431.33+144619.0	IRAS 21421+1432	IR	./.	:	
1RXSJ214438.9+253838	0.2436 (0.0279)	0.999	0.0	214438.73+253842.1	HD 206901	Spec. Bin.	F5IV	4.550 : 4.159	
1RXSJ214444.4−420753	0.0514 (0.0155)	0.998	0.0	214444.80−420746.4	HD 206667	*	F8/G0V	8.58 : 8.04	
1RXSJ214510.4+855410	0.0643 (0.0110)	0.993	9.8	214509.97+855417.5	CCDM J21452+8554AB	**mul.	F8	9.85 : 9.37	
1RXSJ214700.4−435415	0.3848 (0.0401)	0.983	10.2	214659.10−435356.5	APMBGC 288+117−050	Gal.	./.	15.8 :	
1RXSJ214702.5−160736	1.6550 (0.1255)	1.000	0.0	214702.29−160735.6	GJ 837	Ecl. Bin. (Algol)	A7IIIm	3.16 :	P
...	...	...	...	214702.29−160735.6	IRAS 21442−1621	IR	./.	:	
1RXSJ214849.0−392915	0.0633 (0.0152)	0.996	10.0	214848.47−392908.0	HD 207278	*	G6V	10.37 : 9.70	
1RXSJ215004.4−383657	0.0668 (0.0162)	0.998	0.0	215004.99−383653.0	HD 207450	HiPM*	G0V	8.0 : 7.4	
1RXSJ215008.8+171715	0.2567 (0.0324)	0.999	0.0	215008.69+171708.9	HD 207652	V*	F2III−IV	5.699 : 5.344	
1RXSJ215012.8+712639	0.0650 (0.0146)	0.997	10.3	215011.24+712639.3	V* VZ Cep	V*	G0	10.19 : 9.72	
1RXSJ215102.8+123745	0.0749 (0.0180)	0.989	0.0	215101.97+123732.1	HD 207757	Symbiotic Star	WN+...	9.81 : 8.65	
1RXSJ215125.4+095623	0.1187 (0.0203)	0.997	0.0	215124.88+095622.2	BD+09 4914	*	G0	10.92 : 10.03	
1RXSJ215210.0−620310	0.4231 (0.0366)	0.988	11.6	215209.58−620306.7	HD 207575	*	F6V	7.689 : 7.239	
1RXSJ215310.2+715924	0.1018 (0.0194)	0.981	11.7	215311.70+715923.2	HD 208510	*	B9	6.974 : 6.990	
1RXSJ215317.4−133306	0.4044 (0.0394)	0.999	0.0	215317.78−133306.4	GJ 838.5	HiPM*	F3IV	5.45 : 5.08	
1RXSJ215439.6+520240	0.2215 (0.0195)	0.987	11.5	215439.76+520235.3	HD 235655	*	K0	10.25 : 9.09	
1RXSJ215627.3+051552	0.4112 (0.0373)	0.998	10.4	215627.18+051555.4	EUVE J2156+05.2	UV	./.	:	
1RXSJ215706.4−694120	0.4566 (0.0733)	0.998	9.4	215705.93−694123.2	ESO 75− 41	Rad. Gal.	S0	14.78 : 13.79	P
1RXSJ215740.9−510027	1.0770 (0.0811)	0.999	0.0	215741.20−510022.2	GJ 841A	HiPM*	M2.5	11.87 : 10.36	P
...	...	...	...	215741.20−510022.2	PPM 774824	*	./.	10.1 :	
1RXSJ215821.0+825218	2.6070 (0.0589)	1.000	0.0	215819.73+825215.8	HD 209943	V* (RS CVn)	F5	8.06 : 7.43	P
1RXSJ215909.8−714756	0.1869 (0.0456)	0.990	10.7	215909.18−714800.2	APMBGC 075−060+104	Gal.	S	:	
...	...	...	...	215909.18−714800.2	APMGS 215450.59−720216.8	Gal.	./.	:	
1RXSJ215916.7+731043	0.2059 (0.0176)	0.998	0.0	215914.96+731047.6	HD 209369	**	F5V	5.456 : 5.047	
...	...	...	...	215914.96+731047.6	IRAS 21585+7256	IR	./.	:	
1RXSJ215940.8+160220	0.3306 (0.0349)	0.988	11.5	215940.36+160221.2	V* OT Peg	V*	K0	10.55 : 9.78	
1RXSJ215959.1+030234	0.1686 (0.0255)	0.985	10.7	215959.75+030225.0	BD+02 4456	*	G5	10.57 : 9.77	
1RXSJ220028.6+011259	0.1411 (0.0239)	0.999	8.7	220028.26+011302.8	HD 209048	*	G5	8.74 : 8.07	
1RXSJ220036.3−024433	5.3460 (0.2662)	0.997	10.1	220036.29−024425.9	V* FF Aqr	V*	K0	10.23 : 9.35	
1RXSJ220112.9+281832	0.3987 (0.0286)	0.997	0.0	220112.88+281824.5	GJ 4247	*	M4	13.9 : 11.99	
1RXSJ220226.9+483122	0.0558 (0.0116)	0.986	0.0	220226.24+483116.2	...	...	...	...	
1RXSJ220229.8−040617	0.0573 (0.0158)	0.985	11.4	220230.07−040611.0	BD−04 5601	*	./.	10.96 : 10.17	
1RXSJ220315.7−112852	0.0601 (0.0166)	0.994	10.3	220315.75−112858.8	HD 209382	*	F8	9.98 : 9.43	
1RXSJ220316.6−481619	0.1093 (0.0192)	0.995	0.0	220315.32−481612.7	HD 209267	**mul.	F6V	9.44 : 8.97	
1RXSJ220318.1−564650	0.2604 (0.0285)	0.999	0.0	220317.44−564647.3	...	...	...	...	
1RXSJ220417.6+023619	0.1170 (0.0229)	0.988	11.0	220417.20+023619.6	BD+01 4577	*	K8	10.67 : 9.54	
1RXSJ220456.9+471403	1.4630 (0.0512)	1.000	0.0	220456.61+471404.5	HD 209813	V* (RS CVn)	K0III...	8.01 : 6.96	P
1RXSJ220508.8+621647	0.0570 (0.0106)	1.000	0.0	220508.51+621647.5	HD 209975	**mul.	O9Ib	5.19 : 5.11	
1RXSJ220533.8−432046	0.1008 (0.0213)	0.986	11.5	220533.44−432044.2	...	...	...	...	
1RXSJ220626.2−135214	0.0558 (0.0171)	0.997	0.0	220626.23−135210.9	HD 209819	*	B8V	4.219 : 4.281	
1RXSJ220636.4+634515	0.5512 (0.0319)	0.998	0.0	220636.48+634516.3	...	...	...	...	
1RXSJ220639.3+022624	0.0857 (0.0191)	0.981	11.7	220638.81+022622.1	HD 209905	*	B9	6.438 : 6.503	
1RXSJ220700.9+252045	0.2599 (0.0240)	1.000	0.0	220700.67+252042.4	GJ 848	Spec. Bin.	F5V	4.20 : 3.76	
1RXSJ220703.6+343118	0.0654 (0.0119)	0.999	0.0	220703.35+343117.3	HD 210073	**	F5IV	7.5 : 6.98	
1RXSJ220945.9−135345	0.0840 (0.0200)	0.985	9.8	220944.90−135329.1	HD 210296	V*	M1/M2III	9.60 : 8.07	
1RXSJ220948.3+722023	0.0840 (0.0150)	0.999	0.0	220948.43+722028.3	HD 210807	*	G7II−III	5.699 : 4.801	
1RXSJ221102.5−211403	0.1166 (0.0221)	0.992	10.9	221102.17−211357.0	HD 210464	*	F6/F7V	6.59 : 6.09	
1RXSJ221109.0+504929	0.0962 (0.0163)	0.998	0.0	221109.91+504924.2	HD 210715	**	A5V	5.528 : 5.386	
...	...	...	...	221109.91+504924.2	IRAS 22092+5034	IR	./.	:	
1RXSJ221112.1+361531	0.0751 (0.0131)	0.998	8.2	221111.73+361534.2	...	...	...	...	
1RXSJ221131.0+592442	0.0626 (0.0120)	0.998	0.0	221130.59+592452.3	HD 210839	Em. *	O6Iab:...	5.261 : 5.090	P
1RXSJ221131.2−600338	0.0959 (0.0169)	0.986	11.7	221131.08−600336.9	...	...	...	...	
1RXSJ221149.0+565015	0.1114 (0.0145)	0.999	0.0	221148.77+565021.8	HD 210855	HiPM*	F8V	5.75 : 5.20	
1RXSJ221213.9+132910	0.0556 (0.0160)	0.993	9.5	221213.34+132921.0	HD 210750	*	G5	9.33 : 8.68	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ221231.8+384049	0.0720 (0.0122)	0.996	9.1	221231.73+384058.9	UGC 11950	Gal.	E:	14.3 :	
1RXSJ221316.4−471359	0.0738 (0.0204)	0.984	11.3	221316.54−471356.4	CD−47 14100	*	?	11.08 : 10.28	
1RXSJ221317.9+201532	0.0592 (0.0131)	0.982	11.8	221318.08+201534.8	...	...	...	...	
1RXSJ221322.0+844540	0.7090 (0.0322)	0.994	10.7	221317.70+844535.7	BD+84 507	*	K2	10.48 : 9.66	
1RXSJ221428.3+335634	0.1920 (0.0197)	0.999	9.5	221428.24+335628.6	BD+33 4462	*	G0	9.67 : 8.97	
1RXSJ221442.4−384827	0.4425 (0.0400)	0.995	10.2	221442.10−384822.3	...	...	...	...	
1RXSJ221534.8−390053	0.5632 (0.0442)	0.998	9.7	221535.08−390050.5	HD 211087	V*	G8/K0V	10.12 : 9.31	P
1RXSJ221538.1−604819	0.0532 (0.0131)	0.986	9.7	221536.48−604834.2	HD 210951	*	F6V	10.10 : 9.65	
1RXSJ221554.8+544016	0.1146 (0.0143)	0.998	0.0	221554.14+544022.4	GJ 4268A	HiPM*	K1V	8.33 : 7.52	
1RXSJ222007.2+493014	1.0310 (0.0470)	0.998	9.5	222006.56+493011.4	V* V383 Lac	V*	K0	9.40 : 8.57	
1RXSJ222008.8−483734	0.0959 (0.0202)	0.987	10.4	222007.41−483738.1	HD 211712	*	G3III:	10.71 : 10.04	
1RXSJ222116.2−000843	0.0843 (0.0220)	0.980	10.3	222116.20−000835.1	HD 212006	*	G0	10.06 : 9.47	
1RXSJ222228.4+292216	0.0883 (0.0144)	0.986	11.6	222228.57+292215.6	...	...	...	...	
1RXSJ222233.0+302129	0.9326 (0.0423)	0.999	0.0	222232.55+302126.9	HD 212280	V* (RS CVn)	G0IV	8.21 : 7.55	
1RXSJ222329.1+322738	1.2630 (0.0493)	0.999	0.0	222328.92+322735.8	GJ 856A	HiPM*	M3	13.0 : 11.4	P
1RXSJ222331.0−244541	0.3576 (0.0373)	0.999	0.0	222330.85−244545.6	HD 212271	*	K0IIICN	6.488 : 5.535	
1RXSJ222517.0+012238	0.1237 (0.0233)	0.999	0.0	222516.63+012238.7	HD 212571	Em. *	B1Ve	4.626 : 4.794	
1RXSJ222634.5−164433	0.8473 (0.0584)	0.982	0.0	222634.12−164429.6	GJ 859A	HiPM*	G3V	6.15 : 6.35	P
...	...	...	...	222634.12−164429.6	GJ 859B	HiPM*	G3V	7.2 : 6.57	
...	...	...	...	222634.12−164429.6	IRAS 22238−1659	IR	./.	:	
1RXSJ222706.1+362140	0.0582 (0.0113)	0.996	10.8	222705.75+362141.6	UGC 12040	Gal.	SB0	14.6 :	
1RXSJ222801.1+574145	0.4486 (0.0335)	1.000	0.0	222800.75+574147.2	...	...	...	...	
1RXSJ222817.6−281708	0.0686 (0.0206)	0.988	11.5	222817.58−281707.7	...	...	...	...	
1RXSJ222917.5−432950	0.1326 (0.0235)	0.990	0.0	222916.16−432944.0	CD−44 14931B	**	?	:	
...	...	...	...	222916.16−432944.0	HD 213009	**	G7III	4.995 : 3.969	
1RXSJ223006.7+492121	0.6700 (0.0314)	1.000	0.0	223006.50+492123.1	HD 213389	V* (RS CVn)	K2III	7.601 : 6.430	P
1RXSJ223058.7−481833	0.0850 (0.0198)	0.988	0.0	223058.87−481856.8	HD 213230	*	A5/A6V	7.906 : 7.705	
1RXSJ223113.7−225950	0.2855 (0.0366)	1.000	0.0	223113.42−225947.8	HD 213379	V*	F8/G0V	8.69 : 8.21	
1RXSJ223130.9−322124	0.0644 (0.0181)	0.996	0.0	223130.62−322115.8	CD−32 17127	**	?	7.8 : 7.7	
1RXSJ223341.2+563724	0.2185 (0.0354)	0.999	0.0	223340.64+563729.0	HD 213930	Pulsating variable Star	K0III	6.686 : 5.732	P
1RXSJ223442.1−204231	0.2714 (0.0364)	0.999	0.0	223441.64−204229.5	GJ 863.2	HiPM*	F7V	5.64 : 5.20	
1RXSJ223500.5+604935	0.0816 (0.0139)	1.000	0.0	223500.29+604934.8	HD 214165	*	F2V	7.47 : 7.08	
1RXSJ223634.6−003354	0.1963 (0.0364)	0.993	8.9	223633.79−003351.4	HD 214169	*	G0	9.00 : 8.38	
1RXSJ223656.5−221321	0.4216 (0.0427)	0.995	9.9	223655.90−221314.7	ESO 602− 31	Gal.	Sb	14.75 : 13.90	P
1RXSJ223828.9−652240	0.4236 (0.0330)	1.000	0.0	223828.59−652241.2	CCDM J22384−6523A	**	./.	12.0 :	
1RXSJ223845.5−203706	3.8030 (0.1869)	0.998	0.0	223845.57−203716.0	GJ 867A	V* (BY Dra)	M1.5	10.57 : 9.07	P
1RXSJ223856.9+170603	0.0875 (0.0196)	0.996	8.2	223857.36+170554.5	...	...	...	...	
1RXSJ223916.4+390252	0.0875 (0.0138)	0.996	0.0	223915.68+390301.0	HD 214680	**	O9V	4.673 : 4.877	
1RXSJ224042.3+535506	0.0519 (0.0117)	0.993	10.0	224043.58+535504.0	HD 235929	*	G0	9.62 : 8.92	
1RXSJ224227.1−340434	0.1775 (0.0267)	0.988	11.2	224226.56−340429.3	HD 214971	*	K0	11.6 : 10.4	
1RXSJ224239.6+294333	3.8360 (0.0886)	0.992	10.3	224239.38+294331.2	UGC 12163	Sy1	SB	14.4 :	P
1RXSJ224336.6+444501	0.0650 (0.0120)	1.000	0.0	224336.30+444501.8	HD 215325	*	K2	10.94 : 9.63	
1RXSJ224437.4−362414	0.0970 (0.0216)	0.988	11.5	224437.55−362410.0	...	...	...	...	
1RXSJ224438.8−155631	0.3995 (0.0605)	0.995	10.7	224438.97−155630.0	HD 215341	*	K1/K2V	10.68 : 9.96	
1RXSJ224441.6+175418	0.7954 (0.0635)	0.989	10.8	224441.26+175421.7	BD+17 4799	*	K0	10.37 : 9.60	P
1RXSJ224504.4+580835	0.2477 (0.0242)	0.989	0.0	224503.63+580849.2	HD 215588	*	F5	6.847 : 6.459	
1RXSJ224634.1−392847	0.2010 (0.0305)	0.998	9.4	224633.39−392845.7	CD−40 14901	*	G8	10.15 : 9.52	
...	...	...	...	224633.39−392845.7	RX J2246.6−3928	X	G6V	10.16 : 9.45	
1RXSJ224650.7+442008	5.3840 (0.0983)	1.000	0.0	224650.31+442006.4	GJ 873	Flare *	M3.5	11.45 :	
1RXSJ224656.2+392503	0.0642 (0.0119)	0.999	0.0	224655.76+392502.1	HD 215760	*	F8	8.02 : 7.58	
1RXSJ224709.3−324038	0.0784 (0.0209)	0.999	0.0	224709.34−324031.6	HD 215641	HiPM*	G6V	8.3 : 7.6	
1RXSJ225010.6+492609	0.1419 (0.0204)	0.999	0.0	225010.94+492614.7	...	...	...	...	
1RXSJ225123.1+614145	0.2834 (0.0249)	0.981	0.0	225122.50+614147.9	HD 216380	**mul.	G8III−IV+...	6.38 : 5.60	
1RXSJ225153.6+314513	0.4689 (0.0313)	0.999	0.0	225153.18+314515.6	GJ 875.1	V*	M3	13.4 :	
1RXSJ225302.0+165029	2.5050 (0.1601)	0.985	11.7	225302.39+165029.4	HD 216489	V* (RS CVn)	K1.5II−IIIe	7.026 : 5.892	P
1RXSJ225359.0−330017	0.0857 (0.0258)	0.982	11.7	225358.72−330013.7	CTS 67	Gal.	./.	:	
1RXSJ225500.1+513128	0.2038 (0.0220)	0.997	9.6	225459.51+513133.3	HD 235994	**mul.	F2	9.81 : 9.26	
1RXSJ225504.1+554052	0.0926 (0.0161)	0.996	10.2	225504.60+554053.5	GSC 03989−01784	*	G0V	10.06 : 9.32	P
1RXSJ225543.3+445052	0.0715 (0.0123)	0.997	9.7	225544.23+445052.2	HD 216839	*	G5	9.64 : 8.58	
1RXSJ225624.2−313357	0.5263 (0.0651)	1.000	0.0	225624.06−313356.0	GJ 879	V*	K4V	7.58 : 6.48	P
1RXSJ225659.0−451319	0.0764 (0.0217)	0.987	10.6	225658.60−451320.1	CD−45 14872	*	F8	10.91 : 10.04	
1RXSJ225725.9−564544	0.0722 (0.0161)	0.985	11.6	225725.91−564541.4	CD−57 8683	*	./.	11.17 : 10.52	
1RXSJ225852.7−001858	0.2041 (0.0288)	1.000	8.5	225852.76−001857.6	HD 217188	V* (RS CVn)	K0	8.44 : 7.43	
1RXSJ225912.2+060904	0.0601 (0.0144)	0.988	8.4	225910.74+060901.9	HD 217217	*	F5	8.33 : 7.90	
1RXSJ225959.5+050940	0.2125 (0.0242)	0.999	0.0	225959.38+050934.5	HD 217352	V*	K0	8.31 : 7.16	
1RXSJ230020.2−260906	0.3001 (0.0525)	0.996	0.0	230019.29−260913.5	HD 217343	HiPM*	G3V	8.10 : 7.48	
1RXSJ230035.4−070402	0.3746 (0.0376)	0.985	11.5	230035.60−070409.5	HD 217411	Spec. Bin.	G5	10.34 : 9.72	P
1RXSJ230048.1−125518	0.3504 (0.0692)	0.988	10.0	230047.83−125506.2	NGC 7450	Sy	S	14.5 :	P
1RXSJ230147.6+352854	0.3606 (0.0318)	0.999	0.0	230147.78+352848.3	BD+34 4820	*	K2	10.72 : 9.65	
1RXSJ230209.2+351538	0.1817 (0.0242)	0.983	11.8	230209.30+351540.2	...	...	...	...	
1RXSJ230305.1+205512	0.2716 (0.0255)	0.999	0.0	230304.98+205506.9	GJ 2153	V*	G5V	7.24 : 6.66	
1RXSJ230311.6−471521	0.0955 (0.0240)	0.997	0.0	230311.63−471519.1	HD 217726	*	F7V	8.30 : 7.80	
1RXSJ230315.7+085226	1.8820 (0.1443)	0.999	9.3	230315.53+085226.8	NGC 7469	Galaxy in Pair of Galaxies	SBa	13.0 :	P
...	...	...	...	230315.53+085226.8	PMN J2303+0852	Rad.	./.	:	
...	...	...	...	230315.53+085226.8	[EKS96] NGC 7469 12	HII (ionized) region	./.	:	

continued...

Table 1: P_{id}>98% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	230315.53+085226.8	[EKS96] NGC 7469 6	HII (ionized) region	./.	:	
...	...	...	...	230315.53+085226.8	[EKS96] NGC 7469 7	HII (ionized) region	./.	:	
1RXSJ230330.0−344456	0.3791 (0.0565)	0.998	10.2	230329.71−344458.8	GJ 886.2	Ceph.	F0V+...	5.399 : 5.135	
1RXSJ230402.8+223725	0.1315 (0.0178)	0.982	12.0	230402.61+223727.3	QSO 2301+223	Sy1	E...	14.8 :	P
1RXSJ230444.1−621312	0.1054 (0.0202)	0.993	11.2	230443.66−621310.0	...	...	...	...	
1RXSJ230458.5+094912	0.2467 (0.0254)	0.989	10.1	230457.86+094915.0	BD+09 5155	*	G0	10.29 : 9.61	
1RXSJ230529.6+260036	0.1732 (0.0236)	0.998	9.0	230529.13+260033.3	HD 218153	V* (RS CVn)	G8II	8.79 : 7.66	
1RXSJ230547.3−355125	0.1374 (0.0374)	0.999	0.0	230547.17−355122.7	...	...	...	...	
1RXSJ230552.9−074545	0.0861 (0.0186)	0.998	10.3	230552.96−074547.5	BD−08 6022	*	G5	10.53 : 9.66	
1RXSJ230624.3+123629	0.2431 (0.0246)	0.997	0.0	230623.63+123627.3	CCDM J23064+1236A	HiPM*	M0:	12.7 : 11.4	
1RXSJ230631.9+195452	0.1107 (0.0170)	0.997	0.0	230631.89+195439.1	HD 218261	HiPM*	F7V	6.79 : 6.30	
1RXSJ230645.3−660424	0.1148 (0.0171)	0.997	0.0	230644.92−660431.2	HIC 120306	*	./.	12.210 : 10.960	
1RXSJ230706.8+252807	0.3571 (0.0332)	1.000	0.0	230706.74+252805.8	HD 218356	Peculiar Star	K0Iab:	6.067 : 4.767	
1RXSJ230912.9+312940	0.0748 (0.0140)	0.997	10.1	230913.27+312941.7	BD+30 4889	*	F8	10.04 : 9.61	
1RXSJ230940.1−674355	0.0508 (0.0130)	0.999	0.0	230940.95−674358.2	GJ 1279	HiPM*	K5V	9.59 : 8.39	
1RXSJ230946.7−004940	0.0616 (0.0157)	0.996	0.0	230947.10−004934.7	CCDM J23098−0050AB	**mul.	G0	10.9 : 10.30	
1RXSJ231021.0−451444	0.4674 (0.0602)	0.999	0.0	231021.53−451448.2	HD 218670	Spec. Bin.	K1III	4.883 : 3.890	
1RXSJ231024.2+643142	0.1672 (0.0176)	0.999	0.0	231024.62+643147.5	HD 218866	*	F8	7.515 : 7.016	
1RXSJ231131.8+365331	0.1277 (0.0167)	0.988	10.8	231131.66+365337.6	V* AB And	Ecl. Bin. (W UMa)	G5...	10.62 : 9.77	
1RXSJ231324.1+024028	4.4630 (0.2057)	1.000	0.0	231323.78+024031.6	HD 219113	V* (RS CVn)	K1IV−V+...	8.19 : 7.44	P
1RXSJ231353.2+464045	0.0586 (0.0133)	0.987	0.0	231355.04+464056.8	BD+45 4174	*	K2	9.79 : 8.65	
1RXSJ231358.5−424351	2.0240 (0.0956)	0.984	10.1	231358.69−424339.5	ESO 291− 9	Gal.	S0	16.0 : 14.6	P
...	...	...	...	231358.69−424339.5	PMN J2313−4243	Rad.	./.	:	
1RXSJ231653.6+254312	0.6791 (0.0386)	0.998	10.3	231653.59+254309.9	V* EZ Peg	V* (RS CVn)	G5	10.30 : 9.58	
1RXSJ231713.2+055107	0.0726 (0.0141)	0.984	11.8	231713.44+055108.3	BD+05 5154	*	K0	11.3 : 10.20	
1RXSJ231725.7−581407	0.0972 (0.0196)	0.999	0.0	231725.78−581408.6	GJ 9818	*	F1III	4.39 : 3.99	
...	...	...	...	231725.78−581408.6	HD 219571	*	F1III	4.369 : 4.003	
1RXSJ231853.1−010338	0.0688 (0.0168)	0.988	10.7	231853.82−010336.7	UGC 12492	Gal.	./.	:	P
1RXSJ231858.0−093636	0.1487 (0.0237)	0.999	0.0	231857.68−093638.7	HD 219832	**mul.	A0V	4.983 : 5.001	
1RXSJ231909.4−141500	0.3863 (0.0409)	0.996	10.6	231909.49−141455.8	HD 219858	*	G1V	9.74 : 9.09	
1RXSJ231922.8+790014	2.8640 (0.0536)	0.992	0.0	231926.64+790012.7	HD 220140	V* (RS CVn)	G9V	8.40 : 7.54	
1RXSJ231940.1+421511	0.0539 (0.0134)	0.986	11.2	231939.25+421512.9	BD+41 4749	*	G0	9.65 : 8.94	
1RXSJ232053.3+381059	0.0820 (0.0161)	0.999	0.0	232053.17+381056.9	HD 220117	**	F5V	6.194 : 5.782	
1RXSJ232116.3−265912	3.2580 (0.1646)	0.997	0.0	232115.50−265912.3	HD 220096	*	G4V	6.453 : 5.663	P
1RXSJ232122.6−173050	0.0515 (0.0157)	0.988	9.5	232122.26−173058.9	HD 220124	Semi−Reg. Pulsating *	F7V	9.82 : 9.39	
1RXSJ232136.9+440546	0.1479 (0.0205)	0.997	0.0	232136.51+440552.4	GJ 9823	HiPM*	K1V	8.16 : 7.36	
1RXSJ232151.4−694211	0.2702 (0.0253)	0.997	10.0	232152.42−694211.7	HD 220054	*	G5IV:	10.51 : 9.88	
1RXSJ232155.4−105008	0.7233 (0.0508)	0.996	10.6	232155.40−105001.5	HD 220186	*	G5	10.58 : 9.72	
1RXSJ232203.0−465305	0.1647 (0.0329)	0.999	0.0	232202.36−465301.3	HD 220164	*	F5V	8.51 : 8.13	
1RXSJ232301.2−063545	0.7588 (0.0496)	0.999	10.0	232301.17−063543.4	HD 220338	*	K0	10.18 : 9.09	
1RXSJ232405.7−073305	0.1948 (0.0259)	0.999	8.5	232405.84−073301.9	HD 220476	*	G5	8.28 : 7.62	
1RXSJ232523.2+232415	0.7103 (0.0406)	0.999	0.0	232522.79+232414.8	HD 220657	*	F8IV	5.01 : 4.40	P
1RXSJ232524.6−382653	1.2850 (0.1231)	0.990	11.0	232524.16−382649.4	APMBGC 347+014−073	Gal.	S...	:	P
1RXSJ232636.8−610602	0.1482 (0.0241)	0.995	10.7	232637.54−610601.1	APMBGC 148+014+069	Gal.	./.	15.6 :	
1RXSJ232846.9+033042	0.0675 (0.0150)	0.995	9.3	232846.57+033040.9	NGC 7679	Galaxy in Pair of Galaxies	S0	13.2 :	P
1RXSJ232958.8+583348	0.0572 (0.0124)	0.998	0.0	232958.79+583358.5	CCDM J23300+5833F	**	A0	11.68 : 11.06	
...	...	...	...	232958.79+583358.5	CCDM J23300+5833G	**	B3	11.74 : 11.11	
1RXSJ233007.6+012607	0.0850 (0.0181)	0.992	11.3	233007.55+012608.0	...	...	...	...	
1RXSJ233013.0−202324	0.5002 (0.0427)	1.000	0.0	233013.25−202325.7	GJ 1284	HiPM*	M3	12.67 : 11.16	P
1RXSJ233050.0−472416	0.2446 (0.0426)	0.995	10.1	233049.33−472417.7	HD 221260	*	K1/K2V	10.68 : 9.78	P
1RXSJ233125.3+812446	0.0573 (0.0093)	0.991	10.7	233126.07+812443.0	...	...	...	...	
1RXSJ233126.1−420933	0.2167 (0.0432)	0.997	0.0	233125.87−420933.9	HD 221330	**mul.	G0V	8.83 : 8.29	
1RXSJ233229.6+235548	0.0637 (0.0127)	0.988	10.5	233229.05+235551.8	UGC 12655	Gal.	S0	14.0 :	
1RXSJ233246.5−164507	0.8878 (0.0550)	1.000	0.0	233246.46−164509.7	BD−17 6768C	*	./.	:	
...	...	...	...	233246.46−164509.7	GJ 897	HiPM*	M:	11.86 : 10.38	
1RXSJ233355.5−234336	0.4374 (0.0387)	0.989	11.3	233355.24−234341.0	PKS 2331−240	Rad. Gal.	E	17.0 : 17.	P
1RXSJ233452.3−103611	0.0621 (0.0170)	0.981	11.4	233452.05−103612.1	HD 221744	*	G5	9.83 : 9.18	
1RXSJ233517.3−643339	0.0751 (0.0175)	0.982	11.7	233517.95−643342.1	...	...	...	...	
1RXSJ233733.3+462736	9.8220 (0.1640)	1.000	0.0	233733.71+462733.0	GJ 9832	V* (RS CVn)	G8III	4.90 : 3.82	
1RXSJ233749.4+032202	0.0625 (0.0153)	0.998	0.0	233749.12+032212.8	HD 222111	*	F5	7.72 : 7.29	P
1RXSJ233757.7+461156	0.2861 (0.0303)	0.998	0.0	233758.49+461158.0	GJ 4351	HiPM*	G5	7.24 : 6.44	P
1RXSJ233929.8+234736	0.0711 (0.0139)	0.994	10.9	233929.77+234738.2	BD+22 4885	*	F8	10.48 : 9.92	
1RXSJ233930.7+281451	0.3637 (0.0241)	0.999	0.0	233930.97+281447.4	HD 222317	V* (RS CVn)	G2V	7.71 : 6.97	
1RXSJ233947.3−141327	0.0670 (0.0193)	0.998	0.0	233947.07−141319.8	HD 222345	*	A7IV	5.214 : 4.985	
1RXSJ233956.8+053736	0.1115 (0.0193)	0.999	0.0	233957.04+053734.6	GJ 904	V*	F7V	4.64 : 4.13	P
...	...	...	...	233957.04+053734.6	IRAS 23373+0521	IR	./.	:	
1RXSJ234006.1−040300	0.1275 (0.0216)	0.995	10.6	234006.01−040254.6	BD−04 5927	*	./.	10.54 : 10.01	
1RXSJ234032.5−263323	0.3001 (0.0338)	0.988	11.3	234032.07−263319.0	PGC 134544	Gal.	./.	16.29 :	
1RXSJ234123.9−083802	0.0533 (0.0149)	0.986	10.5	234123.65−083746.4	HD 222522	**mul.	G5	10.34 : 9.64	
1RXSJ234136.0−645650	0.0995 (0.0198)	0.981	10.7	234133.57−645656.9	...	...	...	...	
1RXSJ234244.1−143244	0.5831 (0.0477)	0.998	0.0	234243.35−143241.6	GJ 9836A	*	B9V	4.44 : 4.48	
...	...	...	...	234243.35−143241.6	GJ 9836B	*	./.	:	
...	...	...	...	234243.35−143241.6	HD 222661	**	B9V	4.451 : 4.483	P
...	...	...	...	234243.35−143241.6	HD 222661 B	**	?	:	
1RXSJ234350.6+401828	0.0558 (0.0147)	0.996	9.5	234349.68+401827.2	HD 222823	*	F8	9.50 : 9.08	

continued...

Table 1: $P_{\rm id}$>98% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ234351.0−151655	0.1205 (0.0281)	0.985	0.0	234349.46−151704.2	HD 222800	V* (Mira Cet)	M7IIIpevar	8.83 : 7.69	
...	...	...	...	234349.46−151704.2	[WCP90] 234114.252−153343.26	Maser	./.	:	
1RXSJ234358.9+644422	0.3167 (0.0248)	0.998	0.0	234359.49+644428.9	GJ 4359	HiPM*	M0.5	13.0 : 11.2	
1RXSJ234413.1−181637	0.0686 (0.0180)	0.995	0.0	234412.07−181636.9	HD 222847	*	B9V	5.159 : 5.235	
1RXSJ234425.1−054637	0.0560 (0.0152)	0.994	10.4	234424.91−054636.0	HD 222869	*	G0	10.26 : 9.86	
1RXSJ234434.2−262839	0.0974 (0.0180)	0.998	0.0	234434.14−262834.6	HD 222880	*	F2/F3V	9.01 : 8.64	
1RXSJ234522.0+101054	0.0556 (0.0133)	0.982	11.6	234521.69+101047.8	HD 222962	*	A3	6.695 : 6.552	
1RXSJ234530.5+062911	0.0510 (0.0135)	0.998	0.0	234529.98+062911.1	HD 222980	**mul.	G0	9.5 : 8.8	
1RXSJ234535.4+402626	0.0612 (0.0153)	0.980	9.5	234534.51+402634.3	HD 222986	*	G5	9.43 : 8.80	
1RXSJ234536.9−650055	0.1625 (0.0257)	0.984	11.6	234536.79−650103.0	CPD−65 4163	*	./.	11.7 : 10.9	
1RXSJ234547.5−293053	0.0791 (0.0187)	0.997	9.5	234547.56−293104.1	APMGS 234311.0−294741.5	Gal.	./.	15.2 :	
...	...	...	...	234547.56−293104.1	NGC 7749	Gal.	S0	:	
1RXSJ234755.5+782239	0.1154 (0.0119)	0.990	10.5	234757.73+782233.9	BD+77 924	*	F8	10.32 : 9.89	
1RXSJ234854.7−280751	0.1984 (0.0287)	0.998	0.0	234855.55−280749.0	HD 223352	*	A0V	4.586 : 4.577	
1RXSJ234920.2−275113	0.1517 (0.0264)	0.981	11.5	234919.49−275115.4	HD 223408	*	F6/F7V	7.42 : 6.96	
1RXSJ235115.0+773934	0.1574 (0.0138)	0.985	11.3	235116.94+773935.4	...	...	...	...	
1RXSJ235146.6−330238	0.0735 (0.0177)	0.998	10.4	235146.69−330240.4	CD−33 16730	*	./.	10.81 : 10.06	
1RXSJ235210.3−114316	0.1110 (0.0207)	0.988	11.4	235210.03−114312.7	HD 223728	*	G1/G2V	9.23 : 8.65	
1RXSJ235305.3−702329	0.0635 (0.0142)	0.996	10.2	235304.30−702329.1	HD 223816	Spec. Bin.	F5IV	10.34 : 9.89	
1RXSJ235340.0−655655	0.0672 (0.0188)	0.988	11.1	235339.94−655650.8	HD 223913	**	G0V	7.203 : 6.655	
...	...	...	...	235339.94−655650.8	IRAS 23510−6613	IR	./.	:	
1RXSJ235404.1+391659	0.1220 (0.0227)	0.999	0.0	235404.04+391657.0	BD+38 5091B	**	?	:	
...	...	...	...	235404.04+391657.0	HD 223971	**	F8	7.292 : 6.649	
1RXSJ235503.5+283802	10.9000 (0.2000)	0.995	0.0	235504.05+283801.3	GJ 4375	V* (RS CVn)	K0V...	8.38 : 7.37	P
1RXSJ235540.8+250845	0.8540 (0.0573)	0.986	11.6	235540.81+250841.3	HD 224168	HiPM*	G5	10.0 : 8.7	
1RXSJ235610.8−390318	0.1157 (0.0352)	0.998	0.0	235610.68−390308.4	GJ 4377	HiPM*	K3V	9.2 : 8.2	
1RXSJ235658.2−673552	0.0516 (0.0142)	0.988	0.0	235701.30−673539.7	HD 224319	*	G2V	9.12 : 8.52	
1RXSJ235700.0−344531	2.2700 (0.0843)	0.998	9.2	235700.73−344533.2	ESO 349− 10	Rad. Gal.	cG/dG	14.33 : 13.26	P
1RXSJ235721.8−625730	0.0766 (0.0194)	0.996	0.0	235719.88−625723.6	HD 224361	*	A1IV	6.052 : 5.957	
1RXSJ235728.4−302739	0.5741 (0.0446)	0.997	10.7	235727.96−302740.1	MCG−05−01−013	Gal.	./.	15. :	
...	...	...	...	235727.96−302740.1	[HB91] 2354−307	Sy	./.	15.5 :	
1RXSJ235812.3−862629	0.3151 (0.0309)	0.993	10.5	235816.06−862624.9	PPM 378908	*	./.	:	

Table 2: Supplementary 90% RASS/BSC Associations in USNO Catalog, and SIMBAD Sources ithin 10 arcsec

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ000007.0+081653	0.1869 (0.0205)	0.953	12.6	000007.05+081645.5	PMN J0000+0816	Rad.	./.	:	
...	...	...	...	000007.05+081645.5	[HDL96] 408 15	Gal.	E	16.0 :	P
1RXSJ000013.5+575628	0.1178 (0.0173)	0.959	12.1	000013.35+575639.1	...	...	...	...	
1RXSJ000038.4+794037	0.1007 (0.0127)	0.973	11.4	000040.85+794040.0	BD+78 853	*	G	10.95 : 10.28	
1RXSJ000143.9+521246	0.0836 (0.0148)	0.976	11.4	000142.67+521252.8	HD 236278	*	G5	10.03 : 9.30	
1RXSJ000232.0+184125	0.0541 (0.0140)	0.970	8.6	000233.47+184059.7	HD 225000	*	F5	8.68 : 8.25	
1RXSJ000307.6−180550	0.3185 (0.0343)	0.978	11.8	000307.86−180549.9	...	...	...	...	
1RXSJ000308.6+215728	0.0964 (0.0197)	0.931	10.8	000309.65+215737.7	UGC 6	Sy1	Sc	14.62 :	P
1RXSJ000453.0+343934	0.6285 (0.0519)	0.968	11.6	000453.81+343931.1	GJ 3002	HiPM*	G2V	6.74 : 6.10	P
1RXSJ000519.1−293004	0.0555 (0.0159)	0.971	11.8	000518.37−293005.8	CD−30 19826	*iC	./.	9.9 :	
1RXSJ000543.1−500703	0.3794 (0.0696)	0.928	12.9	000543.06−500654.7	DRCG 0003−50	Clust.	./.	:	
...	...	...	...	000543.06−500654.7	[D80] DRCG 0003−50 66	Sy1	S0	14. :	
1RXSJ000605.0+634039	0.0614 (0.0124)	0.955	12.1	000603.51+634046.3	HD 108	Em. *	O6pe	7.494 : 7.382	
1RXSJ000618.9+201215	2.4820 (0.0973)	0.926	12.6	000619.53+201210.7	QSO 0003+199	Sy1	S...	14.19 : 13.85	P
1RXSJ000637.5+552717	0.0929 (0.0153)	0.979	11.6	000637.47+552722.0	HD 232102	*	K0	10.28 : 9.37	
1RXSJ000714.2−103634	0.0618 (0.0161)	0.924	13.0	000714.25−103626.7	...	...	...	...	
1RXSJ000732.4+331730	2.0980 (0.0799)	0.938	13.6	000732.53+331730.3	GD 2	WD	DAw...	13.53 : 13.82	P
1RXSJ000818.4+512319	0.9607 (0.0459)	0.926	13.5	000818.03+512316.8	...	...	...	...	
1RXSJ000827.2−405137	0.0898 (0.0236)	0.958	11.5	000827.07−405127.2	...	...	...	...	
1RXSJ000849.3+455316	0.0866 (0.0159)	0.945	12.9	000849.21+455315.5	EF B0006+4535	Rad.	./.	:	
1RXSJ000921.2+003809	0.1136 (0.0189)	0.955	12.9	000921.41+003807.8	...	...	...	...	
1RXSJ001009.3−592120	0.1635 (0.0359)	0.914	10.2	001008.61−592128.1	CD−60 8	**	G3	10.78 : 9.92	
1RXSJ001011.5+643837	0.0907 (0.0212)	0.937	11.3	001010.69+643848.4	HD 553	Ecl. Bin. (beta Lyr)	K0	9.20 : 8.17	
1RXSJ001208.2−155031	0.9418 (0.0812)	0.970	10.1	001207.37−155031.9	BD−16 20	*	K0	10.49 : 9.49	P
1RXSJ001357.7+350233	0.0943 (0.0188)	0.913	12.9	001357.48+350244.2	...	...	...	...	
1RXSJ001410.1−071200	0.2647 (0.0287)	0.964	12.6	001409.93−071153.8	HD 984	*	F5	7.81 : 7.33	
1RXSJ001503.5−725027	0.3007 (0.0241)	0.976	12.2	001502.86−725030.5	EXO 0012.6−7307	*	./.	:	
...	...	...	...	001502.86−725030.5	RX J0015.0−7251	X	./.	:	
1RXSJ001530.2+172009	0.0723 (0.0197)	0.967	9.1	001530.83+171942.9	NGC 57	Gal.	E	13.7 :	
1RXSJ001554.7−172843	0.1435 (0.0244)	0.974	11.1	001554.31−172831.2	GSC 05839−00286	*	./.	11.8 : 11.0	
1RXSJ001705.7+405644	0.0522 (0.0142)	0.960	10.4	001704.10+405650.1	...	...	...	...	
1RXSJ001711.1+293159	0.1432 (0.0208)	0.955	12.1	001710.21+293155.7	GSC 01736−00851	*	./.	11.6 : 10.43	
1RXSJ001714.7−300131	0.0944 (0.0256)	0.918	11.9	001712.79−300133.9	...	...	...	...	
1RXSJ001716.3−703206	0.1233 (0.0196)	0.924	12.7	001714.25−703202.5	...	...	...	...	
1RXSJ001723.4−664507	0.2132 (0.0319)	0.948	13.0	001723.20−664512.4	...	...	...	...	
1RXSJ001726.8−715030	0.1075 (0.0161)	0.927	13.3	001726.25−715032.4	2E 0015.1−7207	X	./.	:	P
1RXSJ001728.2+794747	0.0595 (0.0100)	0.921	12.6	001728.01+794758.2	GSC 04500−00616	*	./.	11.7 : 11.0	
1RXSJ001748.0−670849	0.0863 (0.0197)	0.977	11.8	001747.12−670849.2	HD 1398	*	F5V	9.86 : 9.37	
1RXSJ001821.2+305723	1.5070 (0.0656)	0.965	10.0	001820.38+305729.8	...	...	...	...	
1RXSJ001825.5+232432	0.2387 (0.0351)	0.978	10.7	001824.87+232434.6	BD+22 41	*	G0	10.63 : 10.05	
1RXSJ001919.7+590823	0.1211 (0.0163)	0.963	12.2	001918.53+590819.9	HD 1486	Ecl. Bin. (Algol)	B9V	7.32 : 7.28	
1RXSJ001950.0+215651	1.9970 (0.0822)	0.969	12.9	001949.86+215652.4	V* QR And	V*	Ss	:	P
1RXSJ002031.3+401323	0.0806 (0.0171)	0.955	9.9	002030.58+401335.4	V* CN And	Ecl. Bin. (W UMa)	F5	10.18 : 9.76	
1RXSJ002052.4+554213	0.0675 (0.0136)	0.948	12.8	002052.33+554217.2	V* V592 Cas	Nova−like Star	B+...	12.86 : 12.79	P
1RXSJ002133.0−341012	0.2833 (0.0317)	0.933	12.5	002132.14−341011.4	HD 1750	*	G5V	8.83 : 8.11	
1RXSJ002150.5+644850	0.0533 (0.0140)	0.951	12.5	002149.96+644855.4	...	...	...	...	
1RXSJ002203.7−101628	0.1349 (0.0236)	0.911	12.4	002204.18−101614.7	...	...	...	...	
1RXSJ002334.9+201418	0.1764 (0.0267)	0.925	12.4	002334.48+201430.1	StKM 1− 34	*	K5	:	
1RXSJ002339.6−175352	0.1166 (0.0214)	0.925	12.9	002339.37−175353.9	...	...	...	...	
1RXSJ002355.9−180254	0.1793 (0.0269)	0.951	12.6	002355.35−180250.7	...	...	...	...	
1RXSJ002508.6+684813	0.1229 (0.0210)	0.973	10.1	002511.65+684824.2	BD+67 34	*	G0	9.76 : 9.16	
1RXSJ002508.7−043456	0.1164 (0.0208)	0.939	12.5	002508.30−043447.3	...	...	...	...	
1RXSJ002532.6+045351	0.0765 (0.0128)	0.944	12.9	002533.01+045347.9	...	...	...	...	
1RXSJ002640.2−530944	0.1278 (0.0339)	0.937	12.9	002640.69−530948.0	...	...	...	...	
1RXSJ002648.1−682620	0.1137 (0.0221)	0.911	13.0	002646.38−682617.4	...	...	...	...	
1RXSJ002828.1−002749	0.0686 (0.0147)	0.905	13.4	002827.88−002743.5	...	...	...	...	
1RXSJ002834.6+492835	0.1970 (0.0210)	0.961	11.9	002833.96+492840.6	...	...	...	...	
1RXSJ002845.1−573305	0.1592 (0.0347)	0.974	11.5	002844.37−573253.8	CD−58 68	*	./.	11.6 : 10.44	
1RXSJ002849.6−405424	0.1329 (0.0234)	0.947	11.7	002848.94−405432.3	...	...	...	...	
1RXSJ002945.9−150921	0.0676 (0.0169)	0.922	12.4	002945.09−150914.5	...	...	...	...	
1RXSJ003349.6+325213	0.0527 (0.0130)	0.974	8.5	003348.66+325158.5	BD+32 92	*	F8	8.51 : 8.07	
1RXSJ003409.5+151136	0.1051 (0.0193)	0.974	11.4	003410.02+151147.3	BD+14 65	*	G0	9.91 : 9.27	
1RXSJ003452.2−615506	0.5095 (0.0716)	0.970	11.7	003450.99−615457.4	HD 3221	*	K5V	10.83 : 9.56	P
1RXSJ003542.4+342833	0.0594 (0.0152)	0.945	8.3	003539.39+342846.8	HD 3212	**mul.	A2	8.35 : 8.08	
1RXSJ003544.1−251406	0.1083 (0.0225)	0.970	12.2	003543.68−251403.9	CD−25 211	*	F5	10.31 : 9.71	
1RXSJ003609.4+073830	0.1929 (0.0440)	0.922	13.2	003609.51+073826.0	[HDL96] 409 85	Gal.	./.	:	
1RXSJ003633.1+430550	0.0574 (0.0128)	0.959	12.2	003633.22+430554.5	...	...	...	...	
1RXSJ003640.5+381343	0.0736 (0.0139)	0.970	10.1	003640.69+381413.5	CCDM J00367+3814AB	**mul.	G0	10.08 : 9.16	
1RXSJ003651.2+145929	0.0558 (0.0136)	0.951	10.7	003649.59+145949.7	GSC 00609−00645	*	./.	10.45 : 9.61	
1RXSJ003712.3+441303	0.1512 (0.0230)	0.977	11.9	003711.89+441259.3	...	...	...	...	
1RXSJ003714.5−584357	0.1220 (0.0304)	0.964	11.0	003713.76−584343.1	...	...	...	...	
1RXSJ003845.9+332534	0.0927 (0.0193)	0.979	10.8	003844.93+332535.3	...	...	...	...	
1RXSJ003858.6+082908	0.3820 (0.0747)	0.961	11.4	003858.96+082843.2	BD+07 85	*	K0	11.1 : 9.99	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ003908.2−222002	0.1642 (0.0258)	0.980	11.4	003908.23−222001.0	APMBGC 474+090−133	Gal.	./.	:	
...	...	...	...	003908.23−222001.0	[LO95] 0036−226B	Rad. Gal.	./.	:	
...	...	...	...	003908.23−222001.0	[VCC89] ACO 74 4	Gal. in Clust.	./.	:	
1RXSJ003915.6−511701	0.9591 (0.0678)	0.939	13.5	003915.82−511701.6	RX J0039.2−5117	Active Galaxy Nucleus	S...	:	P
1RXSJ003938.9+844458	0.0564 (0.0111)	0.960	8.4	003933.77+844451.7	HD 3290	**	F8	8.41 : 7.90	
1RXSJ004005.0+501414	0.0974 (0.0169)	0.952	12.3	004005.55+501418.8	...	...	...	...	
1RXSJ004028.9−163111	0.1995 (0.0327)	0.924	12.3	004028.45−163058.6	BD−17 109C	**	?	:	
...	...	...	...	004028.45−163058.6	HD 3794	**	G8III	7.38 : 6.49	
1RXSJ004030.0−274753	0.1435 (0.0248)	0.926	13.0	004029.37−274754.0	BPS CS 29497−0035	*	./.	:	
1RXSJ004052.2−791440	0.1283 (0.0284)	0.965	11.1	004046.26−791424.2	ESO 12− 21	Sy1	./.	15.30 :	
1RXSJ004117.7+342513	0.6131 (0.0400)	0.959	0.0	004117.34+342516.9	V* QT And	V*	Ge	10.87 : 9.97	P
1RXSJ004133.3+211817	0.0790 (0.0195)	0.958	10.3	004134.56+211802.9	BD+20 91	*	G0	10.44 : 9.53	
1RXSJ004149.7−091817	4.0790 (0.0852)	0.967	10.9	004150.40−091811.7	MCG−02−02−086	Gal.	./.	14. : 13.52	P
...	...	...	...	004150.40−091811.7	Slee ACO 85 35	Rad.	./.	:	
1RXSJ004154.0+402118	0.0872 (0.0142)	0.923	13.3	004153.42+402118.2	QSO 0039+4004	Sy2	./.	15.5 :	P
1RXSJ004207.8−283213	0.6669 (0.0482)	0.971	11.1	004208.87−283209.2	EDSGC 003941.5−284835	Gal. in Clust.	./.	:	
...	...	...	...	004208.87−283209.2	KOS 003942.0−284833	Gal.	E	:	
1RXSJ004242.8+405156	0.1052 (0.0160)	0.968	11.6	004241.62+405158.7	2E 0039.9+4035	X	./.	:	P
...	...	...	...	004241.62+405158.7	BD+40 147	*	?	11.1 :	
...	...	...	...	004241.62+405158.7	Ford NGC 221 26	PN	./.	:	
...	...	...	...	004241.62+405158.7	Ford NGC 221 27	PN	./.	:	
...	...	...	...	004241.62+405158.7	M 32	GiG	E...	9.2 :	
...	...	...	...	004241.62+405158.7	RX J004241.4+405201	Gal.	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004240.964+405154.34	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004240.968+405155.01	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004240.969+405155.05	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004240.977+405155.42	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004240.987+405155.65	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.005+405155.28	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.010+405151.52	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.033+405153.85	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.040+405151.84	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.064+405152.97	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.137+405159.71	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.144+405156.50	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.167+405158.81	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.188+405150.80	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.243+405158.49	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.274+405153.95	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.276+405156.87	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.282+405154.57	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.309+405154.24	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.312+405157.01	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.342+405151.38	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.363+405157.11	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.364+405158.59	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.370+405157.66	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.373+405153.86	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.380+405153.20	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.380+405153.91	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.383+405149.25	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.413+405155.90	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.420+405152.29	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.428+405157.24	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.441+405157.38	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.449+405157.49	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.458+405157.35	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.460+405151.50	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.469+405152.30	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.472+405151.31	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.481+405149.70	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.482+405154.36	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.494+405156.11	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.497+405149.40	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.497+405155.83	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.506+405155.30	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.510+405148.88	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.513+405157.61	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.526+405151.77	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.549+405158.93	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.552+405154.30	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.568+405156.70	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.573+405150.55	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.577+405156.34	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.577+405156.89	*	./.	:	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
...	...	...	...	004241.62+405158.7	[BFS98] J004241.582+405151.36	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.597+405155.33	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.604+405158.06	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.620+405151.46	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.642+405152.14	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.642+405155.96	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.662+405152.37	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.662+405158.63	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.671+405156.12	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.681+405155.88	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.702+405156.45	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.705+405155.80	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.710+405149.01	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.711+405157.54	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.716+405156.62	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.724+405150.72	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.769+405149.29	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.778+405157.86	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.781+405157.25	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.787+405156.88	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.793+405152.60	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.820+405152.46	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.824+405155.73	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.834+405154.90	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.837+405152.53	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.846+405152.58	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.851+405154.30	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.857+405152.53	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.863+405155.18	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.870+405150.86	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.873+405157.90	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.878+405150.27	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.896+405154.22	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.900+405154.20	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.901+405149.36	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.927+405155.02	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.940+405151.85	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.954+405151.37	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.980+405152.83	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.992+405153.93	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.994+405157.50	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004241.995+405157.38	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.002+405153.24	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.007+405150.54	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.019+405155.44	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.044+405153.33	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.045+405151.02	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.085+405153.38	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.088+405151.80	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.099+405154.88	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.107+405154.58	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.147+405154.57	*	./.	:	
...	...	...	...	004241.62+405158.7	[BFS98] J004242.169+405156.97	*	./.	:	
1RXSJ004423.9−261600	0.2321 (0.0292)	0.946	12.8	004423.79−261607.6	...	...	...	...	
1RXSJ004445.9+670943	0.0656 (0.0160)	0.922	12.6	004446.55+670931.2	HD 4132	HiPM*	F8	7.4 : 6.8	
1RXSJ004510.2+001522	0.1655 (0.0260)	0.912	0.0	004510.80+001512.3	HD 4271	HiPM*	F8	7.54 : 7.00	
1RXSJ004524.5+794347	0.0839 (0.0113)	0.979	11.5	004522.66+794349.9	BD+78 22	*	F5	10.52 : 9.94	
1RXSJ004554.8−172325	0.0788 (0.0178)	0.967	12.0	004554.74−172329.1	...	...	...	...	
1RXSJ004700.8+115827	0.0995 (0.0176)	0.975	11.7	004701.31+115827.0	HD 4482	*	G8II	6.491 : 5.515	
1RXSJ004713.7+381211	0.0995 (0.0164)	0.961	12.4	004713.70+381219.6	...	...	...	...	
1RXSJ004719.4+144215	0.0670 (0.0154)	0.962	11.9	004719.43+144212.2	UGC 488	Sy1	Sab:	15.2 :	
1RXSJ004821.1+711622	0.1513 (0.0157)	0.975	0.0	004820.53+711612.4	...	...	...	...	
1RXSJ004934.3−144420	0.0639 (0.0151)	0.949	12.9	004934.08−144421.4	...	...	...	...	
1RXSJ005000.7−132811	0.0746 (0.0167)	0.975	11.8	005000.42−132808.5	BD−14 146	*	./.	9.4 :	
1RXSJ005024.3−640406	0.3333 (0.0514)	0.980	12.1	005023.99−640404.6	HD 4944	*	F7V	8.50 : 7.99	
1RXSJ005105.0+542513	0.0805 (0.0151)	0.934	12.0	005103.46+542518.8	GSC 03659−01102	*	./.	11.07 : 10.43	
1RXSJ005117.0−130641	0.0714 (0.0153)	0.971	11.6	005117.08−130652.7	HD 4940	*	G2V	9.30 : 8.74	
1RXSJ005134.8+292408	0.0858 (0.0166)	0.978	11.7	005134.98+292404.9	QSO 0048+29	Sy1	SBb	14.5 :	P
1RXSJ005234.2+104231	0.2369 (0.0263)	0.921	11.7	005233.21+104241.7	GSC 00608−00442	*	./.	10.95 : 10.16	
1RXSJ005245.8−272834	0.1404 (0.0225)	0.958	12.9	005245.59−272831.5	RX J0052.8−2728	X	K5V	13.44 : 12.34	
1RXSJ005247.0−195502	0.0885 (0.0190)	0.965	11.5	005246.15−195507.1	BD−20 151	*	./.	9.2 :	
1RXSJ005300.8+682125	0.0650 (0.0115)	0.926	13.3	005300.58+682123.3	...	...	...	...	
1RXSJ005317.6−325951	3.0470 (0.1812)	0.962	12.8	005317.46−325956.7	CSI−33−00509	*	?	13.14 : 13.36	P
1RXSJ005335.3+124137	0.8180 (0.0548)	0.971	12.3	005334.91+124136.5	[VV96] J005334.9+124136	Sy1	S0a	14.50 : 14.07	
1RXSJ005525.8−495649	0.1747 (0.0328)	0.973	10.4	005525.23−495658.0	CD−50 245	*	./.	10.77 : 10.06	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ005528.0+461143	0.2222 (0.0426)	0.904	11.1	005529.00+461057.4	...	...	...	...	
1RXSJ005557.6−470850	0.0783 (0.0221)	0.966	11.8	005556.58−470858.8	CD−47 277	*	./.	12.4 : 11.0	
1RXSJ005616.1+522926	0.1029 (0.0173)	0.967	0.0	005617.37+522928.4	HD 5372	HiPM*	G5	8.16 : 7.52	
1RXSJ005655.5−515232	0.7915 (0.0669)	0.953	13.4	005655.26−515232.2	HD 5578	V*	K3/K4V	9.98 : 8.99	P
1RXSJ005709.3+345156	0.0933 (0.0163)	0.976	0.0	005709.79+345150.7	HD 5494	*	F7V	8.44 : 7.95	
1RXSJ005718.6−824526	0.2723 (0.0330)	0.971	11.6	005715.89−824531.6	...	...	...	...	
1RXSJ005720.4−222300	2.5260 (0.1860)	0.969	12.6	005720.20−222256.7	[VV96] J005720.2−222256	Sy	A	14.42 : 14.34	P
1RXSJ005737.3+044459	0.0599 (0.0134)	0.967	11.9	005736.80+044449.7	GSC 00015−00491	*	./.	11.1 : 10.33	
1RXSJ005846.2+320627	0.1258 (0.0172)	0.955	0.0	005845.91+320620.4	V* CP Psc	Ecl. Bin. (beta Lyr)	./.	:	
1RXSJ010013.6−381840	0.1401 (0.0226)	0.962	11.4	010012.31−381838.9	CD−38 336	*	./.	:	
...	...	...	...	010012.31−381838.9	RX J0100.2−3818	X	K4V	11.62 : 10.58	
1RXSJ010016.0+125052	0.0756 (0.0204)	0.932	12.6	010015.99+125102.1	...	...	...	...	
1RXSJ010027.9−511346	1.0350 (0.0724)	0.931	12.5	010027.09−511354.2	IRAS F00582−5130	IR	./.	:	
1RXSJ010030.8+091750	0.0636 (0.0133)	0.960	12.6	010030.60+091748.0	...	...	...	...	
1RXSJ010117.7−455632	0.0948 (0.0227)	0.958	12.1	010116.65−455637.6	...	...	...	...	
1RXSJ010124.9+411503	0.0544 (0.0133)	0.952	12.7	010124.25+411501.2	GSC 02807−01423	X	./.	12.6 :	P
1RXSJ010145.4−120751	0.0565 (0.0148)	0.964	11.9	010145.30−120802.0	BD−12 188	*	./.	10.66 : 9.64	
1RXSJ010218.8+120153	0.0545 (0.0145)	0.966	12.0	010218.37+120156.0	...	...	...	...	
1RXSJ010224.7+610356	0.0512 (0.0129)	0.935	12.9	010224.46+610351.7	CCDM J01024+6104A	**	./.	12.0 :	
...	...	...	...	010224.46+610351.7	IDS 00562+6031	**mul.	./.	:	
1RXSJ010302.4+572724	0.0716 (0.0195)	0.917	11.6	010304.47+572720.0	GSC 03676−02617	*	./.	11.6 : 10.54	
1RXSJ010419.0+613435	0.0519 (0.0133)	0.970	11.5	010420.05+613449.7	HD 6210	*	F6V	6.368 : 5.847	
1RXSJ010433.1+553339	0.0914 (0.0247)	0.904	0.0	010432.96+553328.5	GSC 03672−01578	*	./.	11.5 : 10.46	
1RXSJ010607.2−235907	0.0810 (0.0185)	0.969	0.0	010607.70−235932.9	HD 6559	*	K1III	7.179 : 6.125	
1RXSJ010743.0−465427	0.0607 (0.0186)	0.959	12.5	010742.63−465426.7	IC 1625	Gal. in Clust.	E/S0	13.2 :	
...	...	...	...	010742.63−465426.7	MCL 33 010529.0−471023	Group of Galaxies	./.	:	
1RXSJ010757.4+204424	0.0689 (0.0192)	0.936	0.0	010757.16+204420.7	HD 6695	*	A3V	5.683 : 5.569	
1RXSJ010807.7+031746	0.0624 (0.0148)	0.909	13.4	010807.31+031744.3	...	...	...	...	
1RXSJ010818.9−413319	0.2057 (0.0264)	0.976	11.5	010818.85−413307.5	...	...	...	...	
1RXSJ010834.2−313625	0.0692 (0.0166)	0.952	12.3	010834.44−313614.6	...	...	...	...	
1RXSJ010850.5−152438	0.3689 (0.0311)	0.979	10.7	010851.03−152426.2	IC 77	Gal. in Clust.	dG	14. :	
...	...	...	...	010851.03−152426.2	MCG−03−04−008	Gal. in Clust.	E	15. :	
1RXSJ010921.4−172057	0.1679 (0.0251)	0.932	13.0	010921.72−172103.4	...	...	...	...	
1RXSJ011031.9−492928	0.0839 (0.0259)	0.969	12.0	011031.86−492934.5	...	...	...	...	
1RXSJ011040.9−364944	0.0706 (0.0163)	0.972	11.3	011041.23−364927.1	GSC 07001−00564	*	./.	11.6 : 11.0	
1RXSJ011114.6−161548	0.1342 (0.0191)	0.958	12.3	011114.26−161554.2	...	...	...	...	
1RXSJ011143.2−255720	0.0526 (0.0153)	0.967	11.3	011143.08−255731.7	HD 7172	*	K0III+...	9.44 : 8.79	
1RXSJ011151.3−404538	0.2036 (0.0250)	0.949	12.5	011151.19−404543.7	CTS 3	Sy1	./.	17. :	
1RXSJ011234.9+104236	0.1299 (0.0188)	0.901	13.8	011234.92+104237.6	...	...	...	...	
1RXSJ011319.6+585523	0.2029 (0.0227)	0.959	12.5	011318.81+585528.4	...	...	...	...	
1RXSJ011328.8−382059	0.2280 (0.0277)	0.962	12.1	011327.92−382102.1	...	...	...	...	
1RXSJ011350.0−145041	0.9456 (0.0499)	0.961	12.3	011350.03−145046.5	...	...	...	...	
1RXSJ011415.5+715933	0.0585 (0.0097)	0.918	12.3	011418.05+715927.6	...	...	...	...	
1RXSJ011522.0+111349	0.0595 (0.0141)	0.954	12.6	011521.92+111348.8	...	...	...	...	
1RXSJ011705.9−732632	0.7203 (0.0638)	0.959	12.6	011705.19−732635.8	X SMC X−1	High Mass X−ray Binary	B0Ib	13.12 : 13.30	P
1RXSJ011836.8−732529	0.0644 (0.0181)	0.907	0.0	011837.93−732527.0	HD 8191	**mul.	G0/G1IV/V	10.84 : 10.19	P
1RXSJ011915.1−433803	0.0739 (0.0181)	0.912	11.9	011914.76−433743.4	HD 8049	HiPM*	K1/K2V	9.62 : 8.73	
1RXSJ012058.3−135100	0.4028 (0.0366)	0.973	11.4	012058.53−135059.9	GIN 69	Gal. in Clust.	./.	:	
1RXSJ012059.4−270133	0.1156 (0.0190)	0.930	11.5	012058.49−270145.0	APMBGC 476+108+118	Gal.	S	:	
...	...	...	...	012058.49−270145.0	[RP95] 412−17	Gal.	./.	:	
1RXSJ012104.7−040203	0.2114 (0.0243)	0.924	13.3	012104.58−040208.3	...	...	...	...	
1RXSJ012148.0+415231	0.0666 (0.0153)	0.969	12.1	012147.86+415228.9	...	...	...	...	
1RXSJ012159.9−010223	0.1508 (0.0194)	0.970	12.7	012159.85−010224.3	QSO 0119−013	Sy1	SBa	15.73 : 15.17	P
1RXSJ012205.5−333706	0.3168 (0.0349)	0.936	11.9	012204.30−333702.9	...	...	...	...	
1RXSJ012221.2−564418	0.4916 (0.0758)	0.980	9.4	012218.94−564353.4	HD 8435	V* (RS CVn)	G6/G8III/IVe	9.58 : 8.86	
1RXSJ012452.4−304447	0.1968 (0.0270)	0.976	11.6	012451.78−304445.2	CD−31 571	*	./.	11.5 : 10.39	
1RXSJ012529.4+014603	0.2483 (0.0244)	0.943	8.7	012531.41+014532.8	1E 0122.9+0129	Low Surface Brightness Galaxy	E	13.1 : 14.11	
1RXSJ012536.6+233045	0.1035 (0.0253)	0.962	11.8	012535.52+233042.7	HD 8634	Spec. Bin.	F5III	6.596 : 6.192	P
1RXSJ012558.2+471329	0.0536 (0.0152)	0.969	12.2	012557.67+471323.9	...	...	...	...	
1RXSJ012705.7+342246	0.0779 (0.0169)	0.959	11.7	012705.74+342239.1	HD 8774	*	F7IVsvar	6.692 : 6.260	P
1RXSJ012725.4−202103	0.0855 (0.0230)	0.961	0.0	012725.16−202106.5	HD 8895	*	F3IV	7.313 : 6.927	
1RXSJ012824.7+170456	0.0794 (0.0184)	0.943	12.1	012823.96+170446.3	HD 8941	*	F8IV−V	7.088 : 6.606	
1RXSJ012847.4+070414	0.0694 (0.0184)	0.967	11.5	012848.22+070430.1	BD+06 227	*	K0	11.4 : 10.4	
1RXSJ012910.8−214158	0.8625 (0.0630)	0.939	13.5	012910.70−214157.1	IRAS 01267−2157	Sy	B8.5	18.5 : 15.4	
1RXSJ013114.0−755643	0.2273 (0.0204)	0.979	10.4	013111.91−755650.4	CD−76 56	*	K0	10.71 : 9.96	
1RXSJ013115.4+083512	0.0792 (0.0166)	0.933	12.2	013114.86+083525.5	...	...	...	...	
1RXSJ013414.9−472205	0.0971 (0.0216)	0.929	12.3	013415.71−472201.6	...	...	...	...	
1RXSJ013424.0−160708	1.1770 (0.0984)	0.938	13.4	013423.97−160709.2	PHL 1043	WD	DA	13.6 : 13.8	P
1RXSJ013550.3+052133	0.0603 (0.0158)	0.963	11.8	013549.57+052142.9	...	...	...	...	
1RXSJ013626.6+484318	0.7762 (0.0576)	0.967	12.3	013627.27+484322.6	HD 9746	V* (BY Dra)	K1III:	7.47 : 6.22	
1RXSJ013628.0+250835	0.5320 (0.0376)	0.967	12.7	013627.81+250836.6	BD+24 238	Em. *	K2	11.7 : 10.4	
1RXSJ013715.1−091145	0.4129 (0.0283)	0.975	10.5	013715.38−091151.3	MCG−02−05−020	Gal. in Clust.	./.	15. :	P
1RXSJ013723.4+265709	0.2513 (0.0308)	0.957	12.1	013722.83+265717.8	StKM 1− 174	*	K5	:	
1RXSJ013727.7+390000	0.1175 (0.0198)	0.937	11.8	013727.25+390009.6	GSC 02814−01888	*	./.	11.08 : 10.42	
1RXSJ013739.7+183525	0.7533 (0.0426)	0.973	0.0	013739.35+183533.3	CCDM J01377+1836AB	**mul.	K2	11.1 : 9.9	P

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ013938.3+455245	0.1374 (0.0320)	0.934	0.0	013936.02+455240.0	GJ 65.1	HiPM*	G5IV	7.30 : 6.61	
1RXSJ013958.5+261104	0.2161 (0.0273)	0.920	13.1	013958.54+261112.7	...	...	...	...	
1RXSJ014008.7−001441	0.0971 (0.0236)	0.976	0.0	014007.02−001432.3	HD 10232	*	F5	7.67 : 7.28	
1RXSJ014028.6+421159	0.3082 (0.0312)	0.976	12.0	014028.78+421204.5	BD+41 324	*	K0V	11.2 : 10.38	
1RXSJ014057.6−052344	0.1013 (0.0167)	0.969	9.5	014058.98−052412.1	HD 10353	*	G0	9.15 : 8.50	
1RXSJ014118.8+254452	0.3554 (0.0344)	0.964	11.7	014117.99+254445.9	BD+25 276B	**	?	:	
...	...	...	...	014117.99+254445.9	HD 10308	Spec. Bin.	F2III	6.626 : 6.211	
...	...	...	...	014117.99+254445.9	IRAS 01385+2529	IR	./.	:	
1RXSJ014125.6−380803	0.1001 (0.0189)	0.967	10.8	014127.30−380800.4	HD 10481	*	F2V	6.563 : 6.194	
1RXSJ014205.7+690511	0.1454 (0.0168)	0.960	12.9	014204.81+690510.4	HD 10195	*	F5	8.06 : 7.54	
1RXSJ014220.7−110522	0.1337 (0.0196)	0.964	12.3	014221.16−110528.3	...	...	...	...	
1RXSJ014350.4+321142	0.0684 (0.0166)	0.965	12.0	014350.26+321131.1	HD 10588	Spec. Bin.	G8III−IV	7.175 : 6.319	
1RXSJ014521.0−395735	0.0706 (0.0163)	0.943	0.0	014521.11−395721.6	CD−40 436	*	./.	:	
1RXSJ014621.0+405903	0.0782 (0.0176)	0.958	8.4	014619.29+405901.1	HD 10781	*	F5	8.35 : 7.89	
1RXSJ014641.6−240103	0.1409 (0.0191)	0.962	0.0	014641.65−240050.3	HD 10909	V* (RS CVn)	K0IV	9.03 : 8.10	
1RXSJ014659.0+612123	0.1755 (0.0182)	0.960	12.3	014700.23+612123.3	NGC 663 194	*iC	./.	12.22 : 11.34	
...	...	...	...	014700.23+612123.3	RX J0146.9+6121	High Mass X−ray Binary	Be	:	P
1RXSJ014743.3+635116	0.3602 (0.0264)	0.942	0.0	014744.84+635109.0	GJ 75	HiPM*	K0V	6.44 : 5.63	
1RXSJ015020.5−234628	0.0632 (0.0134)	0.971	0.0	015020.31−234618.7	CD−24 781B	**	?	:	
...	...	...	...	015020.31−234618.7	HD 11288	**	G8IV	9.29 : 8.46	
1RXSJ015044.1+330517	0.0572 (0.0156)	0.967	10.5	015042.94+330455.9	IC 1733	Gal. in Clust.	E:	14.7 :	
1RXSJ015101.3−322652	0.0739 (0.0150)	0.903	11.8	015102.52−322707.8	BPS CS 29500−0073	*	./.	:	
1RXSJ015119.8+132459	0.1724 (0.0225)	0.974	11.6	015119.94+132510.0	...	...	...	...	
1RXSJ015137.0−023827	0.0599 (0.0141)	0.973	0.0	015136.38−023816.3	HD 11351	*	F2	7.5 : 7.1	
1RXSJ015215.7−521939	0.1720 (0.0289)	0.971	11.5	015214.48−521932.9	GSC 08047−00232	*	./.	11.8 : 11.0	
1RXSJ015351.1−145946	0.3900 (0.0308)	0.923	12.7	015350.39−145948.6	...	...	...	...	
1RXSJ015522.7−384615	0.2102 (0.0218)	0.970	12.0	015522.52−384622.9	RX J0155.4−3846	X	K5V	12.22 : 11.15	
1RXSJ015548.2+242620	0.2174 (0.0303)	0.960	11.9	015548.11+242608.1	...	...	...	...	
1RXSJ015621.3−261512	0.0839 (0.0142)	0.901	13.2	015620.83−261519.9	...	...	...	...	
1RXSJ015627.3+122455	0.1330 (0.0200)	0.942	12.0	015627.45+122450.3	...	...	...	...	
1RXSJ015922.2+583124	0.4567 (0.0290)	0.973	0.0	015923.15+583117.8	EF B0155+5816	Rad.	./.	:	
...	...	...	...	015923.15+583117.8	GJ 82	V*	M4	13.6 : 12.1	
1RXSJ015935.7+234848	0.0890 (0.0200)	0.941	13.0	015935.57+234853.1	...	...	...	...	
1RXSJ015936.9−652656	0.0517 (0.0148)	0.951	11.5	015935.52−652654.6	HD 12452	*	F3V	7.68 : 7.30	
1RXSJ020020.0+073511	0.0923 (0.0167)	0.947	10.2	020019.21+073507.5	HD 12251	*	G5	10.01 : 9.45	
1RXSJ020026.7+024012	0.3608 (0.0338)	0.938	13.2	020026.32+024010.2	QSO 0157+0225	Sy1	E/S0	15.3 :	
1RXSJ020135.5−160957	0.1102 (0.0206)	0.972	12.0	020135.40−160959.5	BD−16 351	*	./.	:	
1RXSJ020228.9+103455	0.2820 (0.0333)	0.949	12.7	020228.38+103454.0	...	...	...	...	
1RXSJ020237.7+094932	0.0585 (0.0171)	0.918	12.1	020236.46+094941.2	...	...	...	...	
1RXSJ020305.9−072006	0.0906 (0.0166)	0.970	12.4	020305.82−072010.9	...	...	...	...	
1RXSJ020419.0+131851	0.0528 (0.0158)	0.947	12.7	020418.97+131857.7	...	...	...	...	
1RXSJ020438.7−530722	0.0874 (0.0212)	0.920	11.8	020437.83−530703.9	GSC 08483−01076	*	./.	11.8 : 11.3	
1RXSJ020507.0+060507	0.1012 (0.0185)	0.958	12.4	020507.27+060512.1	...	...	...	...	
1RXSJ020703.1−774421	0.0891 (0.0241)	0.929	12.1	020706.19−774435.1	...	...	...	...	
1RXSJ020718.6−531155	0.6559 (0.0481)	0.941	13.0	020717.88−531157.4	HD 13183	*	G5V	9.32 : 8.65	
1RXSJ020843.2−100518	0.1839 (0.0230)	0.926	9.7	020841.81−100518.5	HD 13191	**mul.	G5	9.69 : 9.03	
1RXSJ020850.6−072123	0.0757 (0.0161)	0.965	11.8	020850.74−072129.9	BD−08 390	*	./.	11.13 : 10.37	
1RXSJ020906.4−153545	0.0524 (0.0151)	0.918	13.3	020906.61−153542.7	RX J0209.1−1536	*	K4	:	
1RXSJ020915.0+420223	0.1600 (0.0220)	0.970	12.1	020914.78+420230.8	...	...	...	...	
1RXSJ020927.1−764057	0.1509 (0.0225)	0.907	11.5	020923.10−764115.9	CD−77 76	*	K5	10.87 : 9.91	
1RXSJ020938.2+425126	0.0560 (0.0151)	0.933	12.8	020937.78+425133.2	HD 13151	HiPM*	F5	7.7 : 7.2	
1RXSJ020959.5+140443	0.0941 (0.0212)	0.928	12.4	020958.83+140453.4	...	...	...	...	
1RXSJ021024.3−505000	0.0582 (0.0158)	0.959	0.0	021024.00−504931.1	...	...	...	...	
1RXSJ021055.5−460403	0.1203 (0.0177)	0.970	12.2	021055.27−460358.7	...	...	...	...	
1RXSJ021157.5+042150	0.1976 (0.0438)	0.948	10.9	021158.42+042145.4	BD+03 301	*	K5	10.82 : 9.71	P
1RXSJ021351.5−412929	0.0600 (0.0124)	0.972	12.2	021351.47−412930.3	...	...	...	...	
1RXSJ021642.7−474925	0.1154 (0.0187)	0.958	10.7	021645.17−474909.0	ACO S 239	Clust.	./.	:	
...	...	...	...	021645.17−474909.0	ESO 198− 1	Gal.	S0	14.5 :	P
...	...	...	...	021645.17−474909.0	ESO−LV 198−0010	Gal.	./.	14.40 :	
1RXSJ021649.6+081817	0.1211 (0.0248)	0.979	11.2	021649.83+081824.0	...	...	...	...	
1RXSJ021657.7−005127	0.0671 (0.0190)	0.924	12.5	021658.33−005118.0	...	...	...	...	
1RXSJ021758.0+311547	0.1773 (0.0330)	0.972	11.7	021758.05+311550.2	CCDM J02180+3116AB	**mul.	G5	9.93 : 9.19	
1RXSJ021829.9−045507	0.0551 (0.0148)	0.964	9.7	021831.47−045502.6	HD 14308	*	F5	9.73 : 9.19	
1RXSJ021836.6+121902	0.0831 (0.0201)	0.907	13.4	021836.08+121903.0	...	...	...	...	
1RXSJ022111.4+460003	0.3547 (0.0417)	0.922	11.6	022112.84+460008.8	BD+45 598	*	K0	9.79 : 9.01	
1RXSJ022326.7+224344	0.4530 (0.0947)	0.926	0.0	022326.65+224406.8	HIC 11152	*	./.	:	
1RXSJ022333.2+222752	0.2390 (0.0723)	0.953	11.6	022333.66+222730.9	EGGR 18	WD	DAn	15.90 : 15.83	
...	...	...	...	022333.66+222730.9	HD 14784	*	G0	8.79 : 8.24	
1RXSJ022336.1−105616	0.1157 (0.0201)	0.968	11.8	022336.36−105612.7	BD−11 454	*	./.	:	
1RXSJ022408.8−072428	0.0751 (0.0164)	0.975	0.0	022409.48−072420.2	HD 14907	*	F5	8.51 : 8.07	
1RXSJ022537.6+284552	0.0664 (0.0186)	0.939	10.5	022539.59+284602.8	GJ 9081	*	K8V	9.99 : 9.05	
1RXSJ022616.3+061729	0.0774 (0.0203)	0.969	0.0	022616.25+061733.2	HD 15115	*	F2	7.15 : 6.80	
1RXSJ022638.0−411946	0.0968 (0.0154)	0.961	11.6	022636.55−411943.7	GSC 07554−00172	*	./.	10.64 : 10.12	
1RXSJ022728.4+305828	0.5656 (0.0461)	0.971	11.7	022728.97+305828.0	BD+30 397A	*	./.	:	
...	...	...	...	022728.97+305828.0	V* AG Tri	V*	K8	11.3 : 10.12	P
1RXSJ022740.8+455441	0.0510 (0.0117)	0.901	0.0	022740.47+455437.3	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ022814.6+311838	0.3416 (0.0327)	0.958	13.3	022814.56+311840.1	NGC 931	Sy1	Sb	13.9 :	P
1RXSJ022824.4+053801	0.1124 (0.0250)	0.968	11.9	022824.03+053810.7	...	...	...	...	
1RXSJ022840.5−305454	0.0776 (0.0160)	0.971	11.0	022839.07−305456.1	GSC 07010−00355	*	./.	11.14 : 10.70	
1RXSJ022843.6−311332	0.0677 (0.0142)	0.905	13.4	022843.80−311338.0	HD 15478	*	G3/G5V	9.94 : 9.25	
1RXSJ022859.6+072007	0.0962 (0.0239)	0.916	12.0	022859.06+071956.2	GSC 00045−00651	*	./.	11.5 : 10.8	
1RXSJ022928.8−185556	0.0976 (0.0185)	0.950	13.0	022928.81−185553.6	...	...	...	...	
1RXSJ023033.0−434212	0.1748 (0.0238)	0.967	11.5	023032.23−434223.2	CD−44 753	*	./.	11.5 : 10.28	
1RXSJ023126.4−375831	0.0960 (0.0161)	0.976	11.9	023126.17−375832.3	CD−38 840	*	./.	11.27 : 10.51	
1RXSJ023306.5+414855	0.0620 (0.0151)	0.974	8.5	023309.15+414904.2	HD 15754	*iC	F8	8.32 : 7.91	
1RXSJ023410.6−313129	0.0680 (0.0171)	0.906	0.0	023410.53−313125.9	HD 16087	**	A9V	7.8 : 7.6	
1RXSJ023438.0−084714	1.2810 (0.0700)	0.976	11.8	023437.80−084715.6	NGC 985	Sy1	S...	14.5 :	P
1RXSJ023457.3−855013	0.0569 (0.0123)	0.930	12.0	023500.48−855014.7	...	...	...	...	
1RXSJ023504.2+313927	0.1516 (0.0224)	0.976	11.7	023503.67+313923.0	BD+31 455	*	G0	10.98 : 10.34	
1RXSJ023547.9+344107	0.0970 (0.0281)	0.974	0.0	023546.82+344115.2	HD 16058	Pulsating variable Star	M3III	7.050 : 5.401	
1RXSJ023651.8−520300	0.3322 (0.0283)	0.968	12.6	023651.49−520304.0	BPS CS 29519−0057	*	./.	:	
1RXSJ023658.1+243859	0.4724 (0.0457)	0.953	0.0	023657.64+243853.1	HD 16232	**	F4V	7.59 : 7.09	
1RXSJ023824.9−375925	0.0806 (0.0154)	0.933	0.0	023824.83−375926.0	HD 16589	Spec. Bin.	G0IV	6.968 : 6.489	
1RXSJ023835.3−290325	0.0865 (0.0169)	0.976	11.9	023835.25−290319.2	BPS CS 29515−0074	*	./.	:	
1RXSJ023845.4−525710	0.8574 (0.0802)	0.915	0.0	023844.96−525708.9	CPD−53 462B	**	K5	:	
...	...	...	...	023844.96−525708.9	HD 16699	**	F8IV/V+...	7.7 :	P
1RXSJ023849.4−403844	0.3872 (0.0413)	0.968	12.3	023848.96−403838.6	CTS 4	Sy1	./.	15.61 :	
1RXSJ023857.3+444429	0.1778 (0.0191)	0.966	12.0	023857.08+444423.9	...	...	...	...	
1RXSJ023930.9+242758	0.0580 (0.0176)	0.977	9.2	023932.91+242745.1	HD 16514	*	F5	9.23 : 8.79	
1RXSJ024002.3+610755	0.1327 (0.0156)	0.962	11.1	024002.53+610741.5	BD+60 536	*	./.	10.93 : 10.27	
1RXSJ024012.4+614358	0.1093 (0.0137)	0.975	12.0	024012.28+614358.9	GSC 04047−01570	*	./.	10.96 : 10.34	
1RXSJ024113.9−004146	0.4669 (0.0587)	0.961	0.0	024113.66−004140.9	HD 16765	V*	F7IV	6.23 :	P
1RXSJ024135.2+071117	0.1466 (0.0290)	0.922	13.4	024134.86+071113.8	QSO 0238+069	Sy1	Sa	15.0 :	P
1RXSJ024234.4−573932	0.0826 (0.0220)	0.968	11.7	024232.83−573936.8	GSC 08497−00995	*	./.	11.6 : 10.8	
1RXSJ024239.8+502802	0.0556 (0.0116)	0.972	8.7	024241.30+502751.3	HD 16736	V*	A2	9.03 : 8.85	
1RXSJ024402.5−261101	0.0877 (0.0208)	0.974	11.1	024402.85−261111.0	ESO 479− 30	Gal.	S0	:	P
1RXSJ024421.3−190558	0.0855 (0.0199)	0.974	11.9	024421.47−190601.3	...	...	...	...	
1RXSJ024457.5−440738	0.0620 (0.0155)	0.953	12.4	024457.12−440730.3	...	...	...	...	
1RXSJ024502.4−221006	0.0901 (0.0221)	0.948	11.6	024501.08−220958.4	HD 17207	*	F7V	7.2 : 7.2	
1RXSJ024751.2+361157	0.0515 (0.0107)	0.902	12.9	024751.71+361147.3	...	...	...	...	
1RXSJ024843.0+310701	6.7920 (0.2021)	0.944	0.0	024843.58+310656.2	GJ 9102	V* (RS CVn)	K0	7.72 : 6.76	P
1RXSJ025020.0+372909	0.2251 (0.0221)	0.964	12.9	025020.01+372905.7	1RXS J025020.0+372909	TT	K4V	:	P
1RXSJ025050.7−260043	0.0536 (0.0138)	0.972	12.0	025050.22−260040.4	...	...	...	...	
1RXSJ025111.7−475314	0.0734 (0.0134)	0.978	11.8	025111.48−475307.7	...	...	...	...	
1RXSJ025125.7+132309	0.2248 (0.0310)	0.952	12.8	025125.55+132314.6	StKM 1− 306	*	K7	12.55 : 11.17	
1RXSJ025126.1−245653	0.2021 (0.0260)	0.921	11.5	025124.82−245639.3	[QR95] 024911.8−250859	Gal. in Clust.	./.	:	
1RXSJ025216.9+361658	0.1379 (0.0174)	0.967	12.1	025217.40+361650.1	1RXS J025216.9+361658	TT	K2IV	:	P
1RXSJ025225.6+125231	0.0666 (0.0171)	0.969	11.9	025225.45+125237.9	...	...	...	...	
1RXSJ025250.3−011605	0.1524 (0.0382)	0.970	10.4	025251.80−011628.7	NGC 1132	Gal.	E	13.9 :	
1RXSJ025346.9−613529	0.1130 (0.0225)	0.962	12.3	025346.45−613521.3	...	...	...	...	
1RXSJ025351.3+152118	0.2918 (0.0310)	0.948	11.9	025351.71+152109.3	...	...	...	...	
1RXSJ025359.7+362559	0.0657 (0.0127)	0.975	11.6	025400.07+362552.1	UGC 2366	Gal.	S0	15.7 :	P
1RXSJ025407.6−413731	0.1124 (0.0183)	0.934	13.0	025407.09−413732.1	...	...	...	...	
1RXSJ025413.9+423520	0.1473 (0.0194)	0.971	0.0	025414.11+423519.6	HD 17922	HiPM*	F5	7.39 : 7.01	
1RXSJ025432.4−510829	0.1220 (0.0220)	0.970	12.4	025432.94−510831.2	...	...	...	...	
1RXSJ025439.4−051948	0.2958 (0.0410)	0.905	13.1	025438.73−051950.3	HD 18131	*	K0III−IV	8.30 : 7.32	
1RXSJ025514.5+090655	0.0594 (0.0186)	0.975	11.5	025514.38+090643.5	BD+08 446	*	G0	10.6 : 10.04	
1RXSJ025543.9+474652	0.4184 (0.0305)	0.947	12.0	025543.26+474651.3	GSC 03301−02585	*	./.	11.7 : 10.6	
1RXSJ025552.4+091853	0.0826 (0.0189)	0.971	11.7	025552.23+091842.1	IC 1867	Gal.	./.	15.0 :	P
1RXSJ025636.8−530934	0.0950 (0.0178)	0.967	11.5	025638.22−530939.5	CD−53 596	*	K2	11.4 : 10.20	
1RXSJ025719.4+483802	0.0995 (0.0144)	0.958	12.9	025718.97+483803.0	...	...	...	...	
1RXSJ025751.8+115759	0.0966 (0.0189)	0.930	12.1	025751.57+115807.1	AG+11 290	TT	K0	11.4 : 10.2	P
1RXSJ025804.6−624115	0.0801 (0.0192)	0.969	12.3	025803.91−624113.6	...	...	...	...	
1RXSJ025828.0+294805	0.0605 (0.0113)	0.924	12.4	025828.69+294755.6	...	...	...	...	
1RXSJ025905.5−380725	0.0509 (0.0136)	0.972	12.0	025905.42−380720.2	...	...	...	...	
1RXSJ025939.0+140253	0.0578 (0.0132)	0.967	11.0	025939.04+140234.7	HD 18580	TT	K2	10.29 : 9.30	P
1RXSJ025943.6−232304	0.0646 (0.0195)	0.920	12.7	025943.13−232254.9	HD 18707	*	F7V	9.23 : 8.69	
1RXSJ025952.4+380149	0.1453 (0.0191)	0.971	12.2	025952.92+380149.4	[LH98] 32	TT	K0IV	:	P
1RXSJ030016.2+722537	0.0761 (0.0131)	0.972	11.7	030014.35+722543.4	...	...	...	...	
1RXSJ030047.4−370806	0.0622 (0.0151)	0.980	11.5	030046.87−370802.2	CD−37 1123	*	./.	11.21 : 10.45	
1RXSJ030054.0−401753	0.0705 (0.0189)	0.914	12.6	030053.65−401800.8	...	...	...	...	
1RXSJ030106.1+543649	0.0821 (0.0130)	0.956	12.4	030105.97+543639.9	GSC 03705−00166	*	./.	12.0 : 11.1	
1RXSJ030122.7+112345	0.1172 (0.0181)	0.968	12.0	030122.67+112348.7	...	...	...	...	
1RXSJ030152.0−163538	0.1769 (0.0332)	0.973	0.0	030151.61−163533.5	BD−17 588	*	./.	10.54 : 9.7	
...	...	...	...	030151.61−163533.5	GJ 3192A	HiPM*	M3.5	:	
...	...	...	...	030151.61−163533.5	GJ 3193B	*	M3	:	
1RXSJ030242.6−074113	0.5401 (0.0662)	0.935	0.0	030242.28−074107.7	HD 18953	**mul.	K0II−III	6.289 : 5.333	P
1RXSJ030327.8+230347	0.0752 (0.0150)	0.956	12.4	030328.26+230341.1	HD 18940	*	G0	7.9 : 7.12	
1RXSJ030349.4+250241	0.1164 (0.0159)	0.909	13.2	030349.81+250233.8	...	...	...	...	
1RXSJ030356.9+373904	0.0593 (0.0120)	0.967	12.6	030357.22+373905.4	[LH98] 37	TT	K0IV	:	P
1RXSJ030405.0+300312	0.0649 (0.0137)	0.962	12.0	030405.11+300310.0	[LH98] 39	TT	K0V	:	P

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ030432.9−511904	0.0597 (0.0143)	0.974	0.0	030433.14−511919.5	HD 19330	**	G1V	8.07 : 7.55	
1RXSJ030536.2+421144	0.0529 (0.0121)	0.966	9.2	030533.89+421152.7	HD 19071	*	K0	9.11 : 8.11	
1RXSJ030605.0−484748	0.1023 (0.0154)	0.967	12.3	030605.74−484745.1	HD 19491	*	F8/G0V	8.72 : 8.25	
1RXSJ030606.3−390212	0.1932 (0.0230)	0.967	12.8	030606.06−390210.5	IRAS 03041−3913	IR	./.	:	
...	...	...	...	030606.06−390210.5	NGC 1217	Gal.	Sab	13. :	P
1RXSJ030618.8−652109	0.3086 (0.0651)	0.911	11.3	030614.33−652132.4	CD−65 149	*	./.	11.12 : 10.23	
1RXSJ030754.5+603125	0.0631 (0.0124)	0.942	12.9	030755.48+603126.5	...	...	...	...	
1RXSJ030825.9+040637	0.1747 (0.0214)	0.933	12.5	030826.31+040640.4	NGC 1218	Rad. Gal.	E	12.84 :	P
...	...	...	...	030826.31+040640.4	PMN J0308+0406	Rad.	./.	:	
1RXSJ031041.3+503142	0.0737 (0.0132)	0.947	12.5	031041.66+503133.1	...	...	...	...	
1RXSJ031110.0+142418	0.0601 (0.0176)	0.935	12.3	031109.87+142414.1	...	...	...	...	
1RXSJ031113.6−570132	0.0630 (0.0134)	0.973	11.5	031115.14−570131.8	...	...	...	...	
1RXSJ031153.5−000935	0.0540 (0.0144)	0.939	12.2	031153.63−000946.8	GSC 04708−00625	*	./.	11.4 : 10.6	
1RXSJ031156.0+613112	0.1342 (0.0173)	0.972	12.1	031156.81+613108.4	GJ 3206	*	K7	11.4 : 10.16	
1RXSJ031226.2+063933	0.0908 (0.0173)	0.971	11.8	031226.42+063939.2	HD 19927	V*	K1IIIpe+...	6.578 : 5.576	
1RXSJ031402.4+004428	0.1203 (0.0177)	0.961	0.0	031402.87+004421.4	HD 20115	**mul.	F8	7.95 : 7.47	
1RXSJ031545.0+355704	0.1897 (0.0219)	0.904	12.4	031544.95+355656.7	HD 278455	*	G5	10. :	
1RXSJ031601.3+344119	0.0505 (0.0121)	0.977	11.5	031601.73+344120.2	HD 20210	Spec. Bin.	A1m	6.501 : 6.243	
1RXSJ031608.4+472511	0.0542 (0.0114)	0.909	10.3	031606.83+472501.3	FBFTA Per II 19	*	./.	:	
...	...	...	...	031606.83+472501.3	Koenig 18	HiPM*	./.	9.9 :	
1RXSJ031627.0+563901	0.0837 (0.0141)	0.961	12.1	031627.95+563859.1	GSC 03710−00406	*	./.	11.3 : 10.6	
1RXSJ031640.7−033142	0.4527 (0.0501)	0.957	12.9	031640.48−033147.2	HD 20385	*	F5	7.96 : 7.50	
1RXSJ031644.0+192259	0.0581 (0.0125)	0.904	12.6	031643.86+192304.8	GSC 01240−00336	TT	G0V	11.3 : 11.0	P
1RXSJ031713.9−853231	0.2041 (0.0223)	0.970	12.2	031718.76−853228.7	...	...	...	...	
1RXSJ031727.1+603038	0.0541 (0.0116)	0.956	12.5	031726.68+603032.5	...	...	...	...	
1RXSJ031740.2+310743	0.2994 (0.0267)	0.972	12.4	031740.38+310740.5	HD 20367	*	G0	6.933 : 6.410	
1RXSJ031751.4+584749	0.1098 (0.0152)	0.936	13.2	031751.77+584743.7	...	...	...	...	
1RXSJ031758.0−441413	2.2800 (0.1049)	0.940	12.5	031757.70−441417.6	ESO 248− 6	Gal.	S0	15.8 :	P
1RXSJ031907.4+393418	0.0569 (0.0118)	0.968	12.4	031907.51+393411.6	[LH98] 56	TT	K0V	:	P
1RXSJ031908.8−350701	0.1210 (0.0336)	0.974	11.7	031908.53−350700.1	...	...	...	...	
1RXSJ031920.9−414639	0.1270 (0.0186)	0.916	13.5	031920.31−414639.0	CTS 40	Gal.	./.	:	
1RXSJ031924.8+124740	0.1478 (0.0170)	0.918	11.8	031924.52+124724.5	GSC 00655−01494	TT	G2IV	11.03 : 10.33	P
1RXSJ031949.1−262719	0.5225 (0.0585)	0.952	12.5	031948.67−262712.4	[BFE95] 1	Sy1	S...	16.9 : 15.9	P
1RXSJ032058.4+331311	0.0665 (0.0138)	0.945	0.0	032059.45+331306.0	HD 20678	HiPM*	K0	9.3 : 7.8	
1RXSJ032110.4+770449	0.0511 (0.0126)	0.951	8.1	032108.55+770402.7	HD 20111	*	F5	8.20 : 7.82	
1RXSJ032149.6−105228	0.1052 (0.0232)	0.945	12.4	032149.57−105217.4	...	...	...	...	
1RXSJ032159.0−511929	0.0750 (0.0127)	0.924	10.5	032156.43−511935.4	[LDM83] 28	Gal.	Sb	:	
1RXSJ032231.4+285330	0.0593 (0.0137)	0.963	11.7	032231.51+285320.1	GSC 01809−00880	*	./.	11.4 : 10.6	
1RXSJ032306.1+584312	0.1388 (0.0175)	0.965	12.5	032306.94+584308.9	GSC 03715−00195	*	./.	11.17 : 10.57	
1RXSJ032315.7−493113	1.3100 (0.1327)	0.934	12.1	032315.35−493106.2	1RXS J032315.7−493113	X	S...	:	P
1RXSJ032414.3−590101	0.0567 (0.0136)	0.918	12.7	032414.95−590113.0	...	...	...	...	
1RXSJ032521.8−563543	0.1203 (0.0196)	0.905	12.5	032523.51−563544.7	...	...	...	...	
1RXSJ032525.2−060830	0.4130 (0.0341)	0.968	11.6	032525.37−060838.5	Mrk 609	Sy2	E/S0	14.5 :	
1RXSJ032635.1+284302	5.8590 (0.1179)	0.960	0.0	032635.39+284254.3	GJ 141.1	V* (RS CVn)	G5IV	7.37 : 6.47	P
1RXSJ032714.9+272318	0.1137 (0.0184)	0.969	0.0	032714.34+272308.7	HIC 16090	*	./.	:	
1RXSJ032736.1−725044	0.0614 (0.0156)	0.965	11.5	032735.36−725055.8	CPD−73 219	*	./.	11.3 : 10.62	
1RXSJ032738.6−580937	0.2196 (0.0310)	0.925	11.5	032739.55−580951.7	CD−58 693	*	./.	:	
1RXSJ032813.1−314934	0.1071 (0.0295)	0.949	10.9	032812.54−314924.8	CD−32 1301	*	./.	11.34 : 10.58	
1RXSJ032813.8+040945	0.8867 (0.0683)	0.971	10.3	032814.82+040949.6	CCDM J03282+0410AB	**mul.	K0	10.0 : 8.8	P
1RXSJ033000.6−782100	0.1131 (0.0209)	0.923	0.0	032958.90−782106.7	HD 22676	*	G8III	6.608 : 5.683	
1RXSJ033041.2+313712	0.0570 (0.0127)	0.915	12.7	033040.88+313700.3	VSS IX−17	IR	K2IV	:	P
1RXSJ033042.9+030557	0.0812 (0.0134)	0.953	12.2	033043.34+030550.9	GSC 00067−00206	*	K1	:	
1RXSJ033052.5−620028	0.2189 (0.0276)	0.974	0.0	033052.52−620028.6	HD 22166	*	F7V	7.282 : 6.800	
1RXSJ033108.2+071325	0.2758 (0.0302)	0.972	12.1	033108.35+071325.4	...	...	...	...	
1RXSJ033118.6−303110	0.2590 (0.0459)	0.967	0.0	033120.78−303058.7	HD 21955	**mul.	G5/G6V:	10.64 : 9.99	
1RXSJ033128.1+485940	0.0818 (0.0142)	0.940	12.1	033128.88+485929.6	BD+48 937	*	F9	10.69 : 10.08	
1RXSJ033146.7−152518	0.0943 (0.0170)	0.911	12.3	033146.87−152534.1	...	...	...	...	
1RXSJ033156.0−435918	0.1700 (0.0244)	0.977	11.8	033155.49−435913.3	CD−44 1173	*	K2	11.9 : 10.8	
1RXSJ033304.0+451222	0.0678 (0.0139)	0.958	12.9	033304.22+451218.5	...	...	...	...	
1RXSJ033442.2+475319	0.0553 (0.0123)	0.963	12.0	033443.24+475313.9	...	...	...	...	
1RXSJ033449.9+062455	0.0960 (0.0183)	0.924	12.4	033449.18+062503.4	HD 22211	*	G0	7.091 : 6.494	P
1RXSJ033451.2−534242	0.1342 (0.0152)	0.966	12.4	033451.56−534238.4	APMBGC 155−123−062	Gal.	S	:	
1RXSJ033501.2+320104	0.4407 (0.0333)	0.946	12.3	033500.96+320102.0	BD+31 616B	**	?	:	
...	...	...	...	033500.96+320102.0	HD 22124	Elliptical variable Star	F2III−IV	7.09 :	P
1RXSJ033505.6+383506	0.0534 (0.0122)	0.946	0.0	033506.23+383508.4	HD 22090	*	F0	7.35 : 7.04	
1RXSJ033507.8+494440	0.0853 (0.0139)	0.942	12.7	033508.67+494441.0	Cl Melotte 20 1101	*iC	G4	11.94 : 11.25	
1RXSJ033618.6+732023	0.0866 (0.0147)	0.957	9.1	033617.27+732024.8	HD 21724	*	F8	9.17 : 8.72	
1RXSJ033635.0+072629	0.0864 (0.0172)	0.970	11.7	033634.39+072620.5	...	...	...	...	
1RXSJ033642.1−790759	0.0613 (0.0156)	0.968	11.8	033642.59−790810.6	CPD−79 110	*	K	10.91 : 10.19	
1RXSJ033749.7−491052	0.0718 (0.0130)	0.970	12.0	033748.82−491056.5	CD−49 1028	*	?	9.84 : 9.35	
1RXSJ033752.4−113231	0.0991 (0.0197)	0.941	10.2	033753.43−113250.6	HD 22606	**mul.	G5	10.35 : 9.60	
1RXSJ033804.3−594634	0.0733 (0.0121)	0.936	0.0	033802.61−594633.6	HD 22960	**	F5V	8.77 : 8.33	
1RXSJ033807.3−553558	0.2901 (0.0260)	0.977	11.6	033806.18−553600.7	...	...	...	...	
1RXSJ033844.4+500549	0.1718 (0.0189)	0.959	12.6	033844.06+500555.6	...	...	...	...	
1RXSJ033848.6+021638	0.2366 (0.0262)	0.977	11.7	033848.63+021630.2	BD+01 637	*	K5	10.42 : 9.43	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ033850.3+463627	0.0588 (0.0127)	0.948	12.1	033850.43+463613.8	GSC 03313−01551	*	./.	10.78 : 10.28	
1RXSJ033913.4−173553	0.1306 (0.0170)	0.959	12.5	033913.70−173600.5	PKS J0339−1735	X	./.	:	P
1RXSJ034006.1−550326	0.1125 (0.0160)	0.947	10.0	034011.67−550332.1	...	...	...	...	
1RXSJ034134.5−451605	0.0634 (0.0165)	0.972	12.0	034134.21−451559.9	...	...	...	...	
1RXSJ034145.2+271855	0.1014 (0.0181)	0.954	12.7	034145.34+271902.0	[LH98] 82	TT	K2IV	:	P
1RXSJ034239.5−203233	0.4215 (0.0444)	0.979	11.1	034239.82−203244.5	HD 23208	*	G8V	9.94 : 9.17	
1RXSJ034241.8+233017	0.0674 (0.0157)	0.905	13.3	034242.32+233012.8	Cl* Melotte 22 HAR 73b	*iC	G7IV	:	P
...	...	...	...	034242.32+233012.8	Cl Melotte 22 5	*iC	./.	13.35 : 12.57	
...	...	...	...	034242.32+233012.8	V* V844 Tau	Flare *	./.	:	
1RXSJ034313.1+251621	0.0554 (0.0138)	0.909	12.9	034313.53+251614.8	[SCG94] X 13	Object of unknown nature	./.	:	
1RXSJ034318.7+222704	0.0560 (0.0140)	0.927	12.7	034318.96+222659.3	Cl* Melotte 22 PELS 31	*iC	./.	12.57 : 11.59	
1RXSJ034344.5+655847	0.1494 (0.0181)	0.922	13.5	034344.67+655842.8	HD 22776	**mul.	F0	8.21 : 7.81	
1RXSJ034354.7−190643	0.0816 (0.0169)	0.906	8.6	034354.34−190646.1	...	...	...	...	
1RXSJ034403.8+243013	0.0607 (0.0148)	0.968	12.0	034403.46+243017.4	BD+24 541	*iC	G1V	11.8 : 11.0	P
1RXSJ034412.1+240200	0.0603 (0.0145)	0.968	11.8	034412.87+240154.6	BD+23 501A	**	G2	11.17 : 10.28	
1RXSJ034426.3+243524	0.0725 (0.0163)	0.946	13.0	034426.21+243525.2	...	...	...	...	
1RXSJ034445.1−610556	0.1249 (0.0172)	0.978	9.7	034444.19−610556.2	HD 23816	*	F8/G0V	9.98 : 9.50	
1RXSJ034500.5+493710	0.0540 (0.0115)	0.925	11.9	034501.25+493659.9	GSC 03334−00553	*	./.	10.10 : 9.61	
1RXSJ034503.6+023716	0.0903 (0.0180)	0.939	12.2	034502.68+023719.0	HD 23412	*	F5	7.096 : 6.655	
1RXSJ034514.5+561535	0.1114 (0.0146)	0.969	12.7	034514.29+561538.0	...	...	...	...	
1RXSJ034526.5+174702	0.1628 (0.0237)	0.917	13.5	034526.17+174702.7	[LH98] 95	TT	K2IV	:	P
1RXSJ034557.2+273331	0.1263 (0.0195)	0.956	12.1	034557.81+273340.9	...	...	...	...	
1RXSJ034611.0+621927	0.0891 (0.0132)	0.972	12.1	034610.52+621921.5	...	...	...	...	
1RXSJ034613.8+170929	0.1857 (0.0251)	0.916	11.9	034614.60+170916.1	[LH98] 98	TT	K4.5	:	P
1RXSJ034723.2−015807	0.4586 (0.0366)	0.954	0.0	034723.24−015817.6	EUVE J0347−01.9	*	M:	13.8 :	
...	...	...	...	034723.24−015817.6	HIC 17695	*	./.	13.097 : 11.586	
1RXSJ034724.3+243513	0.0997 (0.0179)	0.918	13.2	034723.97+243520.0	HD 23628	*iC	A4V	7.89 : 7.71	P
1RXSJ034850.1−005823	1.9650 (0.1577)	0.957	13.1	034849.92−005824.7	GD 50	WD	DAw...	13.82 : 13.98	P
1RXSJ034859.0+011059	0.0952 (0.0189)	0.974	12.0	034858.66+011055.2	...	...	...	...	
1RXSJ034905.9+234653	0.1399 (0.0213)	0.953	0.0	034906.12+234652.6	Cl* Melotte 22 SSHJ G211	*iC	G9	11.63 : 10.83	P
...	...	...	...	034906.12+234652.6	Cl* Melotte 22 VM 51	*iC	./.	11.4 :	
1RXSJ034922.6−051425	0.0809 (0.0174)	0.924	12.9	034922.28−051431.9	...	...	...	...	
1RXSJ034945.4−673017	0.0590 (0.0116)	0.924	12.0	034945.22−673035.6	...	...	...	...	
1RXSJ035003.1+223539	0.1373 (0.0203)	0.975	0.0	035003.46+223529.9	HD 23965	TT	F5	7.75 : 7.27	P
1RXSJ035019.3−072607	0.0658 (0.0156)	0.901	12.6	035019.27−072623.1	...	...	...	...	
1RXSJ035024.5+130424	0.0695 (0.0149)	0.959	12.0	035024.93+130413.7	GSC 00664−00764	TT	G7IV	11.4 : 10.8	P
1RXSJ035027.8+474915	0.0565 (0.0130)	0.931	12.8	035027.69+474907.1	Cl* Melotte 20 AP 264	*iC	./.	13.13 : 12.12	
1RXSJ035041.0+013353	0.0735 (0.0162)	0.936	12.2	035041.97+013350.7	HD 24133	V*	F0	6.98 : 6.62	
1RXSJ035055.0+235016	0.0531 (0.0140)	0.919	12.6	035054.26+235007.8	Cl* Melotte 22 SRS 42481	*iC	K2V	12.43 : 11.48	P
1RXSJ035139.0+144753	0.0587 (0.0140)	0.934	12.7	035139.58+144749.4	...	...	...	...	
1RXSJ035201.9+243949	0.0538 (0.0140)	0.948	12.8	035202.19+243949.7	Cl* Melotte 22 HAR 59b	*iC	K3e	13.17 : 12.10	
...	...	...	...	035202.19+243949.7	NTTS 034903+2431	TT	K5	13.38 : 12.25	
1RXSJ035257.7−683120	0.5821 (0.0818)	0.927	13.6	035257.46−683117.2	PKS 0352−686	Gal.	E	:	P
1RXSJ035329.1−411323	0.2377 (0.0534)	0.963	11.4	035327.16−411323.2	HD 24649	*	F6V	7.702 : 7.226	
1RXSJ035428.3+163659	0.0570 (0.0153)	0.978	0.0	035428.04+163657.7	GJ 3255	HiPM*	G0	7.7 : 6.89	
1RXSJ035428.3−493037	0.0538 (0.0161)	0.963	11.9	035427.43−493036.3	...	...	...	...	
1RXSJ035522.4+310257	2.8230 (0.0963)	0.901	11.4	035523.11+310244.5	HD 24534	High Mass X−ray Binary	O9.5pe	6.39 :	
1RXSJ035637.8−132719	0.0552 (0.0157)	0.946	12.6	035637.50−132718.8	...	...	...	...	
1RXSJ035706.3+283805	0.2018 (0.0386)	0.903	12.3	035705.89+283753.1	TYC 1825 1142 1	*	./.	12.0 : 11.3	
1RXSJ035728.6−010916	0.4396 (0.0381)	0.918	0.0	035729.03−010922.2	ADS 2894 AB	**mul.	K5	9.14 : 8.00	
...	...	...	...	035729.03−010922.2	GJ 157B	HiPM*	M2	13.00 : 11.48	
1RXSJ035916.7+440406	0.2519 (0.0290)	0.954	11.7	035916.51+440419.7	GSC 02876−01944	*	./.	11.06 : 10.24	
1RXSJ035940.5+101946	0.1113 (0.0209)	0.936	0.0	035940.50+101949.4	HD 25102	*iC	F5V	6.734 : 6.355	
1RXSJ040005.4+394133	0.0757 (0.0133)	0.939	13.0	040005.81+394137.2	...	...	...	...	
1RXSJ040030.7+193521	0.1754 (0.0270)	0.962	12.0	040031.06+193521.4	HD 285281	TT	K0	11.17 : 10.43	
1RXSJ040236.8−001556	1.5240 (0.0997)	0.941	0.0	040236.66−001605.9	GJ 159	HiPM*	F5V	5.88 : 5.38	P
1RXSJ040321.7+171646	0.0930 (0.0195)	0.969	10.4	040322.33+171627.6	HD 285373	*	G0	10.20 : 9.70	
1RXSJ040323.0−630541	0.0598 (0.0130)	0.960	11.3	040323.85−630531.0	...	...	...	...	
1RXSJ040340.3−655818	0.1009 (0.0168)	0.975	11.1	040343.17−655823.1	...	...	...	...	
1RXSJ040356.8+081156	0.1555 (0.0237)	0.901	0.0	040356.60+081150.2	HD 25570	*iC	F2V	5.795 : 5.456	
1RXSJ040403.9−380055	0.1768 (0.0357)	0.972	11.8	040404.01−380103.5	...	...	...	...	
1RXSJ040421.7−353804	0.1517 (0.0137)	0.964	10.8	040423.32−353831.3	AM 0402−354	Gal.	./.	:	
1RXSJ040454.9−242528	0.1053 (0.0175)	0.973	0.0	040454.24−242527.5	HD 25854	**mul.	G8/K0V	9.5 : 8.9	
1RXSJ040501.1−371110	4.0770 (0.2544)	0.902	13.3	040501.69−371115.2	ESO 359− 19	Gal.	./.	15.24 :	
1RXSJ040518.6+200919	0.1603 (0.0250)	0.940	11.4	040519.56+200926.3	GSC 01258−00338	TT	K1	:	P
1RXSJ040520.3+220039	0.4239 (0.0510)	0.977	11.6	040519.62+220038.3	...	...	...	...	
1RXSJ040539.0+224842	0.3123 (0.0563)	0.913	10.1	040540.59+224813.1	HD 284135	**mul.	G0	9.97 : 9.37	
1RXSJ040710.4−652828	0.0633 (0.0141)	0.919	12.4	040712.61−652823.6	...	...	...	...	
1RXSJ040729.6−523413	0.8394 (0.0712)	0.947	13.1	040729.00−523413.2	HD 26354	V* (RS CVn)	K1Vp	9.6 : 8.6	P
1RXSJ040743.0−092620	0.0798 (0.0182)	0.943	10.3	040743.96−092643.1	BD−09 819	*	F8	10.10 : 9.58	
1RXSJ040745.1+875030	0.0787 (0.0132)	0.965	12.4	040736.69+875027.2	BD+87 28	*	G8	11.6 : 10.8	
1RXSJ040753.0+335555	0.0574 (0.0121)	0.933	12.6	040753.25+335605.3	RX J0407.8+3356	X	K3	:	P
1RXSJ040753.2+594754	0.0832 (0.0132)	0.940	12.5	040753.43+594747.2	...	...	...	...	
1RXSJ040753.6+175032	0.1119 (0.0219)	0.956	12.5	040753.93+175028.3	GSC 01254−00785	TT	K4	:	P
1RXSJ040753.8+352730	0.1245 (0.0173)	0.915	11.8	040754.36+352749.9	HD 279444	*	G0	10.6 :	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ040808.5−712703	0.0602 (0.0125)	0.933	13.0	040807.04−712703.0	EXO 0408.4−7134	*	MV:e	:	
...	...	...	...	040807.04−712703.0	EXO 040829−7134.7	X	M0Ve	:	
...	...	...	...	040807.04−712703.0	[R97] VW Hyi 7	X	./.	:	
1RXSJ040824.7−345712	0.0601 (0.0120)	0.936	11.6	040824.86−345721.7	...	...	...	...	
1RXSJ040948.7−260059	0.1755 (0.0223)	0.910	11.4	040949.12−260118.7	...	...	...	...	
1RXSJ040957.4+555847	0.0977 (0.0151)	0.940	12.1	040958.59+555850.7	BD+55 849	*	K2V	11.5 : 10.4	
1RXSJ041004.9+363901	0.1112 (0.0152)	0.970	10.0	041004.62+363913.6	HD 26182	**mul.	G0	9.99 : 9.47	P
1RXSJ041055.5+534657	0.0548 (0.0117)	0.928	12.9	041056.29+534657.8	...	...	...	...	
1RXSJ041159.3−522519	0.0874 (0.0226)	0.937	0.0	041156.34−522526.1	HD 26822	*	F6V	8.77 : 8.31	
1RXSJ041203.4+731835	0.0673 (0.0141)	0.943	0.0	041201.09+731834.8	HD 25817	*	G5	10.86 : 10.16	
1RXSJ041209.4+004417	0.1104 (0.0207)	0.943	0.0	041208.66+004413.7	BD+00 710B	**	?	10.9 : 10.11	
...	...	...	...	041208.66+004413.7	IRAS 04095+0036	IR	./.	:	
1RXSJ041334.4+135226	0.0804 (0.0188)	0.976	11.6	041335.04+135230.7	...	...	...	...	
1RXSJ041358.8−313229	0.0760 (0.0140)	0.976	11.5	041358.97−313240.2	GSC 07037−01333	*	./.	11.6 : 10.77	
1RXSJ041441.2−421827	0.0579 (0.0135)	0.953	11.8	041441.36−421822.7	CD−42 1433	*	K2	10.79 : 9.97	
1RXSJ041536.9−191935	0.1088 (0.0209)	0.970	11.6	041536.94−191946.8	...	...	...	...	
1RXSJ041602.7+523737	0.0548 (0.0116)	0.958	12.5	041603.41+523739.2	...	...	...	...	
1RXSJ041751.1+670535	0.0641 (0.0129)	0.958	11.9	041750.65+670520.2	BD+66 316B	**	?	:	
...	...	...	...	041750.65+670520.2	HD 26669	**	B8	6.864 : 6.894	
1RXSJ041811.1+231700	0.5397 (0.0355)	0.960	11.6	041810.46+231706.6	HD 284303	*	K0	9.56 : 9.56	P
1RXSJ041821.2+172527	0.1804 (0.0234)	0.974	11.8	041821.55+172520.1	HD 285663	*iC	K2	11.2 : 10.03	P
1RXSJ041821.4−293813	0.0715 (0.0146)	0.971	11.5	041820.61−293820.8	...	...	...	...	
1RXSJ041830.6+282720	0.1517 (0.0169)	0.973	12.0	041831.09+282717.4	HD 283518	V* (Orion)	K5	11.9 : 10.6	
1RXSJ041854.4−123515	0.0669 (0.0172)	0.952	12.3	041853.92−123509.0	...	...	...	...	
1RXSJ041918.0−655821	0.0684 (0.0140)	0.970	0.0	041916.57−655759.8	HD 27854	*	F7V	8.97 : 8.50	
...	...	...	...	041916.57−655759.8	[R97] F 1557 7	X	./.	:	
1RXSJ041925.8+210819	0.0803 (0.0156)	0.962	0.0	041926.10+210832.3	HD 27295	V* (alpha2 CVn)	B9IV	5.421 : 5.490	P
1RXSJ041938.6+022439	1.2860 (0.0518)	0.951	9.7	041938.02+022434.9	NGC 1550	Gal.	E	14.0 :	
1RXSJ041946.0+231750	0.1582 (0.0190)	0.960	12.3	041946.58+231752.2	HD 284296	*	G5	11.3 : 10.8	
1RXSJ041953.5+300949	0.0810 (0.0125)	0.958	12.8	041953.66+300954.7	HD 281912	*	K0	10. :	
...	...	...	...	041953.66+300954.7	RX J0419.8+3009	X	K1	:	
1RXSJ041955.2+163135	0.1328 (0.0190)	0.944	0.0	041954.85+163121.4	HD 27383	*iC	F9V	7.38 : 6.86	
...	...	...	...	041954.85+163121.4	[AKS95] 37	*	./.	7.442 : 6.881	
1RXSJ042025.5+184416	0.0944 (0.0163)	0.932	11.4	042024.70+184435.5	HD 27429	*iC	F3:V	6.456 : 6.105	
...	...	...	...	042024.70+184435.5	LP 18−624	*	./.	6.48 : 6.21	
1RXSJ042038.4−061443	0.2726 (0.0331)	0.970	12.7	042038.32−061443.3	HD 27536	V* (BY Dra)	G8IV:	7.023 : 6.154	P
1RXSJ042052.8+135155	0.1306 (0.0197)	0.972	0.0	042052.72+135151.9	HD 27483	Spec. Bin.	F6V	6.582 : 6.163	
1RXSJ042123.7−573244	0.0708 (0.0126)	0.980	11.2	042123.90−573230.9	HD 27952	*	A4m...	9.71 : 9.39	
1RXSJ042132.1+210219	0.0690 (0.0142)	0.952	0.0	042131.65+210223.5	HD 27524	*iC	F5V	7.193 : 6.795	P
1RXSJ042134.2+142425	0.1114 (0.0171)	0.954	0.0	042134.80+142435.2	HD 27561	*iC	F5V	6.977 : 6.597	P
1RXSJ042144.0−571601	0.0672 (0.0128)	0.967	12.1	042143.39−571552.6	...	...	...	...	
1RXSJ042244.8−443241	0.1222 (0.0151)	0.959	11.5	042245.60−443252.4	CD−44 1533	*	./.	11.34 : 10.60	
1RXSJ042329.7+242426	0.0708 (0.0124)	0.943	12.6	042330.10+242420.4	HD 27731	*iC	F5	7.60 : 7.18	
1RXSJ042346.8+294033	0.0633 (0.0137)	0.956	12.1	042347.57+294040.1	RX J0423.7+2940	X	K2	:	P
1RXSJ042411.6−235634	0.0985 (0.0180)	0.959	12.8	042411.62−235637.3	...	...	...	...	
1RXSJ042437.7+335743	0.1726 (0.0209)	0.941	0.0	042437.55+335739.6	HD 27786	**mul.	F4V	6.160 : 5.792	
1RXSJ042537.2−270238	0.0736 (0.0164)	0.978	11.7	042537.63−270242.4	CD−27 1701	*	./.	:	
1RXSJ042557.3−303159	0.1121 (0.0180)	0.970	11.2	042555.93−303157.9	CD−30 1815	*	./.	11.8 : 11.0	
1RXSJ042557.6+050906	0.1301 (0.0199)	0.941	12.5	042557.02+050900.6	HD 28069	*iC	F5	7.83 : 7.36	
1RXSJ042620.9+153646	0.9248 (0.0412)	0.909	0.0	042620.74+153705.8	HD 28052	V*	F0V	4.727 : 4.490	P
1RXSJ042638.5+384458	0.0951 (0.0153)	0.939	12.1	042637.38+384503.8	HD 279788	*	G5	10.7 :	
1RXSJ042640.3+164430	0.0599 (0.0118)	0.972	9.0	042639.81+164450.3	HD 28099	V* (BY Dra)	G2V	8.76 : 8.10	P
1RXSJ042732.3+061544	0.1083 (0.0179)	0.964	11.8	042732.05+061552.0	GSC 00081−01414	*	G4	11.0 : 10.6	
1RXSJ042736.0+153502	0.0753 (0.0124)	0.965	8.2	042735.54+153522.0	HD 28205	V* (BY Dra)	G0	7.92 : 7.41	P
1RXSJ042746.0+114355	0.1233 (0.0174)	0.930	8.4	042745.78+114411.7	HD 28237	*iC	F8	8.04 : 7.49	
...	...	...	...	042745.78+114411.7	LP 11−614	*	./.	8.04 : 7.48	
1RXSJ042836.3−394812	0.0667 (0.0120)	0.957	11.7	042836.81−394830.1	...	...	...	...	
1RXSJ042851.2+161703	0.1443 (0.0172)	0.920	0.0	042850.74+161720.6	HD 285806	V* (BY Dra)	K7V	11.97 : 10.70	P
1RXSJ042851.8+302145	0.3474 (0.0293)	0.931	0.0	042851.99+302141.4	ADS 3243 AB	**mul.	?	:	
...	...	...	...	042851.99+302141.4	HD 28271	**	F7V	6.873 : 6.376	
1RXSJ042900.1+160913	0.0765 (0.0127)	0.921	0.0	042859.71+160932.9	HD 28363	*iC	F8	7.12 : 6.59	P
1RXSJ042920.8+173237	0.1486 (0.0196)	0.929	12.7	042920.20+173243.4	HD 28394	*iC	G0	7.48 : 7.01	
...	...	...	...	042920.20+173243.4	LP 17−731	*	./.	7.31 : 6.89	
1RXSJ042937.8+232032	0.5163 (0.0352)	0.974	12.0	042937.46+232035.1	CCDM J04296+2321B	**	./.	10.2 :	
...	...	...	...	042937.46+232035.1	HD 284475	**	K2	11.3 : 10.4	
1RXSJ042948.9−670314	0.1246 (0.0147)	0.959	11.4	042947.41−670320.6	...	...	...	...	
1RXSJ043004.5+181342	0.1111 (0.0167)	0.945	0.0	043003.99+181349.5	BD+17 736B	Em. *	M2e	13. :	
...	...	...	...	043003.99+181349.5	HD 285846	V* (Orion)	G5V:e...	10.60 :	
1RXSJ043015.0−450537	0.0630 (0.0111)	0.924	13.2	043015.70−450536.7	HD 28799	**mul.	F5/F6V	9.75 : 9.35	
1RXSJ043017.0+005853	0.1391 (0.0210)	0.975	11.8	043016.48+005850.5	AC +00 623−52	*	K7	11.96 : 10.53	
1RXSJ043039.9−533656	1.1800 (0.0797)	0.959	13.3	043040.01−533656.0	FRL 303	Sy1	S...	14.5 : 16.2	P
1RXSJ043049.5+211356	0.1715 (0.0214)	0.955	10.9	043049.09+211411.8	GSC 01277−00574	TT	G8	11.2 : 10.30	P
1RXSJ043117.1+215010	0.0743 (0.0156)	0.929	12.2	043116.85+215026.1	HD 284496	TT	G0	11.8 : 10.7	P
1RXSJ043124.8+181558	0.1444 (0.0199)	0.955	11.0	043125.27+181617.1	HD 285845	*	G6	11.0 : 10.4	
...	...	...	...	043125.27+181617.1	SSV LDN 1551 3	IR	./.	:	
...	...	...	...	043125.27+181617.1	V* V1073 Tau	V* (Orion)	./.	:	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
...	...	...	...	043125.27+181617.1	VSS XI−3	IR	./.	:	
1RXSJ043135.7+225039	0.1161 (0.0183)	0.968	12.5	043135.70+225043.6	HD 28621	*	A0	7.69 : 7.51	
1RXSJ043138.4−050457	0.0620 (0.0157)	0.974	8.9	043139.94−050510.5	NGC 1600	Gal.	E...	13. :	P
1RXSJ043156.9+364440	0.2306 (0.0236)	0.970	12.5	043156.92+364436.0	HD 28591	V* (RS CVn)	G5	7.423 : 6.353	P
1RXSJ043204.9+052416	0.0638 (0.0131)	0.923	11.8	043204.49+052435.5	HD 28736	*iC	F5V	6.758 : 6.370	P
1RXSJ043208.0+811627	0.2239 (0.0235)	0.927	12.0	043209.10+811617.2	AG+81 123	*	K0	12.3 : 11.0	
1RXSJ043212.7−021200	0.0961 (0.0182)	0.950	12.8	043212.68−021205.9	...	...	...	...	
1RXSJ043225.9+130648	0.2312 (0.0233)	0.967	12.3	043225.34+130648.5	HD 286839	TT	K0	12.23 : 11.04	P
1RXSJ043237.7+095103	0.1112 (0.0153)	0.968	12.6	043237.51+095106.8	Cl* Melotte 25 REID 314	HiPM*	./.	13.17 : 11.69	
1RXSJ043243.2−152003	0.1244 (0.0291)	0.980	11.5	043243.51−152011.9	BD−15 808	*	./.	11.3 : 10.39	
1RXSJ043255.9+740706	0.3070 (0.0281)	0.940	13.3	043256.21+740706.5	...	...	...	...	
1RXSJ043311.6−044200	0.0743 (0.0164)	0.923	13.6	043311.66−044202.8	...	...	...	...	
1RXSJ043340.3−443726	0.0842 (0.0128)	0.930	11.8	043340.31−443743.9	...	...	...	...	
1RXSJ043346.7+131514	0.1199 (0.0187)	0.979	0.0	043346.64+131506.8	HD 28911	*iC	F2	7.05 : 6.62	
				043346.64+131506.8	LP 12−608	*	./.	7.17 : 6.59	
...	...	...	...	043354.83+643757.8	GJ 3295	*	G0	8.52 : 7.77	P
1RXSJ043352.2+643805	0.5285 (0.0345)	0.939	8.6	043439.46+250101.6	HD 283716	TT	K0IV	11.1 : 10.33	P
1RXSJ043439.0+250059	0.2802 (0.0269)	0.970	12.2	043502.28+083930.8	StKM 1− 495	*	K4	13.24 : 11.76	
1RXSJ043502.3+083932	0.1088 (0.0167)	0.931	13.5	043516.19−780156.9	ESO 15− 11	Gal.	./.	16.2 :	P
1RXSJ043520.2−780150	0.2738 (0.0245)	0.967	11.1	043540.55−101729.2	GSC 05317−03258	*	./.	11.5 : 10.8	
1RXSJ043541.2−101731	0.0554 (0.0163)	0.967	12.0	043630.32−872805.6	...	...	...	...	
1RXSJ043636.0−872755	0.1263 (0.0193)	0.975	11.6	043726.81+185127.2	GSC 01274−01515	*	./.	:	
1RXSJ043727.7+185128	0.2001 (0.0237)	0.931	12.1	043726.81+185127.2	[WKS96] 42	TT	K6	:	
...	...	...	...	043726.81+185127.2	[WKS96] 43	TT	M0.5	:	
...	...	...	...	043738.43−295412.7	CD−30 1918B	**	?	:	
1RXSJ043737.6−295411	0.1096 (0.0239)	0.956	12.2	043738.43−295412.7	HD 29514	**	F5V	8.56 : 8.12	
...	...	...	...	043739.37+525359.4	...	...	...	...	
1RXSJ043740.6+525346	0.0793 (0.0141)	0.967	11.4	043751.42+050311.2	GSC 00091−00082	*	./.	11.6 : 10.9	
1RXSJ043750.8+050314	0.1122 (0.0177)	0.963	12.2	043800.33+225925.4	HD 29318	*	G5	10.14 : 9.59	
1RXSJ043800.4+225943	0.0709 (0.0144)	0.970	10.5	043814.19−104745.1	...	...	...	...	
1RXSJ043813.8−104740	0.0658 (0.0160)	0.964	10.8	043838.96+154614.3	...	...	...	...	
1RXSJ043839.9+154615	0.0736 (0.0154)	0.977	11.3	043850.94+230902.1	HD 29419	*iC	F5	8.07 : 7.51	
1RXSJ043851.4+230900	0.0904 (0.0159)	0.928	13.0	043939.13−050150.6	...	...	...	...	
1RXSJ043938.9−050202	0.0578 (0.0126)	0.950	12.2	044008.88+253535.7	HD 283810	*	K5V	11.8 : 10.7	
1RXSJ044009.8+253533	0.2308 (0.0247)	0.920	12.3	044011.29+404720.6	HD 29457	*	F2	6.94 : 6.53	
1RXSJ044010.7+404735	0.0572 (0.0125)	0.944	11.9	044101.33+392900.9	HD 276734	*	K	11.1 :	
1RXSJ044101.8+392904	0.1469 (0.0202)	0.967	0.0	044101.33+392900.9	[LH98] 145	TT	K0V	:	P
...	...	...	...	044107.52+113211.2	[LH98] 146	TT	G0IV	:	P
1RXSJ044107.1+113213	0.0699 (0.0150)	0.965	12.5	044111.24−491302.7	IRAS F04398−4918	IR	./.	:	
1RXSJ044110.8−491255	0.0936 (0.0125)	0.973	11.0	044120.74−194735.6	...	...	...	...	
1RXSJ044120.6−194729	0.0618 (0.0157)	0.948	12.7	044157.68+053634.5	BD+05 706	*	G5	10.69 : 9.58	P
1RXSJ044157.8+053641	0.1687 (0.0231)	0.978	11.3	044231.99+090602.1	1E 0439+09.0	*	M5Ve	:	
1RXSJ044231.2+090607	0.0586 (0.0145)	0.926	12.5	044231.99+090602.1	BD+08 742	*	G5	11.6 : 11.0	
...	...	...	...	044255.99−263509.1	...	...	...	...	
1RXSJ044255.9−263452	0.1277 (0.0302)	0.967	11.4	044400.84−662404.0	...	...	...	...	
1RXSJ044401.6−662412	0.0626 (0.0117)	0.916	13.0	044434.95+381517.7	HD 29923	*	G0	7.501 : 6.761	
1RXSJ044435.9+381526	0.0528 (0.0130)	0.918	12.5	044559.68+763646.6	HD 29329	*	F7V	6.917 : 6.471	
1RXSJ044601.3+763641	0.7294 (0.0402)	0.970	12.1	044649.18+174455.5	Cl* Melotte 25 LEID 92	*iC	./.	10.54 : 9.58	
1RXSJ044650.1+174503	0.0564 (0.0139)	0.979	10.6	044649.18+174455.5	HD 30264	*iC	K0	10.57 : 9.60	
...	...	...	...	044649.53−603412.9	BPS CS 29520−0077	*	./.	:	
1RXSJ044650.2−603415	0.1536 (0.0248)	0.932	13.1	044656.78−030512.3	IRAS F04444−0310	Gal.	./.	:	
1RXSJ044656.8−030513	0.0886 (0.0162)	0.935	12.6	044722.68−275029.3	...	...	...	...	
1RXSJ044723.1−275027	0.8153 (0.0549)	0.922	0.0	044741.86+121404.6	HD 287049	*	G5	11.4 : 10.7	
1RXSJ044741.5+121359	0.1676 (0.0219)	0.976	11.8	044800.56−504126.0	...	...	...	...	
1RXSJ044800.5−504119	0.1420 (0.0160)	0.969	12.2	044800.89+073759.1	GSC 00683−00661	TT	K3	:	
1RXSJ044800.8+073752	0.1685 (0.0228)	0.979	11.8	044800.89+073759.1	RX J0448.0+0738	*	K1	:	
...	...	...	...	044854.58+552722.8	...	...	...	...	
1RXSJ044853.2+552725	0.0756 (0.0147)	0.920	12.7	044903.19−520651.7	...	...	...	...	
1RXSJ044902.0−520638	0.1173 (0.0185)	0.939	11.6	044915.26+773713.2	GSC 04515−00156	*	./.	11.6 : 11.0	
1RXSJ044912.7+773719	0.0725 (0.0138)	0.925	12.3	044912.72+244812.5	HD 283882	V*	K3V	10.48 : 9.47	
1RXSJ044913.0+244804	0.1915 (0.0229)	0.980	11.1	044943.15+490255.3	GSC 03351−00518	*	./.	10.50 : 9.50	
1RXSJ044942.0+490240	0.0552 (0.0123)	0.978	10.9	044947.89+232347.1	HD 30572	*iC	G0	9.07 : 8.51	
1RXSJ044949.7+232349	0.0545 (0.0130)	0.969	9.2	045000.17+222958.5	GSC 01292−00639	TT	K1	:	P
1RXSJ045001.2+222959	0.0864 (0.0155)	0.918	12.2	045004.17−003729.6	...	...	...	...	
1RXSJ045004.2−003717	0.0527 (0.0143)	0.920	12.7	045006.31+190952.5	HD 286051	*	./.	11.7 : 10.6	
1RXSJ045005.4+191003	0.0570 (0.0127)	0.941	11.9	045020.64+230023.9	...	...	...	...	
1RXSJ045021.0+230037	0.1162 (0.0172)	0.958	11.8	045032.56+002447.1	...	...	...	...	
1RXSJ045032.9+002455	0.0553 (0.0140)	0.900	12.9	045035.29−410252.0	HD 31026	*	G8/K0V	9.62 : 8.91	
1RXSJ045035.4−410251	0.2670 (0.0379)	0.958	13.2	045103.81−273112.1	HD 30984	*	F5V	9.04 : 8.59	
1RXSJ045103.5−273115	0.2402 (0.0266)	0.949	13.1	045112.29+110405.4	BD+10 654A	**	F8V	8.07 : 7.51	
1RXSJ045111.9+110403	0.2209 (0.0251)	0.970	12.2	045112.29+110405.4	BD+10 654B	**	F8V	8.07 : 7.51	
...	...	...	...	045112.29+110405.4	HD 30810	*iC	F6V	7.30 : 6.76	
...	...	...	...	045157.12+095222.4	HD 30913	*	F2	7.19 : 6.83	
1RXSJ045156.2+095230	0.0927 (0.0171)	0.905	12.4	045204.58−094145.8	...	...	...	...	
1RXSJ045205.0−094134	0.0534 (0.0144)	0.946	12.2	045209.55+592403.8	...	...	...	...	
1RXSJ045208.2+592405	0.0624 (0.0134)	0.935	12.6						

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ045227.2−512005	0.0603 (0.0130)	0.966	11.4	045228.59−511957.8	CD−51 1286	*	./.	:	
1RXSJ045234.9−102919	0.0556 (0.0144)	0.970	12.4	045234.87−102919.2	HD 31089	*	B9V	7.79 : 7.83	
1RXSJ045304.1−070011	0.1479 (0.0217)	0.929	12.6	045304.39−070022.2	...	...	...	...	
1RXSJ045429.0+114706	0.2456 (0.0252)	0.970	12.1	045429.20+114658.0	...	...	...	...	
1RXSJ045450.5+320406	0.0502 (0.0118)	0.958	12.5	045450.64+320412.6	...	...	...	...	
1RXSJ045451.3−180652	0.1776 (0.0204)	0.916	12.5	045452.24−180656.5	ESO 552− 20	Gal. in Clust.	E/S0	13.20 :	
1RXSJ045518.6−162455	0.1338 (0.0212)	0.943	0.0	045518.64−162504.3	HD 31444	V*	G6/G8III	6.566 : 5.726	
1RXSJ045556.1+460616	0.1796 (0.0211)	0.972	12.5	045556.17+460617.0	GSC 03344−01956	*	./.	11.8 : 11.0	
1RXSJ045559.9−270312	0.0551 (0.0120)	0.970	11.7	045559.41−270301.5	...	...	...	...	
1RXSJ045609.7+075424	0.0648 (0.0144)	0.924	12.8	045609.28+075418.2	HD 31423	*	F5	6.778 : 6.429	
1RXSJ045612.7−174358	0.0503 (0.0134)	0.968	8.4	045612.58−174410.4	HD 31571	**mul.	G1IV	8.126 : 7.390	
1RXSJ045614.9+243530	0.0713 (0.0145)	0.976	11.6	045615.62+243532.0	HD 31362	*	F0	6.645 : 6.331	
1RXSJ045655.1+331635	0.0535 (0.0124)	0.941	0.0	045654.61+331634.4	...	...	...	...	
1RXSJ045717.3+152508	0.1101 (0.0187)	0.977	11.8	045717.62+152509.8	GSC 01281−01288	TT	K1	11.5 : 10.4	
1RXSJ045721.3−090759	0.0856 (0.0169)	0.969	11.6	045722.29−090757.3	HD 31652	*	G5	10.73 : 10.12	
1RXSJ045722.8−305829	0.2178 (0.0338)	0.977	10.9	045722.43−305815.1	...	...	...	...	
1RXSJ045727.2+810107	0.0842 (0.0145)	0.962	12.2	045725.22+810115.2	...	...	...	...	
1RXSJ045730.8+223458	0.0567 (0.0135)	0.913	11.8	045730.54+223514.0	HD 284988	*	G	10. :	
1RXSJ045731.0+201438	0.1422 (0.0198)	0.970	11.9	045730.65+201430.0	GSC 01289−00513	TT	K3	:	P
1RXSJ045807.7+153858	0.0829 (0.0158)	0.918	12.1	045807.09+153840.7	HD 286269	*	F8	11.7 : 10.8	
1RXSJ045809.3+433257	0.1394 (0.0184)	0.936	12.9	045808.89+433303.3	...	...	...	...	
1RXSJ045813.0+400319	0.0987 (0.0161)	0.968	0.0	045813.00+400324.7	HD 31500	*	F5	7.69 : 7.24	
1RXSJ045817.4+002718	1.3640 (0.1052)	0.970	12.7	045817.49+002716.1	HD 31738	V* (RS CVn)	G5	7.90 : 7.22	P
1RXSJ045835.8−153733	0.1057 (0.0188)	0.943	11.4	045835.74−153730.0	PPM 711134	*	./.	:	
1RXSJ045917.7−172559	0.1747 (0.0238)	0.958	11.7	045918.57−172600.1	...	...	...	...	
1RXSJ045920.8−132451	0.0596 (0.0139)	0.937	12.5	045920.38−132442.0	...	...	...	...	
1RXSJ045923.7+122940	0.0934 (0.0170)	0.905	12.9	045924.27+122948.2	...	...	...	...	
1RXSJ045935.4+014701	0.6514 (0.0420)	0.947	12.3	045934.72+014704.8	GJ 182	V*	M0	11.4 : 10.1	P
1RXSJ045939.1−230239	0.1260 (0.0202)	0.971	11.4	045937.99−230242.5	...	...	...	...	
1RXSJ045945.8+143045	0.1792 (0.0228)	0.929	12.6	045946.12+143056.0	GSC 00697−00960	*	./.	:	
...	...	...	...	045946.12+143056.0	RX J0459.7+1430	TT	K4	:	
1RXSJ045958.1−611506	0.3022 (0.0339)	0.907	13.1	045957.58−611510.6	...	...	...	...	
1RXSJ050021.4−304028	0.0846 (0.0144)	0.965	12.8	050021.54−304026.0	...	...	...	...	
1RXSJ050029.8+172400	0.1069 (0.0171)	0.964	12.9	050030.05+172359.9	[LH98] 157	TT	G5IV	:	P
1RXSJ050036.9−134316	0.0800 (0.0172)	0.941	11.6	050037.85−134309.3	BD−13 1046	*	./.	11.28 : 10.38	
1RXSJ050046.6−571511	0.3300 (0.0523)	0.963	11.3	050047.03−571526.8	CD−57 1054	*	K7V	11.4 : 10.09	
1RXSJ050049.1+152658	0.1907 (0.0238)	0.970	12.1	050049.24+152703.3	...	...	...	...	
1RXSJ050051.7−410100	0.2312 (0.0313)	0.905	13.5	050051.84−410107.4	HD 32372	*	G3V	10.18 : 9.54	
1RXSJ050131.1+230630	0.0534 (0.0128)	0.967	11.1	050129.79+230615.6	GJTGTZ 79954	*iC	K0	9.97 : 8.68	
1RXSJ050135.3−444955	0.5857 (0.0535)	0.970	11.7	050136.18−444948.5	HD 32517	*	G8/K0III+...	8.29 : 7.56	
1RXSJ050135.7+610445	0.0913 (0.0163)	0.914	0.0	050136.04+610440.8	HD 31662	**	F4V	6.434 : 6.043	
1RXSJ050138.7+530728	0.2827 (0.0269)	0.977	12.1	050138.97+530725.8	...	...	...	...	
1RXSJ050149.7−401821	0.0524 (0.0140)	0.978	11.7	050150.23−401821.9	...	...	...	...	
1RXSJ050205.7−284235	0.0638 (0.0135)	0.976	11.5	050205.42−284245.9	GSC 06485−00169	*	./.	11.5 : 11.0	
1RXSJ050205.8+311111	0.0674 (0.0140)	0.964	11.9	050206.13+311105.0	...	...	...	...	
1RXSJ050248.7+735215	0.1818 (0.0221)	0.967	12.9	050248.73+735217.4	...	...	...	...	
1RXSJ050250.9+664929	0.2893 (0.0273)	0.968	0.0	050250.44+664922.7	HD 31675	HiPM*	F6V:	6.67 : 6.19	
1RXSJ050315.1+212351	0.0741 (0.0159)	0.918	12.5	050315.77+212402.6	...	...	...	...	
1RXSJ050336.9+050340	0.0600 (0.0139)	0.966	11.1	050337.66+050329.9	GSC 00106−00940	*	./.	10.92 : 10.6	
1RXSJ050344.1−231912	0.0718 (0.0149)	0.961	10.1	050344.13−231923.1	MCG−04−12−042	Gal.	./.	15. :	
...	...	...	...	050344.13−231923.1	[WCB96] ACO 533 I	Gal. in Clust.	./.	:	
1RXSJ050351.9−464443	0.0748 (0.0211)	0.918	11.4	050353.59−464505.8	HD 273380	*	G0	11.18 : 10.46	
1RXSJ050426.0−130134	0.1061 (0.0180)	0.968	12.8	050426.13−130134.4	...	...	...	...	
1RXSJ050453.3−362216	0.2123 (0.0219)	0.909	13.0	050452.58−362222.1	...	...	...	...	
1RXSJ050454.4−141532	0.0810 (0.0160)	0.915	13.4	050454.57−141531.7	...	...	...	...	
1RXSJ050534.5−575526	0.1346 (0.0254)	0.905	11.8	050536.42−575536.2	RX J0505.6−5755	X	K4V	12.4 : 11.41	
1RXSJ050603.6−350913	0.0605 (0.0133)	0.972	12.0	050603.87−350911.4	...	...	...	...	
1RXSJ050623.6−864141	0.1001 (0.0191)	0.980	11.7	050618.32−864145.5	...	...	...	...	
1RXSJ050639.5+020828	0.2007 (0.0248)	0.967	12.4	050639.97+020825.4	...	...	...	...	
1RXSJ050653.5−133442	0.0535 (0.0132)	0.966	11.5	050653.48−133453.2	BD−13 1065	*	./.	10.94 : 10.16	
1RXSJ050702.2+170726	0.0616 (0.0138)	0.909	11.9	050700.83+170713.2	...	...	...	...	
1RXSJ050805.5−531602	0.0789 (0.0163)	0.955	11.5	050806.89−531616.5	RX J0508.1−5316	X	G3V	11.5 : 10.8	
1RXSJ050833.6−030026	0.0841 (0.0169)	0.975	0.0	050833.31−030034.6	./.	F8	10. :		
...	...	...	...	050833.31−030034.6	HD 33208	*	F8V	7.76 : 7.25	
1RXSJ050859.6−031503	0.0581 (0.0141)	0.952	11.9	050900.66−031506.8	...	...	...	...	
1RXSJ050902.1−362753	0.0610 (0.0131)	0.956	11.5	050902.48−362753.4	HD 33512	*	F5/F6V	9.74 : 9.30	
1RXSJ050903.6+125744	0.0535 (0.0131)	0.969	11.2	050902.80+125752.0	BD+12 736	*	F5	10.08 : 9.27	
1RXSJ050927.6−511359	0.0605 (0.0180)	0.968	11.6	050925.99−511401.6	...	...	...	...	
1RXSJ050944.0+645508	0.0700 (0.0147)	0.969	12.0	050944.68+645517.2	HD 32715	*	F3V:	6.758 : 6.367	
1RXSJ051004.9−042757	0.0955 (0.0175)	0.962	12.6	051004.55−042801.2	RX J0510.1−0427	TT	K4	:	P
1RXSJ051020.1+631940	0.0729 (0.0144)	0.962	11.3	051018.53+631950.6	GSC 04084−00286	*	./.	11.36 : 10.62	
1RXSJ051021.8+354755	0.0525 (0.0129)	0.958	12.0	051021.82+354747.9	HD 280603	Eclipsing binary	G0	11.30 :	
1RXSJ051023.1+312648	0.2081 (0.0233)	0.929	12.5	051022.43+312641.6	...	...	...	...	
1RXSJ051038.6+055432	0.0591 (0.0142)	0.909	13.2	051039.07+055427.1	...	...	...	...	
1RXSJ051043.5+302044	0.1158 (0.0168)	0.962	13.0	051043.31+302045.4	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ051043.9+633548	0.1452 (0.0194)	0.950	0.0	051042.68+633550.0	HD 32893	**	F0	7.008 : 6.738	
1RXSJ051202.4−651032	0.2413 (0.0112)	0.972	0.0	051203.06−651032.6	HD 34349	*	F5V	7.45 : 7.05	
1RXSJ051202.6+685202	0.0680 (0.0141)	0.970	12.5	051202.98+685202.8	...	...	...	...	
1RXSJ051227.2+464544	0.0555 (0.0128)	0.959	11.5	051225.89+464550.1	GSC 03345−00407	*	./.	10.57 : 9.34	
1RXSJ051311.0−303140	0.1054 (0.0164)	0.968	12.0	051310.54−303147.9	...	...	...	...	
1RXSJ051322.2−124445	0.0749 (0.0156)	0.974	11.9	051322.02−124452.3	GSC 05338−00490	TT	G6	11.2 : 10.7	P
1RXSJ051334.2+055449	0.1025 (0.0182)	0.915	12.4	051334.75+055438.4	...	...	...	...	
1RXSJ051435.6−490333	0.1162 (0.0183)	0.916	10.7	051439.48−490329.0	APMGS 051321.24−490649.7	Gal.	./.	:	
...	...	...	...	051439.48−490329.0	PMN J0514−4903	Rad.	./.	:	
1RXSJ051515.9+574705	0.0612 (0.0132)	0.965	12.5	051515.31+574701.2	...	...	...	...	
1RXSJ051523.9−091234	0.0711 (0.0150)	0.922	12.5	051523.44−091245.8	...	...	...	...	
1RXSJ051631.5−080510	0.0537 (0.0145)	0.934	12.8	051631.31−080516.2	...	...	...	...	
1RXSJ051642.7−084224	0.0642 (0.0150)	0.967	10.9	051642.56−084213.6	BD−08 1074	*	?...	10.23 : 9.57	
1RXSJ051729.5+601045	0.0818 (0.0157)	0.935	0.0	051727.57+601055.2	HD 33924	*	F5	7.378 : 6.964	
1RXSJ051754.3−293430	0.0725 (0.0154)	0.968	11.6	051753.10−293432.0	GSC 06486−00241	*	./.	11.7 : 11.0	
1RXSJ051754.9−070819	0.0906 (0.0171)	0.970	12.1	051754.39−070819.6	...	...	...	...	
1RXSJ051757.2−114608	0.0870 (0.0168)	0.938	13.0	051757.39−114604.4	RX J0518.0−1146	TT	K3	:	P
1RXSJ051818.2−252221	0.3087 (0.0296)	0.961	12.7	051818.50−252226.0	...	...	...	...	
1RXSJ051819.9+082920	0.0715 (0.0145)	0.958	12.5	051819.97+082913.6	RX J0518.3+0829	TT	G9	12.04 : 11.15	P
1RXSJ051829.7−300135	0.0833 (0.0153)	0.970	11.9	051828.99−300132.3	...	...	...	...	
1RXSJ051833.2−681328	0.0521 (0.0054)	0.952	0.0	051832.54−681332.8	2E 0518.7−6816	X	./.	:	
...	...	...	...	051832.54−681332.8	HD 269320	Ecl. Bin. (W UMa)	K5	10.80 :	
1RXSJ052000.4+061301	0.0748 (0.0147)	0.952	12.8	052000.25+061305.1	RX J0520.0+0612	TT	K3	12.50 : 11.31	P
1RXSJ052009.1−175631	0.0707 (0.0160)	0.930	12.4	052009.45−175639.4	...	...	...	...	
1RXSJ052032.3+061612	0.1228 (0.0188)	0.948	12.8	052031.79+061613.1	RX J0520.5+0616	TT	K3	12.68 : 11.49	
1RXSJ052048.8−454134	0.0905 (0.0154)	0.968	12.4	052049.29−454130.5	HD 274404	*	K	12.2 :	
1RXSJ052055.1+782234	0.0967 (0.0161)	0.971	0.0	052052.86+782229.2	HD 33440	**mul.	F0	8.3 : 8.0	
1RXSJ052146.7+240036	0.2979 (0.0264)	0.967	12.0	052146.79+240046.8	GSC 01847−00419	TT	G7IV	11.6 : 10.5	P
1RXSJ052210.2+243200	0.1058 (0.0162)	0.954	12.4	052210.35+243209.7	HD 242903	*	G0	11.5 : 10.6	
1RXSJ052246.2+024741	0.0557 (0.0131)	0.973	11.7	052245.74+024748.8	HD 35134	*	A0	6.797 : 6.711	
1RXSJ052248.0+243731	0.0557 (0.0123)	0.904	12.8	052247.17+243731.9	...	...	...	...	
1RXSJ052258.0−362729	0.8827 (0.0940)	0.969	12.9	052258.00−362731.0	QSO 0521−365	BL Lac − type object	./.	15.27 : 14.62	P
1RXSJ052314.7−575109	0.0835 (0.0129)	0.901	12.3	052315.45−575102.3	RX J0523.2−5751	X	K1/K2V	12.66 : 11.81	
1RXSJ052342.1−321212	0.0820 (0.0159)	0.972	12.0	052341.88−321218.4	...	...	...	...	
1RXSJ052350.4+145510	0.0727 (0.0142)	0.920	12.1	052350.59+145454.3	...	...	...	...	
1RXSJ052355.2+253052	0.0697 (0.0138)	0.907	13.3	052354.64+253049.1	[LH98] 188	TT	G4V	:	P
1RXSJ052405.8+540403	0.0506 (0.0121)	0.971	11.7	052406.16+540403.0	HD 233113	*	K0	11.4 : 10.21	
1RXSJ052423.9+543916	0.0715 (0.0144)	0.970	11.9	052424.57+543923.7	...	...	...	...	
1RXSJ052500.2+491911	0.0973 (0.0165)	0.956	12.2	052500.07+491901.3	...	...	...	...	
1RXSJ052526.2−225622	0.1306 (0.0192)	0.977	11.6	052526.14−225615.2	...	...	...	...	
1RXSJ052534.2−313610	0.5735 (0.0327)	0.975	9.7	052535.32−313606.5	MCG−05−13−019	Gal.	./.	15. :	
1RXSJ052630.5+005245	0.0501 (0.0120)	0.933	12.9	052630.84+005248.7	...	...	...	...	
1RXSJ052637.4−080943	0.0871 (0.0154)	0.968	11.9	052636.98−080934.0	...	...	...	...	
1RXSJ052647.7+022208	0.0752 (0.0148)	0.952	12.5	052648.19+022202.5	RX J0526.8+0222	TT	G5	12.18 : 11.51	P
1RXSJ052652.5+283425	1.0600 (0.0496)	0.918	13.8	052652.34+283429.1	HD 243628	TT	K5	10.09 : 9.12	P
1RXSJ052706.4+213525	0.1470 (0.0199)	0.953	12.4	052706.01+213527.9	[LH98] 194	TT	G7IV	:	P
1RXSJ052742.1−035947	0.0544 (0.0128)	0.979	10.2	052743.36−035943.1	PPM 702222	*	./.	9.2 :	
1RXSJ052824.5−183026	0.0600 (0.0130)	0.961	11.9	052824.09−183030.5	...	...	...	...	
1RXSJ052837.9−310457	0.1199 (0.0176)	0.962	0.0	052836.30−310504.5	HD 36178	*	F3V	9.01 : 8.61	
1RXSJ052842.2−082249	0.0536 (0.0125)	0.971	0.0	052842.49−082236.0	HD 36059	**	G5	7.556 : 6.759	
...	...	...	...	052842.49−082236.0	IRAS 05263−0824	IR	./.	:	
1RXSJ052842.6+011337	0.2586 (0.0255)	0.954	12.6	052842.06+011338.5	HD 36002	*	A2	8.1 : 7.6	
1RXSJ052908.4+115207	0.0679 (0.0132)	0.974	11.5	052908.38+115212.9	HD 244138	V* (Orion)	K3V:e	10.89 : 9.92	P
1RXSJ052913.7−061503	0.0500 (0.0122)	0.952	12.1	052913.33−061514.7	Parenago 121	*Neb.	./.	12.5 : 11.4	
1RXSJ052919.5−161730	0.0663 (0.0141)	0.951	11.6	052919.25−161718.4	...	...	...	...	
1RXSJ052925.8−324858	0.3547 (0.0418)	0.965	12.7	052925.41−324901.4	V* TV Col	CV (DQ Her type)	K1	13.6 : 14.1	P
1RXSJ052926.6−685159	0.1136 (0.0097)	0.969	12.2	052926.99−685205.5	ASAS J052927−6852.0	Eclipsing binary	./.	:	
...	...	...	...	052926.99−685205.5	HD 269620	*	G5	10.27 : 9.67	
1RXSJ052940.9+291058	0.0950 (0.0160)	0.918	11.9	052940.61+291114.6	HD 35984	TT	F6III	6.631 : 6.200	P
1RXSJ053020.2−130803	0.1797 (0.0216)	0.953	11.9	053019.56−130802.2	...	...	...	...	
1RXSJ053021.2+414914	0.0895 (0.0160)	0.926	12.9	053020.87+414911.6	...	...	...	...	
1RXSJ053043.1−043453	0.0507 (0.0122)	0.904	13.0	053042.65−043501.7	...	...	...	...	
1RXSJ053102.6+120556	0.0642 (0.0134)	0.933	9.4	053103.24+120547.7	...	...	...	...	
1RXSJ053104.1−110222	0.0843 (0.0151)	0.946	12.1	053104.27−110212.8	...	...	...	...	
1RXSJ053114.3−092237	0.0744 (0.0139)	0.968	11.9	053114.16−092230.4	...	...	...	...	
1RXSJ053122.3−260013	0.1081 (0.0170)	0.925	12.4	053121.59−260023.2	...	...	...	...	
1RXSJ053130.2+025029	0.0512 (0.0128)	0.975	11.0	053129.15+025031.1	HD 287932	*	F5	10.79 : 10.35	
1RXSJ053204.3−030519	0.5073 (0.0510)	0.947	12.7	053204.49−030527.4	HBC 97	Em. *	K7e	13.04 : 11.52	P
1RXSJ053226.7−071359	0.0752 (0.0149)	0.921	12.6	053226.91−071411.6	BPM 71742	*	K8	12.2 : 11.4	
1RXSJ053304.9−075850	0.0507 (0.0121)	0.939	13.1	053304.88−075848.3	RX J0533.1−0758	TT	K3	:	P
1RXSJ053323.5+201951	0.0762 (0.0143)	0.951	12.3	053323.85+201959.3	GSC 01305−00353	TT	G5V	11.10 : 10.39	P
1RXSJ053325.8−511726	0.0588 (0.0108)	0.924	12.5	053325.49−511714.3	...	...	...	...	
1RXSJ053356.9+023803	0.0502 (0.0124)	0.970	0.0	053358.07+023809.0	HD 288007	*	A3	9.94 : 9.72	
1RXSJ053359.8−022131	0.3995 (0.0318)	0.907	14.0	053359.79−022129.6	...	...	...	...	
1RXSJ053410.8+473207	0.1619 (0.0214)	0.933	13.1	053410.93+473201.3	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ053431.1−233122	0.0512 (0.0124)	0.948	0.0	053430.57−233140.4	HD 37002	*	F5V	8.91 : 8.48	
1RXSJ053436.3−304703	0.0922 (0.0160)	0.931	11.9	053436.88−304658.0	...	...	...	...	
1RXSJ053457.5−061827	0.0616 (0.0138)	0.946	12.9	053457.62−061831.3	2E 0532.5−0620	*iC	G0V	11.9 : 11.5	P
1RXSJ053459.0+652146	0.0681 (0.0142)	0.961	12.8	053458.41+652149.0	...	...	...	...	
1RXSJ053502.0−060014	0.1712 (0.0214)	0.960	0.0	053502.68−060007.2	HD 36960	**	B0.5V	4.53 : 4.78	
1RXSJ053505.1−341801	0.0536 (0.0120)	0.947	11.9	053504.13−341752.1	...	...	...	...	
1RXSJ053506.4+394644	0.0678 (0.0139)	0.975	11.2	053505.61+394632.6	...	...	...	...	
1RXSJ053509.3−072533	0.1082 (0.0176)	0.970	12.0	053509.39−072540.5	Wolf 1455	*	M0.5	13.2 : 11.1	
1RXSJ053559.5−061608	0.1008 (0.0183)	0.940	8.5	053559.20−061630.5	HD 37131	*Neb.	B9V	8.29 : 8.36	
1RXSJ053600.6−495200	0.0545 (0.0098)	0.972	12.0	053600.68−495153.5	...	...	...	...	
1RXSJ053632.0+111935	0.2737 (0.0257)	0.969	10.5	053630.97+111942.8	GJ 208	*	K7	10.33 : 8.89	
1RXSJ053650.0+133756	0.2072 (0.0232)	0.973	12.2	053650.05+133801.5	GSC 00713−00661	TT	K0V	11.4 : 10.7	P
1RXSJ053652.7+232600	0.5875 (0.0532)	0.952	9.6	053651.67+232607.5	HD 245358	TT	G0	9.49 : 8.80	P
1RXSJ053709.4−060614	0.0789 (0.0149)	0.970	12.4	053709.52−060616.3	NSV 2456	V*	G0	11.69 :	
...	...	...	...	053709.52−060616.3	[VSS88] 11	*	./.	:	
1RXSJ053730.8−131553	0.0540 (0.0121)	0.944	12.6	053730.23−131553.2	...	...	...	...	
1RXSJ053807.4+422039	0.0841 (0.0167)	0.904	13.3	053806.94+422035.7	...	...	...	...	
1RXSJ053816.1−203746	0.2581 (0.0261)	0.936	8.9	053815.82−203729.8	HD 37493	*	G8/K0III	8.81 : 7.92	
1RXSJ053824.1−063745	0.0656 (0.0136)	0.933	13.1	053823.73−063742.9	RX J0538.4−0637	X	./.	:	
...	...	...	...	053823.73−063742.9	[ATW96] RX J0538.4−0637a	TT	K1	:	
...	...	...	...	053823.73−063742.9	[ATW96] RX J0538.4−0637b	TT	K2	:	
...	...	...	...	053823.73−063742.9	[VSS88] 5	*	./.	:	
1RXSJ053855.1+261843	0.2733 (0.0248)	0.950	9.8	053854.54+261857.5	HD 245770	Em. *	O9.7IIe	9.65 : 9.19	
1RXSJ053902.6+100244	0.0936 (0.0157)	0.977	12.2	053902.55+100245.2	[LH98] 217	TT	G8V	:	P
1RXSJ053914.5+010055	0.0627 (0.0128)	0.908	12.1	053914.79+010106.5	...	...	...	...	
1RXSJ053931.0+230628	0.4174 (0.0315)	0.969	11.6	053930.93+230634.4	CCDM J05395+2307B	**	./.	12.9 :	
...	...	...	...	053930.93+230634.4	HD 245924	**	G5	9.6 :	
1RXSJ053951.0+004515	0.0589 (0.0124)	0.933	12.7	053950.57+004511.2	...	...	...	...	
1RXSJ053959.0−022244	0.0542 (0.0126)	0.919	12.7	053959.31−022254.7	...	...	...	...	
1RXSJ054016.0+123904	0.3186 (0.0282)	0.931	12.7	054016.16+123913.6	...	...	...	...	
1RXSJ054020.6−194007	0.4731 (0.0335)	0.973	9.7	054020.68−194010.3	BD−19 1235	*	F5	9.54 : 8.98	
1RXSJ054043.4−432658	0.1066 (0.0135)	0.954	11.3	054043.26−432642.9	CD−43 1977	*	./.	:	
1RXSJ054101.8+203624	0.1615 (0.0207)	0.913	12.3	054101.40+203619.2	...	...	...	...	
1RXSJ054105.5+242102	0.1331 (0.0182)	0.967	12.6	054105.48+242100.0	HD 37648	*	F8	8.06 : 7.63	
1RXSJ054114.9−411759	0.0821 (0.0125)	0.972	12.0	054114.30−411758.6	...	...	...	...	
1RXSJ054122.0+532903	0.3689 (0.0329)	0.977	0.0	054120.34+532851.8	GJ 211	HiPM*	K1V	7.07 : 6.23	
1RXSJ054122.6−195844	0.0741 (0.0148)	0.960	11.7	054123.84−195842.3	...	...	...	...	
1RXSJ054139.1−651117	0.0892 (0.0079)	0.948	11.3	054139.54−651109.3	...	...	...	...	
1RXSJ054216.5−324217	0.0723 (0.0139)	0.957	12.1	054215.87−324214.4	...	...	...	...	
1RXSJ054236.0−615414	0.1960 (0.0130)	0.903	13.6	054235.91−615419.8	...	...	...	...	
1RXSJ054252.8+161318	0.0861 (0.0156)	0.914	13.2	054253.19+161312.9	...	...	...	...	
1RXSJ054300.1+091017	0.0511 (0.0121)	0.949	12.5	054300.14+091013.5	2E 0540.2+0908	X	./.	:	
...	...	...	...	054300.14+091013.5	DIL 75	Em. *	./.	17.4 :	
1RXSJ054320.7−410154	0.2103 (0.0194)	0.916	13.7	054320.26−410154.3	V* TX Col	CV (DQ Her type)	./.	14.5 :	
1RXSJ054332.4−474100	0.0719 (0.0111)	0.979	10.5	054332.15−474111.8	CD−47 1999	*	./.	10.62 : 10.14	
1RXSJ054352.9−233143	0.0693 (0.0134)	0.967	9.9	054352.93−233143.1	HD 38315	*	G8IV	9.94 : 9.09	
1RXSJ054408.2−444737	0.0519 (0.0097)	0.976	11.9	054407.73−444734.7	...	...	...	...	
1RXSJ054414.2−260614	0.1769 (0.0210)	0.972	11.6	054413.35−260614.7	CD−26 2425	*	./.	:	
1RXSJ054431.3−180419	0.0514 (0.0118)	0.921	11.7	054430.30−180407.0	...	...	...	...	
1RXSJ054438.2−340251	0.0739 (0.0130)	0.902	0.0	054438.02−340256.2	...	...	...	...	
1RXSJ054513.1−595527	0.5910 (0.0221)	0.968	13.2	054513.35−595527.8	V* XZ Pic	Pulsating variable Star	G5	10.10 : 9.27	P
1RXSJ054525.3−225228	0.0866 (0.0148)	0.977	11.8	054525.68−225227.5	BD−22 1221	*	F8	10.34 : 9.81	
1RXSJ054534.5−151510	0.0914 (0.0152)	0.944	11.8	054534.08−151512.9	...	...	...	...	
1RXSJ054612.7+180342	0.1486 (0.0194)	0.971	10.6	054611.75+180347.5	...	...	...	...	
1RXSJ054715.3+505209	0.0571 (0.0144)	0.966	11.8	054714.94+505215.5	UGC 3355	Gal.	S0:	15.6 :	
1RXSJ054717.8−000040	0.2054 (0.0219)	0.940	12.8	054718.20−000045.4	GJ 3367	*	M0	12.44 : 10.99	
...	...	...	...	054718.20−000045.4	VSS VI−20	IR	./.	:	
1RXSJ054819.7−242746	0.0576 (0.0127)	0.962	0.0	054820.06−242749.9	HD 38949	*	G1V	8.7 : 8.0	
1RXSJ054831.3−412730	0.1061 (0.0139)	0.954	11.8	054830.38−412730.1	...	...	...	...	
1RXSJ054836.3−395550	0.0867 (0.0134)	0.929	13.0	054836.68−395556.5	HD 39126	*	K0V	9.73 : 8.88	
1RXSJ054859.0−532609	0.0567 (0.0113)	0.928	13.4	054858.52−532607.5	CD−53 1297	*	G1	9.86 : 9.27	
1RXSJ054945.3+251336	0.0704 (0.0141)	0.967	12.2	054945.12+251333.9	...	...	...	...	
1RXSJ055021.1−291533	0.0780 (0.0134)	0.970	11.5	055021.40−291520.7	GSC 06502−01188	*	./.	11.7 : 11.1	
1RXSJ055040.0−231112	0.5755 (0.0504)	0.977	11.7	055039.54−231118.0	...	...	...	...	
1RXSJ055045.7−290631	0.1614 (0.0196)	0.974	0.0	055045.16−290638.8	HD 39352	**mul.	G8/K0V:+...	9.04 : 8.33	
1RXSJ055048.5+260310	0.2053 (0.0229)	0.916	12.7	055047.74+260316.3	HD 39005	*	A3	7.86 : 7.63	
1RXSJ055108.3+174942	0.0505 (0.0126)	0.919	8.8	055107.46+175011.6	HD 39117	*	F8	8.50 : 8.08	
1RXSJ055135.2−155906	0.0517 (0.0120)	0.953	11.7	055136.35−155909.6	...	...	...	...	
1RXSJ055216.1−283923	0.1667 (0.0206)	0.965	12.9	055215.93−283925.1	HD 39576	V* (RS CVn)	G1V	9.64 : 9.05	
1RXSJ055255.1+682819	0.0860 (0.0170)	0.957	0.0	055255.50+682817.5	HD 38645	*	G9III	7.158 : 6.217	
1RXSJ055314.0−450504	0.1487 (0.0223)	0.973	10.5	055312.49−450507.9	...	...	...	...	
1RXSJ055327.9−815650	0.5879 (0.0313)	0.926	13.6	055329.24−815654.5	HD 42270	*	K0/K1IV/V	9.82 : 9.11	P
1RXSJ055341.2−564036	0.3613 (0.0155)	0.977	12.3	055341.49−564035.8	CPD−56 965	*	./.	11.3 : 10.35	
...	...	...	...	055341.49−564035.8	RE J055327−564012	X	K	:	
1RXSJ055446.0+105559	0.1922 (0.0228)	0.926	13.4	055446.19+105600.7	GSC 00720−00052	*	./.	:	P

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ055520.5−142241	0.0722 (0.0135)	0.957	12.5	055519.98−142242.2	...	...	...	...	
1RXSJ055549.1−120719	0.0580 (0.0121)	0.970	12.1	055548.67−120720.2	...	...	...	...	
1RXSJ055607.2−733846	0.0975 (0.0072)	0.975	12.2	055607.15−733840.8	HD 271730	*	./.	10.93 : 10.26	
1RXSJ055607.9−080018	0.0510 (0.0118)	0.934	12.4	055607.73−080026.6	RX J0556.1−0800	TT	G8	12.78 : 12.04	P
1RXSJ055652.4−082230	0.0605 (0.0128)	0.961	7.9	055654.69−082302.8	HD 40168	*	G5	7.889 : 6.881	
1RXSJ055729.1+230848	0.0658 (0.0140)	0.971	11.4	055729.46+230854.2	HD 249548	**mul.	G0	9.61 : 8.73	
1RXSJ055810.8−212344	0.1054 (0.0162)	0.929	11.7	055810.93−212335.7	...	...	...	...	
1RXSJ055812.2−350047	0.0537 (0.0109)	0.978	11.4	055811.81−350049.7	...	...	...	...	
1RXSJ055825.8+090058	0.1203 (0.0185)	0.924	13.2	055825.95+090105.5	...	...	...	...	
1RXSJ055850.9−403847	0.0589 (0.0103)	0.974	12.2	055850.70−403847.6	DRCG 0559−40	Clust.	./.	:	
...	...	...	...	055850.70−403847.6	[D80] DRCG 0559−40 2	Sy1	Sa	15. :	
1RXSJ055906.7−025022	0.1469 (0.0191)	0.979	11.6	055906.35−025015.4	...	...	...	...	
1RXSJ055911.7−260337	0.0713 (0.0133)	0.975	11.8	055912.05−260338.1	...	...	...	...	
1RXSJ055914.5+600445	0.0634 (0.0167)	0.973	9.6	055913.91+600501.0	BD+60 917	*	G0	9.59 : 8.99	
1RXSJ055918.8+144658	0.1434 (0.0191)	0.976	11.8	055919.23+144659.7	...	...	...	...	
1RXSJ060024.5+152632	0.0828 (0.0151)	0.968	12.1	060024.39+152625.1	...	...	...	...	
1RXSJ060043.7−074757	0.0615 (0.0124)	0.973	11.5	060044.43−074757.3	GSC 05349−00369	*	./.	11.7 : 11.2	
1RXSJ060221.9−135532	0.1011 (0.0151)	0.962	12.4	060221.93−135528.3	...	...	...	...	
1RXSJ060224.9−163451	0.1081 (0.0151)	0.920	13.4	060224.59−163446.7	...	...	...	...	
1RXSJ060237.2+072042	0.0729 (0.0144)	0.977	11.3	060236.38+072036.0	HD 250750	*	G0	9.91 : 9.22	
1RXSJ060313.4+421231	0.0990 (0.0191)	0.922	0.0	060317.53+421226.2	SV* WR 186	Pulsating variable Star	M0	10.31 : 8.62	
1RXSJ060321.6−081022	0.0559 (0.0118)	0.976	11.8	060322.12−081021.3	...	...	...	...	
1RXSJ060334.8−491119	0.0940 (0.0159)	0.968	11.7	060335.44−491127.0	...	...	...	...	
1RXSJ060340.4+155723	0.0599 (0.0136)	0.959	12.4	060340.52+155729.5	...	...	...	...	
1RXSJ060434.3+050902	0.0608 (0.0135)	0.923	12.0	060434.75+050849.2	...	...	...	...	
1RXSJ060436.6−042651	0.0508 (0.0117)	0.972	11.8	060436.24−042648.2	...	...	...	...	
1RXSJ060544.4+170641	0.0507 (0.0120)	0.959	12.2	060544.11+170631.2	...	...	...	...	
1RXSJ060616.9−275410	0.0896 (0.0146)	0.968	9.6	060616.81−275419.0	HD 41842	*	K2IV−V	9.86 : 9.00	
1RXSJ060627.4−092709	0.0717 (0.0128)	0.979	11.2	060627.76−092716.8	BD−09 1331	*	./.	11.4 : 10.5	
1RXSJ060701.4+174202	0.0592 (0.0136)	0.974	11.7	060701.81+174158.2	HD 251791	Ecl. Bin. (Algol)	G0	11.3 : 10.6	
1RXSJ060717.0−404806	0.0618 (0.0100)	0.967	12.4	060716.40−404806.5	...	...	...	...	
1RXSJ060757.1−542629	0.2190 (0.0126)	0.978	11.8	060756.86−542622.0	HD 42504	V* (RS CVn)	G8/K0III+...	8.69 : 7.72	
1RXSJ060802.3+680501	0.0641 (0.0143)	0.972	11.1	060804.85+680459.5	GSC 04345−01307	*	./.	10.63 : 10.09	
1RXSJ060818.7−465054	0.0613 (0.0085)	0.912	12.9	060817.72−465058.2	HD 42449	Semi−Reg. Pulsating *	K1/K2IIIp...	9.40 : 8.24	
1RXSJ060857.0+022956	0.0832 (0.0148)	0.941	0.0	060857.91+022958.9	HD 42111	**	A3Vn	5.751 : 5.688	
1RXSJ060900.8−215832	0.0526 (0.0115)	0.916	12.6	060900.83−215823.6	2E 0606.9−2157	X	./.	:	P
1RXSJ060917.3−560656	0.2695 (0.0131)	0.973	12.5	060917.51−560658.7	CTS 85	Gal.	./.	:	
1RXSJ061043.1−095109	0.1491 (0.0181)	0.934	0.0	061042.70−095104.1	HD 42514 B	**	F0	8.7 : 8.96	
1RXSJ061057.7+242027	0.0757 (0.0152)	0.901	12.0	061058.11+242017.2	...	...	...	...	
1RXSJ061158.8+060922	0.0971 (0.0154)	0.956	12.3	061158.84+060926.0	...	...	...	...	
1RXSJ061245.0−150146	0.2112 (0.0298)	0.976	11.4	061244.80−150145.4	...	...	...	...	
1RXSJ061313.2−274205	0.4274 (0.0263)	0.961	13.0	061313.32−274205.4	...	...	...	...	
1RXSJ061323.4+474428	0.2360 (0.0273)	0.972	11.7	061322.44+474426.7	V* SS Aur	DN	?p...	:	
1RXSJ061334.1+491406	0.0883 (0.0182)	0.934	12.9	061334.23+491407.1	...	...	...	...	
1RXSJ061345.1−235205	0.6546 (0.0714)	0.944	0.0	061345.30−235142.9	GJ 3389	*	G5V	7.047 : 6.374	
1RXSJ061347.4+633514	0.0754 (0.0155)	0.969	12.3	061346.96+633510.9	...	...	...	...	
1RXSJ061357.4−272353	0.0808 (0.0134)	0.980	11.9	061357.73−272355.5	...	...	...	...	
1RXSJ061412.5−003547	0.2865 (0.0366)	0.904	13.3	061413.03−003543.8	...	...	...	...	
1RXSJ061435.0−031357	0.0556 (0.0118)	0.960	12.1	061435.28−031401.8	...	...	...	...	
1RXSJ061450.0+190925	0.1398 (0.0202)	0.974	10.9	061451.14+190931.5	GJ 3390	HiPM*	F6V	5.64 : 5.20	
1RXSJ061513.2−695236	0.1066 (0.0083)	0.937	13.1	061512.54−695239.8	...	...	...	...	
1RXSJ061514.9+075356	0.0557 (0.0130)	0.972	11.8	061514.88+075358.1	HD 254058	*	G5	10.86 : 10.15	
1RXSJ061536.2+660902	0.1997 (0.0252)	0.965	12.3	061536.17+660853.8	HD 42417	**	F5	7.481 : 7.053	
1RXSJ061541.5+160731	0.1212 (0.0196)	0.974	11.7	061541.96+160727.6	...	...	...	...	
1RXSJ061542.9−072339	0.1517 (0.0179)	0.976	11.6	061542.37−072344.8	...	...	...	...	
1RXSJ061549.4−582603	0.6630 (0.0200)	0.969	13.0	061549.55−582605.5	...	...	...	...	
1RXSJ061651.1−474737	0.0797 (0.0111)	0.951	12.2	061651.66−474743.6	ESO 206− 2	Gal.	S	:	
1RXSJ061807.6+750603	0.3894 (0.0309)	0.968	12.8	061807.80+750600.2	EUVE J0618+75.0	*	M1.5	:	
...	...	...	...	061807.80+750600.2	RE J061809+750557	X	M3V:e	:	
1RXSJ061826.8−224940	0.0873 (0.0139)	0.966	10.1	061826.91−224936.8	BD−22 1370	*	G	:	
1RXSJ061838.7+242657	0.1203 (0.0189)	0.964	0.0	061838.69+242657.1	...	...	...	...	
1RXSJ062008.4−343754	0.4648 (0.0273)	0.974	12.4	062008.57−343753.2	...	...	...	...	
1RXSJ062124.9−413321	0.0601 (0.0104)	0.978	11.2	062125.01−413331.7	CD−41 2351	*	?	10.33 : 9.78	
1RXSJ062201.5−345453	0.0715 (0.0121)	0.976	11.7	062201.30−345445.3	...	...	...	...	
1RXSJ062225.4−385935	0.0702 (0.0117)	0.933	13.4	062225.17−385934.6	...	...	...	...	
1RXSJ062339.8−265744	0.2163 (0.0192)	0.952	12.7	062340.05−265751.1	...	...	...	...	
1RXSJ062402.8+225334	0.1675 (0.0218)	0.971	12.0	062403.03+225337.7	...	...	...	...	
1RXSJ062419.9−444937	0.0743 (0.0132)	0.970	11.7	062419.10−444928.9	GSC 07625−01134	*	./.	11.8 : 11.3	
1RXSJ062440.0−083445	0.0501 (0.0109)	0.975	11.8	062439.96−083453.2	...	...	...	...	
1RXSJ062517.7−712200	0.0768 (0.0084)	0.918	11.7	062517.72−712144.2	...	...	...	...	
1RXSJ062549.8−010138	0.0932 (0.0154)	0.902	13.3	062549.60−010145.8	GSC 04785−01175	*	M1Ve	:	P
1RXSJ062554.8+065543	0.1063 (0.0168)	0.979	11.2	062555.28+065542.5	...	...	...	...	
1RXSJ062555.6−600325	0.5393 (0.0248)	0.968	12.7	062556.04−600329.5	EUVE J0625−60.0	UV	./.	:	
...	...	...	...	062556.04−600329.5	[CCD97] EUVE J0625−600 1	Object of unknown nature	./.	:	
...	...	...	...	062556.04−600329.5	[CCD97] EUVE J0625−600 2	Object of unknown nature	./.	:	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ062558.2+822124	0.1313 (0.0176)	0.920	11.9	062601.67+822130.0	BD+82 160	*	K0	11.5 : 10.64	
1RXSJ062610.2+184527	1.7410 (0.0688)	0.955	12.7	062610.68+184530.9	GJ 233A	V* (BY Dra)	K0	7.65 : 6.73	
1RXSJ062740.3+073103	0.0822 (0.0152)	0.917	13.9	062740.25+073103.3	...	...	...	...	
1RXSJ062740.5+181323	0.2959 (0.0281)	0.961	13.0	062740.67+181324.8	HD 45353	*	F5	7.93 : 7.51	
1RXSJ062806.9−482639	0.1177 (0.0142)	0.940	11.5	062806.07−482652.9	GSC 08107−01591	*	./.	11.7 : 11.0	
1RXSJ062900.3+110114	0.1333 (0.0186)	0.970	12.3	062900.23+110109.0	HD 45638	*	A9IV	7.1 : 6.59	
1RXSJ062954.2−052248	0.0621 (0.0130)	0.965	12.1	062954.34−052238.4	...	...	...	...	
1RXSJ063116.9−233115	0.1472 (0.0180)	0.961	12.0	063117.27−233113.4	...	...	...	...	
1RXSJ063145.8+064706	0.4474 (0.0324)	0.926	13.2	063146.24+064709.3	HD 46122	*	G3IV	8.09 : 7.32	P
1RXSJ063155.5−070505	0.0893 (0.0144)	0.920	13.1	063155.18−070458.4	...	...	...	...	
1RXSJ063350.3+104122	0.1521 (0.0213)	0.938	13.0	063350.41+104123.0	...	...	...	...	
1RXSJ063418.4−483315	0.0731 (0.0104)	0.950	11.7	063419.41−483320.2	HD 47081	*	F5V	9.81 : 9.39	
1RXSJ063434.9−371706	0.0840 (0.0167)	0.975	11.5	063435.53−371715.7	GSC 07086−00425	*	./.	11.17 : 10.66	
1RXSJ063435.6+340436	0.0536 (0.0140)	0.972	11.5	063434.67+340433.3	HD 259536	*	?	10.69 : 9.70	
1RXSJ063439.1−695302	0.2494 (0.0154)	0.963	11.5	063440.90−695307.5	HD 47875	*	G3V	9.84 : 9.21	
1RXSJ063526.8−490521	0.0523 (0.0086)	0.940	12.5	063526.32−490530.4	...	...	...	...	
1RXSJ063533.5−151817	0.0592 (0.0123)	0.973	9.9	063534.49−151817.3	HD 46955	*	G	9.86 : 9.32	
1RXSJ063605.1+134134	0.0948 (0.0173)	0.964	0.0	063604.39+134138.5	HD 46825	**mul.	Am	7.46 : 7.23	
1RXSJ063625.0−182101	0.0576 (0.0113)	0.967	12.0	063624.27−182057.1	HD 47137	*	F6V	8.94 : 8.45	
1RXSJ063626.3+271650	0.1854 (0.0255)	0.963	12.5	063626.21+271646.9	HD 46780	**mul.	G0	7.54 : 6.89	
...	...	...	...	063626.21+271646.9	IRAS 06333+2719	IR	./.	:	
1RXSJ063656.7−052104	0.1411 (0.0184)	0.975	12.1	063656.34−052104.2	...	...	...	...	
1RXSJ063756.8+734137	0.0546 (0.0124)	0.945	0.0	063754.94+734144.1	HD 45947	*	F2	6.610 : 6.254	
1RXSJ063822.6+254432	0.1016 (0.0172)	0.905	12.0	063822.39+254439.6	HD 47175	*	F5	9.42 : 9.04	
1RXSJ063845.5−471422	0.0506 (0.0109)	0.969	11.4	063845.49−471417.7	CD−47 2500	*	F8	10.65 : 10.08	
1RXSJ063853.3+245141	0.0629 (0.0137)	0.971	12.2	063853.46+245138.4	...	...	...	...	
1RXSJ063904.9+094311	0.0504 (0.0126)	0.926	12.7	063904.49+094308.2	...	...	...	...	
1RXSJ063905.3−451301	0.1758 (0.0280)	0.958	11.6	063905.71−451257.5	...	...	...	...	
1RXSJ063931.3+243609	0.1607 (0.0216)	0.970	0.0	063931.48+243600.6	HD 47415	*	F8IV	6.91 : 6.38	
1RXSJ063945.8+142809	0.0508 (0.0136)	0.958	12.4	063945.49+142810.3	...	...	...	...	
1RXSJ064037.2−391157	0.0504 (0.0106)	0.965	11.7	064037.99−391209.6	...	...	...	...	
1RXSJ064039.3+004353	0.1293 (0.0172)	0.944	11.4	064038.62+004355.6	...	...	...	...	
1RXSJ064039.3+251851	0.0519 (0.0128)	0.976	11.7	064039.23+251853.8	...	...	...	...	
1RXSJ064113.1−520737	0.0540 (0.0105)	0.974	11.1	064112.49−520739.1	...	...	...	...	
1RXSJ064131.0−403754	0.1078 (0.0140)	0.949	12.9	064131.48−403757.8	CD−40 2629	*	?	9.63 : 9.18	
1RXSJ064241.4+880442	0.1235 (0.0150)	0.967	0.0	064233.70+880444.3	BD+88 28	*	G5	11.6 : 10.8	
1RXSJ064344.8−715825	0.1284 (0.0180)	0.964	11.8	064346.19−715836.5	HD 49855	*	G6V	9.63 : 8.96	
1RXSJ064345.6−642436	0.1435 (0.0078)	0.933	13.5	064345.33−642440.5	...	...	...	...	
1RXSJ064510.3+292206	0.0871 (0.0170)	0.961	12.1	064509.48+292205.1	...	...	...	...	
1RXSJ064530.3−280936	0.0515 (0.0113)	0.935	12.9	064529.86−280935.8	...	...	...	...	
1RXSJ064539.7−402125	0.0556 (0.0104)	0.969	11.9	064539.46−402128.4	...	...	...	...	
1RXSJ064559.8+704159	0.0788 (0.0163)	0.958	9.9	064557.48+704143.7	BD+70 416	*	F8	9.89 : 9.43	
1RXSJ064631.8+474826	0.0760 (0.0166)	0.967	12.5	064631.47+474824.8	...	...	...	...	
1RXSJ064645.7+155739	0.5354 (0.0370)	0.970	12.2	064646.10+155742.9	...	...	...	...	
1RXSJ064715.8+143435	0.0628 (0.0140)	0.949	12.4	064715.58+143438.9	...	...	...	...	
1RXSJ064727.3+122515	0.0613 (0.0136)	0.930	12.0	064727.07+122508.2	...	...	...	...	
1RXSJ064821.5−441132	0.0548 (0.0124)	0.947	11.4	064822.97−441145.5	GSC 07639−01431	*	./.	12.0 : 11.8	
1RXSJ064837.2−641624	0.1012 (0.0073)	0.967	12.6	064837.49−641623.9	NGC 2305	Gal.	E	:	
1RXSJ064854.4−600857	0.0623 (0.0113)	0.970	11.8	064853.43−600857.6	...	...	...	...	
1RXSJ064921.6+434528	0.1717 (0.0237)	0.959	12.6	064921.51+434535.0	HD 49197	*	F5	7.78 : 7.33	
1RXSJ064922.4−265752	0.0811 (0.0151)	0.968	12.7	064922.30−265754.3	...	...	...	...	
1RXSJ064934.3−412535	0.1092 (0.0144)	0.914	0.0	064933.58−412544.4	HD 50078	*	F8V	7.516 : 7.031	
1RXSJ064945.0−285912	0.0740 (0.0133)	0.973	11.5	064945.38−285917.6	...	...	...	...	
1RXSJ064947.8−275154	0.1100 (0.0175)	0.909	11.9	064948.96−275201.5	...	...	...	...	
1RXSJ064949.0−230355	0.1518 (0.0198)	0.971	11.4	064948.47−230402.6	...	...	...	...	
1RXSJ065049.7−163746	0.0581 (0.0123)	0.943	12.0	065049.54−163747.4	...	...	...	...	
1RXSJ065115.5−403741	0.0788 (0.0133)	0.926	11.0	065114.13−403751.3	GSC 07632−00629	*	./.	11.5 : 10.38	
1RXSJ065123.8+224810	0.1512 (0.0215)	0.936	12.9	065124.04+224803.1	...	...	...	...	
1RXSJ065158.8+093630	0.0733 (0.0151)	0.925	12.3	065159.13+093622.7	...	...	...	...	
1RXSJ065213.8+790855	0.1917 (0.0213)	0.918	12.6	065209.59+790859.9	CCDM J06522+7909A	**	./.	13.0 :	
1RXSJ065247.2−363601	0.1062 (0.0181)	0.906	11.8	065246.75−363617.4	...	...	...	...	
1RXSJ065341.6+424217	0.2802 (0.0291)	0.966	12.6	065341.93+424220.5	...	...	...	...	
1RXSJ065346.9−430644	0.5119 (0.0293)	0.973	11.8	065347.34−430651.2	HD 51062	*	G3/G5V	9.52 : 8.91	
1RXSJ065413.1+450150	0.0527 (0.0134)	0.974	12.1	065413.16+450147.0	...	...	...	...	
1RXSJ065440.4+064324	0.0841 (0.0235)	0.959	12.4	065440.18+064326.5	HD 50725	*	A3	7.39 : 7.23	
1RXSJ065454.3+342708	0.1780 (0.0238)	0.946	12.1	065453.72+342715.6	StKM 1− 613	*	K5	:	
1RXSJ065515.7+454929	0.0518 (0.0138)	0.947	12.4	065515.28+454939.5	HD 50384	*	K0III−IV	7.237 : 6.325	
1RXSJ065527.3−680621	0.0511 (0.0113)	0.903	12.9	065525.24−680621.7	...	...	...	...	
1RXSJ065534.2+621136	0.0553 (0.0150)	0.980	9.3	065538.23+621132.1	HD 50054	*	G5	9.40 : 8.84	P
1RXSJ065631.1−653344	0.1173 (0.0174)	0.963	11.3	065629.80−653338.3	FRL 265	Sy1	./.	16.5 :	
1RXSJ065641.4−100645	0.0819 (0.0144)	0.972	11.2	065642.07−100650.6	2E 0654.3−1002	X	./.	:	
...	...	...	...	065642.07−100650.6	BD−09 1738	*	?	10.09 : 9.45	
1RXSJ065648.7−392012	0.0711 (0.0129)	0.978	11.7	065648.97−392018.3	...	...	...	...	
1RXSJ065700.6+334052	0.0672 (0.0170)	0.966	0.0	065700.52+334051.7	HD 51000	V*	G5III	6.786 : 5.926	
1RXSJ065715.7−324922	0.0561 (0.0128)	0.941	12.0	065716.23−324936.7	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ065729.5−392445	0.0650 (0.0126)	0.975	11.8	065729.50−392437.7	...	...	...	...	
1RXSJ065846.9+284302	0.2086 (0.0237)	0.965	12.8	065846.96+284304.5	1E 0655+28.7	*	MV:e	10.6 :	P
1RXSJ065937.8−382411	0.0512 (0.0114)	0.962	11.8	065937.14−382412.5	...	...	...	...	
1RXSJ065938.5+541136	0.7752 (0.0498)	0.943	11.8	065938.02+541146.5	QSO 0655+542	Sy1	S	15.5 :	
1RXSJ065951.9−150107	0.0638 (0.0139)	0.945	0.0	065952.43−150118.2	HD 52242	*	F2/F3V	7.76 : 7.40	
1RXSJ070000.6−612008	0.1917 (0.0122)	0.911	0.0	065959.66−612010.2	GJ 260	HiPM*	K1V	7.61 : 6.81	
1RXSJ070017.4−445057	0.0605 (0.0128)	0.964	11.5	070018.97−445054.7	...	...	...	...	
1RXSJ070024.9−275951	0.1733 (0.0227)	0.972	11.7	070024.69−280000.4	GSC 06531−02357	*	./.	11.5 : 10.3	
1RXSJ070051.9−191420	0.0550 (0.0159)	0.937	11.6	070051.85−191431.6	...	...	...	...	
1RXSJ070058.4−250852	0.0863 (0.0158)	0.947	11.4	070058.23−250858.7	...	...	...	...	
1RXSJ070102.3+654153	0.0504 (0.0138)	0.926	13.2	070102.18+654151.0	[GBH97] S9	*	K	13.5 :	
1RXSJ070129.8+090445	0.1222 (0.0186)	0.955	12.7	070129.43+090444.1	...	...	...	...	
1RXSJ070133.6+222454	0.0833 (0.0239)	0.978	10.6	070133.72+222434.7	GSC 01356−02781	*	./.	10.9 : 9.73	
1RXSJ070143.7−161548	0.0556 (0.0129)	0.970	11.8	070143.06−161543.9	BD−16 1712	*	./.	11.2 : 10.51	
1RXSJ070151.7−392148	0.0903 (0.0147)	0.964	11.2	070151.76−392204.7	GSC 07629−02824	*	./.	11.6 : 11.0	
1RXSJ070200.3−353527	0.0540 (0.0132)	0.948	11.5	070159.85−353515.5	HD 53043	*	A6V	9.47 : 9.28	
1RXSJ070203.0−141520	0.1113 (0.0187)	0.970	12.0	070203.13−141512.5	...	...	...	...	
1RXSJ070224.1−414544	0.0528 (0.0118)	0.972	11.7	070223.95−414540.4	...	...	...	...	
1RXSJ070235.1−261344	0.0563 (0.0136)	0.928	11.3	070234.89−261346.4	...	...	...	...	
1RXSJ070243.7+055234	0.0631 (0.0141)	0.912	12.6	070243.60+055244.9	...	...	...	...	
1RXSJ070312.2+712202	0.0504 (0.0130)	0.978	9.8	070308.88+712205.1	BD+71 377	*	K0	9.70 : 8.88	
1RXSJ070322.4−162815	0.0523 (0.0126)	0.968	11.8	070322.88−162824.7	GSC 05963−01916	*	./.	11.2 : 10.5	
1RXSJ070402.6+361855	0.1082 (0.0234)	0.924	12.6	070403.50+361848.7	HD 52737	*	G5	7.53 : 6.70	
1RXSJ070438.1+230554	0.1214 (0.0235)	0.937	12.0	070438.66+230552.8	...	...	...	...	
1RXSJ070453.8+054523	0.1078 (0.0162)	0.935	10.7	070453.03+054545.7	GSC 00174−02303	*	./.	10.79 : 10.44	
1RXSJ070510.2−782519	0.0553 (0.0126)	0.974	11.7	070509.03−782518.2	HD 56076	*	G8III/IV	10.17 : 9.20	
1RXSJ070559.8−360250	0.1595 (0.0199)	0.972	11.3	070559.54−360246.7	...	...	...	...	
1RXSJ070605.0+125147	0.0687 (0.0153)	0.958	12.1	070605.75+125146.7	...	...	...	...	
1RXSJ070614.3−094201	0.0641 (0.0142)	0.914	12.6	070613.88−094159.0	...	...	...	...	
1RXSJ070715.2−442640	0.1918 (0.0256)	0.979	11.4	070715.57−442648.3	GSC 07641−00275	*	./.	11.8 : 11.2	
1RXSJ070818.1+310520	0.0687 (0.0180)	0.968	11.7	070818.63+310509.6	GSC 02438−00144	*	./.	11.6 : 11.1	
1RXSJ070819.3+783132	0.0658 (0.0133)	0.932	13.2	070818.84+783134.4	...	...	...	...	
1RXSJ070834.7−361304	0.0565 (0.0129)	0.952	11.7	070835.64−361303.0	HD 54773	*iC	A8V	9.71 : 9.45	
1RXSJ070840.9−493305	0.3054 (0.0435)	0.966	12.5	070841.50−493306.2	...	...	...	...	
1RXSJ070902.2−483617	0.1885 (0.0351)	0.931	11.2	070902.70−483620.6	IRAS 07076−4831	IR	./.	:	
1RXSJ070907.6+483657	0.1061 (0.0193)	0.939	13.1	070908.03+483655.7	NGC 2329	Gal. in Clust.	E/S0	13.7 :	
...	...	...	...	070908.03+483655.7	[L84] A569 −G1	Gal. in Clust.	./.	15.07 : 13.99	
...	...	...	...	070908.03+483655.7	[LO95] 0705+486	Rad. Gal.	./.	:	
1RXSJ070935.5+254346	0.1828 (0.0220)	0.960	12.7	070935.81+254350.1	HD 54371	Spec. Bin.	G8V	7.80 : 7.10	
1RXSJ071000.6+383211	0.2570 (0.0409)	0.968	0.0	071001.82+383146.1	GJ 268	V* (RS CVn)	M4.5	13.19 : 11.47	P
1RXSJ071004.9−213728	0.0833 (0.0161)	0.963	11.4	071004.00−213732.3	GSC 05976−02064	*	./.	11.7 : 10.7	
1RXSJ071032.0−171842	0.0945 (0.0167)	0.976	11.3	071032.36−171855.2	HD 55017	*	K1III	9.62 : 8.52	
1RXSJ071051.1−573637	0.0999 (0.0132)	0.974	11.6	071050.64−573646.9	GSC 08558−01148	*	./.	11.04 : 10.41	
1RXSJ071059.9−563256	0.3907 (0.0277)	0.929	13.5	071059.89−563301.3	...	...	...	...	
1RXSJ071131.4−374527	0.0500 (0.0120)	0.961	12.8	071131.56−374525.3	...	...	...	...	
1RXSJ071204.2−603005	0.1062 (0.0097)	0.975	10.1	071203.29−603028.7	ESO 122− 16	Gal.	./.	:	P
...	...	...	...	071203.29−603028.7	ESO−LV 122−0160	Gal.	./.	14.62 :	
1RXSJ071225.6−535636	0.0522 (0.0134)	0.960	11.7	071224.97−535642.6	...	...	...	...	
1RXSJ071227.0+452508	0.0731 (0.0201)	0.948	0.0	071228.17+452518.4	...	...	...	...	
1RXSJ071248.2+702106	0.0519 (0.0000)	0.969	11.8	071250.01+702107.3	...	...	...	...	
1RXSJ071311.0−051142	0.8980 (0.0748)	0.941	12.8	071311.29−051135.3	RE J0713−051	*	MV:e	:	
1RXSJ071314.2+701627	0.0631 (0.0140)	0.929	12.1	071316.98+701636.7	GSC 04364−01028	*	./.	11.8 : 10.85	
1RXSJ071334.8+510612	0.0671 (0.0163)	0.967	11.4	071336.60+510619.3	GSC 03404−00384	*	./.	10.34 : 9.74	
1RXSJ071340.5+273109	0.0828 (0.0153)	0.970	11.9	071341.14+273105.1	...	...	...	...	
1RXSJ071404.0+700413	0.1715 (0.0225)	0.972	12.1	071404.45+700420.1	...	...	...	...	
1RXSJ071413.9−354139	0.0836 (0.0159)	0.950	11.9	071414.45−354142.5	...	...	...	...	
1RXSJ071418.2−382520	0.0527 (0.0140)	0.972	11.7	071418.62−382518.6	...	...	...	...	
1RXSJ071439.8+414815	0.0828 (0.0230)	0.934	9.8	071438.10+414739.7	HD 55381	*	G5	9.81 : 9.23	
1RXSJ071515.0−291829	0.0629 (0.0145)	0.942	11.8	071515.58−291833.6	...	...	...	...	
1RXSJ071540.0−300903	0.0566 (0.0144)	0.952	12.7	071539.90−300907.2	...	...	...	...	
1RXSJ071624.4+731947	0.0585 (0.0130)	0.960	12.1	071624.77+731957.8	V* SS Cam	V* (RS CVn)	G1III:+...	10.93 : 10.09	P
1RXSJ071650.8+214509	0.0726 (0.0156)	0.976	11.6	071650.43+214500.6	GSC 01358−01303	*	./.	11.1 : 9.96	
1RXSJ071729.6+660340	0.0779 (0.0151)	0.966	12.6	071729.21+660339.8	[GBH97] S4	*	K	13.0 :	
1RXSJ071743.1+764416	0.0916 (0.0153)	0.968	12.5	071742.46+764422.5	...	...	...	...	
1RXSJ071757.1+341206	0.0599 (0.0134)	0.948	12.4	071756.62+341205.7	BD+34 1571	*	K0	12.4 : 11.2	
1RXSJ071757.5−161054	0.0796 (0.0153)	0.977	11.8	071757.35−161046.9	BD−15 1745	*	./.	10.57 : 9.77	
1RXSJ071817.9+062017	0.0531 (0.0148)	0.954	11.8	071817.61+062006.3	BD+06 1599	*	?	10.25 : 9.76	
1RXSJ071844.1−261608	0.2095 (0.0267)	0.937	12.1	071844.19−261617.5	...	...	...	...	
1RXSJ071903.0+013827	0.0830 (0.0164)	0.969	11.4	071903.69+013833.7	HD 56890	*	G0	9.07 : 8.45	
1RXSJ071950.7−012438	0.3245 (0.0482)	0.978	9.4	071950.54−012459.7	HD 57135	*	K2	9.35 : 8.26	
1RXSJ072116.0−265318	0.0854 (0.0179)	0.973	11.6	072116.05−265312.7	...	...	...	...	
1RXSJ072219.0+015336	0.1163 (0.0190)	0.930	10.7	072218.84+015323.2	GSC 00168−01357	*	./.	10.77 : 10.23	
1RXSJ072251.7−092517	0.0983 (0.0184)	0.965	11.9	072251.65−092513.0	...	...	...	...	
1RXSJ072315.5−493908	0.0781 (0.0212)	0.961	11.6	072315.62−493923.9	GSC 08128−00544	*	./.	11.18 : 10.24	
1RXSJ072326.1+260739	0.2155 (0.0253)	0.960	12.3	072325.77+260734.0	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ072343.6+202500	0.3034 (0.0283)	0.975	11.7	072343.82+202509.1	BD+20 1790	HiPM*	K3	11.08 : 9.93	
1RXSJ072353.5−172436	0.1093 (0.0228)	0.959	0.0	072353.81−172448.3	HD 58192	*	F7V	7.278 : 6.845	
1RXSJ072459.2+735315	0.0693 (0.0143)	0.951	12.1	072457.08+735325.2	GSC 04372−00944	*	./.	11.9 : 11.2	
1RXSJ072823.4−490830	0.2658 (0.0314)	0.945	11.8	072822.10−490838.6	CD−48 2972	*	F8	10.47 : 9.86	
1RXSJ072840.5+273311	0.0826 (0.0160)	0.927	12.8	072839.83+273309.7	HD 58898	*	K2III	7.607 : 6.373	
1RXSJ072851.0−492926	0.0708 (0.0161)	0.957	12.2	072850.06−492925.8	...	...	...	...	
1RXSJ072902.8+315952	0.0552 (0.0132)	0.933	8.9	072901.15+315929.8	...	...	...	...	
1RXSJ072931.4+355607	0.2082 (0.0225)	0.950	13.1	072931.20+355605.0	...	...	...	...	
1RXSJ073007.9−373509	0.0865 (0.0199)	0.963	11.6	073008.35−373450.7	...	...	...	...	
1RXSJ073041.9−372009	0.3205 (0.0370)	0.939	11.5	073042.66−372023.6	GJ 3446	*	G4V	7.274 : 6.670	
1RXSJ073143.9−470009	0.0607 (0.0172)	0.948	12.4	073144.09−470001.8	...	...	...	...	
1RXSJ073149.8−033924	0.0549 (0.0151)	0.918	11.2	073149.79−033945.2	GSC 04834−00820	*	./.	11.2 : 10.20	
1RXSJ073233.9−562630	0.0813 (0.0151)	0.944	11.4	073234.27−562648.8	GSC 08559−01292	*	./.	11.5 : 10.9	
1RXSJ073418.4−232820	0.3636 (0.0441)	0.920	0.0	073418.69−232825.3	HD 60584	**	F6V	6.27 : 5.83	
...	...	...	...	073418.69−232825.3	HD 60584 J	**mul.	F4	5.52 : 5.09	
...	...	...	...	073418.69−232825.3	HD 60585	**	F6V	6.3 : 5.87	
1RXSJ073522.6+004713	0.0890 (0.0166)	0.963	12.3	073522.31+004705.7	GSC 00178−01941	*	./.	11.5 : 10.5	
1RXSJ073530.7−134113	0.0643 (0.0151)	0.966	12.0	073530.10−134107.7	...	...	...	...	
1RXSJ073600.6+180855	0.0636 (0.0169)	0.972	9.9	073601.22+180833.1	HD 60593	*	G5	9.64 : 8.91	
1RXSJ073810.0+024915	0.0790 (0.0168)	0.949	12.1	073810.07+024912.0	...	...	...	...	
1RXSJ073816.1+474459	0.1552 (0.0216)	0.978	0.0	073816.44+474455.2	HD 60737	*	G0	8.28 : 7.69	
1RXSJ073902.7+520454	0.0711 (0.0150)	0.969	12.3	073903.32+520457.9	...	...	...	...	
1RXSJ073957.1−224740	0.0863 (0.0227)	0.965	10.6	073957.61−224734.2	GSC 06539−01365	*	./.	11.1 : 10.02	
1RXSJ074058.5+552533	0.5038 (0.0381)	0.952	13.1	074058.27+552537.7	UGC 3957	Gal.	E	14.2 :	P
1RXSJ074110.5−075506	0.0740 (0.0163)	0.939	10.9	074111.02−075458.1	BD−07 2124	*	?...	:	
1RXSJ074127.5−570019	0.0635 (0.0121)	0.965	12.0	074126.94−570008.5	...	...	...	...	
1RXSJ074155.6+052350	0.0681 (0.0161)	0.948	11.6	074154.59+052357.8	...	...	...	...	
1RXSJ074211.4+300921	0.0686 (0.0147)	0.963	12.5	074211.76+300922.0	...	...	...	...	
1RXSJ074318.7+285306	8.0810 (0.1455)	0.959	0.0	074318.73+285300.7	HD 62044	V* (RS CVn)	K1III	5.40 : 4.28	P
1RXSJ074344.4−610721	0.1095 (0.0140)	0.975	11.4	074342.89−610717.9	GSC 08911−02430	*	./.	11.7 : 10.8	
1RXSJ074503.4+482338	0.1192 (0.0187)	0.924	12.7	074504.44+482339.8	HD 62196	*	F0	7.97 : 7.69	
1RXSJ074551.7−073148	0.2492 (0.0451)	0.953	8.1	074550.93−073145.0	HD 62883	*	F8	7.92 : 7.47	
1RXSJ074553.0−004416	0.0608 (0.0143)	0.922	12.5	074553.42−004410.1	...	...	...	...	
1RXSJ074557.1−015814	0.1199 (0.0189)	0.903	13.6	074557.48−015813.2	...	...	...	...	
1RXSJ074619.1−594842	0.2292 (0.0216)	0.951	0.0	074616.96−594834.3	HD 63608	**	K0IV/V	9.00 : 8.25	
1RXSJ074619.2−164229	0.0846 (0.0221)	0.931	11.3	074620.37−164237.0	GSC 05981−00604	*	./.	11.17 : 10.9	
1RXSJ074832.7−242935	0.1045 (0.0274)	0.938	9.6	074831.50−242953.3	2E 0746.4−2422	X	./.	:	
...	...	...	...	074831.50−242953.3	CD−24 6008B	**	?	:	
...	...	...	...	074831.50−242953.3	HD 63544	**	G1V	9.95 : 9.21	
1RXSJ074841.9+762804	0.1171 (0.0186)	0.958	12.6	074842.76+762811.7	...	...	...	...	
1RXSJ074915.5−601658	0.0904 (0.0135)	0.920	11.3	074913.07−601704.7	HD 64185	**	F1V	6.160 : 5.786	
...	...	...	...	074913.07−601704.7	IRAS 07483−6009	IR	./.	:	
1RXSJ075049.5−464450	0.0966 (0.0167)	0.923	11.2	075047.60−464511.6	CD−46 3485	*	./.	11.2 : 10.15	
1RXSJ075122.0+285812	0.1374 (0.0204)	0.949	12.3	075122.48+285821.2	...	...	...	...	
1RXSJ075211.0−495423	0.0837 (0.0139)	0.972	12.0	075211.10−495428.6	...	...	...	...	
1RXSJ075255.4−604705	0.1189 (0.0153)	0.952	11.2	075253.45−604710.4	CPD−60 909	*	./.	11.4 : 10.7	
1RXSJ075356.6−571005	0.0668 (0.0146)	0.968	12.0	075355.53−571008.6	...	...	...	...	
1RXSJ075407.7−654137	0.1110 (0.0179)	0.971	11.7	075408.66−654130.5	GSC 08923−01147	*	./.	11.8 : 11.3	
1RXSJ075621.1−001245	0.1083 (0.0211)	0.935	13.1	075620.79−001248.0	...	...	...	...	
1RXSJ075812.3−432159	0.1019 (0.0206)	0.966	11.7	075812.43−432201.7	...	...	...	...	
1RXSJ075813.2+835637	0.1380 (0.0154)	0.919	13.2	075818.20+835637.0	...	...	...	...	
1RXSJ075816.7−491439	0.0697 (0.0119)	0.976	0.0	075814.44−491441.8	CD−48 3349B	**	?	:	
...	...	...	...	075814.44−491441.8	HD 65818	Ecl. Bin. (beta Lyr)	B1V+...	4.28 : 4.45	
1RXSJ075819.4−130434	0.1688 (0.0385)	0.914	13.0	075819.86−130427.5	...	...	...	...	
1RXSJ075858.1−352210	0.0882 (0.0205)	0.980	11.7	075857.93−352217.2	...	...	...	...	
1RXSJ075916.3+572247	0.0689 (0.0156)	0.958	12.3	075915.94+572256.2	GSC 03791−00282	*	./.	11.7 : 11.2	
1RXSJ080036.3+475558	0.0691 (0.0145)	0.967	12.5	080036.36+475555.7	...	...	...	...	
1RXSJ080129.5−452014	0.0609 (0.0143)	0.959	11.6	080128.77−452004.4	GSC 08135−02027	*	./.	11.4 : 10.6	
1RXSJ080136.3+031611	0.1559 (0.0235)	0.900	13.9	080136.24+031608.3	...	...	...	...	
1RXSJ080145.4−201749	0.0696 (0.0209)	0.935	12.5	080145.20−201747.5	...	...	...	...	
1RXSJ080248.6−591325	0.1091 (0.0149)	0.969	12.0	080249.05−591329.1	...	...	...	...	
1RXSJ080306.8−350456	0.2608 (0.0302)	0.968	12.0	080306.28−350503.6	HD 66623	*	F7V	8.66 : 8.13	
1RXSJ080339.9+552943	0.0584 (0.0131)	0.970	11.7	080340.42+552932.2	...	...	...	...	
1RXSJ080507.6−421615	0.0734 (0.0137)	0.960	11.5	080507.92−421611.4	...	...	...	...	
1RXSJ080554.5−205729	0.0563 (0.0159)	0.933	8.9	080555.23−205737.1	HD 67141	*	G2V	9.03 : 8.44	
1RXSJ080657.8+115709	0.0547 (0.0158)	0.980	9.2	080658.74+115701.3	HD 67134	*	G0	9.05 : 8.53	
1RXSJ080813.8+210612	0.7670 (0.0639)	0.915	0.0	080813.77+210612.3	GJ 3482B	HiPM*	M2.5	12.65 : 11.20	
1RXSJ080832.9−553347	0.0515 (0.0093)	0.962	12.2	080831.86−553345.7	...	...	...	...	
1RXSJ080839.2−360513	0.1043 (0.0168)	0.934	12.4	080839.28−360502.2	...	...	...	...	
1RXSJ080855.4+324908	0.7772 (0.0556)	0.962	0.0	080855.60+324917.4	CCDM J08089+3249B	**	./.	:	
1RXSJ080859.3−162013	0.0996 (0.0194)	0.909	11.5	080859.53−161946.7	...	...	...	...	
1RXSJ080933.7−472027	0.1987 (0.0216)	0.918	0.0	080931.95−472011.5	HD 68273	WR *	WC+...	1.667 : 1.808	
1RXSJ080952.0+030112	0.1025 (0.0226)	0.967	12.5	080952.16+030112.9	...	...	...	...	
1RXSJ081010.9−224653	0.1202 (0.0199)	0.975	11.5	081010.44−224659.4	CD−22 5750	*	G5	10.99 : 10.36	
1RXSJ081056.6+280829	0.1750 (0.0220)	0.946	12.9	081056.58+280835.8	V* YZ Cnc	DN	?	10.20 :	P

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ081108.7−555553	0.0827 (0.0146)	0.976	11.9	081109.34−555556.8	GSC 08557−01980	*	G:...	:	P
1RXSJ081113.6−465348	0.0522 (0.0124)	0.967	11.2	081113.72−465357.1	...	...	...	...	
1RXSJ081117.7+525228	0.0545 (0.0136)	0.970	11.9	081117.57+525236.5	...	...	...	...	
1RXSJ081152.8−002745	0.0945 (0.0203)	0.964	11.6	081153.36−002756.2	BD−00 1930	*	F8	10.9 : 10.3	
1RXSJ081228.3+623627	0.9899 (0.0512)	0.906	14.0	081228.23+623623.6	FBS 0808+628	*	B2	:	
...	...	...	...	081228.23+623623.6	V* SU UMa	DN	?p...	:	
1RXSJ081228.8−311452	0.3369 (0.0294)	0.970	12.4	081228.30−311452.5	...	...	...	...	
1RXSJ081432.5−341150	0.1125 (0.0168)	0.902	12.9	081432.18−341142.1	...	...	...	...	
1RXSJ081458.0−734749	0.3599 (0.0320)	0.965	12.1	081500.17−734753.8	GSC 09205−01922	*	./.	10.88 : 10.15	
1RXSJ081509.1+032800	0.1141 (0.0211)	0.910	12.7	081509.78+032754.1	...	...	...	...	
1RXSJ081517.8+460429	0.1384 (0.0190)	0.948	11.5	081516.86+460430.5	1RXP J081516.8+460433	Gal.	./.	:	
...	...	...	...	081516.86+460430.5	MCG+08−15−056	Gal.	Sp	15.2 :	
1RXSJ081519.0−491317	0.3173 (0.0338)	0.972	12.4	081519.03−491319.6	V* IX Vel	Nova−like Star	B+...	9.49 : 9.50	
1RXSJ081553.1+182141	0.0555 (0.0140)	0.939	12.8	081552.77+182143.2	...	...	...	...	
1RXSJ081917.9+642943	0.1601 (0.0209)	0.901	14.0	081917.68+642940.5	KOS 081447.9+643900	Gal.	./.	:	
...	...	...	...	081917.68+642940.5	MCG+11−10−073	Gal.	./.	16. :	
1RXSJ081950.9−392849	0.0786 (0.0145)	0.976	11.9	081950.65−392854.9	...	...	...	...	
1RXSJ081957.4−515631	0.0853 (0.0117)	0.921	0.0	081957.77−515630.7	HD 70510	*	A5IV:+...	6.997 : 6.762	
1RXSJ082026.5+574452	0.1096 (0.0224)	0.966	11.4	082025.62+574436.1	HD 69548	*	F4V	6.257 : 5.890	
1RXSJ082058.7−133101	0.1493 (0.0232)	0.953	12.6	082059.06−133104.6	BPM 72726	*	K5	12.9 : 11.7	
1RXSJ082235.6+460213	0.0949 (0.0193)	0.941	11.6	082234.41+460230.6	GSC 03415−01156	*	./.	11.6 : 10.6	
1RXSJ082308.6−060313	0.1799 (0.0268)	0.976	11.9	082308.47−060317.6	...	...	...	...	
1RXSJ082432.3+645331	0.3022 (0.0279)	0.930	12.4	082431.75+645335.8	BD+65 631	*	G0	11.05 : 10.06	
1RXSJ082437.6−191759	0.0846 (0.0166)	0.970	11.7	082437.13−191803.1	...	...	...	...	
1RXSJ082441.0−701012	0.1810 (0.0217)	0.928	11.9	082442.11−701003.4	GSC 09198−01835	*	./.	11.6 : 10.8	
1RXSJ082449.2+270825	0.0570 (0.0135)	0.976	11.7	082449.61+270831.6	...	...	...	...	
1RXSJ082517.0+041519	0.2422 (0.0300)	0.971	11.9	082517.08+041517.2	AC +05 63−391	*	?	11.5 : 10.4	
1RXSJ082551.4−162244	0.5091 (0.0433)	0.963	11.9	082552.14−162248.5	BD−15 2429	*	./.	:	
...	...	...	...	082552.14−162248.5	EUVE J0825−16.3	*	K6V:e	:	
...	...	...	...	082552.14−162248.5	PPM 715320	*	./.	9.4 :	
...	...	...	...	082552.14−162248.5	[CCD97] EUVE J0825−163 1	Object of unknown nature	./.	:	
1RXSJ082556.2−524812	0.0590 (0.0089)	0.948	11.6	082555.67−524812.3	...	...	...	...	
1RXSJ082610.3−390158	0.1386 (0.0201)	0.972	12.0	082610.08−390205.8	CD−38 4458	*	./.	11.01 : 10.28	
1RXSJ082629.9−590030	0.0518 (0.0123)	0.970	12.1	082630.06−590028.6	...	...	...	...	
1RXSJ082646.2−200758	0.2747 (0.0296)	0.920	11.5	082646.35−200814.5	...	...	...	...	
1RXSJ082702.6+033050	0.0565 (0.0170)	0.966	10.8	082703.94+033055.3	V* FG Hya	Ecl. Bin. (W UMa)	G	10.60 : 10.01	
1RXSJ082713.6+412830	0.2273 (0.0230)	0.972	12.5	082713.67+412833.6	RBS 702	X	./.	:	P
1RXSJ082808.7+422247	0.0580 (0.0132)	0.971	12.0	082808.87+422252.8	...	...	...	...	
1RXSJ082828.5−023051	0.1592 (0.0249)	0.963	11.8	082829.11−023100.2	HD 71663	Ecl. Bin. (Algol)	A5m	6.732 : 6.420	
1RXSJ082932.5+723150	0.0515 (0.0131)	0.941	12.4	082931.64+723145.8	...	...	...	...	
1RXSJ082939.2+171707	0.1047 (0.0208)	0.971	12.1	082939.31+171703.0	GSC 01883−00600	*	./.	:	
...	...	...	...	082939.31+171703.0	V* FF Cnc	Ecl. Bin. (Algol)	G0	11.6 : 10.8	
1RXSJ082952.7−514030	0.0784 (0.0104)	0.968	11.8	082951.93−514040.5	...	...	...	...	
1RXSJ083038.9−542044	0.0509 (0.0100)	0.949	11.1	083040.28−542042.8	CD−53 2313	*	./.	10.96 : 10.33	
1RXSJ083101.0−563705	0.0729 (0.0126)	0.954	11.2	083102.48−563707.2	...	...	...	...	
1RXSJ083101.7+694851	0.0535 (0.0151)	0.958	12.4	083102.82+694853.7	...	...	...	...	
1RXSJ083103.8−041146	0.0980 (0.0202)	0.979	10.9	083103.23−041144.8	MCG−01−22−016	Gal.	./.	15. :	
1RXSJ083127.8+195301	0.1017 (0.0200)	0.974	12.1	083127.91+195303.1	GSC 01387−00475	*	K4	11.9 : 10.6	
1RXSJ083129.1−295707	0.0593 (0.0145)	0.925	11.3	083130.13−295652.7	...	...	...	...	
1RXSJ083136.9−314738	0.2434 (0.0266)	0.972	11.6	083136.56−314740.7	...	...	...	...	
1RXSJ083230.9+154940	0.2865 (0.0713)	0.951	12.2	083230.83+154930.5	V* FR Cnc	V*	?	11.4 : 10.4	
1RXSJ083320.9+362601	0.0862 (0.0194)	0.933	11.8	083322.32+362611.0	HD 72291	*	F5Vbwvar	6.550 : 6.201	
1RXSJ083336.3+322450	0.0951 (0.0207)	0.970	12.3	083336.46+322445.9	...	...	...	...	
1RXSJ083402.0−610603	0.0993 (0.0177)	0.947	11.2	083401.24−610622.7	CD−60 2246	*	./.	10.50 : 10.13	
1RXSJ083407.4+791449	0.1899 (0.0217)	0.975	12.0	083407.35+791452.1	AG+79 275	*	K2	11.6 : 10.78	
1RXSJ083431.7−004340	0.0965 (0.0216)	0.922	12.9	083432.24−004334.9	GJ 3507	*	G5	8.10 : 7.32	
1RXSJ083526.4+241538	0.2483 (0.0322)	0.926	12.9	083526.89+241544.1	...	...	...	...	
1RXSJ083553.0−562206	0.0541 (0.0117)	0.963	0.0	083552.33−562222.1	HD 73465	*	F3V	7.430 : 7.078	
1RXSJ083559.7−304226	0.1648 (0.0281)	0.972	12.2	083559.88−304230.8	...	...	...	...	
1RXSJ083601.1−241919	0.0840 (0.0159)	0.931	11.6	083602.16−241925.9	...	...	...	...	
1RXSJ083624.5−540101	0.0969 (0.0149)	0.962	11.6	083624.30−540106.3	...	...	...	...	
1RXSJ083721.5+025856	0.1714 (0.0261)	0.970	12.3	083721.56+025852.9	...	...	...	...	
1RXSJ083750.6−064824	0.1301 (0.0242)	0.968	0.0	083750.29−064824.8	GJ 9273	HiPM*	G0	7.42 : 6.73	
1RXSJ083800.7−104218	0.0565 (0.0158)	0.937	12.8	083800.91−104211.7	...	...	...	...	
1RXSJ083811.0+245336	0.2134 (0.0279)	0.964	11.1	083810.90+245343.0	NGC 2622	Sy	SBb	14.8 :	
...	...	...	...	083810.90+245343.0	RBS 712	Sy1	./.	:	P
1RXSJ083828.7−414402	0.1070 (0.0155)	0.968	12.0	083829.08−414401.2	...	...	...	...	
1RXSJ083949.7+484701	0.3538 (0.0329)	0.929	13.7	083949.75+484702.1	...	...	...	...	
1RXSJ084048.3−524755	0.0578 (0.0108)	0.924	0.0	084048.52−524807.0	HD 74275	*iC	A0V	7.27 : 7.27	
1RXSJ084104.2+032118	1.2070 (0.0651)	0.927	13.6	084103.90+032116.7	...	...	...	...	
1RXSJ084200.0−621813	0.1264 (0.0205)	0.972	11.4	084200.52−621826.9	...	...	...	...	
1RXSJ084245.9+315141	0.0790 (0.0156)	0.950	12.6	084246.32+315147.1	HD 74057	*	F8	7.747 : 7.189	
1RXSJ084406.3−140211	0.2966 (0.0360)	0.968	12.3	084406.79−140210.3	IRAS 08417−1351	Sy	./.	:	P
1RXSJ084430.9−784636	0.0785 (0.0121)	0.920	13.5	084432.24−784631.7	...	...	...	...	
1RXSJ084510.4+433900	0.1495 (0.0196)	0.958	12.5	084511.06+433858.8	HD 74361	*	F5	7.71 : 7.27	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ084539.5−522556	0.0784 (0.0130)	0.972	11.8	084539.08−522600.3	GSC 08163−00481	*	./.	10.33 : 9.88	
1RXSJ084540.7−645920	0.0835 (0.0171)	0.978	11.4	084539.28−645928.5	SV* BV 687	V*	./.	10.89 : 10.16	
1RXSJ084554.1−723210	0.0698 (0.0128)	0.964	12.1	084554.77−723206.3	...	...	...	...	
1RXSJ084657.0−724648	0.0767 (0.0152)	0.946	11.8	084659.10−724700.0	...	...	...	...	
1RXSJ084659.3−785938	0.0740 (0.0117)	0.970	12.1	084701.81−785935.3	...	...	...	...	
1RXSJ084700.0+863044	0.0636 (0.0105)	0.929	12.9	084707.35+863050.6	...	...	...	...	
1RXSJ084702.1−233650	0.0946 (0.0176)	0.923	11.5	084701.59−233701.9	...	...	...	...	
1RXSJ084722.4−500009	0.0593 (0.0113)	0.941	12.3	084722.72−495958.0	...	...	...	...	
1RXSJ084723.1−404729	0.2819 (0.0344)	0.947	11.9	084722.95−404741.0	...	...	...	...	
1RXSJ084756.7−202523	0.0634 (0.0150)	0.972	11.3	084756.01−202533.7	BD−19 2531	*	./.	11.3 : 10.40	
1RXSJ084837.3−135307	0.7590 (0.0791)	0.967	12.2	084837.21−135307.5	...	...	...	...	
1RXSJ084840.1+050630	0.2027 (0.0296)	0.920	10.9	084842.03+050633.0	BD+05 2061	*	K0	10.65 : 9.76	
1RXSJ084905.6−395710	0.1191 (0.0154)	0.953	0.0	084905.69−395715.8	HD 75519	*	G5V	8.47 : 7.85	
1RXSJ084912.0−773552	0.0862 (0.0146)	0.977	11.7	084911.21−773559.1	CD−77 353	*	?	10.02 : 8.88	
1RXSJ084943.3−310020	0.0639 (0.0133)	0.949	11.9	084943.64−310032.7	...	...	...	...	
1RXSJ085001.4+701804	0.0877 (0.0161)	0.962	10.5	084958.37+701757.9	NGC 2650	Gal.	SBb	14.3 :	
1RXSJ085004.2−755453	0.1712 (0.0237)	0.939	11.6	085005.60−755439.0	GSC 09395−02139	TT	G5	11.16 : 10.53	P
1RXSJ085156.0−535554	0.1192 (0.0168)	0.963	11.6	085156.41−535557.2	...	...	...	...	
1RXSJ085201.9+660817	0.0748 (0.0160)	0.920	10.9	085159.64+660748.9	GJ 322	*	K5	10.63 : 9.28	
1RXSJ085216.1+080405	0.1121 (0.0244)	0.965	12.2	085215.94+080356.9	...	...	...	...	
1RXSJ085219.6−600438	0.0626 (0.0162)	0.943	11.9	085219.28−600444.8	...	...	...	...	
1RXSJ085243.8−630422	0.0983 (0.0124)	0.937	11.7	085243.61−630418.6	...	...	...	...	
1RXSJ085304.8+522325	0.1844 (0.0304)	0.930	12.3	085306.37+522323.2	HD 75616	*	F5	7.41 : 6.99	
1RXSJ085341.5+262943	0.0852 (0.0182)	0.911	11.8	085342.50+263000.2	GSC 01946−00140	*	./.	11.9 : 10.5	
1RXSJ085353.7+870708	0.1157 (0.0128)	0.976	12.0	085353.23+870713.5	BD+87 64	*	G5V:	11.6 : 10.9	
1RXSJ085414.6−315303	0.1764 (0.0209)	0.973	11.4	085414.10−315306.5	HD 76298	*	G2V	9.72 : 9.11	
1RXSJ085418.2−052612	0.1181 (0.0229)	0.973	0.0	085418.19−052604.3	GJ 327	HiPM*	G2V	6.67 : 6.00	P
1RXSJ085626.3−224141	0.0669 (0.0166)	0.973	11.9	085626.39−224140.7	GSC 06585−00334	*	M0.5V	:	P
1RXSJ085631.1−570046	0.0655 (0.0173)	0.953	11.7	085631.60−570041.3	...	...	...	...	
1RXSJ085739.4−245002	0.0823 (0.0190)	0.976	0.0	085740.42−245028.0	HD 76799	*	K0III	8.10 : 7.11	
1RXSJ085849.4−530320	0.1161 (0.0155)	0.937	11.8	085848.80−530328.2	...	...	...	...	
1RXSJ085925.4−492549	0.1185 (0.0170)	0.948	12.3	085926.51−492552.3	HD 77242	*	K1/K2IV:+...	9.72 : 9.08	
1RXSJ085943.2−274850	1.6040 (0.1269)	0.977	11.3	085942.75−274857.9	GJ 3525	V* (RS CVn)	G5V	7.560 : 6.896	P
1RXSJ085952.3−410703	0.0576 (0.0121)	0.970	11.4	085952.42−410717.9	CD−40 4808	*	K0	10.13 : 9.08	
1RXSJ090003.5−423619	0.0904 (0.0133)	0.975	10.9	090003.83−423627.6	CD−42 4867	Em. *	G2p	11.6 : 10.7	
1RXSJ090016.5−250957	0.0551 (0.0145)	0.944	0.0	090016.11−251000.8	CD−24 7622B	**	?	:	
...	...	...	...	090016.11−251000.8	HD 77203	**	A3V	8.4 : 8.0	
1RXSJ090103.8+175356	0.1985 (0.0313)	0.973	11.9	090103.44+175356.6	V* SY Cnc	DN	G8V	10.60 :	
1RXSJ090107.4−702238	0.0586 (0.0146)	0.926	13.1	090107.74−702238.6	...	...	...	...	
1RXSJ090145.7−584112	0.0625 (0.0159)	0.958	11.4	090145.59−584107.0	...	...	...	...	
1RXSJ090147.2+142408	0.1394 (0.0250)	0.951	12.3	090146.45+142410.0	BPM 86540	*	K5	12.7 : 10.9	
1RXSJ090155.2+264114	0.4580 (0.0364)	0.980	10.3	090155.50+264124.7	V* WY Cnc	V* (RS CVn)	G8V	10.17 : 9.47	
1RXSJ090224.7−022151	0.0582 (0.0154)	0.975	0.0	090224.16−022157.1	HD 77447	*	F5	7.5 : 7.6	
1RXSJ090309.4−084826	0.0529 (0.0149)	0.969	11.7	090309.54−084826.4	BD−08 2567	*	./.	:	
1RXSJ090326.8+375032	0.6583 (0.0534)	0.949	12.7	090327.37+375034.6	HD 77407	*	G0	7.7 : 7.10	P
1RXSJ090425.8+071527	0.1171 (0.0206)	0.936	12.3	090425.33+071515.9	GSC 00232−00440	*	./.	11.7 : 10.8	
1RXSJ090431.1−382920	0.0529 (0.0127)	0.955	11.0	090433.32−382923.2	IRAS 09026−3817	Gal.	./.	16.4 :	
1RXSJ090552.1−593626	0.0769 (0.0202)	0.953	11.9	090551.22−593630.5	...	...	...	...	
1RXSJ090646.1−084827	0.0728 (0.0166)	0.928	11.7	090646.32−084834.6	...	...	...	...	
1RXSJ090705.2+470858	0.3699 (0.0302)	0.976	9.1	090705.65+470911.7	HD 77929	*	G0	8.82 : 8.20	
1RXSJ090709.0+482503	0.0957 (0.0171)	0.962	12.3	090709.80+482507.8	...	...	...	...	
1RXSJ090851.3+335302	0.3339 (0.0305)	0.979	11.9	090851.77+335301.2	...	...	...	...	
1RXSJ091015.8+205858	0.0634 (0.0159)	0.954	10.2	091014.72+205846.5	BD+21 1982	*	A5	10.15 : 9.82	
1RXSJ091125.8−631114	0.1163 (0.0188)	0.972	11.3	091125.33−631128.7	GSC 08944−00874	*	./.	11.17 : 10.58	
1RXSJ091128.9+280128	0.2191 (0.0315)	0.974	10.6	091129.52+280115.9	BD+28 1708p	**	K5	11.6 : 10.2	
...	...	...	...	091129.52+280115.9	BD+28 1708s	**	K5	11.8 : 10.4	
1RXSJ091135.0−411711	0.0536 (0.0110)	0.909	11.7	091135.89−411723.3	...	...	...	...	
1RXSJ091135.2−412656	0.0580 (0.0111)	0.952	12.7	091134.93−412656.2	...	...	...	...	
1RXSJ091248.1−583919	0.3790 (0.0366)	0.954	11.8	091247.60−583918.2	HD 79653	*	K1III	9.97 : 9.04	
1RXSJ091255.9+692155	0.0747 (0.0149)	0.957	12.5	091254.75+692157.8	...	...	...	...	
1RXSJ091316.2−552900	0.1159 (0.0199)	0.958	11.6	091316.93−552903.4	...	...	...	...	
1RXSJ091323.4+685231	0.0786 (0.0150)	0.918	12.6	091325.11+685241.2	...	...	...	...	
1RXSJ091328.1+360539	0.0948 (0.0167)	0.929	13.2	091328.15+360544.6	StKM 1− 755	*	K4.5	:	
1RXSJ091422.0+021916	0.1237 (0.0242)	0.977	0.0	091421.86+021851.4	HD 79469	HiPM*	B9.5V	3.82 : 3.88	
1RXSJ091428.2+550642	0.0539 (0.0156)	0.955	12.2	091429.35+550647.5	...	...	...	...	
1RXSJ091509.6−570030	0.1053 (0.0191)	0.963	12.0	091509.06−570034.3	...	...	...	...	
1RXSJ091528.1−760856	0.0711 (0.0167)	0.946	12.6	091529.18−760847.6	...	...	...	...	
1RXSJ091543.4+065332	0.2150 (0.0266)	0.976	11.5	091543.24+065340.1	GSC 00233−00605	*	./.	10.69 : 9.75	
1RXSJ091609.5−621934	0.1221 (0.0171)	0.975	11.2	091609.39−621929.9	[VV96] J091609.5−621929	Quasar	./.	13.18 : 13.55	P
1RXSJ091644.7−244735	0.0631 (0.0139)	0.949	12.1	091644.26−244744.3	...	...	...	...	
1RXSJ091703.7−544244	0.0610 (0.0153)	0.927	12.7	091703.94−544249.3	...	...	...	...	
1RXSJ091743.1−322450	0.0514 (0.0123)	0.942	9.8	091744.15−322452.2	...	...	...	...	
1RXSJ091814.9+360912	0.1457 (0.0202)	0.970	12.4	091814.84+360909.4	...	...	...	...	
1RXSJ091903.8−482433	0.0537 (0.0133)	0.967	9.8	091904.19−482452.3	HD 80595	*	G0V	10.08 : 9.56	
1RXSJ091919.9−321307	0.1162 (0.0166)	0.967	0.0	091919.06−321318.8	HD 80524	*	F3V	8.92 : 8.54	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ092000.8+305235	0.1208 (0.0239)	0.926	13.2	092000.75+305241.2	...	...	...	...	
1RXSJ092115.9+101747	0.1409 (0.0296)	0.905	13.3	092115.56+101741.1	...	...	...	...	
1RXSJ092142.1+023112	0.0572 (0.0145)	0.949	12.1	092142.79+023104.2	...	...	...	...	
1RXSJ092255.0−395012	0.1115 (0.0174)	0.951	11.7	092255.03−395021.0	CD−39 5451	*	./.	10.60 : 9.78	
1RXSJ092338.8−213541	0.3752 (0.0431)	0.952	13.0	092338.87−213547.0	PKS 0921−213	Rad. Gal.	./.	16.8 :	P
1RXSJ092339.4−471104	0.0594 (0.0123)	0.977	11.4	092340.04−471114.8	CD−46 5148	*	?	11.4 : 10.58	
1RXSJ092343.0+225437	1.6260 (0.0642)	0.960	12.3	092343.01+225433.0	MCG+04−22−042	Gal.	./.	15.5 :	
...	...	...	...	092343.01+225433.0	[BFE95] 52	Active Galaxy Nucleus	./.	14.8 :	
1RXSJ092348.2−233926	0.0624 (0.0127)	0.977	0.0	092348.43−233927.5	HD 81230	**	F6V	8.42 : 8.01	
1RXSJ092431.7+470834	0.0546 (0.0132)	0.958	12.6	092432.07+470829.3	...	...	...	...	
1RXSJ092455.1+575649	0.1296 (0.0233)	0.969	12.1	092455.58+575655.9	...	...	...	...	
1RXSJ092512.3+521716	1.6910 (0.0633)	0.901	13.3	092513.00+521711.6	QSO 0921+525	Sy1	S...	16.0 :	P
1RXSJ092527.3−062405	0.2487 (0.0282)	0.967	12.1	092527.15−062415.1	HD 81421	*	A3	7.256 : 7.005	P
1RXSJ092603.6+124406	1.2460 (0.0882)	0.970	12.4	092603.28+124404.0	QSO 0923+129	Sy1	S0:	13.9 :	P
1RXSJ092648.4−362604	0.1307 (0.0159)	0.968	12.3	092648.21−362609.0	ESO 372− 25	Gal.	./.	:	
1RXSJ092654.8+812751	0.0672 (0.0183)	0.939	13.2	092654.02+812749.8	...	...	...	...	
1RXSJ092818.6−781537	0.0550 (0.0115)	0.900	0.0	092821.19−781535.5	HD 82879	TT	F6/F7IV/V	9.41 : 9.00	
1RXSJ092854.0−410103	0.0659 (0.0148)	0.967	11.5	092854.15−410119.9	...	...	...	...	
1RXSJ092856.0−354610	0.0501 (0.0109)	0.932	11.7	092857.05−354609.5	...	...	...	...	
1RXSJ092908.1−671133	0.0542 (0.0154)	0.937	11.7	092907.94−671148.2	...	...	...	...	
1RXSJ092909.4−024552	0.5741 (0.0413)	0.975	0.0	092908.92−024608.4	GJ 348A	Spec. Bin.	F6V	5.06 : 4.60	P
...	...	...	...	092908.92−024608.4	IRAS 09266−0232	IR	./.	:	
1RXSJ092921.9+561441	0.0818 (0.0148)	0.943	0.0	092921.49+561427.3	HD 81702	*	F2	7.249 : 6.900	
1RXSJ093031.1−704156	0.0873 (0.0145)	0.950	10.7	093031.68−704148.4	GSC 09200−00446	*	./.	10.84 : 10.23	
1RXSJ093042.6−533120	1.1170 (0.0864)	0.979	12.3	093042.45−533120.2	HD 82533	*	G5III	8.85 : 8.23	
1RXSJ093203.7−575138	0.0723 (0.0172)	0.918	12.4	093203.12−575130.9	...	...	...	...	
1RXSJ093225.5−111101	2.7300 (0.2022)	0.956	0.0	093225.57−111104.7	GJ 355	V* (BY Dra)	K0Ve	8.72 : 7.80	P
1RXSJ093255.6+433205	0.0745 (0.0149)	0.949	12.6	093254.90+433209.3	...	...	...	...	
1RXSJ093413.8+362406	0.5224 (0.0365)	0.976	0.0	093413.38+362351.2	HD 82635	V* (RS CVn)	G8III	5.47 : 4.60	
1RXSJ093457.8−645959	0.1730 (0.0276)	0.946	12.8	093456.59−645959.2	HD 83359	**	F5V	8.44 : 8.01	
1RXSJ093511.8−354928	0.0504 (0.0124)	0.970	12.3	093511.90−354925.1	HD 83108	*	F7III−IV	6.867 : 6.479	
1RXSJ093521.7+395743	0.0653 (0.0162)	0.957	0.0	093522.50+395747.8	HD 82780	Spec. Bin.	F2V	7.06 : 6.76	
1RXSJ093601.9+425139	0.0804 (0.0151)	0.945	12.5	093602.28+425130.3	...	...	...	...	
1RXSJ093614.6+373203	0.0749 (0.0169)	0.953	0.0	093615.91+373145.5	AC +38 28746	*	K5	:	
1RXSJ093642.4+565820	0.1748 (0.0191)	0.959	12.3	093642.95+565811.7	HD 82861	*	Am	7.201 : 7.063	
1RXSJ093701.0+010548	0.4572 (0.0333)	0.902	14.0	093701.06+010544.1	QSO 0934+0119	Quasar	E/S0	16.60 : 15.98	P
1RXSJ093737.7+601247	0.0721 (0.0161)	0.976	0.0	093737.52+601249.5	HD 82969	*	G5	7.315 : 6.412	
1RXSJ093749.5+244017	0.0770 (0.0156)	0.952	12.3	093750.27+244014.5	HD 83273	*	G0III	7.143 : 6.625	
1RXSJ093803.6+443920	0.1010 (0.0163)	0.951	12.0	093804.64+443914.2	GSC 02998−00514	*	./.	11.7 : 10.78	
1RXSJ093810.2+703811	0.0617 (0.0138)	0.956	11.4	093810.52+703757.1	HD 82814	*	G0	9.61 : 9.13	
1RXSJ093811.0−262300	0.0570 (0.0140)	0.946	0.0	093811.64−262228.9	HD 83498	*	G3V	9.12 : 8.48	
1RXSJ093813.2−010423	0.0558 (0.0141)	0.929	13.0	093813.55−010427.1	...	...	...	...	
1RXSJ093840.4−015601	0.0740 (0.0153)	0.961	12.1	093840.62−015609.2	...	...	...	...	
1RXSJ093847.1−663947	0.0996 (0.0201)	0.942	0.0	093847.31−663948.4	CCDM J09388−6640B	**	./.	11.0 :	
1RXSJ093855.3−281715	0.0970 (0.0149)	0.977	11.3	093855.57−281706.5	GSC 06614−00884	*	./.	11.9 : 10.9	
1RXSJ093939.4−341350	0.1172 (0.0190)	0.973	11.4	093939.67−341358.7	...	...	...	...	
1RXSJ093951.6−213406	0.1101 (0.0179)	0.923	0.0	093951.45−213417.5	BD−20 2977	*	./.	10.91 : 10.19	
1RXSJ094111.4+483613	0.2475 (0.0250)	0.968	12.3	094112.16+483612.6	FIRST J094101.4+483453	*	./.	11.8 : 10.9	
1RXSJ094204.0+234106	0.1201 (0.0181)	0.958	12.2	094204.81+234107.0	PGC 27720	Gal.	./.	15.3 :	
1RXSJ094247.2+700238	0.1789 (0.0286)	0.936	0.0	094252.87+700224.2	GJ 362	HiPM*	M3	13.0 : 11.2	
1RXSJ094247.5−723945	0.0834 (0.0176)	0.950	12.4	094247.43−723950.6	...	...	...	...	
1RXSJ094254.9+321538	0.0551 (0.0136)	0.905	12.5	094255.09+321554.6	HD 84004	*	F2	7.65 : 7.27	
1RXSJ094310.9−631304	0.1563 (0.0256)	0.962	11.1	094308.83−631304.6	GSC 08946−01225	*	./.	11.2 : 10.38	
1RXSJ094327.1+023729	0.1572 (0.0224)	0.976	0.0	094327.42+023735.9	HD 84184	**mul.	F8	7.93 : 7.46	
1RXSJ094454.1−573541	0.0556 (0.0130)	0.958	11.5	094452.64−573544.4	...	...	...	...	
1RXSJ094516.1+194720	0.0714 (0.0151)	0.923	12.5	094517.01+194716.1	...	...	...	...	
1RXSJ094615.2−002443	0.1911 (0.0228)	0.970	12.0	094615.21−002451.5	GSC 04895−01137	*	./.	11.5 : 10.7	
1RXSJ094647.6−515641	0.0775 (0.0167)	0.933	12.1	094647.01−515631.4	GSC 08193−01277	*	./.	11.9 : 11.3	
1RXSJ094704.4−653501	0.0760 (0.0179)	0.923	11.9	094703.92−653505.6	...	...	...	...	
1RXSJ094720.6−400317	0.1153 (0.0188)	0.963	11.6	094719.93−400310.2	GSC 07697−02254	*	./.	11.6 : 10.81	
1RXSJ094728.7−374326	0.0519 (0.0135)	0.928	0.0	094728.63−374328.1	HD 84902	**mul.	F8V	8.083 : 7.598	
1RXSJ094909.8−654021	0.0873 (0.0185)	0.963	11.8	094909.23−654021.7	CD−65 817	*	./.	10.96 : 10.35	
1RXSJ094950.1+110634	0.2273 (0.0411)	0.966	8.5	094949.49+110626.1	...	...	...	...	
1RXSJ094955.7−340634	0.0978 (0.0165)	0.913	0.0	094956.06−340644.0	GSC 07176−01062	*	./.	11.36 : 10.76	
1RXSJ095021.0+754454	0.0557 (0.0132)	0.956	12.1	095018.61+754453.1	MCG+13−07−038	Gal.	./.	15.6 :	
1RXSJ095030.2+042047	0.1812 (0.0217)	0.970	11.8	095030.58+042039.2	HD 85217	Spec. Bin.	F7Vn	6.673 : 6.250	P
1RXSJ095117.0+044840	0.0610 (0.0139)	0.955	12.0	095116.75+044851.9	...	...	...	...	
1RXSJ095128.5−145041	0.8039 (0.0611)	0.932	0.0	095128.69−145047.9	HD 85444	*	G6/G8III	5.031 : 4.117	P
1RXSJ095131.0+422006	0.0783 (0.0162)	0.977	11.0	095132.34+422013.8	GSC 02996−00942	*	./.	10.92 : 10.12	
1RXSJ095147.1−790139	0.1749 (0.0237)	0.968	11.7	095150.80−790138.7	HD 86356	TT	G8	10.88 : 10.16	P
1RXSJ095212.0+000438	0.0870 (0.0154)	0.970	12.2	095211.99+000432.6	HD 85505	*	K2III	7.254 : 6.335	
1RXSJ095219.1−013639	0.0538 (0.0135)	0.940	12.9	095219.11−013643.5	Mrk 1239	Sy1	./.	14.5 :	P
1RXSJ095312.0−793319	0.0513 (0.0092)	0.917	12.3	095313.79−793328.8	HD 86588	TT	F6V	10.15 : 9.61	P
1RXSJ095351.8−072001	0.3677 (0.0322)	0.975	12.4	095351.68−072003.6	BPM 73679	*	./.	13.6 : 10.5	
1RXSJ095427.7−371737	0.0681 (0.0143)	0.904	0.0	095428.94−371724.4	HD 85964	*	F3IV/V	7.897 : 7.522	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ095431.2−014541	0.3415 (0.0307)	0.970	11.6	095431.28−014551.5	BD−01 2318	*	G0	10.41 : 9.78	
1RXSJ095509.2−081921	0.0523 (0.0128)	0.905	12.7	095510.01−081925.4	...	...	...	...	
1RXSJ095519.1−285640	0.1705 (0.0221)	0.970	12.1	095519.51−285645.6	...	...	...	...	
1RXSJ095554.2−410911	0.0704 (0.0151)	0.954	11.3	095555.24−410907.6	...	...	...	...	
1RXSJ095609.5+624728	0.0588 (0.0119)	0.961	11.3	095610.82+624745.1	...	...	...	...	
1RXSJ095649.8−492204	0.1361 (0.0223)	0.959	11.5	095649.42−492219.7	HD 297669	*	F8	11.2 : 10.50	
1RXSJ095731.8−692121	0.0588 (0.0133)	0.932	11.7	095730.91−692122.8	...	...	...	...	
1RXSJ095752.9−572457	0.0910 (0.0158)	0.901	0.0	095753.62−572503.0	GSC 08606−00777	*	./.	11.5 : 11.1	
1RXSJ095830.8+670323	0.1280 (0.0199)	0.970	12.2	095831.71+670321.1	...	...	...	...	
1RXSJ095942.1−311300	0.6643 (0.0451)	0.971	10.9	095942.63−311258.6	IRAS 09574−3058	Sy	./.	:	
1RXSJ095955.4+130246	0.2186 (0.0313)	0.950	12.4	095955.84+130238.0	NGC 3080	Sy1	Sa	14.5 :	
1RXSJ095957.1−722153	0.0999 (0.0200)	0.954	12.4	095957.82−722148.1	...	...	...	...	
1RXSJ100004.5−400321	0.0537 (0.0142)	0.917	11.6	100006.59−400317.3	...	...	...	...	
1RXSJ100035.3−085442	0.0825 (0.0158)	0.969	12.2	100034.92−085448.4	...	...	...	...	
1RXSJ100042.0−652223	0.0970 (0.0214)	0.945	12.0	100043.68−652216.2	...	...	...	...	
1RXSJ100053.1+244020	0.0650 (0.0142)	0.959	12.1	100052.24+244021.0	GSC 01961−01360	*	./.	12.0 : 11.1	
1RXSJ100235.9+324218	0.1879 (0.0258)	0.904	11.7	100236.51+324224.8	NGC 3099	Gal.	./.	15.4 :	
1RXSJ100553.5−634955	0.0733 (0.0204)	0.920	0.0	100552.90−635006.4	HD 87896	*	G8III	7.785 : 6.923	
1RXSJ100818.7+271206	0.0558 (0.0150)	0.935	11.8	100820.06+271156.2	...	...	...	...	
1RXSJ100839.4−053502	0.0538 (0.0140)	0.929	13.1	100839.15−053500.4	...	...	...	...	
1RXSJ100904.1+253127	0.0598 (0.0159)	0.977	9.7	100904.73+253105.4	HD 87956	**mul.	K0	9.72 : 9.22	
1RXSJ101039.8+210653	0.0544 (0.0127)	0.957	12.4	101039.99+210643.8	...	...	...	...	
1RXSJ101046.7−344756	0.0553 (0.0163)	0.960	11.9	101046.83−344752.9	...	...	...	...	
1RXSJ101314.3−523051	0.3313 (0.0398)	0.977	11.5	101314.93−523054.8	HD 298936	*	K2	10.72 : 9.72	
1RXSJ101335.3−641657	0.0828 (0.0210)	0.960	11.6	101335.02−641658.0	HD 307570	*	G0	10.23 : 9.70	
1RXSJ101344.5−072301	0.1341 (0.0200)	0.964	12.5	101344.90−072303.8	GJ 9321	*	F8	7.66 : 7.22	
1RXSJ101349.3+270812	0.2086 (0.0252)	0.978	0.0	101349.70+270808.9	HD 88639	*	G3III	6.866 : 6.056	
...	...	...	...	101349.70+270808.9	IRAS 10110+2723	IR	./.	:	
1RXSJ101431.4+021320	0.1578 (0.0272)	0.970	12.6	101431.61+021319.7	StKM 1− 836	*	K4.5	:	
1RXSJ101506.7+312752	0.0520 (0.0129)	0.980	0.0	101506.34+312805.0	HD 88786	*	G8III	7.305 : 6.474	
1RXSJ101543.2+660446	0.2077 (0.0206)	0.940	13.0	101544.30+660447.8	...	...	...	...	
1RXSJ101543.4+685430	0.0919 (0.0179)	0.933	12.8	101544.95+685433.8	...	...	...	...	
1RXSJ101556.7−200219	0.1557 (0.0225)	0.969	12.0	101556.62−200227.0	CTS 90	Gal.	./.	:	
1RXSJ101602.0−263845	0.0750 (0.0151)	0.962	11.6	101601.19−263842.9	CD−26 7790	*	?	10.11 : 9.36	
1RXSJ101644.9−310852	0.0575 (0.0161)	0.910	11.3	101645.59−310845.7	...	...	...	...	
1RXSJ101657.7+563204	0.1129 (0.0174)	0.967	12.8	101657.69+563203.1	...	...	...	...	
1RXSJ101718.0+291439	0.3864 (0.0343)	0.919	13.5	101718.27+291434.1	CASG 59	Sy1	./.	15. :	P
1RXSJ101828.7−315002	0.2934 (0.0311)	0.929	13.3	101828.80−315002.6	...	...	...	...	
1RXSJ101828.9−331626	0.0690 (0.0174)	0.973	10.4	101827.55−331632.5	V* XZ Ant	Ecl. Bin. (Algol)	?	10.40 : 9.63	
1RXSJ101909.2−282811	0.1520 (0.0234)	0.941	12.4	101908.80−282815.4	...	...	...	...	
1RXSJ101912.1+635802	0.5056 (0.0355)	0.976	12.2	101912.59+635802.5	Mrk 141	Sy1	S...	15.2 : 15.1	P
1RXSJ101952.4−140727	0.2220 (0.0275)	0.906	13.4	101952.50−140734.7	EC 10174−1352	Object of unknown nature	DA...	14.39 : 14.56	
1RXSJ102000.6−075401	0.0514 (0.0128)	0.948	12.6	102000.96−075401.5	...	...	...	...	
1RXSJ102021.3−361213	0.1521 (0.0226)	0.934	13.1	102021.84−361212.8	HD 89697	*	G6III	9.27 : 8.28	
1RXSJ102028.5−472549	0.0940 (0.0196)	0.976	11.7	102028.66−472542.9	...	...	...	...	
1RXSJ102140.2−032710	0.4618 (0.0353)	0.940	13.4	102140.29−032713.0	MCG+00−27−002	Gal.	E	14.8 :	
1RXSJ102224.2+012759	0.0616 (0.0179)	0.972	9.3	102225.78+012804.9	HD 89895	*	F2	9.52 : 9.06	
1RXSJ102305.8−503136	0.0566 (0.0167)	0.964	11.5	102307.21−503138.5	HD 90134	*	F2IV	7.521 : 7.208	
1RXSJ102547.6+845132	0.0538 (0.0105)	0.979	10.3	102600.83+845130.7	BD+85 157	*	G8	10.08 : 9.24	
1RXSJ102748.6−342344	0.2368 (0.0296)	0.967	0.0	102747.77−342358.1	HD 90712	*	G2/G3V	8.08 : 7.54	
1RXSJ102841.7+490425	0.0727 (0.0137)	0.949	12.8	102841.98+490418.7	PGC 30841	Gal.	./.	15.3 :	
1RXSJ102843.7+170805	0.3121 (0.0299)	0.956	12.9	102843.58+170759.3	HD 90709	*	G5	7.82 : 7.06	
1RXSJ102942.2+012927	0.3929 (0.0325)	0.951	12.3	102942.73+012934.2	HD 90905	*	F5	7.414 : 6.902	
1RXSJ102947.7−351906	0.0823 (0.0194)	0.975	9.1	102948.60−351920.1	NGC 3267	GiG	S0	14.48 : 13.35	
1RXSJ103004.2−495518	0.0786 (0.0174)	0.974	11.9	103004.65−495515.5	...	...	...	...	
1RXSJ103004.7+402816	0.1912 (0.0217)	0.970	12.4	103004.31+402813.5	HD 90860	*	F8	7.569 : 7.029	
1RXSJ103127.8−465110	0.0649 (0.0166)	0.924	13.0	103126.96−465110.6	...	...	...	...	
1RXSJ103156.6−184628	0.1299 (0.0214)	0.978	11.4	103157.30−184633.7	CTS 92	Quasar	./.	15.7 :	
1RXSJ103210.2+532941	5.0690 (0.0954)	0.906	14.0	103210.29+532936.3	SBSS 1028+537	*	./.	:	
1RXSJ103211.4−390553	0.0526 (0.0160)	0.939	10.3	103210.24−390546.7	HD 91353	*	G6/G8IV	10.28 : 9.21	
1RXSJ103325.8+173446	0.0859 (0.0171)	0.905	11.5	103325.92+173427.5	HD 91386	Ecl. Bin. (W UMa)	G5	10.18 : 9.60	
1RXSJ103438.7+393834	2.6580 (0.0879)	0.970	12.5	103438.62+393828.4	1RXP J103438.5+393829	Gal.	./.	:	
1RXSJ103440.7+513924	0.1056 (0.0147)	0.970	12.0	103439.81+513921.0	GSC 03448−00105	*	./.	11.7 : 10.9	
1RXSJ103453.1−645406	0.0512 (0.0150)	0.959	11.3	103452.89−645358.8	** B 1687	**mul.	./.	:	
...	...	...	...	103452.89−645358.8	HD 91895	*iC	F6V	10.09 : 9.60	
1RXSJ103722.6−514851	0.0716 (0.0203)	0.926	0.0	103722.70−514844.1	HD 92162	**mul.	K2V	10.4 : 8.8	
1RXSJ103739.5−293548	0.0658 (0.0178)	0.937	12.0	103739.03−293535.1	...	...	...	...	
1RXSJ103759.7+615310	0.0934 (0.0157)	0.967	12.6	103759.24+615310.3	...	...	...	...	
1RXSJ103852.3+363453	0.0631 (0.0143)	0.910	12.8	103852.10+363456.3	BPS BS 16945−0003	*	./.	:	
1RXSJ103858.4+711254	0.1341 (0.0225)	0.976	11.9	103857.68+711253.1	...	...	...	...	
1RXSJ103945.8+654529	0.1574 (0.0171)	0.917	13.0	103944.96+654521.0	...	...	...	...	
1RXSJ104035.5−571051	0.1090 (0.0259)	0.945	0.0	104032.02−571050.3	HD 92643	*	G8IV	8.80 : 8.03	
1RXSJ104038.7+373233	0.1710 (0.0221)	0.924	13.5	104039.02+373232.2	...	...	...	...	
1RXSJ104047.4−704713	0.2705 (0.0320)	0.929	11.0	104043.21−704704.4	...	...	...	...	
1RXSJ104124.0−014421	0.1670 (0.0236)	0.966	12.1	104124.62−014423.5	HD 92588	*	K1IV	7.122 : 6.257	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ104125.0−694049	0.1930 (0.0216)	0.920	11.5	104123.09−694043.7	...	...	...	...	
1RXSJ104230.3−334014	0.3237 (0.0313)	0.973	12.3	104230.28−334016.0	...	...	...	...	
1RXSJ104401.4+461230	0.1567 (0.0240)	0.947	0.0	104400.61+461223.9	HD 92855	HiPM*	F9V	7.86 : 7.28	P
1RXSJ104415.4−644618	0.0597 (0.0162)	0.959	11.8	104413.95−644627.0	HD 307960	*iC	G5	12.23 : 11.32	
1RXSJ104703.5+490010	0.1690 (0.0199)	0.977	12.2	104703.53+490009.1	StKM 1− 880	*	K4	:	
1RXSJ104708.4−223749	0.0701 (0.0158)	0.921	13.1	104708.19−223753.9	...	...	...	...	
1RXSJ104751.8−011310	0.1835 (0.0227)	0.942	10.4	104751.64−011328.7	BD−00 2375	*	K0	10.90 : 9.91	
1RXSJ104809.7+354946	0.0888 (0.0183)	0.953	12.1	104809.65+354951.9	...	...	...	...	
1RXSJ104817.4−640953	0.0610 (0.0163)	0.952	12.4	104818.23−640954.6	HD 308013	*iC	G	11.0 : 10.3	P
1RXSJ104833.9−390238	0.1409 (0.0228)	0.924	13.4	104833.84−390238.0	...	...	...	...	
1RXSJ104926.7+551639	0.0714 (0.0137)	0.970	0.0	104926.80+551640.9	BD+56 1474B	**	?	11.7 : 11.1	
1RXSJ104940.5+394825	0.0555 (0.0137)	0.969	10.5	104938.83+394812.8	CCDM J10496+3948AB	**mul.	F8	10.32 : 9.75	
1RXSJ105026.4+503744	0.0998 (0.0157)	0.905	12.7	105025.04+503749.9	...	...	...	...	
1RXSJ105046.4−642902	0.0576 (0.0171)	0.976	0.0	105046.02−642846.1	HD 94174	*iC	A0V	7.87 : 7.78	P
1RXSJ105057.2−284954	0.0537 (0.0140)	0.975	11.5	105057.11−285004.8	CD−28 8475	*	G0	:	
1RXSJ105159.4−090433	0.0948 (0.0197)	0.968	11.9	105159.55−090443.2	...	...	...	...	
1RXSJ105317.8−105852	0.0797 (0.0160)	0.959	12.3	105317.74−105853.5	...	...	...	...	
1RXSJ105353.2−700217	0.0713 (0.0177)	0.970	11.6	105351.54−700216.4	...	...	...	...	
1RXSJ105533.8−552716	0.1663 (0.0322)	0.958	0.0	105532.87−552729.7	...	...	...	...	
1RXSJ105541.8+004420	0.0611 (0.0142)	0.944	0.0	105542.40+004413.5	HD 94672	**mul.	F2III	6.312 : 5.927	
1RXSJ105541.8+424603	0.1767 (0.0218)	0.976	11.0	105543.08+424602.9	...	...	...	...	
1RXSJ105634.4+583535	0.0973 (0.0174)	0.905	12.7	105632.93+583528.4	...	...	...	...	
1RXSJ105706.3−010109	0.1210 (0.0189)	0.948	10.9	105707.76−010118.1	...	...	...	...	
1RXSJ105742.7+544138	0.1533 (0.0193)	0.904	12.4	105741.24+544131.5	GSC 03823−00341	*	./.	11.7 : 10.8	
1RXSJ105751.2−691402	0.1609 (0.0208)	0.978	11.3	105749.29−691400.2	GSC 09212−02011	*	./.	11.2 : 10.23	
1RXSJ105929.9−191228	0.0559 (0.0154)	0.947	11.8	105930.41−191214.2	...	...	...	...	
1RXSJ110047.4+103325	0.0708 (0.0182)	0.966	10.7	110045.33+103310.4	IC 664	Gal. in Clust.	dG/S0	14.8 :	
...	...	...	...	110045.33+103310.4	[P78] ACO 1142 A	Gal. in Clust.	./.	:	
1RXSJ110116.6−224335	0.0751 (0.0139)	0.915	11.5	110114.51−224352.9	TCG ACO 1146 1	Gal. in Clust.	./.	:	
1RXSJ110152.0−344212	0.5714 (0.0439)	0.972	12.3	110151.97−344217.2	V* TW Hya	TT	?	11.8 : 11.1	P
...	...	...	...	110151.97−344217.2	[HHP98] TW Hya X30	X	./.	:	
1RXSJ110225.0−773331	0.0587 (0.0127)	0.972	12.0	110224.98−773335.9	V* CS Cha	TT	M0	12.88 : 11.69	P
1RXSJ110423.9−424043	0.0657 (0.0197)	0.906	0.0	110423.95−424039.2	HD 96067	*	G8III	7.983 : 7.074	
1RXSJ110445.7+185030	0.1108 (0.0221)	0.956	10.6	110445.75+184947.9	HD 96029	*	G5	10.32 : 9.42	
1RXSJ110527.5−210506	0.1206 (0.0221)	0.937	10.3	110527.27−210555.8	...	...	...	...	
1RXSJ110721.9−230002	0.1423 (0.0245)	0.947	10.5	110720.59−230040.7	AM 1104−224	Gal.	./.	:	
1RXSJ110913.5−300133	0.3410 (0.0349)	0.970	12.0	110913.92−300139.9	CD−29 8887	TT	M0	12.58 : 11.08	P
...	...	...	...	110913.92−300139.9	[HHP98] CoD−29 8887 X23	X	./.	:	
1RXSJ110929.2−560956	0.0962 (0.0238)	0.977	0.0	110928.65−560936.3	HD 97030	**mul.	F6V	9.18 : 8.75	
1RXSJ110952.1−762909	0.0885 (0.0193)	0.905	11.7	110946.57−762858.0	CD−75 522	*	./.	10.4 :	
...	...	...	...	110946.57−762858.0	Glass R	*	F0V	:	
...	...	...	...	110946.57−762858.0	WKK F 32	*	A7V	:	
1RXSJ111040.4+044625	0.0519 (0.0122)	0.965	11.2	111039.73+044606.3	GSC 00266−00357	*	./.	11.1 : 10.4	
1RXSJ111047.1−283001	0.2486 (0.0304)	0.967	9.9	111048.00−283003.9	ESO 438− 9	Sy1	SBa	14.9 :	P
1RXSJ111135.3−132604	0.0524 (0.0145)	0.959	12.2	111135.08−132612.7	GSC 05507−00705	*	./.	11.8 : 10.9	
1RXSJ111232.8+354845	0.3203 (0.0446)	0.959	11.9	111233.29+354858.1	...	...	...	...	
1RXSJ111248.4−424124	0.4562 (0.0688)	0.953	11.8	111247.95−424114.6	CD−42 6814	*	?	10.39 : 9.74	
1RXSJ111255.8+073325	0.0532 (0.0129)	0.955	12.1	111255.27+073334.5	...	...	...	...	
1RXSJ111436.3+525658	0.1043 (0.0205)	0.939	8.5	111433.29+525650.8	HD 97601	*	G5	8.316 : 7.458	
1RXSJ111506.4−193619	0.0554 (0.0160)	0.960	9.5	111505.62−193623.9	HD 97819	*	G8/K0V+...	9.37 : 8.69	
1RXSJ111554.4+551954	0.3232 (0.0270)	0.950	13.0	111555.08+551955.0	GJ 3653	*	M0.5	12.63 : 11.22	
1RXSJ111612.6+494208	0.1287 (0.0209)	0.931	13.1	111612.74+494211.1	...	...	...	...	
1RXSJ111650.2+445424	0.0935 (0.0177)	0.976	11.6	111649.61+445430.8	...	...	...	...	
1RXSJ111712.4+293408	0.0836 (0.0217)	0.925	9.9	111715.36+293413.7	...	...	...	...	
1RXSJ111737.6−344420	0.1500 (0.0236)	0.971	11.4	111738.83−344414.7	HD 98221	*	F4V	6.808 : 6.441	
1RXSJ111743.6−363210	0.0530 (0.0126)	0.976	11.6	111743.00−363203.9	HD 98233	*	G9III	7.622 : 6.675	
1RXSJ111751.7+291816	0.0624 (0.0176)	0.945	12.2	111752.66+291816.2	PGC 34518	Gal.	S0	15.6 :	
...	...	...	...	111752.66+291816.2	[BFE95] 95	Active Galaxy Nucleus	./.	17.0 :	
1RXSJ111858.5+580325	0.3512 (0.0276)	0.936	13.2	111857.71+580323.7	1RXP J111857.5+580325	Gal.	./.	:	
...	...	...	...	111857.71+580323.7	MCG+10−16−111	Sy1	./.	15.7 :	
1RXSJ112006.6−102941	0.3606 (0.0347)	0.952	12.9	112006.72−102947.7	...	...	...	...	
1RXSJ112048.3−431548	0.4603 (0.0390)	0.929	11.9	112048.01−431550.0	ESO 265− 23	Quasar	S:r	15.60 : 15.00	
1RXSJ112115.4−603725	0.4556 (0.0466)	0.911	13.6	112115.14−603727.6	V* V779 Cen	High Mass X−ray Binary	O6.5II	14.4 : 13.3	P
1RXSJ112117.1−344644	0.4289 (0.0324)	0.952	11.4	112117.44−344647.4	RX J1121.3−3447	**mul.	M	:	
1RXSJ112149.4−241116	0.0717 (0.0170)	0.954	12.5	112149.75−241123.0	CD−23 9898B	**	?	:	
...	...	...	...	112149.75−241123.0	HD 98764	**	G3V	8.73 : 8.13	
1RXSJ112152.3+042021	0.0510 (0.0132)	0.963	10.8	112150.82+042036.5	...	...	...	...	
1RXSJ112327.0+450715	0.5452 (0.0390)	0.976	12.3	112327.27+450713.7	1RXS J112327.0+450715	X	M:	:	P
1RXSJ112522.8−845703	0.1351 (0.0265)	0.972	11.3	112518.58−845716.6	HD 99827	**mul.	F5V	8.05 : 7.65	
1RXSJ113033.9−022656	0.1817 (0.0236)	0.976	11.7	113034.12−022704.1	PPM 705571	*	./.	:	
1RXSJ113155.7−343632	0.6559 (0.0764)	0.977	11.9	113155.38−343627.1	CD−33 7795	*	M1	:	P
...	...	...	...	113155.38−343627.1	[CCD97] EUVE J1131−346 1	Object of unknown nature	./.	:	
1RXSJ113241.7−265155	0.3198 (0.0352)	0.919	13.1	113241.39−265155.3	RX J1132.7−2651	*	./.	:	
1RXSJ113300.5+031156	0.0673 (0.0151)	0.972	12.1	113300.26+031157.1	...	...	...	...	
1RXSJ113316.5+134427	0.0788 (0.0158)	0.953	12.9	113316.66+134423.9	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ113336.8+075131	0.1108 (0.0186)	0.946	12.5	113337.11+075131.6	...	...	...	...	
1RXSJ113352.8+361331	0.1096 (0.0219)	0.941	12.9	113353.33+361333.3	...	...	...	...	
1RXSJ113501.5−485011	0.1009 (0.0288)	0.955	10.4	113503.82−485021.9	CD−48 6632	*	K0	10.88 : 10.30	
1RXSJ113533.7+825920	0.2383 (0.0209)	0.977	12.0	113536.23+825923.2	...	...	...	...	
1RXSJ113626.6+700932	4.5320 (0.0755)	0.935	13.3	113626.45+700926.1	QSO 1133+704	BL Lac − type object	B...	15.16 : 14.49	P
1RXSJ113819.5−160919	0.0504 (0.0144)	0.964	11.9	113820.36−160920.6	...	...	...	...	
1RXSJ113839.0+522604	0.0574 (0.0150)	0.933	12.0	113840.98+522602.8	GSC 03454−02009	*	./.	11.03 : 10.48	
1RXSJ113843.6−632816	0.0944 (0.0216)	0.968	0.0	113835.52−632839.7	...	...	...	...	
1RXSJ113858.9+421957	0.1070 (0.0243)	0.954	9.8	113900.27+421923.5	...	...	...	...	
1RXSJ113913.6+335552	0.8625 (0.0540)	0.933	12.8	113913.91+335551.4	MCG+06−26−012	Sy	S...	15.4 : 16.0	P
1RXSJ114020.3−455506	0.1026 (0.0279)	0.903	13.4	114020.80−455509.0	...	...	...	...	
1RXSJ114037.0−082428	0.1105 (0.0208)	0.927	12.7	114036.59−082419.5	HD 101472	*	G0	7.91 : 7.42	
1RXSJ114106.7+605029	0.2381 (0.0234)	0.969	12.5	114106.26+605034.6	HD 101483	*	G5	7.895 : 7.052	
1RXSJ114116.2+215624	1.5870 (0.0609)	0.958	13.4	114116.16+215621.3	[VV96] J114116.1+215622	Quasar	S...	14.9 : 14.9	P
1RXSJ114452.6−643858	0.0738 (0.0175)	0.965	12.2	114452.08−643855.5	...	...	...	...	
1RXSJ114517.3−342552	0.2872 (0.0364)	0.918	10.4	114520.03−342601.9	MRC 1142−341	Gal.	./.	:	
...	...	...	...	114520.03−342601.9	[GVD92] 114249.5−340921	Gal. in Clust.	./.	:	
...	...	...	...	114520.03−342601.9	[RLM94] 1142−341 1	Rad.	./.	:	
...	...	...	...	114520.03−342601.9	[RLM94] 1142−341 2	Rad.	./.	:	
...	...	...	...	114520.03−342601.9	[RLM94] 1142−341 3	Rad.	./.	:	
1RXSJ114542.7−573928	0.1125 (0.0220)	0.904	12.7	114542.77−573928.1	...	...	...	...	
1RXSJ114610.6−245223	0.0742 (0.0143)	0.971	11.9	114609.95−245223.9	HD 102276	V* (irregular)	M4III	9.06 : 7.63	
1RXSJ114700.7+234323	0.2206 (0.0256)	0.917	12.4	114701.16+234312.8	HD 102357	*	F7V	7.40 : 6.97	
1RXSJ114749.2+351339	0.0935 (0.0199)	0.964	12.4	114749.38+351335.5	SV* WR 7	Ecl. Bin. (Algol)	G5	11.8 : 10.8	
1RXSJ114804.0−081850	0.0737 (0.0179)	0.969	12.0	114803.89−081851.0	BD−07 3291	*	./.	11.08 : 10.42	
1RXSJ114904.2+380038	0.0932 (0.0206)	0.960	12.0	114903.73+380033.3	BD+38 2281	*	G7III	11.6 : 10.69	
1RXSJ114913.3−544733	0.0887 (0.0193)	0.942	11.6	114914.58−544737.9	GSC 08635−01370	*	./.	11.6 : 10.9	
1RXSJ114925.2+052955	0.0696 (0.0156)	0.920	13.5	114925.35+052957.6	LP 553−46	*	./.	13.50 : 12.34	
1RXSJ114949.2+022141	0.1723 (0.0231)	0.967	11.5	114949.31+022132.4	HD 102746	*	G5	10.26 : 9.79	
1RXSJ115019.9−155148	0.1301 (0.0216)	0.953	0.0	115019.60−155149.2	HD 102845	*	G8II/III	7.066 : 6.137	
1RXSJ115022.6−202914	0.0757 (0.0174)	0.965	11.3	115022.99−202929.9	...	...	...	...	
1RXSJ115107.6+351617	0.0687 (0.0155)	0.948	12.0	115108.41+351606.8	...	...	...	...	
1RXSJ115203.9−112223	0.6099 (0.0541)	0.907	13.7	115203.55−112224.0	PGC 37161	Gal.	./.	16.08 :	
...	...	...	...	115203.55−112224.0	QSO 1149−110	Sy	./.	15.46 :	
1RXSJ115308.5−564317	0.0703 (0.0172)	0.964	0.0	115308.00−564338.0	HD 103234	*	F2IV/V	8.62 : 8.26	
1RXSJ115342.4+461244	0.1920 (0.0271)	0.914	12.8	115341.78+461241.9	Mrk 42	Sy1	SBb	16.0 :	
...	...	...	...	115341.78+461241.9	PGC 37289	Gal.	./.	:	
1RXSJ115502.8+082647	0.1542 (0.0208)	0.964	0.0	115503.13+082638.2	HD 103484	*	K0III:	6.488 : 5.582	
1RXSJ115544.5−563739	0.1993 (0.0300)	0.958	11.6	115542.79−563733.9	...	...	...	...	
1RXSJ115600.6+352027	0.0654 (0.0156)	0.958	0.0	115600.24+352026.1	HD 103613	*	F5	7.226 : 6.750	
1RXSJ115651.8+082726	0.1935 (0.0246)	0.969	12.3	115651.91+082721.4	...	...	...	...	
1RXSJ115700.3−044710	0.0839 (0.0182)	0.935	0.0	115700.29−044658.0	HD 103773	*	F5	7.3 : 6.87	
1RXSJ115838.0+804041	0.0618 (0.0133)	0.905	12.6	115834.28+804029.0	EXO 1155.8+8057	*	./.	:	P
1RXSJ115938.3+560301	0.0885 (0.0166)	0.965	12.8	115938.03+560303.6	...	...	...	...	
1RXSJ115946.5−610111	0.0722 (0.0160)	0.974	11.5	115945.77−610116.2	...	...	...	...	
1RXSJ120027.6+515722	0.1809 (0.0255)	0.967	0.0	120026.66+515718.2	BD+52 1602	*	./.	11.279 : 10.070	
1RXSJ120114.3−034040	0.8311 (0.0730)	0.962	12.9	120114.37−034041.4	Mrk 1310	Sy1	S...	15.1 :	P
1RXSJ120119.2−371547	0.1194 (0.0307)	0.950	11.8	120118.81−371558.5	...	...	...	...	
1RXSJ120137.4−785918	0.1979 (0.0197)	0.954	12.2	120139.28−785918.1	HD 104467	TT	G5III/IV	9.24 : 8.59	P
1RXSJ120239.8−104223	0.1987 (0.0532)	0.980	9.4	120239.36−104248.4	HD 104576	*	G0	9.21 : 8.55	
1RXSJ120308.9+443155	3.9180 (0.1079)	0.928	12.9	120309.51+443150.1	EM* StHA 85	Em. *	./.	:	
...	...	...	...	120309.51+443150.1	NGC 4051	Sy1	S...	11.5 :	P
1RXSJ120413.3−641837	0.2769 (0.0436)	0.949	11.1	120414.50−641851.3	GSC 08982−03046	*	./.	10.68 : 10.10	
1RXSJ120544.9−351102	0.1356 (0.0315)	0.977	11.5	120544.36−351106.4	CD−34 7904	*	K0	11.3 : 10.32	
1RXSJ120547.8−510007	0.2192 (0.0308)	0.935	13.2	120547.50−510011.4	HD 105070	*	G1V	9.52 : 8.93	
1RXSJ120632.7−424750	0.0853 (0.0230)	0.968	11.6	120633.02−424750.8	CD−42 7422	*	./.	11.4 : 10.59	
1RXSJ120649.3−643601	0.4253 (0.0794)	0.937	0.0	120652.85−643649.1	GJ 9388	**	F2III	4.462 : 4.145	
...	...	...	...	120652.85−643649.1	IRAS 12042−6420	IR	./.	:	
1RXSJ120701.7−234601	0.1026 (0.0254)	0.939	0.0	120701.34−234558.6	HD 105241	*	F7V	7.7 : 6.9	
1RXSJ120732.6+471447	0.1234 (0.0235)	0.959	12.4	120732.62+471442.9	...	...	...	...	
1RXSJ120741.4−622720	0.1159 (0.0194)	0.954	11.6	120742.29−622728.0	2E 1205.0−6210	X	./.	:	P
...	...	...	...	120742.29−622728.0	GEN# +6.43001021	*	?	11.6 : 11.0	
1RXSJ121131.6−512133	0.1223 (0.0220)	0.960	0.0	121131.48−512133.6	HD 105920	HiPM*	G6III+...	7.05 : 6.23	
1RXSJ121210.7−494955	0.0768 (0.0192)	0.961	11.9	121211.26−495008.1	...	...	...	...	
1RXSJ121236.4−552037	0.1834 (0.0271)	0.964	11.7	121235.81−552027.1	CD−54 4621	*	./.	11.3 : 10.46	
1RXSJ121320.5+450712	0.0804 (0.0215)	0.979	11.3	121321.01+450706.4	HD 106237	*	F8	11.4 : 10.65	
1RXSJ121356.3−625508	0.1592 (0.0295)	0.903	13.1	121357.20−625512.8	...	...	...	...	
1RXSJ121417.7+140312	1.5630 (0.1415)	0.924	13.8	121417.66+140313.2	GSC 00872−00499	*	./.	:	
...	...	...	...	121417.66+140313.2	[VV96] J121417.7+140313	Quasar	S...	14.63 : 14.19	P
1RXSJ121430.7+481859	0.1874 (0.0244)	0.975	12.2	121430.76+481854.9	BD+49 2125	*	K0V	:	
1RXSJ121434.2−511004	0.1774 (0.0252)	0.945	11.7	121434.16−511012.5	CD−50 6815	*	G0	11.27 : 10.37	
1RXSJ121443.0−244643	0.1246 (0.0321)	0.966	11.7	121442.33−244631.2	HD 106453	HiPM*	K0/K1V+...	8.18 : 7.46	
1RXSJ121542.2+723308	1.6380 (0.0437)	0.970	12.6	121541.47+723305.3	HD 106677	V* (RS CVn)	K0III	7.43 : 6.30	P
1RXSJ121601.8−561405	0.2178 (0.0295)	0.972	12.1	121601.28−561407.3	...	...	...	...	
1RXSJ121607.4+504926	0.0792 (0.0174)	0.920	13.4	121607.10+504930.3	Mrk 1469	Sy	./.	15.5 :	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ121616.2−505522	0.2319 (0.0295)	0.907	13.1	121616.98−505529.0	...	...	...	...	
1RXSJ121630.6−671146	0.1538 (0.0321)	0.979	11.1	121630.12−671148.1	...	...	...	...	
1RXSJ121643.1−303552	0.1353 (0.0292)	0.928	11.9	121642.73−303601.1	[BFE95] 120	Active Galaxy Nucleus	./.	18.7 :	P
1RXSJ121704.2−574356	0.1852 (0.0259)	0.969	11.5	121704.92−574355.8	...	...	...	...	
1RXSJ121723.7−210324	0.8464 (0.0520)	0.911	0.0	121724.09−210327.2	HD 106855	V*	K1V	10.40 : 9.59	P
1RXSJ121745.3+531138	0.0645 (0.0160)	0.949	10.5	121748.47+531205.9	HD 233919	*	G0	10.44 : 9.82	
1RXSJ121754.3+105647	0.0535 (0.0151)	0.933	12.8	121754.46+105649.1	...	...	...	...	
1RXSJ121828.6−594307	0.1781 (0.0249)	0.974	11.5	121827.78−594312.9	...	...	...	...	
1RXSJ121906.1+182119	0.0954 (0.0177)	0.972	12.1	121906.48+182122.3	...	...	...	...	
1RXSJ121906.8+163259	0.2659 (0.0271)	0.970	12.6	121906.99+163300.2	HD 107146	HiPM*	G2V	7.69 : 7.07	
1RXSJ121919.4−645406	0.2550 (0.0432)	0.945	0.0	121921.63−645410.3	CPD−64 1859	*	./.	10.98 : 10.02	
1RXSJ121948.5+524659	0.0501 (0.0139)	0.956	0.0	121948.22+524646.1	HIC 60121	*	M0	12.62 : 11.18	
...	...	...	...	121948.22+524646.1	StKM 1−1007	*	K7	12.62 : 11.18	
1RXSJ122022.6−740729	0.0802 (0.0163)	0.940	12.5	122021.99−740739.5	...	...	...	...	
1RXSJ122108.0−521217	0.0773 (0.0157)	0.954	12.2	122108.14−521223.6	...	...	...	...	
1RXSJ122155.9−494609	0.1133 (0.0193)	0.962	11.3	122155.68−494612.6	CD−49 7027	*	K0	10.78 : 10.05	
1RXSJ122212.6+731453	0.2364 (0.0179)	0.952	9.1	122216.38+731446.5	...	...	...	...	
1RXSJ122233.4−533347	0.1429 (0.0246)	0.973	11.3	122233.32−533348.9	CD−52 5008	*	G2	10.02 : 9.42	
1RXSJ122308.2+452801	0.0970 (0.0180)	0.948	12.5	122308.81+452754.6	...	...	...	...	
1RXSJ122324.4+024040	0.4920 (0.0430)	0.913	13.5	122324.15+024045.0	Mrk 50	Sy1	S0	15.5 :	
1RXSJ122339.9−561628	0.0803 (0.0180)	0.949	11.5	122340.15−561632.6	...	...	...	...	
1RXSJ122408.2−191359	0.1255 (0.0241)	0.976	11.8	122408.29−191357.2	...	...	...	...	
1RXSJ122410.4−600337	0.0844 (0.0186)	0.960	11.9	122409.79−600341.7	...	...	...	...	
1RXSJ122412.4+021102	0.0579 (0.0162)	0.978	11.4	122412.40+021112.8	GSC 00282−00052	*	./.	11.4 : 10.9	
1RXSJ122517.6−785735	0.0520 (0.0121)	0.976	11.3	122513.63−785734.6	CD−78 502	*	G5	11.5 : 10.7	
1RXSJ122642.1−592828	0.0622 (0.0174)	0.919	0.0	122645.90−592855.8	GSC 08658−01709	*	./.	10.55 : 10.38	
1RXSJ122648.5−521453	0.1025 (0.0206)	0.923	12.4	122648.49−521507.0	...	...	...	...	
1RXSJ122737.4+560841	0.0722 (0.0207)	0.944	11.8	122737.87+560830.2	GSC 03844−00082	*	./.	11.7 : 11.1	
1RXSJ122808.3−140241	0.1036 (0.0225)	0.972	11.9	122808.47−140243.6	BD−13 3541	*	./.	10.81 : 9.90	
1RXSJ122814.0+440631	0.0823 (0.0168)	0.970	11.2	122813.76+440613.5	[BCH97] Fil 33	Part of a Galaxy	./.	:	
1RXSJ122820.2−730636	0.0682 (0.0171)	0.924	12.5	122819.16−730634.5	...	...	...	...	
1RXSJ122920.8+011844	0.0595 (0.0154)	0.953	12.2	122920.80+011856.0	GSC 00282−00763	*	./.	11.3 : 10.4	
1RXSJ122939.7+393557	0.1119 (0.0167)	0.978	11.4	122939.30+393607.8	BD+40 2540	*	G0	10.33 : 9.61	
1RXSJ122942.4−315359	0.0981 (0.0234)	0.906	12.3	122941.89−315409.8	[BFE95] 122	Active Galaxy Nucleus	./.	17.6 :	P
1RXSJ123031.1−522221	0.0784 (0.0192)	0.961	11.8	123029.73−522227.0	...	...	...	...	
1RXSJ123139.0−732152	0.0826 (0.0168)	0.921	11.9	123143.00−732144.7	GSC 09240−01671	*	./.	12.1 : 11.6	
1RXSJ123157.8−503250	0.0795 (0.0182)	0.970	11.6	123157.26−503242.7	...	...	...	...	
1RXSJ123203.6+200930	0.6335 (0.0400)	0.940	13.5	123203.62+200929.5	QSO 1229+204	Sy1	S...	:	P
1RXSJ123333.8−482605	0.2360 (0.0275)	0.954	12.7	123333.59−482612.8	...	...	...	...	
1RXSJ123335.2+071638	0.0915 (0.0183)	0.974	9.5	123334.94+071651.3	HD 109286	*	G5	9.48 : 8.81	
1RXSJ123420.1−481514	0.1155 (0.0198)	0.935	13.3	123420.48−481516.1	...	...	...	...	
1RXSJ123456.1−453808	0.1069 (0.0205)	0.912	13.5	123456.38−453807.4	...	...	...	...	
1RXSJ123645.3+475530	1.4510 (0.0578)	0.923	13.6	123645.53+475525.1	WD 1234+482	WD	sd:B	14.38 :	P
...	...	...	...	123645.53+475525.1	[TFW97] J123645.29+475523.20	*	./.	:	
1RXSJ123647.7−502012	0.5371 (0.0436)	0.971	11.6	123646.56−502006.8	HD 109675	*	A0V	6.424 : 6.400	
1RXSJ123719.0+791247	0.1069 (0.0164)	0.939	12.6	123721.18+791254.8	GJ 9414	*	G0	7.582 : 6.999	
1RXSJ123829.0−113107	0.0559 (0.0170)	0.977	0.0	123827.67−113142.4	HD 109899	**	G5	9.52 : 8.47	
1RXSJ123834.9−591645	0.0936 (0.0251)	0.962	11.3	123835.66−591644.6	...	...	...	...	
1RXSJ123858.2+584417	0.0872 (0.0155)	0.972	12.0	123858.25+584412.8	...	...	...	...	
1RXSJ123912.6−542920	0.0619 (0.0163)	0.980	0.0	123911.06−542924.9	CD−53 4730	*	./.	10.07 : 8.96	
1RXSJ123915.4+034216	0.0628 (0.0132)	0.937	12.9	123915.77+034220.3	...	...	...	...	
1RXSJ123917.0+833828	0.0920 (0.0141)	0.905	13.2	123915.43+833837.5	HD 110533	Spec. Bin.	G0	7.94 : 7.35	
1RXSJ123957.8−174042	0.1657 (0.0454)	0.947	9.3	124000.26−174103.3	HD 110108	*	G3V	9.21 : 8.64	
1RXSJ124046.8−333408	0.4464 (0.0455)	0.949	13.2	124046.99−333411.6	...	...	...	...	
1RXSJ124046.9−521108	0.0630 (0.0161)	0.906	12.4	124046.65−521104.6	...	...	...	...	
1RXSJ124231.8+290643	0.0704 (0.0142)	0.932	12.1	124232.48+290632.5	BD+29 2317	*	G2V	11.00 : 10.42	
1RXSJ124252.5+131530	0.1605 (0.0216)	0.970	12.5	124252.36+131527.6	NGC 4639	Gal.	Sb	12.4 :	
1RXSJ124409.3+402328	0.0785 (0.0150)	0.954	12.5	124408.52+402329.0	BD+41 2326	*	G5	11.9 : 11.1	
1RXSJ124423.9−585428	0.2002 (0.0515)	0.921	0.0	124424.12−585521.6	...	...	...	...	
1RXSJ124432.6−633139	0.2112 (0.0371)	0.915	11.2	124434.75−633145.5	ASAS J124435−6331.8	Eclipsing binary	./.	11.8 : 10.8	
1RXSJ124453.6−104726	0.0940 (0.0233)	0.979	10.5	124453.39−104744.7	BD−10 3545	*	./.	10.51 : 9.91	
1RXSJ124458.7−602632	0.1373 (0.0361)	0.968	11.5	124459.32−602641.3	...	...	...	...	
1RXSJ124501.5+075644	0.0515 (0.0117)	0.937	10.7	124501.79+075705.3	BD+08 2638	*	G0	10.9 : 10.4	
1RXSJ124506.9−474254	0.2216 (0.0295)	0.938	12.2	124506.84−474257.9	HD 110817	*	K0/K1	10.9 : 10.4	
1RXSJ124516.9−572123	0.1328 (0.0238)	0.968	0.0	124514.63−572127.7	HD 110810	HiPM*	K3V	8.8 : 7.9	
1RXSJ124548.3−313008	0.1193 (0.0249)	0.976	11.4	124547.63−313006.7	GSC 07248−00518	*	./.	11.5 : 10.8	
1RXSJ124747.8−543141	0.1634 (0.0234)	0.912	12.3	124748.33−543130.6	...	...	...	...	
1RXSJ124747.9+500918	0.0939 (0.0201)	0.938	0.0	124748.37+500925.1	HD 111306	*	F0	7.172 : 6.824	
1RXSJ124807.6−443913	0.4329 (0.0398)	0.971	12.4	124807.87−443916.0	HD 111227	*	G8IV:	10.45 : 9.73	
1RXSJ125142.1+273222	1.1060 (0.0910)	0.919	0.0	125141.92+273226.6	HD 111812	*	G0IIIp	5.562 : 4.935	P
1RXSJ125146.8+223240	0.4197 (0.0316)	0.974	12.3	125147.12+223239.4	BD+23 2508	*	M0	11.8 : 10.5	
1RXSJ125224.7−291451	5.4330 (0.2860)	0.969	12.3	125224.39−291456.5	V* EX Hya	CV (DQ Her type)	M5/M6:...	11.40 :	P
1RXSJ125233.7−311605	0.5528 (0.0427)	0.953	10.7	125235.04−311557.8	...	...	...	...	
1RXSJ125425.0−282629	0.2257 (0.0310)	0.909	12.4	125424.81−282631.3	ESO 443− 5	Sy1	An...	17. :	
1RXSJ125439.7+220632	0.2187 (0.0248)	0.974	0.0	125440.01+220628.5	HD 112196	*	F8V	7.497 : 7.007	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ125441.7−291342	0.3959 (0.0398)	0.977	9.2	125441.11−291340.2	ESO 443− 7	Rad. Gal.	Sa	:	P
...	...	...	...	125441.11−291340.2	Sch96 A3528S G1	Gal.	./.	:	
...	...	...	...	125441.11−291340.2	[R97] EX Hya 7	X	./.	:	
1RXSJ125515.9−315643	0.2202 (0.0304)	0.971	12.0	125516.46−315646.7	...	...	...	...	
1RXSJ125532.4+301108	0.0745 (0.0151)	0.958	12.4	125532.86+301115.1	GSC 02532−00509	X	K8V:	12.2 : 10.9	P
1RXSJ125608.8−692652	0.3939 (0.0445)	0.951	12.7	125608.59−692653.2	...	...	...	...	
1RXSJ125609.4−612724	0.8039 (0.0744)	0.920	13.7	125609.47−612725.9	HD 112245	*	G8/K0III/IV	10.26 : 9.48	
1RXSJ125702.4+220155	6.0330 (0.1143)	0.928	13.3	125702.42+220201.6	FS 33	*	./.	:	
...	...	...	...	125702.42+220201.6	GD 153	WD	DAw...	13.17 : 13.40	P
1RXSJ125710.6−133938	0.1334 (0.0217)	0.962	9.3	125712.20−133953.1	NGC 4825	Gal.	S0	12. :	
1RXSJ125710.8+272426	0.1182 (0.0203)	0.924	13.1	125710.80+272418.2	PGC 83677	Gal. in Clust.	Sa	15. :	
1RXSJ125814.2−282100	0.0596 (0.0156)	0.969	11.7	125814.30−282112.8	...	...	...	...	
1RXSJ125952.2−422256	0.1287 (0.0242)	0.920	11.5	125952.37−422239.5	CD−41 7512	*	./.	:	
1RXSJ130015.6+304716	0.0616 (0.0137)	0.970	11.5	130016.48+304705.6	BD+31 2434B	**	?	:	
...	...	...	...	130016.48+304705.6	HD 112989	**	G9III	6.07 : 4.90	
1RXSJ130038.5+182220	0.0704 (0.0142)	0.967	11.8	130039.44+182219.9	...	...	...	...	
1RXSJ130056.6−765356	0.0708 (0.0119)	0.947	12.5	130056.31−765402.1	[AKS95b] RX J1301.0−7654a	TT	K1	:	
1RXSJ130058.9−231213	0.1155 (0.0239)	0.906	12.8	130058.52−231215.7	PKS 1258−22	Rad. Gal.	./.	:	P
...	...	...	...	130058.52−231215.7	PMN J1300−2312	Rad.	./.	:	
1RXSJ130133.9+283753	0.1965 (0.0219)	0.970	12.0	130133.24+283754.1	V* UX Com	V* (RS CVn)	G7III:	10.86 : 10.01	
1RXSJ130147.6+633650	0.1192 (0.0170)	0.970	11.3	130148.29+633635.9	HD 113337	**	F6V	6.397 : 6.025	P
1RXSJ130205.5+151114	0.0521 (0.0142)	0.948	11.7	130206.57+151128.6	...	...	...	...	
1RXSJ130329.1−472326	0.1423 (0.0272)	0.943	11.7	130329.11−472313.6	...	...	...	...	
1RXSJ130346.2+283729	0.0648 (0.0135)	0.970	12.0	130346.07+283719.8	...	...	...	...	
1RXSJ130456.7+395537	0.0535 (0.0118)	0.939	12.8	130457.01+395529.6	IC 4165	Gal.	./.	15. :	
1RXSJ130518.6−575816	0.0961 (0.0255)	0.975	11.6	130517.85−575815.4	CD−57 4849	*	./.	10.50 : 9.95	
1RXSJ130614.0−041812	0.0709 (0.0193)	0.977	8.6	130613.75−041834.7	HD 113798	*	G0	8.79 : 8.27	
1RXSJ130638.5−515948	0.0846 (0.0180)	0.967	11.0	130640.11−515939.2	GSC 08258−01878	*	./.	11.35 : 10.49	
1RXSJ130655.0−454125	0.0920 (0.0194)	0.965	12.0	130654.44−454130.9	RX J130655.0−454125	X	./.	:	P
1RXSJ130658.3−374438	0.0794 (0.0180)	0.978	0.0	130659.11−374440.2	HD 113853	HiPM*	G1V	9.07 : 8.51	
1RXSJ130711.5−595222	0.1887 (0.0367)	0.964	0.0	130713.14−595210.8	...	...	...	...	
1RXSJ130713.8−402413	0.0912 (0.0200)	0.909	10.9	130712.11−402427.4	ESO 323− 81	Gal. in Clust.	./.	:	
1RXSJ130737.2+375345	0.0661 (0.0131)	0.970	11.5	130738.06+375346.1	BD+38 2405	*	G8III	10.72 : 10.05	
1RXSJ130958.7−452759	0.1309 (0.0235)	0.919	11.7	130958.86−452738.5	...	...	...	...	
1RXSJ131033.6−481659	0.0621 (0.0168)	0.959	11.8	131032.49−481703.0	...	...	...	...	
1RXSJ131046.6−241051	0.0946 (0.0216)	0.930	0.0	131046.93−241042.9	HD 114432	HiPM*	G8V	8.4 : 7.8	
1RXSJ131234.1−480325	0.1746 (0.0245)	0.974	10.5	131232.93−480326.0	CD−47 8143	*	G0	10.57 : 9.94	
1RXSJ131336.6+564234	0.1760 (0.0191)	0.972	12.3	131336.37+564230.1	GJ 503.2	**	G1Va	7.398 : 6.823	
1RXSJ131400.3−684634	0.0581 (0.0165)	0.912	12.1	131401.04−684638.7	...	...	...	...	
1RXSJ131650.9−511715	0.1164 (0.0218)	0.907	12.8	131650.97−511708.6	...	...	...	...	
1RXSJ131651.3−454905	0.0557 (0.0156)	0.952	11.5	131649.41−454900.5	HD 115264	*	F3IV/V	10.01 : 9.60	
1RXSJ131732.5−703737	0.0803 (0.0141)	0.960	12.4	131733.03−703743.3	...	...	...	...	
1RXSJ131857.6−253544	0.1732 (0.0306)	0.962	12.0	131858.40−253543.0	HD 115683	*	F8V	8.64 : 8.11	
1RXSJ131932.0−424526	0.2121 (0.0288)	0.949	12.3	131932.99−424527.7	...	...	...	...	
1RXSJ132117.1+210116	0.0560 (0.0162)	0.925	12.8	132117.44+210124.7	...	...	...	...	
1RXSJ132207.2−693812	0.1577 (0.0197)	0.972	10.9	132207.62−693813.1	CPD−68 1894	TT	G	11.3 : 10.32	
1RXSJ132323.9+575426	0.1982 (0.0190)	0.961	11.7	132322.64+575422.8	GJ 509.1	*	K5	10.91 : 9.73	
1RXSJ132336.3−471844	0.1011 (0.0208)	0.959	12.5	132335.93−471846.6	...	...	...	...	
1RXSJ132351.4−755555	0.0557 (0.0113)	0.967	12.2	132352.81−755548.0	HD 116009	*	F3IV	8.19 : 7.81	P
1RXSJ132409.9+135855	0.0550 (0.0162)	0.980	10.0	132410.05+135835.9	NGC 5129	Gal. in Clust.	E	13.3 :	
1RXSJ132433.7−050947	0.1394 (0.0251)	0.956	0.0	132433.22−050950.4	HD 116568	*	F3.5Vs	6.144 : 5.773	P
1RXSJ132519.4−382445	0.2203 (0.0297)	0.935	12.9	132519.31−382452.5	GSC 07787−00931	Sy1	./.	:	
1RXSJ132616.0−290516	0.1059 (0.0209)	0.975	10.8	132616.56−290511.5	...	...	...	...	
1RXSJ132641.4+022230	0.0558 (0.0163)	0.941	12.8	132641.01+022227.6	...	...	...	...	
1RXSJ132711.7−245126	0.1344 (0.0267)	0.935	11.0	132712.74−245141.0	H 1324−246	Sy1	./.	15.8 :	
1RXSJ132713.0+455826	0.1569 (0.0185)	0.969	12.4	132712.49+455828.9	...	...	...	...	
1RXSJ132746.5−314729	0.0891 (0.0222)	0.966	0.0	132745.45−314750.8	TCG ACO 3558 133	Gal. in Clust.	./.	:	
1RXSJ132814.5−444634	0.0540 (0.0155)	0.958	11.9	132815.16−444637.5	...	...	...	...	
1RXSJ132831.8−490904	0.2741 (0.0389)	0.930	13.0	132830.97−490905.3	...	...	...	...	
1RXSJ132910.2−252404	0.1421 (0.0230)	0.921	12.3	132911.04−252352.8	...	...	...	...	
1RXSJ132931.8+514214	0.0545 (0.0127)	0.908	13.5	132932.20+514211.8	...	...	...	...	
1RXSJ132946.9+010548	0.0554 (0.0156)	0.910	0.0	132947.08+010543.3	HD 117362	V*	A2	6.86 : 6.61	
1RXSJ132947.7−313558	0.2025 (0.0329)	0.901	10.8	132947.76−313625.4	[BZM96] 18	X	./.	:	
1RXSJ133151.1+603451	0.1249 (0.0156)	0.929	13.5	133150.68+603448.1	MCG+10−19−084	Gal.	./.	16. :	
1RXSJ133226.0−330812	0.3104 (0.0394)	0.962	10.2	133225.47−330812.0	SGC 132935−3252.9	Gal.	./.	:	
1RXSJ133241.6+223007	0.8441 (0.0520)	0.969	11.6	133242.16+223010.1	1RXS J133241.6+223007	X	KV:e	:	P
...	...	...	...	133242.16+223010.1	BD+23 2581	*	KV:e	10.65 : 9.61	
1RXSJ133244.8+164817	0.0757 (0.0184)	0.958	0.0	133244.43+164841.0	GJ 516A	**	M2.5	13.5 : 12.0	
1RXSJ133259.4+042506	0.0520 (0.0153)	0.972	12.0	133259.19+042510.5	BD+05 2762	*	G	11.8 : 11.5	
1RXSJ133300.9−465141	0.1114 (0.0254)	0.974	11.5	133302.09−465139.2	HD 117721	*	A3V	8.10 : 7.90	
1RXSJ133400.5−374255	0.0564 (0.0176)	0.932	11.1	133358.71−374236.2	GSC 07788−01884	*	./.	11.4 : 10.7	
1RXSJ133417.9−113203	0.0813 (0.0218)	0.928	12.5	133418.05−113211.8	HD 118008	**mul.	F2	7.53 : 7.11	
1RXSJ133510.2+503920	0.1980 (0.0215)	0.945	13.4	133509.96+503919.7	StM 185	*	M8	13.5 :	
1RXSJ133638.2−335737	0.0686 (0.0183)	0.957	11.1	133638.99−335757.0	IC 4296	Gal.	E	11.58 : 10.57	P
1RXSJ133707.9+444449	0.0715 (0.0131)	0.924	12.0	133709.24+444455.1	GSC 03032−00977	*	./.	12.0 : 11.1	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ133718.8+242306	2.5270 (0.0870)	0.909	14.2	133718.74+242303.4	[VV96] J133718.8+242304	Quasar	S...	:	P
1RXSJ133740.0+320930	0.0877 (0.0144)	0.970	12.2	133739.97+320935.4	...	...	...	...	
1RXSJ133758.0−413448	0.2224 (0.0302)	0.972	10.8	133757.36−413441.7	CD−40 8031	*	K5	10.92 : 10.03	
1RXSJ133809.3−194457	0.0568 (0.0147)	0.959	12.5	133809.30−194449.8	...	...	...	...	
1RXSJ133840.2−293321	0.0672 (0.0193)	0.932	10.6	133842.09−293338.2	EC 13358−2918	Object of unknown nature	./.	:	
...	...	...	...	133842.09−293338.2	HD 118646	*	F5V	6.197 : 5.821	
1RXSJ133840.3−082508	0.0753 (0.0195)	0.940	11.5	133840.42−082515.5	HD 118704	*	F8	9.01 : 8.53	
1RXSJ133941.3+552800	0.0663 (0.0138)	0.917	12.4	133942.73+552751.8	...	...	...	...	
1RXSJ134243.2−335942	0.0633 (0.0172)	0.977	10.7	134242.57−335944.6	...	...	...	...	
1RXSJ134306.8−690754	0.8439 (0.0835)	0.972	0.0	134308.75−690739.3	HD 119022	*	G2IV/V	8.30 : 7.60	
1RXSJ134327.7+391131	0.0753 (0.0140)	0.930	12.3	134328.72+391133.9	...	...	...	...	
1RXSJ134330.5+332946	0.0853 (0.0163)	0.968	12.4	134330.83+332951.8	...	...	...	...	
1RXSJ134332.7−543638	0.4811 (0.1291)	0.917	11.4	134328.63−543642.9	HD 119269	*	G3/G5V	9.97 : 9.31	
1RXSJ134356.6−434531	0.1061 (0.0274)	0.963	11.6	134355.71−434540.4	HD 119403	*	F8IV	9.68 : 9.18	
1RXSJ134400.4−612206	1.3030 (0.0762)	0.961	0.0	134400.91−612159.2	HD 119285	V* (RS CVn)	K1Vp	8.726 : 7.685	P
1RXSJ134426.3+441624	0.1119 (0.0157)	0.967	12.7	134426.42+441620.3	...	...	...	...	
1RXSJ134442.5−634758	0.1941 (0.0290)	0.950	11.5	134442.94−634748.9	...	...	...	...	
1RXSJ134528.6−242141	0.0702 (0.0173)	0.956	11.5	134527.85−242135.9	...	...	...	...	
1RXSJ134534.9+654837	0.0552 (0.0118)	0.970	10.1	134535.89+654815.8	HD 120163	*	K0	9.88 : 8.82	
1RXSJ134542.5−490455	0.1335 (0.0295)	0.925	0.0	134541.97−490459.0	HD 119658	*	F5V	9.57 : 9.16	
1RXSJ134555.2−522215	0.1687 (0.0390)	0.970	11.6	134556.04−522225.7	...	...	...	...	
1RXSJ134607.4+050657	0.4232 (0.0442)	0.955	0.0	134606.81+050656.2	HD 119931	Ecl. Bin. (W UMa)	G0	7.70 : 7.16	P
1RXSJ134643.3+254218	0.1280 (0.0201)	0.929	0.0	134643.32+254208.0	HD 120064	Spec. Bin.	A7V:+...	6.44 : 5.95	
1RXSJ134710.4−702118	0.0611 (0.0128)	0.919	11.5	134709.16−702105.3	GSC 09247−00333	*	./.	11.6 : 10.6	
1RXSJ134838.5+712552	0.1164 (0.0141)	0.962	12.9	134837.86+712549.4	...	...	...	...	
1RXSJ134922.7+103532	0.5177 (0.0392)	0.956	11.7	134922.85+103527.0	HD 120447	V* (irregular)	G5	9.35 : 8.68	
1RXSJ135155.7−363726	0.2348 (0.0327)	0.942	8.9	135156.27−363721.1	HD 120734	V*	G5	9.13 : 8.54	
1RXSJ135239.5−184231	0.0850 (0.0184)	0.928	7.7	135238.93−184232.6	HD 120901	Ecl. Bin. (Algol)	A1V+...	7.55 : 6.98	
1RXSJ135304.8+691832	2.8090 (0.0699)	0.965	11.5	135303.44+691829.0	QSO 1351+695	Sy1	?	14.5 :	
1RXSJ135325.4−275330	0.1045 (0.0216)	0.910	10.3	135326.64−275406.3	SGC 135036−2739.3	Gal.	./.	:	
1RXSJ135357.8−470744	0.0896 (0.0243)	0.919	0.0	135357.24−470741.4	HD 120991	Em. *	B2IIIe	5.78 : 5.83	
1RXSJ135418.6+404533	0.1577 (0.0176)	0.974	9.9	135419.34+404543.6	BD+41 2437	*	G0	9.84 : 9.27	
1RXSJ135440.7−482108	0.1068 (0.0259)	0.902	11.6	135442.17−482057.5	...	...	...	...	
1RXSJ135441.1+155624	0.0560 (0.0151)	0.955	12.2	135441.77+155630.2	...	...	...	...	
1RXSJ135510.3+160837	0.1458 (0.0222)	0.967	12.7	135510.45+160838.5	...	...	...	...	
1RXSJ135625.3+283138	0.0586 (0.0147)	0.931	13.2	135625.35+283135.1	MCG+05−33−024a	Gal.	./.	15.7 :	
1RXSJ135728.9+591107	0.0598 (0.0119)	0.970	12.0	135729.62+591102.3	...	...	...	...	
1RXSJ135902.2+591754	0.0670 (0.0134)	0.950	12.6	135902.86+591746.9	...	...	...	...	
1RXSJ140048.7−423711	0.1170 (0.0261)	0.947	10.9	140049.87−423654.9	...	...	...	...	
1RXSJ140146.0−392620	0.0780 (0.0201)	0.976	11.7	140145.69−392618.4	HD 122259	*	A3IV/V	7.70 : 7.55	
1RXSJ140220.6+360653	0.0540 (0.0137)	0.952	12.5	140220.58+360646.8	HD 122637	*	F5	7.659 : 7.238	
1RXSJ140220.9−414435	0.0968 (0.0214)	0.970	10.9	140220.75−414450.7	GSC 07811−02909	*	./.	11.5 : 10.7	
1RXSJ140337.0−335840	0.2264 (0.0300)	0.968	11.3	140338.68−335841.3	NGC 5419	Gal.	S...	12.4 : 11.33	P
...	...	...	...	140338.68−335841.3	[ODC88] 22	Clust.	./.	:	
1RXSJ140348.7−602242	1.2490 (0.0789)	0.957	0.0	140349.44−602222.8	HD 122451	V* (beta Cep)	B1III	0.38 : 0.60	P
1RXSJ140503.9+100055	0.7080 (0.0639)	0.974	11.6	140504.29+100047.1	HD 123034	HiPM*	G5	9.63 : 8.78	P
1RXSJ140809.8−412352	0.0892 (0.0239)	0.941	12.5	140810.16−412352.3	IRAS 14050−4109	IR	./.	:	
1RXSJ140902.6−443838	0.1732 (0.0426)	0.961	9.8	140903.60−443844.7	HD 123484	*	K0/K1+...	10.00 : 9.44	
1RXSJ141010.0−385258	0.1271 (0.0242)	0.960	11.8	141010.55−385254.4	...	...	...	...	
1RXSJ141049.7−235513	0.1031 (0.0202)	0.959	11.8	141049.73−235528.1	RX J1410.8−2355	TT	K2	:	
1RXSJ141108.2−615601	0.0937 (0.0191)	0.939	11.7	141108.26−615546.8	...	...	...	...	
1RXSJ141117.6−340325	0.2292 (0.0333)	0.929	13.4	141117.70−340321.6	...	...	...	...	
1RXSJ141131.4+012203	0.0706 (0.0152)	0.952	0.0	141131.20+012144.7	HD 124115	*	F7V	6.861 : 6.415	
1RXSJ141132.7−384903	0.0705 (0.0195)	0.974	11.3	141133.93−384858.9	...	...	...	...	
1RXSJ141242.2+234854	0.1283 (0.0186)	0.973	11.8	141241.69+234851.9	BD+24 2700	*	K0	9.87 : 8.90	
1RXSJ141245.7−383114	0.1736 (0.0308)	0.924	12.1	141246.96−383121.7	...	...	...	...	
1RXSJ141300.7−311453	0.1066 (0.0308)	0.963	0.0	141300.67−311420.8	HD 124227	**	F7V	8.36 : 7.90	
1RXSJ141357.5+301320	0.0522 (0.0131)	0.921	9.5	141358.54+301252.6	...	...	...	...	
1RXSJ141420.9−152111	0.7805 (0.0517)	0.933	11.9	141421.83−152113.0	BD−14 3902A	*	./.	:	
...	...	...	...	141421.83−152113.0	LTT 5580	HiPM*	K7	:	
...	...	...	...	141421.83−152113.0	LTT 5580B	HiPM*	./.	:	
1RXSJ141508.0+124249	0.0761 (0.0165)	0.930	12.6	141507.60+124240.3	...	...	...	...	
1RXSJ141544.2−614209	0.2004 (0.0236)	0.940	12.6	141544.33−614212.1	IRAS 14120−6128	IR	./.	:	
1RXSJ141546.6+080755	0.0663 (0.0169)	0.949	11.4	141547.25+080811.8	GSC 00902−00318	*	./.	11.3 : 10.5	
1RXSJ141630.7+265523	0.1363 (0.0190)	0.975	11.7	141630.92+265523.8	...	...	...	...	
1RXSJ141658.4−495648	0.1591 (0.0247)	0.972	9.0	141657.92−495641.4	HD 124784	Ecl. Bin. (Algol)	F8/G0V	9.32 : 8.70	
1RXSJ141700.6−054036	0.0817 (0.0185)	0.972	10.8	141701.21−054021.2	BD−05 3847	*	G0	10.16 : 9.41	
1RXSJ141719.4−323042	0.1625 (0.0293)	0.963	12.1	141720.12−323046.8	CD−31 11053	*	./.	:	
1RXSJ141719.9−234336	0.0704 (0.0167)	0.976	11.6	141720.58−234335.0	HD 125003	*	G8IV:	11.2 : 10.6	
1RXSJ141726.6+123354	0.0532 (0.0154)	0.972	11.3	141726.01+123405.7	V* VW Boo	Ecl. Bin. (W UMa)	G5	11.4 : 10.66	
1RXSJ141728.2−195751	0.1797 (0.0258)	0.967	12.5	141727.94−195749.5	HD 125048	V*	A5IV	7.174 : 6.956	P
1RXSJ141747.6−354213	0.0652 (0.0172)	0.932	11.3	141746.52−354233.4	...	...	...	...	
1RXSJ141833.7−354718	0.0844 (0.0207)	0.916	11.5	141834.45−354658.2	...	...	...	...	
1RXSJ141930.2−162645	0.0696 (0.0172)	0.977	11.4	141930.97−162645.1	BD−15 3849	*	./.	11.2 : 10.4	
1RXSJ141934.2+083813	0.0620 (0.0161)	0.970	12.1	141933.75+083810.6	GSC 00909−00125	*	./.	11.5 : 11.0	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ141955.0−721050	0.0780 (0.0142)	0.974	11.6	141954.81−721040.9	GSC 09252−00033	*	./.	11.8 : 10.9	
1RXSJ142019.9+275851	0.0578 (0.0122)	0.965	12.4	142019.56+275856.6	...	...	...	...	
1RXSJ142045.7+260442	0.1091 (0.0179)	0.969	0.0	142045.08+260431.9	HD 125728	*	G8II	7.697 : 6.798	
1RXSJ142049.3−474849	0.1353 (0.0233)	0.936	12.1	142049.01−474843.8	...	...	...	...	
1RXSJ142057.5+513733	0.0679 (0.0116)	0.967	12.9	142057.32+513731.4	...	...	...	...	
1RXSJ142117.2−054916	0.0641 (0.0159)	0.916	9.4	142117.19−054953.2	HD 125713	*	F5	9.21 : 8.74	
1RXSJ142211.0+483118	0.1980 (0.0228)	0.972	0.0	142214.92+483131.4	CCDM J14222+4831AB	**mul.	K0	10.54 : 9.53	
1RXSJ142219.8+294257	0.1054 (0.0164)	0.935	13.1	142220.18+294254.9	CASG 1219	Sy1	./.	:	P
1RXSJ142229.7−353226	0.8437 (0.0581)	0.918	11.9	142230.35−353218.7	GSC 07290−02071	*	./.	11.8 : 11.4	
1RXSJ142232.4−294611	0.0545 (0.0149)	0.937	11.5	142232.23−294620.9	...	...	...	...	
1RXSJ142307.3+252022	0.0552 (0.0153)	0.973	11.8	142307.41+252014.0	HD 126141	V*	F5V	6.584 : 6.226	
1RXSJ142338.0−435814	0.4117 (0.0759)	0.975	0.0	142337.88−435742.8	HD 125912	*	F7V	8.69 : 8.15	
1RXSJ142408.3+210535	0.0939 (0.0162)	0.938	11.6	142408.42+210518.8	...	...	...	...	
1RXSJ142447.3−504142	0.0568 (0.0148)	0.929	12.7	142447.82−504133.1	...	...	...	...	
1RXSJ142611.1−452305	0.2834 (0.0326)	0.970	0.0	142610.81−452245.4	HD 126354	**mul.	A7:+...	4.747 : 4.357	
1RXSJ142643.5+315221	0.4008 (0.0283)	0.970	12.0	142643.23+315215.9	FIRST J142643.2+315214	*	./.	11.28 : 10.28	
1RXSJ142704.5−624659	0.0627 (0.0145)	0.950	11.7	142704.27−624654.7	CPD−62 4126	*	O...	10.93 : 10.18	
1RXSJ142710.8−173118	0.0635 (0.0160)	0.966	11.9	142711.25−173128.6	BD−16 3868	*	./.	11.6 : 10.7	
1RXSJ143046.1+362135	0.0530 (0.0110)	0.978	12.0	143046.30+362132.6	HD 127505	*	G1III	9.66 : 9.09	
1RXSJ143139.0+004732	0.1531 (0.0237)	0.969	12.5	143139.22+004732.4	...	...	...	...	
1RXSJ143208.7−634230	0.1008 (0.0176)	0.925	11.4	143208.37−634214.6	HD 127104	*	K2:+...	10.65 : 9.63	
1RXSJ143213.2+453621	0.3885 (0.0301)	0.974	10.7	143212.90+453631.0	BD+46 1968	*	K2	11.2 : 10.19	
1RXSJ143329.9−545931	0.0699 (0.0184)	0.902	0.0	143332.38−545955.0	HD 127486	*	F6IV−V	6.35 : 5.87	
1RXSJ143415.0−602438	0.8008 (0.0668)	0.972	10.0	143416.32−602428.7	HD 127535	V* (RS CVn)	K1IV/Ve	9.65 : 8.58	
1RXSJ143450.7+033834	0.0564 (0.0163)	0.954	12.5	143450.61+033842.3	[LLB96] N56−394 266	Gal. in Clust.	./.	:	
1RXSJ143452.3+483938	0.2476 (0.0197)	0.950	13.1	143452.49+483942.6	NGC 5683	Sy1	SB0	15.5 :	P
1RXSJ143453.4+595146	0.1252 (0.0210)	0.965	12.4	143454.31+595143.4	...	...	...	...	
1RXSJ143547.9−180215	0.1605 (0.0263)	0.925	11.4	143548.49−180210.7	HD 128171	V* (RS CVn)	G6/G8IV	9.80 :	P
1RXSJ143554.1+173757	0.0535 (0.0129)	0.967	12.3	143553.98+173750.2	...	...	...	...	
1RXSJ143638.2+584309	0.1034 (0.0167)	0.969	12.5	143638.17+584304.6	...	...	...	...	
1RXSJ143820.6+363230	0.0999 (0.0144)	0.975	12.1	143820.44+363225.5	CCDM J14383+3632A	**	./.	11.6 : 10.9	
1RXSJ143854.1−431034	0.1687 (0.0249)	0.969	11.6	143854.42−431022.1	...	...	...	...	
1RXSJ143854.8+330022	0.0546 (0.0132)	0.970	12.3	143854.71+330021.0	...	...	...	...	
1RXSJ143940.4−605020	3.8760 (0.2118)	0.926	0.0	143939.39−605022.1	...	...	...	...	
1RXSJ144135.3−470039	0.6124 (0.0443)	0.931	12.4	144135.16−470028.6	CD−46 9495	*	./.	10.76 : 10.14	
1RXSJ144145.0+423124	0.0806 (0.0127)	0.965	12.5	144145.51+423119.5	...	...	...	...	
1RXSJ144209.9−424723	0.0829 (0.0182)	0.938	0.0	144209.36−424721.0	HD 129118	*	K0III	7.76 : 6.80	
1RXSJ144214.5−410026	0.0813 (0.0187)	0.960	11.3	144215.85−410016.9	...	...	...	...	
1RXSJ144223.5+211742	0.1141 (0.0174)	0.954	0.0	144223.10+211735.1	HD 129501	*	F8	7.95 : 7.46	
1RXSJ144308.7+172042	0.1054 (0.0184)	0.924	12.6	144307.87+172041.1	...	...	...	...	
1RXSJ144322.2+534737	0.0511 (0.0089)	0.923	13.2	144321.34+534737.0	HD 129919	*	G5	8.318 : 7.304	
1RXSJ144405.2−405940	0.0942 (0.0206)	0.904	0.0	144404.34−405922.3	HD 129490	*	F7IV/V	9.74 : 9.16	
1RXSJ144438.0−422408	0.1027 (0.0199)	0.926	10.9	144438.20−422352.9	...	...	...	...	
1RXSJ144516.8+651953	0.0980 (0.0108)	0.938	12.9	144517.43+651946.5	HD 130460	*	F5	7.676 : 7.227	
1RXSJ144522.9−085425	0.1686 (0.0333)	0.957	11.7	144523.30−085415.5	GSC 05565−00133	*	./.	11.4 : 10.5	
1RXSJ144718.4−380226	0.2871 (0.0337)	0.906	13.6	144718.72−380221.8	...	...	...	...	
1RXSJ144732.2−480019	0.0737 (0.0160)	0.926	10.9	144731.76−480005.4	GSC 08283−02795	*	./.	11.3 : 10.7	
1RXSJ144812.6−410310	0.0635 (0.0170)	0.906	11.9	144813.24−410259.0	RX J1448.2−4103	X	K2	:	
1RXSJ144831.7+350329	0.0545 (0.0119)	0.965	11.7	144831.23+350315.4	GSC 02561−00015	*	./.	11.38 : 10.67	
1RXSJ144940.7−430031	0.1004 (0.0197)	0.976	11.2	144941.36−430017.7	CD−42 9693	**	G0	10.0 : 10.2	
1RXSJ144952.3+420615	0.0631 (0.0109)	0.948	12.2	144952.62+420627.3	...	...	...	...	
1RXSJ145034.6−345904	0.0670 (0.0171)	0.967	11.9	145035.09−345905.4	RX J1450.5−3459	X	K4	:	
1RXSJ145103.0−150129	0.0581 (0.0149)	0.960	7.8	145103.77−150138.3	HD 130900	*	K1III+...	7.73 : 7.20	
1RXSJ145152.2+020105	0.0525 (0.0160)	0.962	9.1	145153.40+020052.4	HD 131179	*	G5V	9.02 : 8.40	
1RXSJ145240.7−414206	0.1295 (0.0224)	0.960	11.6	145242.03−414154.9	GSC 07828−02913	*	./.	12.0 : 10.9	
1RXSJ145254.0−122305	0.0520 (0.0140)	0.980	8.2	145253.13−122300.4	HD 131252	*	F2	8.13 : 7.71	
1RXSJ145323.4−182609	0.1307 (0.0244)	0.933	13.3	145323.42−182614.7	...	...	...	...	
1RXSJ145455.2−412208	0.1475 (0.0252)	0.969	11.2	145455.00−412150.2	HD 131435	*	F5V	7.61 : 7.16	
1RXSJ145502.5+144210	0.0909 (0.0193)	0.933	12.7	145502.02+144203.9	...	...	...	...	
1RXSJ145553.3−354839	0.1035 (0.0210)	0.951	11.1	145552.91−354822.1	WPVS 97	Emission−line galaxy	./.	:	
1RXSJ145720.4−361242	0.0867 (0.0189)	0.959	11.5	145719.66−361227.3	CD−35 9918	*	G5	11.0 : 10.16	
...	...	...	...	145719.66−361227.3	RX J1457.3−3613	X	K8	:	
1RXSJ145755.4+193623	0.0556 (0.0146)	0.958	12.8	145755.10+193624.5	...	...	...	...	
1RXSJ145800.3+131158	0.0854 (0.0200)	0.945	12.2	145800.75+131148.8	GSC 00924−00356	*	./.	11.5 : 10.9	
1RXSJ145829.5−284257	0.0684 (0.0167)	0.969	0.0	145830.52−284234.3	HD 132173	*	G0V	8.17 : 7.67	
1RXSJ145910.7−420634	0.0945 (0.0197)	0.976	0.0	145909.68−420615.2	HD 132200	**mul.	B2IV	2.93 : 3.13	
1RXSJ145944.9−434849	0.0501 (0.0154)	0.978	11.1	145945.27−434839.0	HD 132301	*	F7IV/V	7.06 : 6.58	
1RXSJ150052.5−433107	0.0757 (0.0180)	0.954	11.6	150051.93−433120.9	RX J1500.8−4331	X	K1	:	
1RXSJ150116.3−433941	0.8023 (0.0737)	0.968	11.6	150116.35−433932.0	...	...	...	...	
1RXSJ150122.0−542356	0.0556 (0.0135)	0.967	0.0	150120.49−542415.7	...	...	...	...	
1RXSJ150158.5−475559	0.0507 (0.0138)	0.967	11.4	150158.85−475546.0	GSC 08297−01613	*	./.	10.70 : 10.09	
1RXSJ150237.8+154636	0.1013 (0.0237)	0.941	11.7	150239.13+154629.8	HD 133162	*	G0	10.64 : 9.84	
1RXSJ150352.2−390639	0.2094 (0.0291)	0.903	12.1	150352.18−390628.4	...	...	...	...	
1RXSJ150401.5+102620	0.8101 (0.0536)	0.958	12.9	150401.21+102615.9	QSO 1501+106	Sy1	S...	14.0 :	P
1RXSJ150431.5−281745	0.1028 (0.0201)	0.929	11.2	150433.03−281800.4	HD 133295	*	G0/G1V	7.71 : 7.18	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ150440.8−303131	0.0606 (0.0155)	0.969	11.5	150440.10−303119.5	HD 133296	**mul.	F5V	9.70 : 9.17	
1RXSJ150456.6+183035	0.1421 (0.0229)	0.969	12.4	150456.65+183040.4	StKM 1−1209	*	K4	:	
1RXSJ150507.5+573036	0.0662 (0.0114)	0.942	12.6	150507.29+573045.9	...	...	...	...	
1RXSJ150526.4−385709	0.0728 (0.0171)	0.970	11.9	150525.94−385700.8	RX J1504.4−3857	X	K6	:	
1RXSJ150604.2−274723	0.0510 (0.0149)	0.946	12.6	150604.23−274720.8	...	...	...	...	
1RXSJ150707.3−284931	0.0598 (0.0159)	0.904	0.0	150706.33−284923.1	HD 133778	*	F3/F5V	8.87 : 8.37	
1RXSJ150714.5−350500	0.0738 (0.0164)	0.978	11.7	150714.84−350459.3	GSC 07319−00749	TT	K0	11.5 : 10.7	
1RXSJ150727.5−460117	0.0648 (0.0153)	0.966	11.1	150727.53−460107.0	[KWS97] TTS 4	TT	K1	:	
1RXSJ150744.6+512709	0.2416 (0.0177)	0.975	12.3	150745.04+512710.5	Mrk 845	Sy1	Sab	15.5 :	
1RXSJ150750.3+630703	0.0975 (0.0127)	0.951	0.0	150750.16+630701.6	HD 134646	Spec. Bin.	F4III...	7.214 : 6.842	
1RXSJ150757.0−453510	0.1003 (0.0189)	0.942	0.0	150757.74−453445.9	HD 133822	Eclipsing binary	G6V	8.46 : 7.75	
1RXSJ150759.8+041511	0.5179 (0.0384)	0.977	10.5	150759.81+041521.7	BD+04 2967	*	K0	10.53 : 9.60	P
...	...	...	...	150759.81+041521.7	RX J1507.9+0415	X	./.	:	
1RXSJ150814.0−403445	0.0687 (0.0172)	0.963	0.0	150812.12−403502.1	HD 133880	V* (alpha2 CVn)	B8IV...	5.651 : 5.762	
1RXSJ150836.0−442325	0.1730 (0.0241)	0.936	11.3	150837.77−442317.1	...	...	...	...	
1RXSJ150838.5−440048	0.1212 (0.0207)	0.978	11.0	150838.53−440052.0	HD 133938	TT	G6/G8III/IV	11.2 : 10.43	
1RXSJ151132.5+290640	0.1693 (0.0215)	0.959	0.0	151132.53+290631.5	AC +30 33352	*	K5	:	
1RXSJ151145.7+101421	0.0773 (0.0196)	0.945	13.1	151145.51+101421.1	...	...	...	...	
1RXSJ151246.5−665308	0.0595 (0.0160)	0.945	0.0	151246.62−665332.6	HD 134299	*	G0	10.56 : 10.04	
1RXSJ151250.0−450822	0.1449 (0.0221)	0.925	11.3	151250.18−450804.6	GSC 08294−02230	TT	M1	11.3 : 10.37	
...	...	...	...	151250.18−450804.6	[WSK97] RX J1512.8−4508A	TT	G7	:	
1RXSJ151302.6+093418	0.1046 (0.0240)	0.957	9.7	151303.29+093441.5	HD 135104	V*	K0	9.41 : 8.33	
1RXSJ151315.5−240128	0.0618 (0.0167)	0.914	0.0	151317.42−240030.1	HD 134946	*	B8III	6.43 : 6.47	
1RXSJ151333.4+383359	0.0639 (0.0118)	0.973	10.9	151332.71+383406.5	V* SS Boo	V* (RS CVn)	G5V:+...	10.95 : 10.16	P
1RXSJ151407.3−410338	0.0740 (0.0170)	0.980	11.1	151407.54−410336.1	HD 134974	TT	G6/G8V:	10.96 : 10.38	
...	...	...	...	151407.54−410336.1	RX J1514.1−4104	X	G7	:	
1RXSJ151447.8−402157	0.1624 (0.0235)	0.979	10.3	151448.72−402152.5	...	...	...	...	
1RXSJ151546.4−333205	0.1007 (0.0192)	0.948	11.7	151545.41−333159.4	RX J1515.7−3332	X	K0	:	
1RXSJ151551.9−441825	0.0739 (0.0156)	0.914	12.5	151552.72−441817.6	[KWS97] TTS 21	TT	K1	:	
1RXSJ151559.1+004750	0.0993 (0.0210)	0.936	12.9	151558.63+004753.1	...	...	...	...	
1RXSJ151622.2−540807	0.0521 (0.0135)	0.979	11.7	151621.51−540803.9	HD 135239	*	G0/G1V	9.54 : 9.04	
1RXSJ151741.2−242236	0.0793 (0.0170)	0.958	11.5	151741.80−242219.6	QSO 1514−24	BL Lac − type object	./.	15.80 :	P
1RXSJ151750.8+050615	0.1071 (0.0194)	0.949	11.7	151751.71+050627.9	...	...	...	...	
1RXSJ151810.5+313851	0.0694 (0.0154)	0.907	12.9	151811.38+313850.1	HD 136175	Ecl. Bin. (Algol)	B7Vvar...	7.785 : 7.820	
1RXSJ151820.0−305632	0.0838 (0.0180)	0.906	12.2	151820.54−305633.9	...	...	...	...	
1RXSJ151849.8−405108	0.1072 (0.0198)	0.950	0.0	151852.82−405052.9	...	...	...	...	
1RXSJ151916.3−405613	0.1054 (0.0187)	0.938	11.7	151916.05−405607.3	...	...	...	...	
1RXSJ151936.7−475943	0.2097 (0.0252)	0.978	11.5	151937.06−475934.0	GSC 08298−01675	*	./.	11.4 : 10.2	
1RXSJ151948.2+070754	0.1928 (0.0257)	0.920	12.2	151949.03+070758.8	...	...	...	...	
1RXSJ152002.3−463850	0.0634 (0.0155)	0.914	11.6	152002.66−463833.6	...	...	...	...	
1RXSJ152107.2−474531	0.0726 (0.0172)	0.978	0.0	152104.73−474537.2	HD 136187	*	F5V	7.5 : 7.2	
1RXSJ152138.9−221808	0.0637 (0.0161)	0.901	13.3	152139.22−221807.5	...	...	...	...	
1RXSJ152152.7−092031	0.0545 (0.0144)	0.979	11.1	152152.60−092018.8	HD 136583	*	G0	10.06 : 9.24	
1RXSJ152211.8−395958	0.0796 (0.0173)	0.965	12.3	152211.71−395950.1	...	...	...	...	
1RXSJ152430.6−132230	0.1198 (0.0200)	0.964	11.6	152431.24−132214.5	BPM 77842	*	./.	11.6 : 10.2	
...	...	...	...	152431.24−132214.5	CSI−13−15219	*	K7V	:	
1RXSJ152432.2−365217	0.0603 (0.0158)	0.944	11.9	152432.39−365202.3	...	...	...	...	
1RXSJ152503.5−360442	0.1317 (0.0211)	0.975	11.5	152503.58−360445.3	CCDM J15251−3605B	**	./.	11.4 :	
...	...	...	...	152503.58−360445.3	CD−35 10273	**	./.	10.9 :	
1RXSJ152532.6−361342	0.1487 (0.0236)	0.928	12.8	152533.15−361346.7	...	...	...	...	
1RXSJ152553.0+614216	0.0601 (0.0095)	0.927	0.0	152552.76+614221.7	...	...	...	...	
1RXSJ152600.9−450113	0.0610 (0.0153)	0.932	11.7	152559.69−450115.7	GSC 08295−01530	TT	G5	11.7 : 11.1	P
1RXSJ152709.9−413837	0.1843 (0.0234)	0.942	12.1	152710.50−413832.9	CD−41 9904	*	F8	11.06 : 10.46	
1RXSJ152722.4−360412	0.0640 (0.0160)	0.956	12.6	152722.96−360410.3	...	...	...	...	
1RXSJ152746.2−630103	1.1890 (0.0903)	0.979	0.0	152745.68−630114.4	HD 137164	V* (RS CVn)	K1/K2IVp	8.53 : 7.49	
1RXSJ152937.7−354656	0.1054 (0.0186)	0.959	11.4	152938.62−354651.9	CPD−35 6575	*	./.	11.4 : 10.5	
1RXSJ153118.2+072713	0.2538 (0.0364)	0.978	9.7	153118.03+072727.3	NGC 5940	Sy1	SBab	14.3 :	
1RXSJ153237.8+465310	0.0948 (0.0127)	0.941	13.0	153237.93+465305.1	BPS BS 17446−0057	*	./.	:	
1RXSJ153328.4−665130	0.0800 (0.0198)	0.977	11.2	153327.67−665124.0	...	...	...	...	
1RXSJ153346.2+080855	0.1532 (0.0247)	0.939	12.1	153345.27+080859.6	BD+08 3048	*	K2	11.0 : 10.16	
1RXSJ153421.0−054150	0.2399 (0.0273)	0.970	12.1	153421.10−054143.2	HD 138763	*	F7V	7.065 : 6.528	
1RXSJ153437.6−400234	0.0603 (0.0142)	0.923	12.2	153438.18−400228.1	RX J1534.6−4003	X	K6	:	
1RXSJ153501.4−391511	0.0899 (0.0174)	0.955	12.0	153500.44−391514.0	GSC 07836−01585	*	./.	12.1 : 11.2	
...	...	...	...	153500.44−391514.0	RX J1535.0−3915	X	K2	:	P
1RXSJ153506.2−085002	0.0952 (0.0194)	0.926	11.4	153507.63−084948.6	GSC 05596−00077	*	./.	11.2 : 10.5	
1RXSJ153515.2−415655	0.0560 (0.0136)	0.920	12.0	153515.31−415658.2	RX J1535.2−4156	X	G9	:	P
1RXSJ153516.5−282829	0.0855 (0.0183)	0.973	0.0	153513.64−282827.8	HD 138779	*	G2V	8.70 : 8.14	
1RXSJ153552.0+575404	0.8849 (0.0306)	0.958	12.9	153552.47+575408.8	QSO 1534+580	Sy1	E	15.0 :	P
1RXSJ153633.6+121919	0.0818 (0.0239)	0.918	12.3	153634.40+121930.4	GSC 00937−00563	*	./.	11.3 : 10.5	
1RXSJ153651.3+373446	0.1851 (0.0246)	0.957	0.0	153650.34+373449.4	G 179−40	HiPM*	M2	12.6 : 11.22	
1RXSJ153653.3+295938	0.1015 (0.0280)	0.966	11.9	153653.07+295930.3	HD 139389	*	F5V:	6.845 : 6.468	
1RXSJ153709.0+531928	0.1379 (0.0125)	0.967	12.8	153708.99+531924.5	GSC 03869−00496	*	./.	:	
...	...	...	...	153708.99+531924.5	StKM 1−1262	*	K5	:	
1RXSJ153711.6−401608	0.2268 (0.0264)	0.956	11.7	153711.33−401556.7	CD−39 10026	*	G9	11.5 : 10.5	P
1RXSJ153726.3+362343	0.0658 (0.0159)	0.940	12.4	153727.17+362339.4	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ153750.1−192052	0.1315 (0.0197)	0.972	11.7	153749.45−192057.2	BD−18 4115	*	./.	10.9 : 10.04	
1RXSJ153750.5−304509	0.0978 (0.0185)	0.969	11.7	153751.33−304515.4	...	...	...	...	
1RXSJ153920.6+474526	0.1245 (0.0140)	0.957	12.7	153920.91+474524.1	BPS BS 17446−0078	*	./.	:	
1RXSJ153946.5−345109	0.0569 (0.0136)	0.910	13.4	153946.41−345102.4	...	...	...	...	
1RXSJ154028.3−184150	0.4777 (0.0375)	0.966	11.8	154028.64−184139.4	HD 139751	*	K3/K4V	11.5 : 10.1	
1RXSJ154058.3+402657	0.0937 (0.0166)	0.974	11.8	154059.04+402659.1	...	...	...	...	
1RXSJ154106.9−265643	0.0511 (0.0136)	0.951	11.8	154106.82−265626.0	GSC 06785−00476	*	G7	12.6 :	
...	...	...	...	154106.82−265626.0	[D98] 86	X	K3	:	
1RXSJ154130.4−533020	0.1104 (0.0217)	0.949	11.7	154131.24−533028.4	...	...	...	...	
1RXSJ154150.8+310031	0.1612 (0.0274)	0.945	13.0	154150.90+310037.3	...	...	...	...	
1RXSJ154355.8+132555	0.0539 (0.0119)	0.949	12.4	154355.60+132601.9	...	...	...	...	
1RXSJ154357.9−392916	0.2675 (0.0301)	0.904	0.0	154357.27−392856.7	HD 140219	*	F7V	9.31 : 8.80	
1RXSJ154404.1−331120	0.0771 (0.0167)	0.967	11.9	154403.80−331110.4	GSC 07331−00782	*	./.	11.7 : 10.7	
1RXSJ154457.5+793054	0.0596 (0.0097)	0.941	12.3	154456.87+793059.5	...	...	...	...	
1RXSJ154519.5−531751	0.1065 (0.0226)	0.969	0.0	154517.88−531810.1	...	...	...	...	
1RXSJ154623.6+440318	0.0818 (0.0159)	0.924	13.4	154623.52+440314.0	...	...	...	...	
1RXSJ154641.3−361847	0.0517 (0.0151)	0.959	11.9	154641.21−361847.3	...	...	...	...	
1RXSJ154707.1−251952	0.1961 (0.0226)	0.957	11.9	154707.46−251946.4	...	...	...	...	
1RXSJ154711.8+530209	0.0876 (0.0132)	0.963	11.8	154710.48+530209.3	GSC 03870−01172	*	./.	10.76 : 10.00	
1RXSJ154718.8+631101	0.0863 (0.0119)	0.957	13.0	154718.58+631058.8	...	...	...	...	
1RXSJ154741.6−401844	0.0623 (0.0145)	0.933	11.7	154741.82−401826.4	...	...	...	...	
1RXSJ154802.6−290840	0.0795 (0.0160)	0.969	11.8	154802.96−290836.7	CD−28 11578	*	./.	11.5 : 10.6	
1RXSJ154809.0+161207	0.0639 (0.0140)	0.946	12.9	154808.99+161213.5	...	...	...	...	
1RXSJ154812.4−471245	0.0931 (0.0192)	0.958	0.0	154811.52−471229.1	...	...	...	...	
1RXSJ154830.8−610245	0.0588 (0.0144)	0.969	10.3	154832.36−610247.3	CD−60 5852	*	./.	10.66 : 9.92	
1RXSJ154839.2−592013	0.0823 (0.0191)	0.936	11.1	154838.02−592013.9	...	...	...	...	
1RXSJ154902.3−310258	0.0934 (0.0180)	0.963	11.7	154902.76−310253.7	...	...	...	...	
1RXSJ154920.8−260011	0.1095 (0.0170)	0.975	12.0	154920.98−260006.4	...	...	...	...	
1RXSJ155108.2+525439	0.1183 (0.0137)	0.948	0.0	155109.38+525426.1	BD+53 1816B	**	?	:	
...	...	...	...	155109.38+525426.1	HD 142282	**	A0	6.5 : 6.5	
1RXSJ155215.6−261913	0.0832 (0.0155)	0.951	11.5	155215.36−261904.3	HD 141867	*	F7/F8V	10.06 : 9.51	
1RXSJ155254.1−590335	0.0930 (0.0184)	0.959	0.0	155255.03−590341.6	HD 141583	*	F7V	7.543 : 7.053	
1RXSJ155322.2−030202	0.1134 (0.0176)	0.977	0.0	155322.67−030145.0	HD 142197	*	F5	7.82 : 7.42	
1RXSJ155459.6−361745	0.0783 (0.0158)	0.936	11.7	155459.66−361745.1	HD 142275	*	F3V	9.54 : 9.13	
1RXSJ155506.8−194637	0.1285 (0.0181)	0.970	12.2	155506.68−194631.4	GSC 06195−00157	*	./.	12.8 :	
1RXSJ155515.6−423630	0.0686 (0.0170)	0.980	0.0	155515.94−423618.4	HD 142254	*	F3V	7.044 : 6.675	
1RXSJ155518.9−343906	0.0728 (0.0148)	0.961	11.5	155519.22−343903.1	HD 142335	**mul.	G0	11.01 : 10.31	
1RXSJ155547.5+684014	0.2213 (0.0127)	0.930	13.3	155547.59+684007.7	RE J155557+683918	X	MV:e	:	
1RXSJ155644.7−532441	0.2108 (0.0251)	0.953	12.5	155643.70−532442.2	...	...	...	...	
1RXSJ155659.0−393400	0.0987 (0.0189)	0.910	11.1	155659.02−393342.1	GSC 07842−00250	*	./.	11.7 : 10.7	
1RXSJ155740.7−601154	0.0503 (0.0139)	0.912	0.0	155740.79−601200.9	HD 142415	*	G1V	7.94 : 7.34	
1RXSJ155813.2−232841	0.0921 (0.0177)	0.969	11.6	155812.72−232836.3	CD−23 12602	*	G5	11.1 : 10.29	P
1RXSJ155842.6+323047	0.0548 (0.0138)	0.928	12.9	155842.48+323047.0	...	...	...	...	
1RXSJ155848.4−175758	0.0915 (0.0157)	0.957	12.4	155847.73−175759.3	GSC 06191−00552	*	K3	12.9 :	
1RXSJ155907.0−631750	0.0775 (0.0185)	0.945	11.5	155906.57−631749.3	...	...	...	...	
1RXSJ155909.5+350144	0.5155 (0.0382)	0.973	12.3	155909.66+350147.6	UGC 10120	Sy1	S...	14.9 :	P
1RXSJ155912.0−263511	0.1243 (0.0209)	0.904	0.0	155911.89−263500.9	HD 143069	*	A3V	8.39 : 8.13	
1RXSJ155947.5+440358	0.1827 (0.0228)	0.929	13.5	155947.58+440400.2	...	...	...	...	
1RXSJ155957.8−643350	0.0624 (0.0174)	0.941	11.6	155958.08−643359.0	HD 142717	*	G8	10.39 : 9.29	
1RXSJ160018.3−223707	0.0586 (0.0153)	0.973	0.0	160020.01−223717.8	HD 143275	*	B0.2IV	2.205 : 2.291	P
1RXSJ160048.9+464707	0.1087 (0.0181)	0.957	12.3	160049.02+464708.6	...	...	...	...	
1RXSJ160108.3+770854	0.1550 (0.0141)	0.929	13.7	160107.22+770854.4	...	...	...	...	
1RXSJ160108.9−332021	0.0965 (0.0180)	0.977	11.7	160108.99−332014.0	[KWS97] TTS 93	TT	G8	:	
1RXSJ160110.7−340541	0.0734 (0.0163)	0.975	10.5	160109.38−340530.4	CD−33 10862	*	./.	10.64 : 10.06	
1RXSJ160111.5−480436	0.0557 (0.0137)	0.950	12.4	160110.74−480443.2	...	...	...	...	
1RXSJ160126.1−224047	0.0801 (0.0168)	0.924	12.6	160125.66−224039.8	1E 1558.4−2232	*	K3e	:	
...	...	...	...	160125.66−224039.8	NTTS 155828−2232	TT	K1	:	P
1RXSJ160157.0+182514	0.0942 (0.0142)	0.952	12.9	160157.08+182517.9	...	...	...	...	
1RXSJ160210.1−224128	0.0932 (0.0176)	0.939	11.5	160210.51−224127.8	NTTS 155913−2233	TT	K5e	:	P
1RXSJ160216.7−594438	0.1861 (0.0258)	0.900	0.0	160217.02−594431.5	...	...	...	...	
1RXSJ160332.0+814224	0.0654 (0.0100)	0.973	10.0	160327.31+814217.4	BD+82 477	*	G0	10.05 : 9.44	
1RXSJ160335.8−224605	0.2214 (0.0256)	0.977	11.5	160335.49−224556.0	GSC 06780−00056	*	./.	11.7 : 11.0	
1RXSJ160401.9+730859	0.0559 (0.0077)	0.939	12.5	160400.83+730849.8	HD 145368	*	F5	7.303 : 6.861	
1RXSJ160431.3−320726	0.0561 (0.0150)	0.972	11.5	160430.64−320728.8	GSC 07334−00429	TT	K2	11.6 : 10.9	
1RXSJ160435.1+174333	0.5416 (0.0310)	0.923	10.7	160435.79+174317.4	NGC 6041	Pair of Galaxies	E	14.2 :	
1RXSJ160438.3+702212	0.0819 (0.0095)	0.966	12.5	160437.01+702213.4	...	...	...	...	
1RXSJ160501.0+102843	0.0599 (0.0127)	0.967	10.2	160502.26+102853.9	BD+10 2953	*	G0	9.95 : 9.21	
1RXSJ160524.8−085549	0.0510 (0.0119)	0.918	13.3	160525.05−085548.1	...	...	...	...	
1RXSJ160525.4−194828	0.1883 (0.0240)	0.963	0.0	160526.23−194819.4	ADS 9913 ABC	**mul.	B2	2.43 : 2.50	
...	...	...	...	160526.23−194819.4	CCDM J16054−1948AC	**mul.	B1	6.9 : 2.9	
...	...	...	...	160526.23−194819.4	HD 144217	Spec. Bin.	B0.5V	2.55 :	
...	...	...	...	160526.23−194819.4	IRAS 16025−1940	IR	./.	:	
1RXSJ160537.8+215329	0.0511 (0.0109)	0.928	12.7	160538.13+215339.3	HD 144544	*	G0III	7.76 : 7.25	
...	...	...	...	160538.13+215339.3	RX J1605.6+2153	X	G0III	:	
1RXSJ160545.8−390559	0.1569 (0.0236)	0.969	11.1	160545.03−390606.5	CD−38 10866	*	./.	11.5 : 10.5	
...	...	...	...	160545.03−390606.5	[KWS97] TTS 103	TT	G9	:	P

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ160551.9−391936	0.1236 (0.0221)	0.967	11.6	160550.82−391941.2	RX J1605.8−3919	X	K3	:	
...	...	...	...	160550.82−391941.2	RX J1605.9−3919	X	./.	:	
1RXSJ160637.1−461835	0.1086 (0.0188)	0.965	11.6	160636.77−461825.8	GSC 08310−00256	*	K2	:	P
1RXSJ160800.6−411610	0.0911 (0.0165)	0.944	12.9	160800.23−411611.7	...	...	...	...	
1RXSJ160807.7−504149	0.0663 (0.0159)	0.964	12.4	160807.67−504154.4	...	...	...	...	
1RXSJ160814.2−190845	0.0611 (0.0137)	0.953	11.7	160814.74−190832.4	GSC 06209−00735	*	K2	12.2 :	
1RXSJ160827.2−282559	0.0869 (0.0175)	0.960	11.3	160826.35−282548.7	HD 144732	*	G0V	10.45 : 9.82	
1RXSJ160838.1−390526	0.2995 (0.0299)	0.901	0.0	160834.57−390534.1	HD 144667	**	A1.5III	6.560 : 6.630	
1RXSJ160844.4−260220	0.1232 (0.0206)	0.961	11.3	160843.42−260216.6	GSC 06784−00039	*	G7	11.2 : 10.24	
1RXSJ160939.7−385459	0.0684 (0.0140)	0.967	11.9	160939.55−385506.9	...	...	...	...	
1RXSJ161022.6+450934	0.0972 (0.0225)	0.903	13.6	161022.29+450933.9	...	...	...	...	
1RXSJ161124.8+585106	0.2609 (0.0140)	0.968	12.8	161124.70+585101.6	IRAS 16104+5858	Peculiar Star	./.	:	
...	...	...	...	161124.70+585101.6	SBSG 1610+589	Gal.	./.	:	
1RXSJ161201.4−384027	0.0892 (0.0155)	0.969	12.6	161201.41−384027.6	...	...	...	...	
1RXSJ161318.0−221251	0.0856 (0.0166)	0.978	11.6	161318.58−221248.8	BD−21 4301	*	./.	:	
...	...	...	...	161318.58−221248.8	GSC 06213−00306	*	G9	11.4 : 10.5	
1RXSJ161408.3−600823	0.0624 (0.0172)	0.958	0.0	161407.47−600828.9	HD 145400	HiPM*	F6V	8.63 : 8.16	
1RXSJ161410.6−230542	0.1030 (0.0179)	0.964	11.4	161411.09−230536.1	GSC 06793−00819	*	K0	11.9 : 10.8	
1RXSJ161413.3−313948	0.0685 (0.0180)	0.974	0.0	161411.93−313949.2	HD 145825	HiPM*	G1V	7.1 : 6.4	
1RXSJ161417.8−332613	0.0580 (0.0175)	0.914	11.8	161419.07−332603.9	...	...	...	...	
1RXSJ161425.9−380759	0.0556 (0.0134)	0.924	13.2	161426.40−380759.4	[KWS97] Lupus 3 93	TT	K7	:	P
1RXSJ161444.0−760204	0.2188 (0.0361)	0.937	11.3	161446.08−760150.3	...	...	...	...	
1RXSJ161458.4−275013	0.0543 (0.0164)	0.945	11.9	161459.22−275022.7	GSC 06801−00186	*	G5	11.8 :	
1RXSJ161531.4+192754	0.0670 (0.0139)	0.933	11.1	161534.17+192742.6	NGC 6098	Galaxy in Pair of Galaxies	E	14.6 :	
1RXSJ161558.9+385204	0.0754 (0.0130)	0.911	13.1	161559.12+385213.6	StKM 1−1325	*	K7...	:	
1RXSJ161617.8−233955	0.0709 (0.0159)	0.971	11.5	161617.92−233947.8	CD−23 12815	*	./.	10.0 :	
...	...	...	...	161617.92−233947.8	GSC 06793−01406	*	G7	11.4 : 10.8	
1RXSJ161643.2+671430	0.0599 (0.0075)	0.901	10.3	161646.64+671416.4	...	...	...	...	
1RXSJ161712.7+773345	0.0884 (0.0104)	0.924	13.7	161711.91+773346.1	...	...	...	...	
1RXSJ161826.8+330227	0.1168 (0.0139)	0.900	9.9	161826.75+330231.1	BD+33 2709	*	G5	9.89 : 9.17	
1RXSJ161849.1−575156	0.1378 (0.0232)	0.932	10.6	161851.24−575159.2	Cl* NGC 6087 SC a−174	*iC	?	11.76 : 10.89	
1RXSJ161854.4+513436	0.0512 (0.0135)	0.926	12.4	161853.41+513430.6	GSC 03498−01364	*	./.	12.0 : 11.1	
1RXSJ161932.4+702205	0.1008 (0.0095)	0.970	12.7	161932.04+702206.4	HD 148004	*	F8	8.03 : 7.54	
1RXSJ161933.9−222829	0.0565 (0.0160)	0.968	11.8	161933.96−222829.3	GSC 06214−02384	*	K0	12.0 :	
1RXSJ161934.6−362414	0.0930 (0.0181)	0.930	13.1	161934.46−362411.4	HD 146797	*	F8V	9.89 : 9.34	
1RXSJ161955.3+394223	0.6399 (0.0295)	0.910	0.0	161955.14+394231.0	GJ 9557	**mul.	F3IV−V	5.868 : 5.499	P
...	...	...	...	161955.14+394231.0	GJ 9557A	*	F0V:	5.86 : 5.46	
...	...	...	...	161955.14+394231.0	GJ 9557B	*	./.	:	
1RXSJ161959.5+043636	0.0578 (0.0140)	0.971	11.4	162000.02+043646.8	BD+04 3158	*	K2	11.35 : 10.16	
1RXSJ162003.6+070707	0.0980 (0.0165)	0.912	10.6	162003.51+070733.6	BD+07 3142	*	G5	10.78 : 9.89	
1RXSJ162004.1−480126	0.1843 (0.0269)	0.945	11.8	162003.65−480130.0	HD 330514	*	K0	11.6 : 10.6	
1RXSJ162013.1+400858	0.3560 (0.0238)	0.940	12.6	162012.81+400906.5	PGC 57861	Gal.	S	16. :	
1RXSJ162034.1−454825	0.0730 (0.0166)	0.954	9.0	162032.54−454835.5	HD 146884	*	G5V	9.28 : 8.60	
1RXSJ162034.2−260035	0.1635 (0.0207)	0.959	12.0	162033.91−260041.5	...	...	...	...	
1RXSJ162058.3−235218	0.1227 (0.0187)	0.958	11.3	162057.89−235233.9	BD−23 12851	*	./.	11.2 : 10.5	
1RXSJ162112.0−403032	0.1292 (0.0215)	0.970	11.7	162112.20−403020.4	HD 147048	TT	G8/K0	11.4 : 10.6	
1RXSJ162145.2+542724	0.1463 (0.0149)	0.915	13.8	162145.12+542723.7	SBSG 1620+545	Sy2	./.	:	
1RXSJ162226.6+000721	0.0586 (0.0138)	0.924	13.3	162226.38+000722.9	...	...	...	...	
1RXSJ162304.1+193020	0.0911 (0.0139)	0.962	12.5	162304.60+193020.8	HD 147769	V*	A0	7.570 : 7.394	
1RXSJ162332.9−252346	0.1230 (0.0184)	0.933	12.8	162332.36−252348.5	GSC 06798−00035	*	G1	12.1 :	
1RXSJ162334.0−391359	0.6885 (0.0682)	0.952	12.0	162333.72−391346.2	GJ 620.1B	WD	DA	10.79 : 11.0	P
1RXSJ162337.5−344030	0.2490 (0.0283)	0.975	11.7	162337.66−344021.5	CD−34 10971	TT	G0	10.05 : 9.45	
1RXSJ162354.1−294642	0.1158 (0.0195)	0.977	12.0	162353.87−294639.5	HD 147594	*	G2/G3V	9.93 : 9.32	
1RXSJ162400.5−583620	0.1708 (0.0280)	0.977	11.8	162401.28−583618.4	HD 147242	*	A8V	7.425 : 7.177	
1RXSJ162433.0−465758	0.1070 (0.0199)	0.973	11.4	162432.36−465756.3	...	...	...	...	
1RXSJ162510.1−304802	0.4220 (0.0351)	0.959	12.9	162509.88−304757.8	HD 147810	*	K1IV:+...	9.60 : 9.00	
1RXSJ162526.8+572730	0.1860 (0.0139)	0.963	13.0	162526.52+572728.3	...	...	...	...	
1RXSJ162530.5+712306	0.1779 (0.0113)	0.965	12.6	162529.11+712306.4	HD 148941	*	F8	7.664 : 7.114	
...	...	...	...	162529.11+712306.4	RX J1625.5+7123	X	./.	:	
1RXSJ162627.9−275701	0.1759 (0.0235)	0.902	12.3	162627.40−275650.3	...	...	...	...	
1RXSJ162637.1+350239	0.0809 (0.0128)	0.970	12.0	162636.44+350242.5	PGC 58130	Gal.	./.	15.7 :	
1RXSJ162708.9+662620	0.0621 (0.0074)	0.960	12.5	162708.18+662613.5	...	...	...	...	
1RXSJ162730.0−374929	0.0624 (0.0156)	0.943	11.6	162730.57−374921.3	GSC 07853−00227	*	./.	11.7 : 10.9	
1RXSJ162739.8−224519	0.0566 (0.0129)	0.961	12.2	162739.60−224522.1	GSC 06794−00337	*	K1	12.3 :	
1RXSJ162740.4−242149	0.0756 (0.0157)	0.940	12.1	162740.32−242203.8	CD−24 12689	Em. *	K3.5e	12.64 : 11.38	
1RXSJ162741.8+405536	0.0697 (0.0121)	0.923	13.0	162741.11+405536.8	NGC 6160	Gal. in Clust.	E	14.8 :	
...	...	...	...	162741.11+405536.8	WSTB 18W005	Rad.	./.	:	
1RXSJ162909.4+780439	5.6630 (0.0743)	0.934	13.3	162911.21+780441.4	1ES 1631+78.1	**mul.	DA:	:	P
1RXSJ162923.4−595143	0.2639 (0.0348)	0.957	11.9	162924.67−595146.4	...	...	...	...	
1RXSJ162946.1+281034	0.0923 (0.0143)	0.958	12.0	162946.64+281039.0	...	...	...	...	
1RXSJ162948.8−215205	0.0732 (0.0160)	0.945	11.8	162948.68−215211.5	NTTS 162649−2145	TT	K0	:	
1RXSJ163014.9−263317	0.0877 (0.0177)	0.941	0.0	163013.80−263319.3	HD 148606	*	G0V	9.65 : 9.14	
1RXSJ163038.8−295424	0.2242 (0.0270)	0.948	12.0	163037.99−295421.6	CD−29 12588	Em. *	./.	11.9 : 10.8	
1RXSJ163118.3+794727	0.1229 (0.0120)	0.973	12.2	163116.16+794726.2	GJ 632	*	G0	7.597 : 7.029	
1RXSJ163137.0−380439	0.0576 (0.0156)	0.961	11.4	163137.77−380434.1	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ163204.5−283007	0.0702 (0.0156)	0.964	11.3	163203.50−283017.5	HD 148862	*	G0	10.95 : 10.23	
1RXSJ163251.1−282039	0.0719 (0.0167)	0.979	11.7	163250.83−282039.2	HD 148982	*	G0	10.48 : 9.98	
1RXSJ163259.1+504433	0.0915 (0.0153)	0.967	12.5	163258.45+504431.7	...	...	...	...	
1RXSJ163341.9−093308	0.1010 (0.0154)	0.970	0.0	163341.62−093311.9	HIC 81084	*	./.	:	
1RXSJ163342.1−252348	0.0535 (0.0143)	0.948	12.1	163341.92−252334.0	V* V877 Sco	V*	B2	12.5 :	
1RXSJ163449.2+151416	0.0804 (0.0198)	0.917	9.6	163449.21+151447.6	BD+15 3023	*	G0	9.64 : 9.06	
1RXSJ163520.4−344847	0.0975 (0.0194)	0.955	11.8	163520.50−344853.8	CD−34 11103	*	./.	:	
1RXSJ163522.3−332843	0.2117 (0.0287)	0.970	12.0	163522.44−332852.1	...	...	...	...	
1RXSJ163652.6−513813	0.0514 (0.0151)	0.922	11.9	163651.71−513818.7	...	...	...	...	
1RXSJ163705.5+264502	0.0769 (0.0152)	0.940	9.1	163705.42+264513.9	HD 149973	*	F5	8.49 : 8.03	P
1RXSJ163739.5+221104	0.1483 (0.0221)	0.970	11.7	163739.53+221114.8	...	...	...	...	
1RXSJ163741.2+291946	0.0791 (0.0145)	0.965	12.7	163741.22+291950.9	...	...	...	...	
1RXSJ163743.5−335703	0.0800 (0.0177)	0.949	12.1	163743.38−335652.8	...	...	...	...	
1RXSJ163802.4+061431	0.0504 (0.0120)	0.915	12.0	163801.97+061420.3	GSC 00395−01260	*	./.	11.6 : 10.8	
1RXSJ163819.3−225328	0.1417 (0.0214)	0.934	0.0	163819.23−225334.4	HD 149866	*	F3V	7.93 : 7.55	
1RXSJ163820.4−134445	0.0826 (0.0148)	0.970	11.7	163819.80−134453.1	BD−13 4465	*	./.	11.3 : 10.4	
1RXSJ163848.8−383357	0.0692 (0.0167)	0.965	11.8	163848.75−383351.6	...	...	...	...	
1RXSJ163946.7−515941	0.1092 (0.0222)	0.903	0.0	163946.96−515939.1	HD 149813	**	K1:III+...	8.5 : 8.4	
1RXSJ163952.2+780928	0.0906 (0.0093)	0.969	12.0	163950.08+780920.4	GSC 04571−00648	*	./.	10.91 : 9.76	
1RXSJ164026.9−334729	0.1318 (0.0209)	0.938	12.1	164026.57−334733.4	...	...	...	...	
1RXSJ164120.6−484543	0.7370 (0.0492)	0.961	0.0	164120.42−484546.7	CCDM J16413−4846AC	**mul.	O5	5.7 : 6.9	
...	...	...	...	164120.42−484546.7	HD 150135	**	O6:	6.98 : 6.88	
...	...	...	...	164120.42−484546.7	HD 150136	*iC	O5	5.78 : 5.66	
1RXSJ164152.6−632415	0.3802 (0.0509)	0.978	10.9	164153.41−632409.1	HD 149926	Semi−Reg. Pulsating *	K0III	10.11 : 8.99	
1RXSJ164153.2+114034	0.0595 (0.0153)	0.976	10.7	164153.04+114021.2	BD+11 3024	*	K0	11.16 : 10.10	
1RXSJ164207.3−303836	0.1018 (0.0192)	0.977	11.8	164207.71−303837.1	CD−30 13383	*	./.	11.3 : 10.7	
1RXSJ164207.8−342746	0.1722 (0.0239)	0.907	13.0	164208.64−342743.2	HD 150385	*	F6V	9.49 : 8.99	
1RXSJ164212.9+655300	0.0891 (0.0082)	0.976	12.3	164212.91+655301.0	...	...	...	...	
1RXSJ164228.1−382737	0.0768 (0.0175)	0.970	10.7	164227.29−382736.1	HD 321892	*	F8	10.54 : 9.93	
1RXSJ164236.9−503343	0.0591 (0.0154)	0.956	11.6	164238.31−503341.8	GSC 08334−01076	*	./.	11.9 : 11.0	
1RXSJ164324.6−302247	0.0660 (0.0159)	0.957	11.9	164325.22−302247.2	...	...	...	...	
1RXSJ164414.8−385645	0.1023 (0.0215)	0.921	0.0	164415.02−385637.1	HD 150689	*	K2V	8.55 : 7.53	
1RXSJ164516.8−384822	0.0976 (0.0203)	0.902	0.0	164516.97−384833.2	...	...	...	...	
1RXSJ164639.6−380847	0.0712 (0.0174)	0.975	11.7	164640.29−380850.5	HD 321958	*	K0	11.2 :	
...	...	...	...	164640.29−380850.5	...	...	...	...	
1RXSJ164943.4+222009	0.0675 (0.0101)	0.969	11.5	164942.93+222004.6	GSC 01533−00670	*	./.	11.6 : 10.18	
1RXSJ165000.2+412217	0.1130 (0.0162)	0.968	12.4	164959.99+412221.5	AG+41 1420	*	K0	12.1 : 10.9	
1RXSJ165027.1+272812	0.0559 (0.0108)	0.966	11.6	165025.93+272817.3	GSC 02066−01515	*	./.	11.7 : 11.2	
1RXSJ165057.6−385603	0.0540 (0.0157)	0.978	10.2	165058.28−385540.6	HD 151738	*	G1V	10.32 : 9.93	
1RXSJ165107.2+283601	0.0909 (0.0131)	0.970	12.5	165107.14+283558.1	StKM 1−1407	*	K7	:	
1RXSJ165256.3−264503	0.3723 (0.0353)	0.958	13.1	165256.07−264502.9	HD 152178	V* (RS CVn)	G8/K0Vp	9.64 : 8.54	
1RXSJ165315.4+701554	0.0908 (0.0072)	0.964	12.5	165314.40+701559.5	...	...	...	...	
1RXSJ165342.7−302436	0.0650 (0.0172)	0.940	12.6	165342.88−302427.0	HD 152287	*	A5IV	8.26 : 8.05	P
1RXSJ165357.6+073450	0.0662 (0.0132)	0.969	12.2	165357.70+073451.2	...	...	...	...	
1RXSJ165431.3−154549	0.0535 (0.0136)	0.949	12.1	165431.83−154540.2	...	...	...	...	
1RXSJ165442.5−433346	0.0970 (0.0199)	0.972	11.5	165441.69−433337.1	HD 152335	**mul.	F7V	7.67 : 7.10	
1RXSJ165446.6−350255	0.0622 (0.0164)	0.902	12.8	165446.64−350256.3	...	...	...	...	
1RXSJ165551.1−311452	0.1030 (0.0224)	0.954	0.0	165550.52−311444.4	...	...	...	...	
1RXSJ165617.9+524147	0.2125 (0.0145)	0.977	11.8	165618.18+524154.6	HD 153345	Ecl. Bin. (Algol)	A0V	7.16 : 7.11	
1RXSJ165630.2−083442	0.1068 (0.0173)	0.972	11.9	165629.69−083439.0	CSI−08−16538	*	B	11.0 : 11.509	
1RXSJ165702.1−342159	0.1852 (0.0273)	0.976	11.8	165702.03−342203.8	...	...	...	...	
1RXSJ165719.9−534328	0.0715 (0.0207)	0.913	13.0	165720.16−534330.1	...	...	...	...	
1RXSJ165733.5+593156	0.0544 (0.0084)	0.967	12.2	165734.05+593149.4	...	...	...	...	
1RXSJ165743.7−631237	0.0756 (0.0226)	0.954	10.2	165741.66−631237.2	V* V341 Ara	Ceph.	?	10.64 : 10.68	
1RXSJ165909.5+205807	0.3880 (0.0261)	0.927	13.6	165909.72+205811.1	...	...	...	...	
1RXSJ165956.1−524610	0.1222 (0.0261)	0.928	10.9	165955.30−524618.6	GSC 08726−00057	*	./.	11.1 : 10.6	
1RXSJ170017.0−300344	0.1538 (0.0379)	0.941	11.4	170016.59−300330.8	CCDM J17003−3003B	**	./.	12.1 :	
...	...	...	...	170016.59−300330.8	CD−29 13096	**	?	11.1 : 10.1	
1RXSJ170027.0−375630	0.0578 (0.0162)	0.944	0.0	170025.43−375614.0	HD 153330	*	G3/G5V	8.37 : 7.70	
1RXSJ170050.6−254724	0.0923 (0.0236)	0.930	10.4	170049.98−254706.5	HD 153481	*	G0V	10.59 : 10.01	
1RXSJ170155.3−620902	0.2046 (0.0373)	0.931	0.0	170154.22−620826.1	HD 153182	*	A8/A9III	7.891 : 7.629	
1RXSJ170157.5+073329	0.0581 (0.0126)	0.947	13.1	170157.58+073333.2	...	...	...	...	
1RXSJ170244.5+152140	0.1626 (0.0195)	0.955	0.0	170244.75+152159.2	HD 154086	*	G2V	9.85 : 9.22	
1RXSJ170245.5+725330	0.4114 (0.0171)	0.968	12.7	170244.31+725329.9	1RXS J170245.5+725330	Sy1	./.	:	P
...	...	...	...	170244.31+725329.9	UGC 10697	Gal.	S	15.7 :	
...	...	...	...	170244.31+725329.9	[BFE95] 228	Active Galaxy Nucleus	./.	17.0 :	
1RXSJ170248.8+471258	0.2374 (0.0203)	0.943	12.1	170248.85+471306.7	...	...	...	...	
1RXSJ170303.1+320320	0.0592 (0.0103)	0.970	12.3	170303.10+320325.9	BD+32 2836	*	F8	12.2 : 11.6	
1RXSJ170308.0−531415	0.2549 (0.0361)	0.964	0.0	170308.70−531413.2	BPM 24602	*	./.	:	
...	...	...	...	170308.70−531413.2	GJ 3985	**	F6V	5.727 : 5.285	
...	...	...	...	170308.70−531413.2	IRAS 16591−5309	IR	./.	:	
1RXSJ170317.4−342601	0.1196 (0.0223)	0.933	12.1	170317.93−342600.5	...	...	...	...	
1RXSJ170318.0+415326	0.0630 (0.0110)	0.968	0.0	170316.79+415351.0	HD 154393	**mul.	K0	8.7 : 8.1	
1RXSJ170321.5−793659	0.2537 (0.0384)	0.905	11.7	170324.14−793715.1	...	...	...	...	
1RXSJ170358.4−375043	1.0220 (0.0583)	0.972	0.0	170356.77−375038.9	HD 153919	Em. *	O6...	6.80 : 6.53	P
1RXSJ170420.7+392909	0.0621 (0.0097)	0.932	12.3	170420.36+392858.3	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ170526.8+743600	0.0564 (0.0071)	0.937	12.2	170524.09+743605.0	GSC 04427−00715	*	./.	11.6 : 11.0	
1RXSJ170624.6+732928	0.0805 (0.0085)	0.953	12.7	170625.18+732935.8	StKM 1−1446	*	M0	12.40 : 11.13	
1RXSJ170630.2−374936	0.2079 (0.0292)	0.969	10.3	170629.17−374926.0	HD 154338	V* (RS CVn)	G5	10.34 : 9.70	
1RXSJ170730.8−254235	0.0798 (0.0195)	0.950	12.4	170731.28−254234.6	...	...	...	...	
1RXSJ170731.0+280222	0.0995 (0.0134)	0.970	11.8	170731.39+280231.3	BD+28 2672	*	F8	9.37 : 8.94	
1RXSJ170757.4+291922	0.0891 (0.0127)	0.911	12.9	170758.02+291914.3	...	...	...	...	
1RXSJ170948.0−103120	0.0754 (0.0152)	0.929	0.0	170947.96−103123.9	HD 155078	*	F5IV	5.856 : 5.437	
1RXSJ171017.5+632135	0.0520 (0.0056)	0.974	11.9	171016.75+632140.4	...	...	...	...	
1RXSJ171201.1−154709	0.0585 (0.0152)	0.971	11.9	171200.73−154709.1	...	...	...	...	
1RXSJ171206.0+454025	0.0581 (0.0088)	0.966	0.0	171207.61+454011.6	...	...	...	...	
1RXSJ171227.2+355256	0.1254 (0.0139)	0.962	10.9	171228.47+355302.4	MCG+06−38−005	Gal.	./.	15.1 :	
1RXSJ171227.5−232140	6.1840 (0.1490)	0.906	12.3	171227.77−232131.9	...	...	...	...	
1RXSJ171304.5−491457	0.1975 (0.0296)	0.978	9.4	171304.51−491435.5	HD 155282	*	F7V	9.35 : 8.82	
1RXSJ171307.0−855157	0.2036 (0.0343)	0.962	12.0	171307.91−855209.7	EUVE J1713−85.8	*	K5V:e	:	
1RXSJ171355.0+455955	0.0502 (0.0073)	0.977	11.9	171355.28+455951.0	...	...	...	...	
1RXSJ171355.8−414259	0.1890 (0.0277)	0.957	12.1	171355.11−414256.7	CD−41 11381	*	./.	:	
1RXSJ171406.2−172236	0.0661 (0.0166)	0.949	12.0	171406.31−172244.9	...	...	...	...	
1RXSJ171412.0+062346	0.0827 (0.0150)	0.966	11.7	171411.81+062333.4	BD+06 3372a	*	A2	11.05 : 9.95	
1RXSJ171416.0+434116	0.0711 (0.0103)	0.927	10.2	171415.02+434104.7	NAME NGC 6329 GROUP	Group of Galaxies	./.	:	
...	...	...	...	171415.02+434104.7	NGC 6329	Gal.	E	14.3 :	
1RXSJ171419.4+143308	0.1671 (0.0194)	0.929	12.8	171420.05+143309.9	HD 155967	*	F6V	7.84 : 7.42	
1RXSJ171443.4−534144	0.0968 (0.0262)	0.940	11.6	171441.63−534154.3	CD−53 7153	*	G1	9.80 : 9.18	
1RXSJ171521.5−263558	0.8541 (0.0577)	0.978	0.0	171521.14−263555.2	IRAS 17122−2632	IR	./.	:	
1RXSJ171609.7−413841	0.1144 (0.0218)	0.970	11.8	171609.55−413851.4	HD 155895	*	F5V	9.59 : 9.13	
1RXSJ171613.1+714738	0.1191 (0.0084)	0.959	12.9	171613.08+714732.3	HD 157370	*	K2	7.875 : 6.807	
1RXSJ171617.5−231038	0.1260 (0.0224)	0.933	11.4	171618.11−231046.8	GSC 06812−00348	*	./.	11.6 : 10.9	
1RXSJ171626.0−424016	0.0503 (0.0146)	0.902	0.0	171626.33−424004.1	HD 155913	*	O5/O6	8.71 : 8.31	
1RXSJ171652.9−302041	0.0641 (0.0171)	0.925	0.0	171654.32−302105.1	HD 156096	*	F0V	7.57 : 7.27	
1RXSJ171721.6−283649	0.0960 (0.0197)	0.966	11.3	171721.38−283640.2	CD−28 12998	*	./.	11.1 : 10.4	
1RXSJ171814.6−602727	0.2344 (0.0420)	0.913	11.6	171814.72−602727.0	HD 155915	V*	G8/K0V	10.26 : 9.52	
1RXSJ171842.2−414622	0.1506 (0.0246)	0.961	12.6	171842.04−414623.6	...	...	...	...	
1RXSJ171911.0−110729	0.0876 (0.0175)	0.938	0.0	171911.28−110728.4	GJ 668A	V*	M0	11.86 :	
1RXSJ171930.4−225931	0.0696 (0.0174)	0.926	11.8	171930.88−225931.1	HD 156619	*	F6V	9.84 : 9.36	
1RXSJ172024.3−240801	0.0621 (0.0163)	0.964	12.1	172023.78−240805.8	...	...	...	...	
1RXSJ172031.9−315500	0.0567 (0.0147)	0.940	12.5	172032.07−315450.4	...	...	...	...	
1RXSJ172051.8−423914	0.1261 (0.0230)	0.902	0.0	172053.69−423910.4	HD 156674	*	F6V	8.95 : 8.48	
1RXSJ172128.0+084446	0.0564 (0.0129)	0.967	12.4	172127.87+084440.3	...	...	...	...	
1RXSJ172157.8+574913	0.0676 (0.0073)	0.917	12.5	172158.29+574921.0	...	...	...	...	
1RXSJ172215.7+304250	0.0775 (0.0137)	0.928	11.5	172215.43+304240.0	MCG+05−41−009	Gal.	./.	15.6 :	
1RXSJ172223.9+044515	0.0542 (0.0125)	0.905	0.0	172223.48+044524.8	HD 157310	**	G5	10.1 : 9.3	
1RXSJ172228.5+365843	0.2480 (0.0184)	0.972	12.4	172228.77+365839.4	GSC 02604−00556	*	K5	12.1 : 10.6	
1RXSJ172228.9−372657	0.1491 (0.0237)	0.977	11.8	172228.97−372655.1	...	...	...	...	
1RXSJ172248.2+275132	0.0502 (0.0102)	0.977	0.0	172248.01+275133.7	HD 157565	*	F5	7.8 : 7.9	
1RXSJ172314.4+283641	0.1263 (0.0150)	0.972	12.0	172314.35+283648.3	GSC 02086−01942	*	./.	11.3 : 10.7	
1RXSJ172324.0+565840	0.0540 (0.0078)	0.959	9.6	172325.18+565829.3	NGC 6370	Gal.	E	14.2 :	
1RXSJ172327.2−753852	0.1349 (0.0358)	0.917	12.5	172329.51−753857.1	...	...	...	...	
1RXSJ172339.8+352757	0.0654 (0.0107)	0.970	12.5	172339.77+352756.6	...	...	...	...	
1RXSJ172413.5+402616	0.0552 (0.0094)	0.972	12.3	172413.71+402617.6	...	...	...	...	
1RXSJ172446.8−341224	0.1568 (0.0260)	0.928	0.0	172443.50−341157.0	CD−34 11671C	**	?	12.8 :	
...	...	...	...	172443.50−341157.0	HD 319718 B	**	?	11.4 :	
1RXSJ172509.3−341117	0.0622 (0.0163)	0.980	11.5	172508.87−341114.2	HD 157504	WR *	WC...	12.10 : 10.68	
1RXSJ172534.0+160923	0.3358 (0.0377)	0.970	12.8	172533.89+160924.7	...	...	...	...	
1RXSJ172534.0−251704	0.0566 (0.0165)	0.963	11.5	172533.67−251706.8	...	...	...	...	
1RXSJ172635.1−325842	0.0604 (0.0165)	0.969	0.0	172634.87−325810.9	HD 157750	*	G2V	8.65 : 8.04	
1RXSJ172641.7−354030	0.0614 (0.0174)	0.933	11.8	172641.70−354052.0	...	...	...	...	
1RXSJ172656.6−163132	0.1479 (0.0227)	0.977	11.9	172656.64−163133.3	...	...	...	...	
1RXSJ172700.8−123032	0.0833 (0.0173)	0.971	0.0	172702.15−123045.0	HD 157968	*	F7V	6.677 : 6.215	
1RXSJ172733.0−304807	2.0430 (0.1105)	0.924	13.9	172733.20−304808.2	4U 1722−30	Low Mass X−ray Binary	?	:	P
...	...	...	...	172733.20−304808.2	ESO 454− 29	Globular Cluster	./.	:	
1RXSJ172812.2+723923	0.0657 (0.0063)	0.962	12.9	172812.60+723921.7	...	...	...	...	
1RXSJ172927.2+352402	0.0842 (0.0112)	0.944	13.2	172927.30+352406.0	...	...	...	...	
1RXSJ173018.4+220205	0.3501 (0.0250)	0.958	13.1	173018.64+220206.5	HD 158789	*	K0	8.452 : 7.675	
1RXSJ173039.4+785554	0.1114 (0.0087)	0.973	12.2	173040.01+785548.6	...	...	...	...	
1RXSJ173157.5−461419	0.1072 (0.0276)	0.923	11.7	173157.51−461423.5	...	...	...	...	
1RXSJ173204.3+841326	0.0500 (0.0080)	0.960	9.3	173212.94+841338.5	HD 163050	*	G5	9.12 : 8.53	
1RXSJ173301.7+434533	0.6538 (0.0241)	0.939	10.5	173302.16+434535.5	IC 1262	Gal. in Clust.	E	14.9 :	
1RXSJ173306.7+091433	0.0597 (0.0132)	0.979	10.5	173307.16+091438.7	...	...	...	...	
1RXSJ173442.6−323449	0.3482 (0.0370)	0.934	0.0	173442.49−323454.0	HD 159176	Elliptical variable Star	O6V+...	5.74 :	
...	...	...	...	173442.49−323454.0	NGC 6383 1	*iC	./.	5.74 : 5.70	
...	...	...	...	173442.49−323454.0	NGC 6383 101	*iC	./.	15.54 : 14.57	
...	...	...	...	173442.49−323454.0	NGC 6383 617	*iC	./.	10.30 : 10.17	
...	...	...	...	173442.49−323454.0	NGC 6383 619	*iC	./.	11.01 : 10.89	
1RXSJ173534.2−243751	0.0589 (0.0163)	0.968	11.8	173534.12−243740.3	HD 159397	*	F5V	8.13 : 7.71	
1RXSJ173603.8−471016	0.1053 (0.0263)	0.976	11.3	173604.02−471009.9	...	...	...	...	
1RXSJ173637.6+151511	0.0539 (0.0113)	0.976	10.7	173636.88+151505.5	GSC 01551−01479	*	./.	10.77 : 10.34	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ173657.6+300943	0.0761 (0.0119)	0.935	12.3	173658.42+300950.1	GSC 02606−00591	*	K4	11.9 : 10.8	
1RXSJ173728.0−290759	0.0826 (0.0189)	0.929	11.1	173727.32−290813.9	CD−29 13793	*	./.	:	
1RXSJ173734.1+414618	0.1123 (0.0112)	0.965	12.7	173733.62+414616.5	...	...	...	...	
1RXSJ173746.2−131446	1.8330 (0.1331)	0.970	12.2	173746.52−131440.5	HD 159911	*	K3/K4III:	11.1 : 10.17	
1RXSJ173748.1+215925	0.0566 (0.0109)	0.939	13.0	173748.03+215932.3	...	...	...	...	
1RXSJ173755.2−423405	0.1286 (0.0270)	0.976	0.0	173753.95−423403.3	GJ 683.1	Spec. Bin.	G2/G3V	7.81 : 7.16	
1RXSJ173800.8+332935	0.0549 (0.0100)	0.930	12.7	173801.25+332943.4	StKM 1−1506	*	K6	:	
1RXSJ173807.2−440330	0.1732 (0.0331)	0.950	11.3	173806.07−440331.1	GSC 07896−03885	*	./.	10.9 : 10.2	
1RXSJ173826.7−290140	0.0813 (0.0187)	0.925	12.0	173826.18−290149.2	RX J1738.4−2901	X	./.	:	P
1RXSJ173844.3−215453	0.0873 (0.0188)	0.976	0.0	173844.85−215445.6	HD 160042	*	G6III/IV	7.018 : 6.222	
1RXSJ173855.7+263400	0.1780 (0.0175)	0.919	13.6	173855.83+263405.1	...	...	...	...	
1RXSJ173901.2−394704	0.0889 (0.0212)	0.952	11.4	173900.55−394712.1	...	...	...	...	
1RXSJ173955.4−230351	0.0618 (0.0165)	0.917	0.0	173955.63−230341.0	HD 160257	*	G1V	9.16 : 8.60	
1RXSJ174032.3+353858	0.3162 (0.0219)	0.959	11.5	174032.04+353845.9	MCG+06−39−009	Pair of Galaxies	./.	15.4 :	
1RXSJ174034.3−293749	0.0903 (0.0190)	0.970	12.0	174034.61−293743.6	...	...	...	...	
1RXSJ174043.7−074610	0.5515 (0.0396)	0.975	12.3	174043.84−074614.2	V* V2383 Oph	V*	K7V	11.5 : 10.30	
1RXSJ174120.9+084312	0.0677 (0.0139)	0.953	11.8	174121.47+084314.0	...	...	...	...	
1RXSJ174121.2−110845	0.1257 (0.0209)	0.921	12.3	174120.68−110835.1	...	...	...	...	
1RXSJ174157.4−221857	0.0514 (0.0149)	0.957	9.6	174157.90−221847.5	HD 160626	*	G3V	9.78 : 9.26	
1RXSJ174158.7−860827	0.1330 (0.0253)	0.928	0.0	174208.97−860805.3	HD 155177	*	F3/F5V	9.27 : 8.90	
1RXSJ174230.4−284504	0.1827 (0.0263)	0.927	12.2	174230.35−284455.4	HD 160682	Ecl. Bin. (beta Lyr)	G3/G5V	9.75 : 9.02	P
1RXSJ174300.4+054716	0.0605 (0.0163)	0.977	0.0	174300.67+054722.1	GJ 4024	*	M1	12.4 : 10.67	
1RXSJ174432.1+131259	0.0576 (0.0129)	0.952	12.4	174431.77+131257.6	...	...	...	...	
1RXSJ174502.6+191720	0.0560 (0.0113)	0.910	13.2	174502.40+191723.3	HD 161479	*	K0	8.87 : 8.13	
1RXSJ174504.2+480238	0.2759 (0.0153)	0.931	13.0	174504.62+480239.8	[BFE95] 238	Active Galaxy Nucleus	./.	15.9 :	
1RXSJ174505.6−195759	0.1462 (0.0265)	0.919	11.5	174506.20−195748.4	CPD−19 6268	*	./.	:	
1RXSJ174527.8+110837	0.1850 (0.0199)	0.915	12.9	174527.10+110839.8	HD 161502	*	G5III	7.837 : 6.957	
1RXSJ174622.5−374343	0.0640 (0.0182)	0.935	12.1	174622.21−374349.6	...	...	...	...	
1RXSJ174636.9−160014	0.0573 (0.0160)	0.976	11.0	174636.27−160011.8	HD 161523	*	F7/F8IV	8.72 : 8.21	
1RXSJ174704.1+332126	0.0541 (0.0097)	0.913	12.6	174705.06+332129.3	...	...	...	...	
1RXSJ174721.0−884615	0.0726 (0.0195)	0.909	13.3	174726.93−884607.9	...	...	...	...	
1RXSJ174858.2+370347	0.1016 (0.0123)	0.976	12.3	174858.14+370346.0	HD 162338	**mul.	G0	7.653 : 7.187	
1RXSJ174947.6+335056	0.0645 (0.0105)	0.955	12.3	174947.10+335100.6	...	...	...	...	
1RXSJ175106.2−321836	0.2998 (0.0361)	0.959	11.7	175106.88−321827.6	HD 162186	*	G1V	9.86 : 9.33	
1RXSJ175133.3+414121	0.0670 (0.0095)	0.970	11.9	175133.97+414128.2	BD+41 2912	*	K0	11.06 : 9.92	
1RXSJ175219.2−190727	0.0654 (0.0171)	0.944	12.1	175219.39−190715.8	HD 162563	*	A1V	7.303 : 7.199	
1RXSJ175318.5+213028	0.1757 (0.0175)	0.900	0.0	175319.15+213029.6	...	...	...	...	
1RXSJ175537.3−115554	0.0682 (0.0173)	0.941	0.0	175537.17−115553.2	...	...	...	...	
1RXSJ175607.5+545536	0.2383 (0.0112)	0.932	13.1	175608.32+545536.3	...	...	...	...	
1RXSJ175633.1−014310	0.0502 (0.0136)	0.905	11.9	175633.27−014300.7	...	...	...	...	
1RXSJ175706.6−451556	0.1403 (0.0349)	0.911	13.5	175707.05−451553.9	...	...	...	...	
1RXSJ175711.2+224712	0.1116 (0.0154)	0.921	13.3	175711.33+224710.0	...	...	...	...	
1RXSJ175718.5+313314	0.1440 (0.0157)	0.976	12.0	175718.94+313316.5	...	...	...	...	
1RXSJ175733.7+584414	0.0617 (0.0052)	0.968	12.7	175734.19+584414.0	...	...	...	...	
1RXSJ175758.9+550608	0.1184 (0.0085)	0.974	12.4	175758.80+550609.5	...	...	...	...	
1RXSJ175809.3+092241	0.1021 (0.0205)	0.968	12.1	175809.50+092241.0	...	...	...	...	
1RXSJ175838.2+220835	0.1337 (0.0158)	0.943	10.9	175838.50+220848.3	HD 341475	V* (RS CVn)	G0	10.48 : 9.70	P
1RXSJ180004.5+800000	0.0789 (0.0084)	0.918	0.0	180003.52+800003.2	HD 166865	Spec. Bin.	F7	6.490 : 6.023	
1RXSJ180009.9+683557	0.5608 (0.0074)	0.945	13.8	180010.00+683556.4	FBS 1800+686	*	./.	:	
...	...	...	...	180010.00+683556.4	WD 1800+686	WD	sd:O	:	P
1RXSJ180028.9−034123	0.1967 (0.0254)	0.974	0.0	180029.01−034125.1	GJ 699.2	*	F2IV	4.990 : 4.633	
1RXSJ180100.0+233936	0.1875 (0.0188)	0.968	11.5	180100.44+233944.9	1E 1758.9+2339	*	K3V	:	
1RXSJ180214.5+470112	0.0500 (0.0079)	0.968	12.1	180213.83+470118.5	...	...	...	...	
1RXSJ180219.5−245157	0.1522 (0.0260)	0.969	0.0	180219.79−245209.5	HD 164453	**mul.	K1III+...	9.10 : 8.15	
1RXSJ180303.6+255932	0.0941 (0.0140)	0.939	12.6	180303.14+255940.3	...	...	...	...	
1RXSJ180303.9−513856	0.1501 (0.0427)	0.971	0.0	180303.41−513856.4	HD 164249	*	F5V	7.6 : 7.3	
1RXSJ180305.8−033740	0.1102 (0.0201)	0.901	13.1	180305.71−033730.3	...	...	...	...	
1RXSJ180426.3+393044	0.0733 (0.0108)	0.969	12.5	180426.63+393046.9	...	...	...	...	
1RXSJ180533.9−194517	0.3662 (0.0382)	0.965	12.0	180533.33−194514.5	HD 165202	Be Star	B9V	6.6 : 6.8	
1RXSJ180556.1−343818	0.2894 (0.0501)	0.978	0.0	180556.47−343829.6	GSC 07399−00863	*	./.	10.69 : 9.92	
1RXSJ180631.8−125340	0.0750 (0.0183)	0.941	12.7	180631.88−125339.2	...	...	...	...	
1RXSJ180816.4+235033	0.0809 (0.0139)	0.954	10.0	180815.89+235042.4	HD 341626	*	K0	9.96 : 8.82	
1RXSJ180853.5+370702	0.0512 (0.0094)	0.907	13.6	180853.53+370707.8	...	...	...	...	
1RXSJ181048.9+701601	0.0558 (0.0041)	0.966	12.0	181049.99+701608.8	GSC 04433−00597	*	./.	11.3 : 10.6	
1RXSJ181132.2+235516	0.0695 (0.0133)	0.957	12.2	181132.84+235512.4	HD 341703	Ecl. Bin. (Algol)	K0	11.58 : 10.67	
1RXSJ181228.2+544701	0.0539 (0.0060)	0.930	12.0	181228.82+544652.1	...	...	...	...	
1RXSJ181258.6+410604	0.0644 (0.0103)	0.908	12.6	181258.31+410551.5	...	...	...	...	
1RXSJ181429.2−181614	0.0712 (0.0191)	0.911	11.1	181427.61−181624.5	HD 167087	*	F5V	9.57 : 9.06	
1RXSJ181537.9+381927	0.0711 (0.0107)	0.905	0.0	181538.08+381933.5	...	...	...	...	
1RXSJ181610.9+585539	0.0542 (0.0052)	0.976	12.0	181611.61+585542.6	...	...	...	...	
1RXSJ181613.8+495203	0.1296 (0.0100)	0.916	14.0	181613.49+495203.6	V* AM Her	CV (AM Her type)	M4.5	:	P
1RXSJ181616.5+541019	0.2920 (0.0129)	0.918	13.8	181616.97+541021.7	...	...	...	...	
1RXSJ181623.1−163534	0.1153 (0.0247)	0.945	12.1	181623.20−163533.3	...	...	...	...	
1RXSJ181723.7−094550	0.1390 (0.0239)	0.965	0.0	181724.16−094531.0	HD 167833	*	A8V	6.636 : 6.298	
1RXSJ181725.6+482202	0.1297 (0.0110)	0.970	12.8	181725.35+482200.0	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ181806.3−121439	0.2012 (0.0291)	0.931	0.0	181805.90−121433.3	HD 167971	Ecl. Bin. (beta Lyr)	O8/O9...	8.05 : 7.45	
1RXSJ181937.8+364057	0.1496 (0.0148)	0.960	13.0	181938.09+364058.0	...	...	...	...	
1RXSJ182030.0+580437	0.8715 (0.0199)	0.929	13.8	182029.84+580441.0	...	...	...	...	
1RXSJ182103.0+724342	0.1558 (0.0090)	0.905	0.0	182102.34+724401.3	GJ 713	Spec. Bin.	F7V	4.06 : 3.57	
...	...	...	...	182102.34+724401.3	IRAS 18220+7242	IR	./.	:	
1RXSJ182247.1+443442	0.0853 (0.0099)	0.957	13.1	182247.16+443443.0	...	...	...	...	
1RXSJ182427.1−584519	0.2858 (0.0492)	0.956	12.3	182426.88−584509.3	...	...	...	...	
1RXSJ182448.9−341049	0.1801 (0.0383)	0.953	0.0	182450.57−341126.4	HD 169178	*	G8V	9.5 : 8.8	
1RXSJ182510.6+645017	0.2293 (0.0064)	0.975	12.5	182510.18+645014.8	HD 170527	*	K0	7.85 : 6.87	P
1RXSJ182539.1−021122	0.0505 (0.0139)	0.908	13.1	182538.97−021119.5	...	...	...	...	
1RXSJ182553.8+145826	0.0982 (0.0251)	0.970	0.0	182555.23+145758.4	HD 169820	*	B9V	6.328 : 6.365	
1RXSJ182720.9−622415	0.2029 (0.0471)	0.962	12.5	182720.37−622414.8	...	...	...	...	
1RXSJ182725.3+385819	0.1221 (0.0130)	0.938	0.0	182724.44+385820.6	GSC 03104−01252	*	./.	10.71 : 10.20	
1RXSJ182905.3+002614	0.0593 (0.0157)	0.977	10.1	182905.34+002624.1	HD 170377	*	K2	9.88 : 8.96	
1RXSJ182931.3+223426	0.0613 (0.0110)	0.920	12.4	182931.50+223425.3	...	...	...	...	
1RXSJ183037.6+433555	0.0978 (0.0121)	0.956	12.8	183037.31+433553.6	...	...	...	...	
1RXSJ183159.2+054017	0.0870 (0.0169)	0.935	11.9	183159.03+054020.1	...	...	...	...	
1RXSJ183219.2+021456	0.2539 (0.0273)	0.961	12.3	183218.93+021454.8	...	...	...	...	
1RXSJ183259.6−395353	0.1379 (0.0389)	0.951	0.0	183300.91−395331.3	HD 170773	*	F5IV	6.611 : 6.237	
1RXSJ183355.9+514313	2.4140 (0.0479)	0.962	9.6	183354.81+514323.6	...	...	...	...	
1RXSJ183420.0+184126	1.5970 (0.0541)	0.968	13.1	183420.15+184126.3	HD 171488	V*	G0V	7.98 : 7.40	
1RXSJ183426.8+574811	0.0740 (0.0087)	0.952	0.0	183426.30+574806.5	HD 172022	Ecl. Bin. (beta Lyr)	A5	7.52 : 7.33	
1RXSJ183438.0−273352	0.0995 (0.0254)	0.965	0.0	183437.64−273358.3	CCDM J18346−2734B	**	./.	:	
...	...	...	...	183437.64−273358.3	CCDM J18346−2734D	**	./.	12.0 :	
...	...	...	...	183437.64−273358.3	CPD−27 6461	**	./.	11.3 :	
...	...	...	...	183437.64−273358.3	HD 171226	**	G3/G5V	9.46 : 8.85	
1RXSJ183450.3−004310	0.3105 (0.0319)	0.969	11.6	183449.48−004309.6	GSC 05112−00252	*	./.	11.9 : 10.5	
1RXSJ183503.2+324145	2.0000 (0.0556)	0.963	13.2	183503.43+324146.7	QSO 1833+326	Sy1	./.	16.77 : 15.88	
1RXSJ183544.4+300808	0.0589 (0.0107)	0.913	12.8	183544.75+300818.9	...	...	...	...	
1RXSJ183635.9−150642	0.1294 (0.0231)	0.927	12.4	183636.40−150639.0	...	...	...	...	
1RXSJ183824.9+340642	0.0945 (0.0144)	0.969	12.2	183825.35+340645.0	...	...	...	...	
1RXSJ183854.2−762949	0.1548 (0.0317)	0.972	11.8	183853.53−762956.3	HD 170506	*	F5V	8.2 : 7.9	
1RXSJ184019.8+132155	0.0541 (0.0126)	0.925	8.7	184021.82+132213.4	HD 172558	*	G0	8.52 : 8.12	
1RXSJ184054.7+624500	0.0525 (0.0049)	0.927	0.0	184056.41+624458.1	HD 173398	*	K0III	7.062 : 6.096	
1RXSJ184200.9+151955	0.1096 (0.0188)	0.976	11.3	184200.35+151943.4	GSC 01583−01425	*	./.	11.4 : 10.34	
1RXSJ184330.7+410941	0.0645 (0.0093)	0.964	11.9	184331.79+410938.5	GSC 03122−00821	*	./.	11.5 : 10.8	
1RXSJ184529.6−415528	0.1401 (0.0377)	0.958	0.0	184528.74−415504.3	HD 173080	*	F8/G0V	9.1 : 8.8	
1RXSJ184533.8−375024	0.3261 (0.0534)	0.979	0.0	184534.84−375019.4	HD 173148	**mul.	G5V	9.97 : 9.17	
1RXSJ184632.2+485443	0.0680 (0.0101)	0.921	13.2	184633.01+485444.1	...	...	...	...	
1RXSJ184640.1−091622	0.1494 (0.0251)	0.958	12.7	184640.53−091623.9	...	...	...	...	
1RXSJ184653.6+321652	0.0550 (0.0095)	0.937	12.2	184653.58+321650.3	...	...	...	...	
1RXSJ184704.2−783148	0.5358 (0.0600)	0.975	12.2	184703.02−783149.9	1E 1839.0−7835	Sy1	?	15.55 :	P
1RXSJ184719.1−631947	0.1437 (0.0355)	0.970	11.9	184718.18−631952.1	ClG 1842.6−6323	Clust.	./.	:	
...	...	...	...	184718.18−631952.1	IC 4765	Gal. in Clust.	S...	11. :	
...	...	...	...	184718.18−631952.1	[QR95] 184234.6−632304	Gal. in Clust.	./.	:	
...	...	...	...	184718.18−631952.1	[S96b] ACO S805 15	Gal. in Clust.	E	:	
1RXSJ184725.7+084106	0.0664 (0.0166)	0.937	12.9	184725.64+084108.3	...	...	...	...	
1RXSJ184739.3+015732	0.7512 (0.0477)	0.942	12.8	184739.08+015739.5	...	...	...	...	
1RXSJ184752.3+275703	0.0818 (0.0126)	0.932	13.0	184751.81+275705.2	...	...	...	...	
1RXSJ184756.1−221938	0.2486 (0.0314)	0.910	12.9	184756.40−221937.3	WD 1844−223	WD	DA:	:	P
1RXSJ184830.1+642330	0.0985 (0.0058)	0.966	12.6	184829.55+642328.6	...	...	...	...	
1RXSJ184921.2+434401	0.0636 (0.0121)	0.975	0.0	184920.67+434403.8	HD 174621	*	G5	7.335 : 6.561	
1RXSJ185006.6+332123	0.0979 (0.0122)	0.960	0.0	185006.71+332106.7	HD 174664	Spec. Bin.	B5V	7.05 : 7.13	
1RXSJ185038.4+432646	0.0685 (0.0106)	0.967	12.2	185038.07+432642.1	...	...	...	...	
1RXSJ185044.7−314748	0.3085 (0.0375)	0.970	11.9	185044.45−314745.9	...	...	...	...	
1RXSJ185133.5+574527	0.1273 (0.0107)	0.969	12.8	185133.39+574524.5	...	...	...	...	
1RXSJ185134.9+525823	0.4147 (0.0242)	0.926	0.0	185134.96+525830.6	GJ 732.1	HiPM*	G9IVa	6.35 : 5.51	
1RXSJ185225.0+363001	0.0666 (0.0106)	0.907	12.1	185223.93+362953.5	GSC 02650−00870	*	./.	11.9 : 10.9	
1RXSJ185502.1−310951	0.9520 (0.0616)	0.953	13.3	185502.31−310949.3	V* V1223 Sgr	CV (DQ Her type)	?	13.30 :	
1RXSJ185524.0−000731	0.0600 (0.0161)	0.902	0.0	185524.57−000731.5	...	...	...	...	
1RXSJ185527.4+082408	1.3920 (0.0552)	0.974	12.2	185527.14+082412.4	GJ 735	V*	M3	11.6 : 10.2	P
1RXSJ185530.7−162244	0.0831 (0.0192)	0.931	0.0	185530.99−162235.9	HD 175317	*	F5/F6IV/V	5.962 : 5.561	
1RXSJ185637.5+041558	0.2002 (0.0236)	0.968	12.4	185637.13+041558.3	HD 175726	**	G5	7.25 : 6.72	P
1RXSJ185740.4+542942	0.0791 (0.0098)	0.935	13.2	185740.27+542945.6	...	...	...	...	
1RXSJ185831.6−013453	0.0649 (0.0152)	0.953	11.6	185831.99−013455.4	HD 176058	*	G0	9.16 : 8.63	
1RXSJ185938.9+150353	0.0633 (0.0164)	0.970	0.0	185937.36+150405.9	HD 176411	**	K1III	5.091 : 4.025	
...	...	...	...	185937.36+150405.9	IRAS 18573+1459	IR	./.	:	
1RXSJ190112.2+255033	0.0641 (0.0121)	0.932	12.7	190111.72+255036.2	...	...	...	...	
1RXSJ190124.2+465538	0.0775 (0.0132)	0.976	0.0	190126.38+465605.4	HD 177196	V*	A7V	5.195 : 5.013	
1RXSJ190202.7−370758	0.0845 (0.0194)	0.953	11.8	190201.99−370743.0	V* V702 CrA	V* (Orion)	G5	11.2 : 10.5	
...	...	...	...	190201.99−370743.0	VSS VIII−1	IR	./.	:	
1RXSJ190318.1+635933	0.1654 (0.0089)	0.964	12.2	190316.86+635929.3	GJ 4094	*	M0	11.9 : 10.8	
1RXSJ190333.1+104355	0.1078 (0.0168)	0.934	12.0	190333.70+104400.2	RX J190333+10439	X	./.	:	P
1RXSJ190403.3−640011	0.1615 (0.0457)	0.951	11.7	190403.27−640014.1	...	...	...	...	
1RXSJ190518.7−013055	0.0688 (0.0155)	0.942	0.0	190518.57−013043.9	HD 177552	*	F1V	6.845 : 6.526	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ190525.5+422737	0.4450 (0.0305)	0.947	12.4	190525.96+422739.7	NPM1G +42.0517	Gal.	./.	15.4 :	
1RXSJ190526.0+135136	0.1410 (0.0205)	0.974	0.0	190524.61+135149.4	BD+13 3899B	**	?	:	
...	...	...	...	190524.61+135149.4	GJ 4095	**	A0Vn	3.016 : 2.988	
...	...	...	...	190524.61+135149.4	IRAS 19031+1347	IR	./.	:	
1RXSJ190716.1+120301	0.1341 (0.0186)	0.936	12.7	190716.03+120309.7	...	...	...	...	
1RXSJ190716.8+440109	0.1258 (0.0166)	0.951	12.5	190716.29+440108.5	V* MV Lyr	Nova−like Star	Op+...	10.50 :	P
1RXSJ190732.5+301513	2.0950 (0.0562)	0.927	13.1	190731.93+301512.2	HD 178450	V* (RS CVn)	G8V...	8.54 : 7.80	
1RXSJ190920.3−541715	0.1908 (0.0399)	0.970	11.5	190921.55−541705.6	CD−54 8168	*	./.	10.85 : 10.00	
1RXSJ190940.3−394941	0.1023 (0.0245)	0.909	0.0	190939.76−394938.1	HD 178254	*	K1III:	7.525 : 6.446	
1RXSJ190940.4+493004	0.0742 (0.0116)	0.960	12.3	190940.40+493003.7	...	...	...	...	
1RXSJ191013.8+133728	0.1108 (0.0173)	0.926	11.8	191012.78+133727.1	...	...	...	...	
1RXSJ191025.0−461948	0.1380 (0.0324)	0.975	10.3	191026.46−461951.0	HD 178323	*	F8/G0V	10.24 : 9.63	
1RXSJ191147.3−260422	0.1518 (0.0321)	0.932	0.0	191144.66−260408.5	CCDM J19117−2604AB	**mul.	K0	9.2 : 10.0	
1RXSJ191302.4+443629	0.0800 (0.0126)	0.943	11.0	191302.63+443615.4	GSC 03133−01231	*	./.	11.4 : 10.32	
1RXSJ191400.6+234255	0.0520 (0.0115)	0.952	11.5	191401.23+234257.8	HD 344013	*	G5	11.38 : 10.44	
1RXSJ191402.1+490531	0.0522 (0.0098)	0.950	12.1	191401.64+490541.6	V* V474 Cyg	Ecl. Bin. (Algol)	F8	11.4 : 10.7	
1RXSJ191415.6+505559	0.0920 (0.0112)	0.965	11.9	191415.00+505607.8	GSC 03554−00514	*	./.	11.18 : 10.38	
1RXSJ191449.6−082343	0.0665 (0.0174)	0.980	11.7	191450.00−082340.6	HD 179944	*	K5	10.87 : 9.56	
1RXSJ191457.6+770640	0.0520 (0.0068)	0.901	13.4	191458.48+770641.5	[BFE95] 240	Active Galaxy Nucleus	./.	17.5 :	P
1RXSJ191518.6+522937	0.0711 (0.0100)	0.963	12.4	191518.92+522935.7	...	...	...	...	
1RXSJ191546.7+181242	0.0657 (0.0124)	0.967	12.0	191547.46+181243.4	GSC 01603−01246	*	./.	11.8 : 11.1	
1RXSJ191608.0+562140	0.0541 (0.0073)	0.972	12.5	191608.17+562141.3	...	...	...	...	
1RXSJ191703.9+092037	0.0583 (0.0133)	0.909	0.0	191703.47+092038.5	HD 180639	Ecl. Bin. (Algol)	A4II	9.00 : 8.68	
1RXSJ191709.3+411549	0.2940 (0.0234)	0.961	12.7	191708.89+411553.3	HD 181068	*	G5	7.993 : 7.106	
1RXSJ191744.3−440021	0.5435 (0.0788)	0.978	11.4	191743.74−440016.1	HD 180235	*	K1/K2III:	10.80 : 9.63	P
1RXSJ191813.0+340810	0.0614 (0.0124)	0.941	11.5	191812.04+340810.6	HD 181209	V* (irregular)	K0	9.47 : 8.35	
1RXSJ191845.4−282436	0.0691 (0.0183)	0.967	12.5	191845.03−282437.7	...	...	...	...	
1RXSJ191857.9+495125	0.1258 (0.0144)	0.948	0.0	191857.03+495130.9	BD+49 2978B	**	?	:	
...	...	...	...	191857.03+495130.9	HD 181678	**	G	9.40 : 8.86	
1RXSJ192018.8−235015	0.1616 (0.0258)	0.958	11.4	192019.11−235007.0	...	...	...	...	
1RXSJ192026.5−011853	0.0665 (0.0156)	0.929	12.2	192026.87−011838.7	HD 181420	*	F2	6.965 : 6.570	
1RXSJ192041.6+310957	0.1392 (0.0170)	0.975	0.0	192041.65+310957.1	...	...	...	...	
1RXSJ192126.3−772742	0.1218 (0.0264)	0.934	11.6	192122.07−772730.8	...	...	...	...	
1RXSJ192136.8−281319	0.0722 (0.0188)	0.902	11.4	192136.09−281333.2	HD 181450	*	G3V	9.94 : 9.29	
1RXSJ192149.2+043259	0.1265 (0.0205)	0.957	11.4	192148.43+043259.0	V* V1430 Aql	V* (RS CVn)	G5+...	11.4 : 10.5	P
1RXSJ192241.3+095057	0.1296 (0.0180)	0.972	12.0	192241.82+095057.8	2E 1920.3+0945	X	./.	:	
1RXSJ192248.2+095445	0.0842 (0.0145)	0.975	0.0	192248.35+095446.4	2E 1920.4+0949	X	./.	:	
...	...	...	...	192248.35+095446.4	HD 182101	*	F6V	6.763 : 6.360	
1RXSJ192257.5−141529	0.6441 (0.0555)	0.949	0.0	192257.27−141532.0	HD 181943	V*	G8V	10.28 : 9.55	
1RXSJ192338.2−460631	0.1043 (0.0248)	0.960	12.7	192338.18−460630.8	...	...	...	...	
1RXSJ192416.6+134355	0.0501 (0.0117)	0.903	12.0	192416.29+134341.8	GSC 01067−00840	*	./.	11.7 : 10.7	
1RXSJ192505.2−433400	0.0679 (0.0182)	0.960	12.5	192504.76−433402.3	...	...	...	...	
1RXSJ192608.9+141201	0.2264 (0.0238)	0.973	11.9	192609.19+141204.9	...	...	...	...	
1RXSJ192700.9−534241	0.3099 (0.0810)	0.963	11.4	192701.66−534252.0	ESO 184− 68	Gal.	S	:	
1RXSJ192702.2+124201	0.1997 (0.0216)	0.920	13.5	192702.11+124207.3	...	...	...	...	
1RXSJ192806.3−405015	0.1003 (0.0205)	0.931	12.3	192805.57−405004.1	HD 182776	V* (RS CVn)	K2/K3III	9.62 : 8.41	
1RXSJ192810.3+485630	0.0735 (0.0115)	0.945	11.9	192810.67+485639.8	...	...	...	...	
1RXSJ192815.6+123206	0.1176 (0.0181)	0.944	0.0	192815.46+123211.3	GJ 761A	**	K2	10.27 : 9.18	
1RXSJ192823.1+525250	0.0567 (0.0087)	0.978	11.6	192822.77+525242.0	...	...	...	...	
1RXSJ192850.5+475639	0.1252 (0.0158)	0.969	12.2	192850.10+475643.3	...	...	...	...	
1RXSJ193011.3−215841	0.0793 (0.0198)	0.969	0.0	193009.46−215841.0	HD 183388	*	G1/G2V	9.69 : 9.10	
1RXSJ193016.8+493156	0.1660 (0.0153)	0.962	11.6	193015.73+493205.8	BD+49 3025	*	?	:	
1RXSJ193038.6−842253	0.1310 (0.0213)	0.952	12.1	193033.03−842302.3	HD 178506	*	F5V	9.02 : 8.61	
1RXSJ193047.8−524415	0.1379 (0.0348)	0.926	10.5	193048.86−524346.8	CD−52 9135	*	G5	10.78 : 10.15	
1RXSJ193124.1+672401	0.0517 (0.0058)	0.970	12.5	193124.09+672357.1	...	...	...	...	
1RXSJ193327.8+543631	0.0713 (0.0096)	0.950	12.5	193328.62+543625.1	...	...	...	...	
1RXSJ193520.2−732936	0.1004 (0.0269)	0.968	11.5	193518.67−732924.5	GSC 09317−00080	*	./.	11.6 : 11.0	
1RXSJ193525.1+025440	0.1282 (0.0198)	0.979	0.0	193525.13+025449.0	HD 184663	*	F6IV	6.754 : 6.380	
1RXSJ193557.3−433100	0.0738 (0.0174)	0.980	11.7	193556.78−433103.9	HD 184348	*	G2/G3III:	10.7 : 9.92	
1RXSJ193604.9+523851	0.0943 (0.0104)	0.926	13.1	193604.10+523854.0	...	...	...	...	
1RXSJ193701.4+314715	0.4313 (0.0332)	0.961	12.3	193700.72+314717.1	GSC 02655−01741	*	M0V	12.02 :	
1RXSJ193706.3+063645	0.0775 (0.0192)	0.948	0.0	193706.18+063644.0	BD+06 4219	*	G5V	11.4 : 10.40	
1RXSJ193906.7−254358	0.1709 (0.0276)	0.959	12.2	193906.39−254406.0	...	...	...	...	
1RXSJ193936.8+263718	0.0744 (0.0139)	0.971	12.5	193936.69+263717.4	AG+26 2090	*	G0	11.8 : 11.1	
1RXSJ194048.0−705621	0.1070 (0.0307)	0.942	12.2	194045.50−705623.2	...	...	...	...	
1RXSJ194206.0+654655	0.1234 (0.0089)	0.974	12.1	194205.93+654649.3	...	...	...	...	
1RXSJ194410.5−263228	0.0896 (0.0226)	0.944	0.0	194410.12−263235.9	CD−26 14452	*	Kp	:	
1RXSJ194414.8+561009	0.1122 (0.0111)	0.953	12.3	194414.61+561017.4	...	...	...	...	
1RXSJ194529.1−070055	0.1437 (0.0301)	0.914	0.0	194528.38−070110.4	HD 186575	V*	F8	7.99 : 7.49	
1RXSJ194536.5−142758	0.0565 (0.0159)	0.957	11.6	194535.94−142753.3	2E 1942.7−1435	X	./.	:	
...	...	...	...	194535.94−142753.3	BD−14 5534	*	G5	10.45 : 9.68	
1RXSJ194552.5+233015	0.0561 (0.0120)	0.918	12.9	194552.93+233012.3	...	...	...	...	
1RXSJ194557.5+041451	0.6073 (0.0430)	0.904	0.0	194557.34+041454.5	HD 186704	**	G0V	7.60 : 7.03	
1RXSJ194709.5−785753	0.0678 (0.0208)	0.948	11.8	194703.78−785743.0	GSC 09467−00543	*	./.	11.8 : 11.1	
1RXSJ194746.3+012910	0.0949 (0.0170)	0.964	12.3	194745.94+012908.2	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ194812.9+091826	0.1665 (0.0216)	0.940	10.0	194812.52+091830.2	HD 187183	Ecl. Bin. (W UMa)	G5V	10.26 : 9.51	
1RXSJ194816.6+592519	0.1831 (0.0117)	0.957	12.2	194815.37+592516.0	HD 187748	*	G0	7.199 : 6.658	
1RXSJ194851.0−620744	0.1262 (0.0304)	0.915	11.4	194853.42−620752.9	HD 186565	*	K1/K2	10.89 : 9.75	
1RXSJ194907.8+774415	0.1151 (0.0206)	0.921	13.0	194906.68+774423.6	V* AB Dra	DN	?p...	12.00 :	P
1RXSJ194923.5+413521	0.2448 (0.0214)	0.929	12.6	194923.14+413530.4	...	...	...	...	
1RXSJ195122.3−310553	0.1123 (0.0218)	0.971	11.9	195121.89−310547.7	CD−31 17108	*	./.	11.3 : 10.39	
1RXSJ195247.0−232125	0.1300 (0.0239)	0.967	12.2	195247.30−232119.5	...	...	...	...	
1RXSJ195352.4+624810	0.1524 (0.0116)	0.970	12.7	195352.09+624807.3	...	...	...	...	
1RXSJ195402.5+104201	0.2540 (0.0320)	0.954	11.4	195403.17+104144.9	HD 356156	*	G5	11.2 : 10.18	
1RXSJ195417.7−235628	0.4159 (0.0415)	0.970	11.5	195418.02−235616.6	...	...	...	...	
1RXSJ195433.5+493926	0.0965 (0.0114)	0.974	11.9	195433.53+493930.7	...	...	...	...	
1RXSJ195443.6+124414	0.0563 (0.0147)	0.960	9.8	195443.99+124425.9	HD 188420	*	F5	9.50 : 9.12	
1RXSJ195457.5−235137	0.0864 (0.0205)	0.953	0.0	195457.67−235144.9	HD 188223	**	F6V	10.02 : 9.44	
1RXSJ195653.7+304943	0.1881 (0.0198)	0.970	12.5	195653.78+304938.1	HD 333083	*	G5	11.5 : 10.8	
1RXSJ195702.3+615038	0.1165 (0.0104)	0.963	13.0	195702.44+615035.7	...	...	...	...	
1RXSJ195741.5−380339	0.0762 (0.0189)	0.977	0.0	195741.31−380331.9	HD 188642	*	F4V	6.94 : 6.55	
1RXSJ195821.9+351156	61.2500 (0.3151)	0.956	11.7	195821.63+351207.1	HD 226868	High Mass X−ray Binary	O9.7Iab	9.63 : 8.95	P
...	...	...	...	195821.63+351207.1	NAME CYG X−1 NE	Rad.	./.	:	
1RXSJ195824.4−572456	0.1375 (0.0325)	0.974	0.0	195823.29−572512.1	HD 188478	**mul.	G3/G5III/IV	10.1 : 9.4	
1RXSJ195831.2+331640	0.0610 (0.0156)	0.925	0.0	195832.67+331638.6	HD 189378	**mul.	F5IV	7.67 : 7.29	
...	...	...	...	195832.67+331638.6	HD 189378 A	**	A5	7.3 :	
...	...	...	...	195832.67+331638.6	HD 189378 B	**	A5	7.3 :	
1RXSJ195843.1+702200	0.0527 (0.0086)	0.980	0.0	195841.85+702201.0	HD 190252	*	G8III	7.175 : 6.332	
1RXSJ195908.9+624950	0.0589 (0.0081)	0.956	11.5	195907.27+624950.7	BD+62 1777	*	F8	9.52 : 9.00	
1RXSJ200031.8+592127	0.1071 (0.0103)	0.972	10.9	200031.14+592139.5	GSC 03948−02133	*	./.	10.74 : 10.13	
1RXSJ200047.0+325708	0.3692 (0.0343)	0.968	0.0	200045.52+325659.3	HD 189806	*	K2	8.93 : 8.09	
1RXSJ200245.4+592015	0.1033 (0.0101)	0.978	11.9	200244.59+592015.3	...	...	...	...	
1RXSJ200348.4+642542	0.0810 (0.0088)	0.937	12.4	200348.02+642552.3	...	...	...	...	
1RXSJ200357.9+102805	0.1323 (0.0215)	0.971	11.6	200357.29+102807.0	HD 356650	*	F0	11.7 : 10.4	
1RXSJ200413.0+742533	0.0548 (0.0077)	0.922	12.7	200414.58+742536.6	...	...	...	...	
1RXSJ200417.9−261950	0.1289 (0.0277)	0.935	0.0	200418.10−261946.4	HD 190102	*	G3V	8.77 : 8.17	
1RXSJ200423.2−080034	0.0528 (0.0137)	0.922	0.0	200422.75−080035.9	...	...	...	...	
1RXSJ200448.1+155413	0.0884 (0.0174)	0.921	0.0	200446.86+155411.3	HD 190516	**	G0V	7.82 : 7.33	
1RXSJ200501.3+024442	0.0720 (0.0147)	0.950	12.0	200500.66+024442.9	...	...	...	...	
1RXSJ200503.8+542609	0.1075 (0.0108)	0.951	0.0	200502.19+542603.3	GJ 781	V*	M0...	13.49 : 11.97	P
1RXSJ200522.9+562028	0.0699 (0.0081)	0.959	0.0	200521.51+562029.1	HD 191096	*	F4V	6.574 : 6.193	
1RXSJ200530.9+482141	0.0709 (0.0099)	0.979	11.9	200530.88+482142.6	...	...	...	...	
1RXSJ200542.5+173543	0.0886 (0.0211)	0.901	9.3	200544.92+173553.6	HD 190720	*	K2	9.12 : 7.71	
1RXSJ200557.3+354708	0.1238 (0.0156)	0.945	0.0	200557.33+354718.2	BD+35 3953B	**	?	:	
...	...	...	...	200557.33+354718.2	HD 190918	WR *	O9.5Iab:+...	6.94 :	
...	...	...	...	200557.33+354718.2	NGC 6871 68	*iC	?	9.92 : 9.72	
...	...	...	...	200557.33+354718.2	[MJD95] J200557.85+354721.1	Star in Association	./.	11.86 : 11.93	
1RXSJ200634.9+504059	0.0639 (0.0089)	0.969	12.4	200634.38+504102.2	...	...	...	...	
1RXSJ200736.4+174217	0.1989 (0.0293)	0.911	13.6	200735.97+174216.7	V* WZ Sge	DN	DApe	15.30 :	
1RXSJ200743.2+553558	0.0637 (0.0080)	0.940	12.8	200742.42+553553.1	...	...	...	...	
1RXSJ200747.1+550352	0.0596 (0.0081)	0.974	11.6	200746.52+550349.2	...	...	...	...	
1RXSJ200807.5+435358	0.1064 (0.0128)	0.941	12.2	200806.77+435407.0	GSC 03162−01203	*	./.	11.6 : 10.8	
1RXSJ200836.4+050134	0.0549 (0.0147)	0.969	11.5	200835.70+050136.2	HD 191209	*	G0	9.46 : 8.95	
1RXSJ200905.6−602537	8.6550 (0.1891)	0.946	12.6	200905.34−602541.4	WD 2004−605	WD	DA:	:	P
1RXSJ200924.0−231314	0.1155 (0.0244)	0.974	11.8	200924.32−231318.7	EUVE J2009−23.2	*	K4	:	
1RXSJ201111.3−403143	0.0558 (0.0172)	0.959	10.8	201112.61−403203.8	GSC 07952−00273	*	./.	11.3 : 10.55	
1RXSJ201159.0−570514	0.1355 (0.0318)	0.942	11.2	201158.32−570512.3	2E 2007.9−5714	X	./.	:	
...	...	...	...	201158.32−570512.3	FRL 339	Sy1	./.	:	
1RXSJ201453.1+164635	0.0541 (0.0121)	0.968	11.8	201453.28+164624.9	HD 355199	*	F2	9.50 : 9.06	
1RXSJ201605.5+380944	0.0953 (0.0133)	0.961	12.5	201605.07+380947.7	...	...	...	...	
1RXSJ201607.0+251645	0.1106 (0.0160)	0.939	11.9	201606.94+251654.4	HD 339946	*	G5	11.3 : 10.6	
1RXSJ201657.6+310655	0.1387 (0.0159)	0.952	11.5	201657.77+310655.8	...	...	...	...	
1RXSJ201800.8−280745	0.2425 (0.0505)	0.970	0.0	201758.93−280759.3	HD 192825	V*	G0	9.50 : 8.92	
1RXSJ201820.9+243420	0.0782 (0.0136)	0.911	11.8	201821.23+243440.4	...	...	...	...	
1RXSJ201925.6−251352	0.0617 (0.0166)	0.950	11.5	201924.83−251341.5	...	...	...	...	
1RXSJ201949.3+225628	0.3343 (0.0349)	0.938	13.0	201949.03+225632.7	GSC 02155−01614	*	M4Ve	:	P
1RXSJ202110.3−145717	0.0697 (0.0173)	0.901	12.1	202110.21−145718.8	...	...	...	...	
1RXSJ202130.9+315034	0.0509 (0.0104)	0.965	12.4	202130.39+315032.5	...	...	...	...	
1RXSJ202144.2+521348	0.0702 (0.0093)	0.911	12.1	202144.55+521338.6	...	...	...	...	
1RXSJ202151.7+322505	0.0818 (0.0126)	0.946	12.6	202151.67+322513.6	...	...	...	...	
1RXSJ202249.9+265707	0.2175 (0.0205)	0.904	0.0	202250.15+265715.9	HD 340095	*	G5	11.2 : 10.44	
1RXSJ202335.1+250911	0.1307 (0.0209)	0.926	12.5	202335.00+250916.5	...	...	...	...	
1RXSJ202338.0−051549	0.2150 (0.0298)	0.946	12.2	202337.75−051558.0	HD 194040	*	F5	7.14 : 6.76	
1RXSJ202422.0−232847	0.1114 (0.0283)	0.967	0.0	202419.58−232832.9	HD 194063	*	F6V	8.15 : 7.73	
1RXSJ202422.2+344631	0.0521 (0.0094)	0.961	12.1	202421.36+344635.3	...	...	...	...	
1RXSJ202502.7−405825	0.0896 (0.0196)	0.979	11.4	202501.90−405825.0	HD 194049	*	G5V	10.09 : 9.40	
1RXSJ202504.9−042919	0.0880 (0.0192)	0.979	10.8	202504.27−042915.5	HD 194306	*	K0	10.56 : 9.63	
1RXSJ202513.8+733638	0.1882 (0.0154)	0.972	11.9	202515.33+733632.9	...	...	...	...	
1RXSJ202527.1−212932	0.0886 (0.0252)	0.904	0.0	202529.70−212914.1	HD 194269	*	F8V	9.69 : 9.19	
1RXSJ202631.3+505132	0.3646 (0.0203)	0.909	13.7	202630.87+505127.6	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ202701.6−223320	0.0719 (0.0224)	0.969	11.9	202700.95−223324.7	HD 194563	*	K2III+...	9.90 : 8.98	
1RXSJ202738.9+142011	0.0827 (0.0154)	0.947	12.0	202738.60+142009.4	V* BI Del	Ecl. Bin. (Algol)	G0	11.8 : 10.7	
1RXSJ202849.3−014412	0.0674 (0.0138)	0.936	12.4	202849.80−014402.6	HD 195005	*	G0	7.326 : 6.828	
1RXSJ202850.3−220053	0.1604 (0.0245)	0.905	11.4	202849.14−220058.5	BD−22 5438	*	./.	11.1 : 10.4	
1RXSJ202932.3+122735	0.0533 (0.0137)	0.977	11.5	202932.87+122732.8	...	...	...	...	
1RXSJ203033.5−434406	0.1123 (0.0229)	0.924	12.5	203032.37−434401.7	...	...	...	...	
1RXSJ203212.1−444526	0.2808 (0.0331)	0.966	11.5	203210.84−444528.1	HD 195305	*	K0/K1III	10.19 : 9.20	
1RXSJ203224.0+411759	0.2064 (0.0182)	0.965	10.8	203222.43+411818.9	V* V729 Cyg	Ecl. Bin. (beta Lyr)	O7e	10.64 : 9.21	P
1RXSJ203240.6+045257	0.0696 (0.0140)	0.929	12.5	203240.42+045250.1	...	...	...	...	
1RXSJ203251.4+465055	0.0505 (0.0095)	0.929	11.9	203251.58+465111.5	GSC 03573−01759	*	./.	11.5 : 10.7	
1RXSJ203311.4−382751	0.0794 (0.0244)	0.924	13.1	203311.58−382759.1	...	...	...	...	
1RXSJ203324.9+312816	0.2079 (0.0243)	0.938	12.0	203324.42+312813.5	...	...	...	...	
1RXSJ203415.8+310056	0.0620 (0.0121)	0.953	11.7	203416.69+310040.8	HD 334646	*	K2	10.44 : 9.29	
1RXSJ203420.6+643844	0.0624 (0.0079)	0.968	12.2	203421.83+643840.6	V* FH Cep	Ecl. Bin. (beta Lyr)	B3	11.5 : 10.7	
1RXSJ203426.1−104101	0.0586 (0.0134)	0.973	11.1	203425.10−104056.9	BD−11 5364	*	./.	11.0 : 10.06	
1RXSJ203608.6−360713	0.4302 (0.0413)	0.937	12.9	203608.30−360712.4	...	...	...	...	
1RXSJ203622.0+121519	0.0724 (0.0133)	0.905	11.7	203621.98+121539.9	GSC 01096−01596	*	./.	10.78 : 9.61	
1RXSJ203718.3−104734	0.0866 (0.0161)	0.940	12.3	203718.18−104729.6	...	...	...	...	
1RXSJ203829.2−693211	0.1505 (0.0354)	0.928	11.4	203825.95−693225.2	CD−69 1940	*	./.	10.86 : 10.13	
1RXSJ203831.9+413022	0.0863 (0.0117)	0.969	12.5	203831.55+413024.4	...	...	...	...	
1RXSJ203855.2+335648	0.2056 (0.0199)	0.904	13.8	203854.91+335651.7	...	...	...	...	
1RXSJ203902.9+451222	0.0676 (0.0120)	0.910	0.0	203901.63+451227.5	GSC 03574−01420	*	./.	11.9 : 10.4	
1RXSJ204114.5−251748	0.0805 (0.0200)	0.920	11.4	204113.59−251741.5	CD−25 14962	*	./.	12.0 : 10.6	
1RXSJ204117.3−144536	0.1860 (0.0232)	0.903	0.0	204117.08−144526.8	GSC 05768−00643	*	./.	11.8 : 10.5	
1RXSJ204135.5+014116	0.0611 (0.0145)	0.956	12.2	204134.98+014124.9	...	...	...	...	
1RXSJ204300.0+264845	0.2347 (0.0206)	0.925	0.0	204300.26+264835.9	CCDM J20430+2649A	**	./.	10.7 :	
...	...	...	...	204300.26+264835.9	V* V401 Vul	V*	K3	11.88 : 10.80	
1RXSJ204354.5−020650	0.0530 (0.0150)	0.946	11.0	204352.61−020645.5	BD−02 5353	*	./.	11.3 : 10.36	
1RXSJ204404.5+131413	0.0843 (0.0143)	0.979	11.8	204404.64+131411.6	...	...	...	...	
1RXSJ204409.9−104330	3.8500 (0.2961)	0.933	13.4	204409.78−104324.7	[VV96] J204409.7−104324	Sy1	?	13.0 : 13.12	P
1RXSJ204535.3−394939	0.2650 (0.0431)	0.970	10.5	204536.79−394957.3	CD−40 14016	*	K5	10.98 : 10.01	
1RXSJ204536.1−085240	0.1255 (0.0186)	0.912	0.0	204535.78−085242.1	** HDO 160B	**	?	11.25 : 10.37	
...	...	...	...	204535.78−085242.1	BD−09 5570	**	K0	9.5 : 9.1	
1RXSJ204546.1−344915	0.0860 (0.0196)	0.929	12.4	204545.27−344923.8	...	...	...	...	
1RXSJ204621.0−361648	0.0912 (0.0220)	0.967	10.6	204619.14−361642.4	CD−36 14395	*	./.	10.94 : 10.39	
1RXSJ204651.8−104117	0.0544 (0.0137)	0.946	12.7	204651.99−104121.8	...	...	...	...	
1RXSJ204655.4−243547	0.0749 (0.0192)	0.954	11.7	204654.58−243540.9	GSC 06925−00588	*	./.	11.6 : 10.7	
1RXSJ204810.8−064801	0.0565 (0.0145)	0.980	9.7	204809.61−064804.8	HD 198072	**mul.	F5	9.45 : 8.97	
1RXSJ204822.3−224426	0.1042 (0.0182)	0.967	12.2	204821.78−224425.3	HD 198044	*	F7V	7.7 : 7.2	
1RXSJ204853.6+122219	0.1366 (0.0178)	0.924	12.2	204853.32+122232.1	BD+11 4390	*	G5	11.8 : 10.7	
1RXSJ204909.4−484612	0.1150 (0.0327)	0.950	0.0	204909.62−484609.7	HD 197985	*	F6/F7V	8.48 : 8.03	
1RXSJ204924.0+064737	0.0517 (0.0120)	0.946	11.8	204922.95+064740.5	BD+06 4654	*	F	10.86 : 10.06	
1RXSJ204958.4−334652	0.2767 (0.0290)	0.924	0.0	204958.09−334647.0	HD 198232	**	G7III	5.880 : 4.900	
...	...	...	...	204958.09−334647.0	IRAS 20468−3357	IR	./.	:	
1RXSJ205003.3−755447	0.2473 (0.0411)	0.974	11.3	205004.50−755436.4	HD 197388	*	G2/G3V	9.86 : 9.21	
1RXSJ205027.3+225244	0.0604 (0.0129)	0.959	8.9	205027.57+225306.7	HD 198551	*	K0	8.83 : 8.00	
1RXSJ205132.3+454706	0.0519 (0.0105)	0.965	11.8	205131.31+454713.7	BD+45 3306	*	K0	10.91 : 9.87	
1RXSJ205329.7−603021	0.1160 (0.0261)	0.970	12.0	205329.29−603017.2	HD 198475	*	G0V	10.19 : 9.55	
1RXSJ205428.0+090615	0.0661 (0.0135)	0.940	12.9	205427.90+090609.7	...	...	...	...	
1RXSJ205429.0−080836	0.1546 (0.0243)	0.962	10.3	205427.82−080832.4	HD 199009	*	G5	10.27 : 9.62	
1RXSJ205434.0−750154	0.2294 (0.0381)	0.920	11.3	205428.25−750155.9	CPD−75 1663	*	F8	10.81 : 10.44	
1RXSJ205523.3+383232	0.0971 (0.0131)	0.934	12.4	205523.11+383241.8	...	...	...	...	
1RXSJ205547.8−170657	1.3990 (0.1066)	0.927	12.6	205547.45−170648.3	HD 199143	*	F8V	7.82 : 7.34	
1RXSJ205652.1−301433	0.1030 (0.0167)	0.905	13.4	205652.09−301438.5	...	...	...	...	
1RXSJ205731.0+600316	0.0574 (0.0098)	0.941	12.4	205730.04+600309.0	GSC 04247−00903	*	./.	11.7 : 10.8	
1RXSJ205739.6−242919	0.0560 (0.0132)	0.968	12.3	205739.85−242921.9	HD 199407	*	F5V	8.69 : 8.26	
1RXSJ205841.2−142910	0.1673 (0.0336)	0.961	11.6	205842.07−142857.0	HD 199603	Ecl. Bin. (beta Lyr)	A9V	6.180 : 5.959	
1RXSJ205919.5−590201	0.0841 (0.0198)	0.970	11.9	205918.58−590157.1	...	...	...	...	
1RXSJ205920.9−314733	0.0896 (0.0157)	0.916	13.5	205920.78−314735.0	...	...	...	...	
1RXSJ205945.8+315040	0.1004 (0.0146)	0.960	12.9	205945.91+315044.6	...	...	...	...	
1RXSJ210005.5−423844	0.1040 (0.0217)	0.925	12.6	210006.35−423845.0	CD−43 14304	Em. *	K3	:	
1RXSJ210008.1+484122	0.0617 (0.0099)	0.915	0.0	210007.40+484101.3	CCDM J21001+4841CD	**mul.	?	:	
1RXSJ210101.1+741318	0.0555 (0.0094)	0.920	12.5	210104.11+741324.3	...	...	...	...	
1RXSJ210108.3−415856	0.0837 (0.0180)	0.927	13.2	210107.92−415854.4	...	...	...	...	
1RXSJ210109.5+115714	0.0727 (0.0133)	0.957	12.7	210109.45+115712.7	HD 200123	*	F2	8.2 : 7.7	
1RXSJ210121.2−493322	0.0799 (0.0221)	0.967	11.5	210121.29−493306.9	...	...	...	...	
1RXSJ210124.1+054207	0.0579 (0.0125)	0.963	12.3	210124.55+054213.7	...	...	...	...	
1RXSJ210221.7+105812	0.2030 (0.0210)	0.961	12.2	210221.62+105816.4	IRAS 20599+1046	IR	./.	:	
...	...	...	...	210221.62+105816.4	Z 2059.9+1047	Gal.	./.	15.4 :	
1RXSJ210246.3−372149	0.2558 (0.0309)	0.905	13.0	210245.99−372148.4	...	...	...	...	
1RXSJ210312.5+315039	0.0665 (0.0116)	0.958	11.8	210313.70+315044.9	...	...	...	...	
1RXSJ210316.8+410410	0.0867 (0.0151)	0.949	12.0	210316.67+410406.2	...	...	...	...	
1RXSJ210348.8+341306	0.1062 (0.0136)	0.973	12.0	210348.76+341313.7	BD+33 4140	*	K0	11.06 : 10.08	
1RXSJ210408.4−234127	0.0659 (0.0144)	0.963	11.9	210408.82−234126.7	CD−24 16448	*	./.	:	
1RXSJ210419.0+750359	0.0553 (0.0087)	0.970	12.2	210420.58+750403.5	...	...	...	...	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ210501.0−483704	0.0754 (0.0217)	0.935	11.9	210501.51−483650.9	...	...	...	...	
1RXSJ210527.2+055730	0.3051 (0.0270)	0.935	0.0	210526.74+055729.4	HD 200790	**	F8V	6.454 : 5.968	
...	...	...	...	210526.74+055729.4	IRAS 21029+0545	IR	./.	:	
1RXSJ210617.3−594106	0.0716 (0.0168)	0.958	12.4	210617.84−594112.7	...	...	...	...	
1RXSJ210652.2+384416	0.4217 (0.0300)	0.905	0.0	210652.20+384403.9	...	...	...	...	
1RXSJ210707.1+063247	0.0552 (0.0122)	0.970	11.4	210707.16+063232.5	GSC 00538−00165	*	./.	10.58 : 9.97	
1RXSJ210733.3+583514	0.0556 (0.0099)	0.963	12.6	210732.71+583514.9	Cl Trumpler 37 837	*iC	K5V:	12.3 :	
1RXSJ210736.6−312448	0.1231 (0.0191)	0.954	11.8	210737.75−312448.7	...	...	...	...	
1RXSJ210740.8+302209	0.1614 (0.0178)	0.937	11.6	210740.73+302214.8	BD+29 4320	*	G0V	9.29 : 8.72	
1RXSJ210747.5+135735	0.0535 (0.0125)	0.977	11.2	210747.39+135742.0	...	...	...	...	
1RXSJ210753.1+493242	0.0514 (0.0102)	0.939	12.3	210752.88+493229.0	...	...	...	...	
1RXSJ210910.1−094011	1.7080 (0.1300)	0.956	12.9	210910.00−094015.1	H 2106−099	Sy1	./.	14.32 :	
1RXSJ210917.9−154403	0.0688 (0.0147)	0.901	12.3	210917.96−154344.5	BD−16 5807	*	./.	11.6 : 10.8	
1RXSJ211005.1+372727	0.1076 (0.0162)	0.905	12.6	211004.39+372722.9	...	...	...	...	
1RXSJ211012.9−381519	0.0644 (0.0156)	0.962	11.5	211011.43−381508.5	APMBGC 342+073−087	Gal.	./.	15.8 :	
1RXSJ211024.8+704600	0.1010 (0.0115)	0.968	12.6	211024.35+704558.7	...	...	...	...	
1RXSJ211056.6+332304	0.1204 (0.0158)	0.952	0.0	211056.17+332313.1	GSC 02706−00022	*	./.	10.95 : 10.21	
1RXSJ211127.5+761435	0.0539 (0.0088)	0.952	12.5	211129.20+761428.8	...	...	...	...	
1RXSJ211244.1+500616	1.1810 (0.0496)	0.946	13.2	211243.59+500618.6	GD 394	WD	DAw...	12.85 : 13.09	P
1RXSJ211305.8−172912	0.1202 (0.0197)	0.946	12.0	211305.04−172906.1	HD 201919	*	K2	12.0 : 10.5	
1RXSJ211334.9+041404	0.1607 (0.0206)	0.972	12.2	211334.88+041407.3	EUVE J2113+04.2	*	K4	:	
1RXSJ211351.4−455837	0.0544 (0.0141)	0.907	12.1	211351.01−455822.6	...	...	...	...	
1RXSJ211428.0−463506	0.0543 (0.0149)	0.920	11.4	211427.24−463456.0	...	...	...	...	
1RXSJ211454.3+085939	0.0743 (0.0159)	0.969	11.6	211453.56+085938.0	BD+08 4635	*	K0	10.22 : 9.20	
...	...	...	...	211453.56+085938.0	V* RV Equ	V*	K0	9.00 :	
1RXSJ211523.0+443738	0.0688 (0.0117)	0.937	12.2	211524.11+443743.5	...	...	...	...	
1RXSJ211549.6+535607	0.0620 (0.0106)	0.962	9.7	211547.48+535624.7	HD 235470	*	F5	9.73 : 9.30	
1RXSJ211605.6−423440	0.0629 (0.0141)	0.952	13.0	211605.70−423440.5	...	...	...	...	
1RXSJ211651.0−593002	0.1738 (0.0322)	0.905	10.5	211653.33−593031.8	FRL 92	Gal.	./.	17. :	
1RXSJ211702.5−010439	0.0545 (0.0131)	0.974	11.4	211701.61−010437.4	HD 202605	*	K0	8.79 : 8.08	
1RXSJ211753.1−163250	0.0648 (0.0156)	0.958	11.7	211752.48−163257.4	HD 202670	*	G8V	10.96 : 10.18	
1RXSJ211826.9−432016	0.0646 (0.0152)	0.916	0.0	211827.28−432004.8	GJ 825.2	HiPM*	G2V	7.38 : 6.75	
1RXSJ211833.8+301434	0.1239 (0.0191)	0.924	13.5	211833.55+301435.7	...	...	...	...	
1RXSJ211835.2+113411	0.2627 (0.0251)	0.970	12.3	211834.78+113409.7	HD 202908	Spec. Bin.	G0V	7.59 : 7.03	
1RXSJ211839.2−814515	0.1147 (0.0297)	0.931	11.8	211846.96−814518.7	CPD−82 849	*	./.	11.6 : 10.84	
1RXSJ211909.5−124642	0.0581 (0.0141)	0.974	11.3	211910.31−124648.6	HD 202889	*	K0V	10.52 : 9.66	
1RXSJ211949.5−353741	0.0547 (0.0132)	0.905	12.9	211948.61−353745.9	...	...	...	...	
1RXSJ212035.6+623148	0.0735 (0.0112)	0.941	10.0	212034.29+623137.5	HD 203600	*	F5IV	8.58 : 8.18	
1RXSJ212043.3−543801	0.0736 (0.0198)	0.969	11.8	212044.10−543759.6	...	...	...	...	
1RXSJ212051.9−414454	0.0560 (0.0145)	0.974	11.2	212051.19−414449.9	...	...	...	...	
1RXSJ212055.3+463616	0.1289 (0.0142)	0.977	11.7	212055.46+463613.8	GSC 03589−03858	*	F9V	11.11 : 10.44	P
1RXSJ212059.3−522834	0.6742 (0.0653)	0.940	13.1	212059.81−522838.2	HD 202947	Ecl. Bin. (beta Lyr)	K0V	9.75 : 8.91	
1RXSJ212136.2+094834	0.0582 (0.0133)	0.915	0.0	212135.89+094835.6	...	...	...	...	
1RXSJ212215.3−414609	0.0677 (0.0158)	0.969	12.3	212215.05−414605.4	...	...	...	...	
1RXSJ212308.4+483101	0.0821 (0.0123)	0.909	0.0	212308.31+483108.2	HD 203839	Ecl. Bin. (Algol)	F0	8.18 : 7.82	P
1RXSJ212309.9−415655	0.1715 (0.0235)	0.966	12.0	212309.95−415705.7	...	...	...	...	
1RXSJ212326.5+411601	0.1094 (0.0136)	0.978	11.6	212326.35+411559.6	BD+40 4506	*	K0	10.06 : 8.91	
1RXSJ212332.1−334010	0.1189 (0.0222)	0.932	13.1	212332.31−334016.6	HD 203489	*	G6V	9.68 : 9.02	
1RXSJ212406.9−744627	0.2926 (0.0311)	0.946	10.7	212409.21−744553.4	...	...	...	...	
1RXSJ212505.0−001733	0.1288 (0.0186)	0.970	12.1	212505.42−001729.0	...	...	...	...	
1RXSJ212512.4+494220	0.2382 (0.0197)	0.962	12.8	212511.98+494218.5	GSC 03598−01594	*	K4V	11.8 : 11.0	P
1RXSJ212519.7+265657	0.1299 (0.0244)	0.970	12.3	212519.60+265656.0	...	...	...	...	
1RXSJ212606.8+555026	0.1347 (0.0171)	0.960	12.1	212606.07+555024.2	Cl* IC 1396 SBZ 1−15	*iC	./.	:	
1RXSJ212640.6+134122	0.0663 (0.0146)	0.931	0.0	212640.97+134115.1	HD 204215	Ecl. Bin. (beta Lyr)	A2V	7.37 : 7.28	
1RXSJ212730.8−215409	0.1338 (0.0252)	0.934	11.9	212730.13−215409.7	...	...	...	...	
1RXSJ212846.4+232009	0.1036 (0.0216)	0.958	12.3	212846.64+232016.7	StKM 1−1900	*	K4	:	
1RXSJ212853.1−063348	0.0619 (0.0152)	0.964	12.5	212852.94−063350.2	...	...	...	...	
1RXSJ212927.9−295632	0.0900 (0.0178)	0.929	12.5	212926.97−295632.2	...	...	...	...	
1RXSJ213101.3+592512	0.2526 (0.0172)	0.932	12.4	213100.40+592503.0	HD 205113	*iC	G2V:	7.513 : 6.880	
1RXSJ213136.7−503704	0.2893 (0.0295)	0.915	13.6	213136.15−503707.1	...	...	...	...	
1RXSJ213202.3−334255	1.7020 (0.1205)	0.947	13.1	213202.23−334254.0	CTS 109	Sy1	./.	:	
1RXSJ213232.7+112648	0.0710 (0.0155)	0.933	12.1	213232.73+112704.3	GSC 01127−01406	*	./.	11.4 : 10.6	
1RXSJ213240.0+360507	0.0681 (0.0140)	0.947	9.6	213239.23+360446.0	HD 205173	*	G5	9.44 : 8.47	
1RXSJ213307.9−031200	0.0797 (0.0211)	0.931	9.2	213306.46−031135.6	HD 205089	*	G0	9.55 : 8.82	
1RXSJ213351.0−132845	0.2404 (0.0395)	0.959	12.0	213350.42−132836.5	...	...	...	...	
1RXSJ213445.2−272551	0.1352 (0.0199)	0.945	11.9	213445.14−272555.5	...	...	...	...	
1RXSJ213450.8−200505	0.1922 (0.0247)	0.925	0.0	213451.05−200503.5	HD 205289	*	F5V	6.077 : 5.709	
1RXSJ213623.1−622400	1.0820 (0.0575)	0.970	12.2	213623.14−622400.6	[HB91] 2132−626	Sy1	./.	15.15 :	
1RXSJ213647.2−304320	0.0615 (0.0169)	0.939	0.0	213647.64−304328.8	HD 205545	**mul.	G3V	8.74 : 8.07	
1RXSJ213714.3−650210	0.6692 (0.0673)	0.926	12.7	213715.50−650218.4	HD 205297	*	K1:III:+...	9.70 : 9.03	
1RXSJ213749.2+803228	0.0563 (0.0088)	0.924	13.3	213747.23+803230.5	...	...	...	...	
1RXSJ213756.4+505041	0.1196 (0.0141)	0.956	13.0	213756.91+505040.1	...	...	...	...	
1RXSJ213811.1−105340	0.1904 (0.0258)	0.923	0.0	213811.07−105340.8	HD 205826	HiPM*	G0	9.49 : 8.89	
1RXSJ213833.0+320507	0.1850 (0.0216)	0.946	12.1	213833.45+320505.7	PGC 67084	Gal.	./.	15.6 :	
1RXSJ213911.0−271829	0.0901 (0.0192)	0.928	0.0	213910.16−271823.7	GJ 9745	HiPM*	G4IV−V	7.36 : 6.74	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ213941.2+132400	0.4682 (0.0678)	0.900	12.2	213941.43+132419.2	BD+12 4657s	*	G5	11.15 : 10.33	
1RXSJ214022.4+573501	0.2765 (0.0200)	0.914	0.0	214022.80+573500.3	BD+56 2623B	**	?	9.38 : 8.76	
1RXSJ214146.6+462813	0.0570 (0.0101)	0.908	12.0	214145.53+462809.9	GSC 03591−01596	*	./.	10.59 : 10.21	
1RXSJ214150.5−501019	0.0924 (0.0174)	0.958	11.9	214149.53−501010.0	GSC 08432−00608	*	./.	11.52 : 10.85	
1RXSJ214153.6+315135	0.0743 (0.0149)	0.947	12.6	214153.46+315128.3	PGC 67188	Gal.	./.	15.7 :	
1RXSJ214240.6−265900	0.0621 (0.0164)	0.970	9.3	214240.41−265902.5	HD 206421	*	A9V	9.7 : 8.9	
1RXSJ214242.6+433506	4.8210 (0.0844)	0.976	12.2	214242.39+433508.6	HD 206697	DN	A1pe+...	8.2 :	
...	...	...	...	214242.39+433508.6	[SPB96] 2200	UV	./.	:	
1RXSJ214249.8+415934	0.0573 (0.0104)	0.965	12.6	214249.92+415929.8	V* V652 Cyg	Ecl. Bin. (Algol)	?	11.90 :	
1RXSJ214343.5+070725	0.1343 (0.0210)	0.975	11.5	214342.75+070723.9	...	...	...	...	
1RXSJ214430.6−605830	0.1371 (0.0231)	0.952	0.0	214430.08−605838.1	BPM 14269	*	M1	:	
1RXSJ214502.3−242905	0.0997 (0.0203)	0.966	12.4	214502.12−242910.0	StKM 1−1924	*	K4	:	
1RXSJ214521.7−124648	0.1083 (0.0245)	0.947	12.1	214521.62−124700.3	HD 206893	*	F5V	7.1 : 6.6	
1RXSJ214546.4−012449	0.1384 (0.0220)	0.959	12.9	214546.25−012449.8	...	...	...	...	
1RXSJ214623.7−571659	0.3394 (0.0363)	0.973	10.6	214622.61−571712.8	FRL 116	Gal.	./.	16. :	
1RXSJ214741.8+304204	0.0643 (0.0126)	0.976	11.8	214742.16+304210.2	BD+30 4528	*	K2	11.4 : 10.15	
1RXSJ214912.0−035035	0.0656 (0.0184)	0.947	11.8	214913.22−035031.7	BD−04 5541	*	./.	10.73 : 10.13	
1RXSJ214916.6+312500	0.1351 (0.0165)	0.965	12.1	214915.81+312500.5	...	...	...	...	
1RXSJ214927.2+483002	0.0963 (0.0129)	0.967	11.9	214927.99+482954.5	BD+47 3566	*	K0	11.16 : 10.43	
1RXSJ214927.5+402758	0.0685 (0.0117)	0.969	11.9	214926.88+402803.3	...	...	...	...	
1RXSJ215015.2−551619	0.1206 (0.0201)	0.958	11.4	215016.49−551631.9	...	...	...	...	
1RXSJ215035.3−274840	0.0764 (0.0182)	0.976	11.9	215035.24−274835.9	HD 207570	V*	F6V+...	9.92 : 9.37	
1RXSJ215121.2−010026	0.0751 (0.0169)	0.923	11.7	215121.88−010031.5	CCDM J21514−0101A	**	./.	10.5 :	
1RXSJ215209.9+053739	0.2812 (0.0302)	0.963	0.0	215210.42+053735.9	HIC 107948	*	./.	13.640 : 12.110	
1RXSJ215222.7−193254	0.1679 (0.0352)	0.952	11.8	215221.93−193248.7	...	...	...	...	
1RXSJ215424.6−495645	0.1573 (0.0217)	0.978	12.0	215424.34−495641.4	V* Z Ind	V*	?	11.8 : 10.7	
1RXSJ215459.8−213445	0.1868 (0.0475)	0.928	11.0	215457.16−213512.5	BD−22 5791	*	G0	11.3 : 10.6	
1RXSJ215507.4−094807	0.1122 (0.0201)	0.971	11.6	215507.26−094756.8	BD−10 5791	*	./.	10.79 : 10.17	
1RXSJ215536.0−700308	0.1904 (0.0525)	0.965	0.0	215534.24−700406.0	HD 207896	*	A8/A9V	6.866 : 6.630	
1RXSJ215613.2−250931	0.0525 (0.0152)	0.970	11.9	215613.42−250927.5	...	...	...	...	
1RXSJ215656.8−113920	0.2854 (0.0312)	0.965	11.6	215656.63−113930.7	...	...	...	...	
1RXSJ215703.6−560559	0.1203 (0.0206)	0.954	12.7	215704.14−560602.0	...	...	...	...	
1RXSJ215751.4−075354	0.1521 (0.0255)	0.967	11.8	215751.21−075344.8	BD−08 5773	*	?...	11.4 : 10.7	
1RXSJ215809.2−312341	0.0756 (0.0187)	0.940	11.8	215808.20−312348.0	IRAS 21552−3138	IR	./.	:	
1RXSJ215813.2−402401	0.0713 (0.0172)	0.963	12.0	215813.02−402349.8	...	...	...	...	
1RXSJ215816.0−052508	0.0950 (0.0277)	0.968	0.0	215813.31−052529.7	HD 208703	*	F5IV	6.681 : 6.341	
1RXSJ215832.0−251740	0.0529 (0.0158)	0.977	11.7	215831.96−251743.2	...	...	...	...	
1RXSJ215836.0−440339	0.0868 (0.0187)	0.978	11.2	215834.88−440344.9	HD 208627	*	G8IV	7.422 : 6.551	
1RXSJ215852.2−301338	36.2200 (1.5320)	0.967	12.7	215852.07−301332.2	QSO 2155−304	BL Lac − type object	?	13.36 : 13.09	P
1RXSJ215900.1−175246	0.3023 (0.0361)	0.956	11.7	215859.69−175245.0	...	...	...	...	
1RXSJ215905.5+004102	0.1156 (0.0214)	0.973	11.8	215905.31+004110.8	...	...	...	...	
1RXSJ215925.6−171833	0.0517 (0.0160)	0.958	9.2	215925.71−171836.1	HD 208866	*	G1V	9.11 : 8.56	
1RXSJ215947.3−132229	0.0732 (0.0175)	0.968	12.1	215946.97−132223.4	...	...	...	...	
1RXSJ220042.0+271520	0.2192 (0.0222)	0.915	12.5	220041.39+271514.7	...	...	...	...	
1RXSJ220111.1−514604	0.0515 (0.0152)	0.964	0.0	220111.80−514544.2	CCDM J22012−5146A	**	./.	10.6 :	
1RXSJ220132.1+435312	0.1419 (0.0173)	0.968	10.4	220130.52+435324.5	HD 209318	V* (RS CVn)	G5	10.15 : 9.08	P
1RXSJ220204.5+612038	0.0639 (0.0113)	0.971	12.2	220204.16+612041.8	...	...	...	...	
1RXSJ220212.3−274341	0.0866 (0.0186)	0.911	13.3	220212.30−274348.8	...	...	...	...	
1RXSJ220212.8+152012	0.2735 (0.0333)	0.967	10.5	220213.95+152013.9	GSC 01680−01993	*	./.	10.67 : 9.81	
1RXSJ220215.9−421040	0.1589 (0.0250)	0.924	12.8	220216.15−421031.8	BPS CS 22881−0003	*	./.	:	
1RXSJ220233.1−591643	0.1290 (0.0204)	0.965	11.1	220230.85−591637.4	CD−59 7845	*	./.	11.9 : 10.6	
1RXSJ220233.2−320824	0.2093 (0.0303)	0.933	0.0	220232.97−320801.5	HD 209253	*	F6/F7V	7.100 : 6.641	
1RXSJ220246.0−130458	0.1213 (0.0218)	0.968	11.4	220245.13−130452.6	...	...	...	...	
1RXSJ220320.4−601641	0.0675 (0.0161)	0.929	13.0	220320.37−601645.7	...	...	...	...	
1RXSJ220349.7+380934	0.0611 (0.0118)	0.941	11.8	220349.69+380942.6	...	...	...	...	
1RXSJ220507.7−353942	0.0841 (0.0192)	0.924	12.7	220507.33−353931.8	...	...	...	...	
1RXSJ220606.1−052138	0.1363 (0.0282)	0.969	8.3	220604.84−052125.8	HD 209779	*	G0	8.22 : 7.58	P
1RXSJ220755.4+543111	0.5575 (0.0272)	0.968	11.4	220756.27+543106.5	4U 2206+54	High Mass X−ray Binary	O9.5IIIe	10.14 : 9.93	
1RXSJ220813.4−731003	0.3652 (0.0564)	0.963	12.6	220814.40−731000.4	...	...	...	...	
1RXSJ220840.9+454432	7.7860 (0.1293)	0.951	12.2	220840.97+454429.2	HD 210334	V* (RS CVn)	G2IV+...	6.85 : 6.13	P
1RXSJ220901.1+483110	0.1053 (0.0147)	0.967	12.6	220901.14+483104.9	HD 210404	*	G5	7.932 : 7.161	
1RXSJ221008.5−254626	0.0834 (0.0227)	0.902	13.7	221008.18−254623.2	...	...	...	...	
1RXSJ221019.5+193657	0.0969 (0.0172)	0.962	11.9	221018.66+193702.2	GJ 4261	*	G0V	6.851 : 6.194	
1RXSJ221030.3−300546	0.1170 (0.0236)	0.928	11.9	221029.15−300543.1	...	...	...	...	
1RXSJ221033.6−041611	0.1245 (0.0240)	0.970	12.0	221033.51−041601.7	HD 210434	**	K0III−IV	6.952 : 5.979	
1RXSJ221158.7+681953	0.0603 (0.0109)	0.929	12.9	221157.66+681950.5	...	...	...	...	
1RXSJ221222.7−211453	0.0793 (0.0193)	0.908	12.6	221222.55−211507.1	...	...	...	...	
1RXSJ221303.8−125954	0.2503 (0.0322)	0.925	12.3	221303.57−125941.1	...	...	...	...	
1RXSJ221306.6−275405	0.2334 (0.0401)	0.907	12.4	221306.10−275421.2	...	...	...	...	
1RXSJ221311.4−111023	0.3318 (0.0360)	0.934	0.0	221310.56−111037.7	HD 210803	HiPM*	G5	10.20 : 9.31	
1RXSJ221312.7−600459	0.0719 (0.0156)	0.977	11.7	221312.18−600454.5	...	...	...	...	
1RXSJ221329.3−645512	0.1217 (0.0223)	0.905	13.6	221329.58−645509.9	...	...	...	...	
1RXSJ221432.8−761510	0.1770 (0.0390)	0.979	10.2	221428.35−761509.8	...	...	...	...	
1RXSJ221446.4+680447	0.1223 (0.0155)	0.945	12.3	221444.52+680444.3	GSC 04463−00612	*	./.	11.6 : 11.1	
1RXSJ221601.1−141102	0.3524 (0.0366)	0.934	0.0	221600.64−141102.3	BD−14 6241	*	K5V	11.47 : 10.40	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ221745.7−354327	0.4966 (0.0344)	0.966	11.7	221745.75−354329.4	...	...	...	...	
1RXSJ221801.5−651048	0.3925 (0.0353)	0.965	11.4	221800.51−651052.6	QW 173	Clust.	./.	:	
1RXSJ221825.3−231226	0.0547 (0.0156)	0.979	11.5	221824.81−231218.8	...	...	...	...	
1RXSJ221828.6+695134	0.1583 (0.0223)	0.958	11.8	221826.46+695139.3	V* WW Cep	Ecl. Bin. (Algol)	G3	11.6 : 10.7	
1RXSJ221915.7+553215	0.0508 (0.0104)	0.958	12.6	221915.62+553219.7	GSC 03986−01145	*	G0	12.5 :	
...	...	...	...	221915.62+553219.7	V* V346 Lac	V*	./.	:	
1RXSJ221941.1−411741	0.0765 (0.0187)	0.972	11.7	221940.65−411733.4	...	...	...	...	
1RXSJ222044.0+843617	0.0995 (0.0129)	0.918	12.5	222043.46+843612.0	...	...	...	...	
1RXSJ222057.9+283350	0.0670 (0.0124)	0.970	12.7	222057.79+283351.6	...	...	...	...	
1RXSJ222144.7+184013	0.0701 (0.0135)	0.945	12.9	222144.85+184008.5	...	...	...	...	
1RXSJ222152.3−092756	0.0934 (0.0219)	0.933	12.2	222152.11−092810.5	...	...	...	...	
1RXSJ222259.9−032303	0.0816 (0.0188)	0.965	11.8	222300.36−032256.5	...	...	...	...	
1RXSJ222316.2+774157	0.1133 (0.0117)	0.972	11.6	222318.71+774157.5	BD+76 857a	*	G0	10.85 : 10.15	
1RXSJ222321.0−145636	0.1086 (0.0294)	0.967	0.0	222320.44−145704.7	HD 212270	*	F5V	7.5 : 7.02	
1RXSJ222345.4+115012	0.2140 (0.0314)	0.902	13.4	222345.01+115009.5	MCG+02−57−002	Gal.	./.	16. :	
1RXSJ222413.1+360729	0.0661 (0.0127)	0.964	9.7	222411.08+360733.0	NGC 7274	Gal.	E	14.2 :	
1RXSJ222436.7+165322	0.0685 (0.0142)	0.960	9.1	222436.98+165347.5	HD 212525	*	G5	8.96 : 8.30	
1RXSJ222534.3+114010	0.0592 (0.0163)	0.923	12.7	222535.05+114012.4	Ka 538	Gal.	./.	16.4 :	
1RXSJ222608.0−485956	0.0545 (0.0159)	0.973	11.4	222608.60−485949.9	...	...	...	...	
1RXSJ222614.4−024727	0.0813 (0.0229)	0.929	0.0	222614.45−024720.3	HD 212695	*	F5	7.357 : 6.951	
1RXSJ222618.3+035147	0.1198 (0.0227)	0.960	12.0	222617.65+035142.4	GSC 00563−00546	*	./.	11.7 : 10.7	
1RXSJ222632.0−363403	0.1676 (0.0300)	0.974	11.5	222631.12−363402.7	HD 212646	*	G5/G6V	11.06 : 10.35	
1RXSJ222654.0−005043	0.1456 (0.0263)	0.965	11.8	222653.27−005037.5	HD 212781	*	G5	11.3 : 10.36	
1RXSJ222707.2−011831	0.1215 (0.0253)	0.964	12.2	222706.56−011833.4	HD 212837	*	G0	7.371 : 6.778	
1RXSJ222734.7−662413	0.0763 (0.0150)	0.935	12.9	222735.83−662417.6	...	...	...	...	
1RXSJ222804.5+183607	0.0581 (0.0132)	0.961	11.8	222804.11+183608.1	BD+17 4751	*	F8	10.35 : 9.91	
1RXSJ222852.8−605324	0.1752 (0.0245)	0.962	9.6	222851.12−605257.0	APMGS 222529.5−610809.9	Gal.	./.	14.7 :	
...	...	...	...	222851.12−605257.0	ESO 146− 28	Gal.	S0	14.0 : 12.90	
1RXSJ222923.1+674923	0.1011 (0.0140)	0.932	12.1	222922.68+674917.2	...	...	...	...	
1RXSJ223111.6−570903	0.1137 (0.0202)	0.933	12.9	223111.32−570911.7	...	...	...	...	
1RXSJ223119.5−025442	0.0802 (0.0221)	0.927	12.2	223118.49−025439.2	HD 213428	*	K0	7.235 : 6.158	
1RXSJ223212.9−530927	0.1224 (0.0196)	0.971	12.0	223213.07−530927.4	...	...	...	...	
1RXSJ223302.1+500111	0.0595 (0.0102)	0.966	11.8	223302.29+500110.4	BD+49 3885	*	F8	10.51 : 9.85	
1RXSJ223612.5+001008	0.3544 (0.0456)	0.947	11.4	223611.58+001009.4	HD 214129	**	G5	10.50 : 9.87	
1RXSJ223613.9+703206	0.1272 (0.0183)	0.967	12.1	223615.73+703203.1	GSC 04480−00965	*	./.	11.6 : 10.6	
1RXSJ223616.0+331909	0.0535 (0.0115)	0.914	12.2	223616.48+331854.9	GSC 02739−00689	*	./.	11.2 : 10.58	
1RXSJ223616.6+452644	0.2886 (0.0241)	0.921	0.0	223616.80+452646.0	HD 214261	*	G5	10.31 : 9.56	
1RXSJ223747.2−395127	0.3603 (0.0427)	0.907	0.0	223747.46−395124.4	HD 214291	V*	F7V	7.087 : 6.581	
1RXSJ223929.1−520525	0.1277 (0.0212)	0.972	11.4	223930.17−520517.0	...	...	...	...	
1RXSJ223942.9+715313	0.0921 (0.0144)	0.928	13.3	223943.66+715309.7	...	...	...	...	
1RXSJ224034.3−154712	0.0965 (0.0272)	0.969	12.1	224033.98−154718.1	BD−16 6129	*	./.	:	
1RXSJ224158.3+143059	0.0869 (0.0163)	0.954	0.0	224157.45+143059.0	HD 214995	*	K0III:	7.028 : 5.927	
1RXSJ224201.5+094556	0.1356 (0.0296)	0.977	0.0	224201.65+094609.2	BPS CS 30332−0052	*	K4.5	:	
...	...	...	...	224201.65+094609.2	HIC 112073	*	./.	13.316 : 11.990	
1RXSJ224242.7−441512	0.0648 (0.0184)	0.970	11.3	224243.04−441453.2	HD 214987	V*	K0III	7.023 : 6.079	
1RXSJ224248.3+133052	0.2033 (0.0239)	0.969	12.4	224248.67+133054.8	...	...	...	...	
1RXSJ224250.9−714222	0.7269 (0.0782)	0.969	11.8	224248.61−714220.6	CPD−72 2713	*	./.	11.9 : 10.8	
1RXSJ224308.6−382830	0.0980 (0.0203)	0.905	13.7	224308.59−382827.1	...	...	...	...	
1RXSJ224407.4+414850	0.0646 (0.0118)	0.961	0.0	224406.73+414903.2	BD+41 4594B	**	?	:	
1RXSJ224446.2+302927	0.0876 (0.0152)	0.975	11.9	224446.08+302933.7	...	...	...	...	
1RXSJ224457.7−331506	1.0480 (0.0636)	0.974	0.0	224457.84−331500.7	GJ 871.1A	V*	M3	13.0 :	
1RXSJ224520.3−465212	1.5440 (0.1199)	0.901	14.1	224520.26−465211.8	IRAS F22423−4707	Peculiar Star	./.	:	
1RXSJ224643.0−175938	0.1192 (0.0330)	0.952	11.4	224642.98−175907.6	BD−18 6188	*	./.	11.7 : 10.7	
1RXSJ224709.4−692041	0.0678 (0.0147)	0.973	11.9	224708.48−692043.9	...	...	...	...	
1RXSJ224725.0−445755	0.1237 (0.0275)	0.933	11.8	224726.87−445754.7	HD 215657	V*	G3V	7.79 : 7.23	
1RXSJ224737.8+474300	0.0670 (0.0129)	0.978	11.9	224738.09+474302.3	...	...	...	...	
1RXSJ225024.9+143141	0.0899 (0.0152)	0.929	12.4	225024.06+143145.0	BD+13 5000	*	K0	11.8 : 10.8	
...	...	...	...	225024.06+143145.0	CRSS J2250.4+1431	X	./.	:	
1RXSJ225130.5+625829	0.0868 (0.0138)	0.955	12.4	225129.49+625822.7	HD 216425	*	G5	7.380 : 6.661	
1RXSJ225132.6+852520	0.0533 (0.0107)	0.972	11.5	225126.60+852519.6	BD+84 518	*	K2	11.4 : 10.47	
1RXSJ225133.9+763549	0.0580 (0.0091)	0.963	12.4	225135.85+763554.1	...	...	...	...	
1RXSJ225155.6+353911	0.0632 (0.0162)	0.907	12.3	225155.48+353918.4	...	...	...	...	
1RXSJ225238.3−684328	0.1252 (0.0183)	0.970	11.6	225236.86−684317.5	GSC 09337−01828	*	./.	11.8 : 10.9	
1RXSJ225304.9+072815	0.2193 (0.0300)	0.910	0.0	225306.00+072819.1		./.	K4	13.7 : 11.1	
...	...	...	...	225306.00+072819.1	HIC 113001	*	./.	12.590 : 11.350	
1RXSJ225338.2+291311	0.0575 (0.0148)	0.936	13.0	225338.14+291306.1	...	...	...	...	
1RXSJ225341.8+375617	0.4905 (0.0313)	0.977	12.0	225341.32+375618.0	HD 216598	Ecl. Bin. (W UMa)	K0Vvar	9.64 : 8.91	P
1RXSJ225406.7−173451	1.0370 (0.0993)	0.966	11.6	225405.88−173455.6	[VV96] J225405.9−173455	Sy1	?	:	
1RXSJ225518.1−031040	0.3711 (0.0351)	0.925	13.7	225517.96−031039.2	PB 7343	*	./.	14. :	
...	...	...	...	225517.96−031039.2	V* AO Psc	CV (DQ Her type)	?	:	
1RXSJ225649.4+023530	0.0738 (0.0156)	0.970	11.4	225649.57+023540.0	...	...	...	...	
1RXSJ225739.3−365607	1.9310 (0.1409)	0.957	13.1	225739.01−365606.6	CTS 115	Sy	S...	:	P
1RXSJ225817.1−414956	0.1435 (0.0298)	0.972	10.6	225816.63−414934.7	V* RX Gru	Ecl. Bin. (beta Lyr)	?	11.25 : 10.57	
1RXSJ225818.8−070704	0.1103 (0.0215)	0.907	13.8	225818.66−070702.6	...	...	...	...	
1RXSJ225835.1+570923	0.0841 (0.0159)	0.976	12.0	225834.99+570919.4	HD 240139	*	?	11.6 : 11.0	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ225850.4+405610	0.0653 (0.0128)	0.946	12.2	225849.75+405611.5	GSC 03219−02016	*	./.	11.6 : 10.8	
1RXSJ225901.8−043150	0.0616 (0.0157)	0.919	11.9	225902.15−043135.6	GSC 05238−01223	*	./.	11.2 : 10.5	
1RXSJ225923.2+325127	0.0539 (0.0117)	0.926	12.8	225923.36+325134.3	...	...	...	...	
1RXSJ225923.7−503530	0.0904 (0.0188)	0.948	12.5	225922.70−503532.3	...	...	...	...	
1RXSJ225932.9+245505	0.5278 (0.0345)	0.922	14.0	225932.93+245505.9	PGC 70195	Sy1	cG	16.8 :	
1RXSJ230000.0−490027	0.0540 (0.0165)	0.974	11.9	225959.71−490034.3	...	...	...	...	
1RXSJ230043.2+772833	0.0978 (0.0115)	0.972	12.1	230044.31+772838.3	...	...	...	...	
1RXSJ230117.6−441813	0.2228 (0.0395)	0.965	12.3	230117.43−441809.6	APMBGC 290−061−027	Sy1	S	16.8 :	
...	...	...	...	230117.43−441809.6	[MPP88] 2258−446	Sy1	./.	17.5 : 16.8	
1RXSJ230119.3−062618	0.0655 (0.0154)	0.943	11.9	230119.00−062614.5	HD 217512	*	G0	10.47 : 9.96	
1RXSJ230222.6+314652	0.0860 (0.0150)	0.904	13.5	230222.15+314648.9	...	...	...	...	
1RXSJ230224.9+002627	0.0905 (0.0186)	0.947	12.4	230224.48+002618.2	HD 217679	*	F8	7.85 : 7.39	
1RXSJ230240.3+003453	0.0826 (0.0175)	0.920	12.2	230241.34+003449.9	...	...	...	...	
1RXSJ230443.8−084106	1.7200 (0.1338)	0.945	11.6	230443.50−084108.9	[VV96] J230443.5−084108	Sy1	S0a	14.5 : 13.76	
1RXSJ230453.3+063159	0.1883 (0.0228)	0.970	12.3	230453.07+063201.4	...	...	...	...	
1RXSJ230604.0+635538	0.5486 (0.0315)	0.964	0.0	230604.85+635534.4	AC +63 32399	*	./.	12.31 : 10.87	
1RXSJ230617.6+183100	0.0895 (0.0160)	0.938	0.0	230618.14+183103.9	HD 218235	HiPM*	F6Vs	6.57 : 6.13	
1RXSJ230725.0+315012	0.4264 (0.0315)	0.975	12.2	230724.62+315014.3	...	...	...	...	
1RXSJ230820.0−152436	0.4266 (0.0586)	0.967	0.0	230819.56−152435.7	GJ 890	V* (BY Dra)	M0	12.26 :	
1RXSJ230840.4−333201	0.2105 (0.0424)	0.940	11.9	230839.30−333209.5	...	...	...	...	
1RXSJ230841.0−162313	0.2741 (0.0553)	0.952	11.6	230839.68−162300.1	BPM 82630	*	K4	11.3 : 10.1	
...	...	...	...	230839.68−162300.1	HD 218503	*	K0	11.31 : 10.21	
1RXSJ230841.8+020725	0.0669 (0.0165)	0.908	0.0	230840.93+020740.4	HD 218527	*	G8III−IV	6.320 : 5.431	
1RXSJ230842.4+213716	0.0642 (0.0140)	0.963	11.3	230843.18+213720.5	HD 218548	*	G5	10.07 : 9.26	
1RXSJ230850.6+000104	0.0966 (0.0183)	0.980	11.4	230850.40+000053.4	GSC 00576−01220	*	./.	11.2 : 10.2	
1RXSJ230852.9+063333	0.0811 (0.0157)	0.976	0.0	230852.50+063340.2	HIC 114294	*	./.	12.270 : 10.900	
1RXSJ230936.9−022609	0.1062 (0.0199)	0.912	12.3	230936.96−022553.3	BD−03 5579	*	K4	11.6 : 10.8	
1RXSJ230947.7−615000	0.0759 (0.0191)	0.926	11.0	230949.98−614940.1	CD−62 1432	*	F8	11.25 : 10.77	
1RXSJ230955.8+482319	0.0580 (0.0135)	0.940	11.4	230955.21+482333.2	BD+47 4057	*	F2	9.27 : 8.89	
1RXSJ230957.1+142540	0.4195 (0.0324)	0.973	0.0	230957.10+142535.6	HD 218687	**	G0V	7.109 : 6.543	
...	...	...	...	230957.10+142535.6	IRAS 23074+1409	IR	./.	:	
...	...	...	...	230957.10+142535.6	[HMC99] RX J2310.0+1425a	*	./.	:	
...	...	...	...	230957.10+142535.6	[HMC99] RX J2310.0+1425b	*	./.	:	
1RXSJ230957.6+475732	1.9280 (0.0696)	0.966	0.0	230957.23+475730.0	GJ 4315	V* (BY Dra)	G5	8.81 : 7.93	
...	...	...	...	230957.23+475730.0	IRAS 23076+4741	IR	./.	:	
1RXSJ231037.8+205531	0.4136 (0.0313)	0.958	10.9	231036.67+205527.0	HD 218782	*	K2	10.70 : 9.93	
1RXSJ231042.4−434740	0.3348 (0.0463)	0.911	13.1	231041.78−434734.0	PMN J2310−4347	Rad.	./.	:	P
1RXSJ231100.1+214254	0.0941 (0.0151)	0.958	12.1	231059.51+214246.2	...	...	...	...	
1RXSJ231150.3+431633	0.0509 (0.0137)	0.967	11.7	231150.46+431631.8	...	...	...	...	
1RXSJ231153.7−450757	0.3234 (0.0470)	0.960	0.0	231152.05−450810.6	HD 218860	*	G8/K0V	9.51 : 8.83	
1RXSJ231221.6+104657	4.6120 (0.3245)	0.909	12.9	231221.15+104705.1	EQ 2309+10 S	*	./.	13.475 : 12.950	
...	...	...	...	231221.15+104705.1	GD 246	WD	DAw...	12.79 : 13.11	P
1RXSJ231229.1+170935	0.3157 (0.0315)	0.907	12.4	231229.00+170922.3	StKM 1−2106	*	K5	:	
1RXSJ231302.2−213807	0.3998 (0.0742)	0.970	11.1	231301.43−213803.8	[CFH85] ACO 2556−1	Gal.	./.	:	
1RXSJ231341.0+140113	0.1037 (0.0165)	0.955	11.6	231340.48+140116.2	NGC 7525	Gal.	E	15.2 :	P
1RXSJ231412.1−085633	0.0551 (0.0152)	0.972	9.7	231411.75−085618.2	HD 219175 C	**	?	:	
...	...	...	...	231411.75−085618.2	HD 219201	*	G5	9.72 : 9.12	
1RXSJ231423.1+482355	0.5880 (0.0387)	0.942	0.0	231422.40+482351.2	BD+47 4087	*	G0	9.81 : 9.10	
1RXSJ231456.5+273957	0.1304 (0.0181)	0.953	12.6	231455.92+274000.0	GSC 02244−01123	*	./.	12.4 : 11.1	
1RXSJ231458.9−633431	0.1545 (0.0205)	0.957	10.3	231500.80−633424.3	CD−64 1417	**	K0	10.38 : 9.58	
1RXSJ231512.1+481251	0.0691 (0.0147)	0.953	11.2	231511.29+481306.1	HD 219429	*	G5	9.71 : 9.26	
1RXSJ231616.5+784156	0.2384 (0.0164)	0.974	12.3	231618.07+784155.9	...	...	...	...	
1RXSJ231628.7+790531	0.0525 (0.0087)	0.963	12.1	231630.43+790536.1	...	...	...	...	
1RXSJ231652.0−634647	0.0550 (0.0126)	0.974	11.7	231651.16−634655.0	...	...	...	...	
1RXSJ231657.9−620006	0.6355 (0.0431)	0.953	0.0	231657.47−620004.1	GJ 1282	*	F7V	6.128 : 5.661	
1RXSJ231839.4+425745	0.2492 (0.0247)	0.970	11.2	231838.30+425728.9	UGC 12491	Gal.	E:	15.3 :	
1RXSJ231905.5−575628	0.0851 (0.0195)	0.979	11.8	231905.83−575628.6	...	...	...	...	
1RXSJ231906.5−420653	0.1204 (0.0329)	0.944	10.6	231905.94−420648.4	2E 2316.3−4222	BL Lac − type object	cG/dG	15. :	P
...	...	...	...	231905.94−420648.4	APMGS 231621.1−422311.3	Gal.	./.	15.8 :	
1RXSJ231947.4+425117	0.1255 (0.0186)	0.959	12.4	231947.27+425109.7	NGC 7618	Gal.	E	14.3 :	
1RXSJ232048.8+292151	0.0533 (0.0117)	0.949	12.2	232048.06+292156.4	...	...	...	...	
1RXSJ232050.4+394441	0.0590 (0.0145)	0.961	10.4	232052.15+394448.4	BD+38 4982	HiPM*	K2	10.25 : 9.34	
1RXSJ232125.9−231230	0.2240 (0.0523)	0.972	10.9	232126.35−231228.1	...	...	...	...	
1RXSJ232136.5−415341	0.3956 (0.0558)	0.972	10.9	232137.74−415350.0	ESO 347− 9	Gal.	S	:	
1RXSJ232153.8+231703	0.0585 (0.0126)	0.958	12.0	232153.04+231656.2	...	...	...	...	
1RXSJ232210.8−030147	0.1329 (0.0229)	0.918	12.8	232210.57−030138.5	...	...	...	...	
1RXSJ232241.3+611335	0.0991 (0.0138)	0.965	11.9	232240.07+611333.7	GSC 04279−01821	*	G0V	10.66 : 9.90	P
1RXSJ232359.5−584639	0.0669 (0.0178)	0.901	13.0	232358.56−584634.1	...	...	...	...	
1RXSJ232426.0−450906	0.7689 (0.0725)	0.950	12.8	232425.70−450912.9	HD 220492	*	G5IV	9.76 : 9.08	
1RXSJ232530.2−041352	0.0832 (0.0170)	0.941	12.5	232529.62−041358.2	...	...	...	...	
1RXSJ232612.4−732345	0.2407 (0.0350)	0.936	12.7	232610.36−732348.8	...	...	...	...	
1RXSJ232750.2−861311	0.5438 (0.0416)	0.971	11.9	232747.73−861318.1	CD−86 147	*	G5	10.02 : 9.35	P
1RXSJ232810.6+620222	0.1812 (0.0208)	0.967	12.8	232810.22+620225.2	...	...	...	...	
1RXSJ232827.5+452242	0.0929 (0.0176)	0.961	11.8	232827.41+452241.9	...	...	...	...	
1RXSJ233131.5+334147	0.0700 (0.0144)	0.906	12.4	233132.55+334154.9	HD 221380	Ecl. Bin. (beta Lyr)	A2	7.65 : 7.42	

continued...

Table 2: Supplementary 90%(cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ233158.5−635144	0.1766 (0.0258)	0.979	11.3	233157.34−635149.6	CPD−64 4353	*	./.	11.29 : 10.56	
1RXSJ233228.2+132015	0.0925 (0.0261)	0.980	11.1	233228.18+132001.3	GSC 01175−01528	*	./.	10.80 : 10.09	
1RXSJ233231.1−121551	0.6198 (0.0482)	0.945	12.3	233230.41−121547.7	BD−13 6424	*	?	:	
...	...	...	...	233230.41−121547.7	BPM 82931	*	M0	11.9 : 10.6	P
1RXSJ233234.2+563333	0.0588 (0.0123)	0.945	12.1	233233.34+563328.8	...	...	...	...	
1RXSJ233239.5−695432	0.1453 (0.0192)	0.940	10.3	233236.76−695432.0	HD 221404	*	G8V	10.52 : 9.71	
1RXSJ233249.6−165037	0.1041 (0.0215)	0.905	0.0	233249.40−165044.3	GJ 898	HiPM*	K5	9.90 : 8.60	
1RXSJ233306.3−175434	0.0536 (0.0145)	0.971	11.0	233306.12−175441.9	HD 221545	*	G8/K0III/IV	10.41 : 9.50	
1RXSJ233322.6−124007	0.0722 (0.0174)	0.976	9.6	233323.22−123954.1	HD 221575	HiPM*	K1/K2V	9.69 : 8.78	
1RXSJ233410.9−153053	0.1232 (0.0221)	0.915	13.5	233410.51−153056.6	BPM 82944	*	./.	13.3 :	
1RXSJ233540.5−272916	0.1576 (0.0269)	0.910	0.0	233540.05−272925.6	HD 221839	**mul.	G0IV	7.215 : 6.701	
1RXSJ233608.7−162806	0.0645 (0.0171)	0.965	12.6	233608.92−162807.9	V* BQ Aqr	Ecl. Bin. (Algol)	?	11.4 : 10.8	
1RXSJ233612.6−134510	0.2955 (0.0333)	0.980	11.5	233612.44−134513.5	HD 221917	*	G8/K0V:	10.86 : 10.05	
1RXSJ233637.2+063524	0.0700 (0.0154)	0.925	11.5	233635.87+063529.7	HD 221973	*	G0	9.75 : 9.25	
1RXSJ233918.3−031038	0.1088 (0.0188)	0.958	11.9	233917.48−031038.7	BD−03 5681	*	./.	11.3 : 10.7	
1RXSJ234008.0−022906	0.0878 (0.0181)	0.931	11.6	234008.43−022847.8	BD−03 5686	*	./.	11.2 : 10.5	
1RXSJ234027.8+295912	0.1223 (0.0199)	0.970	12.4	234028.28+295911.7	GSC 02257−01396	*	./.	11.8 : 10.9	
1RXSJ234106.5+093805	0.2133 (0.0240)	0.903	13.9	234106.60+093809.0	RBS 2036	Sy1	./.	:	P
1RXSJ234302.3−014823	0.1873 (0.0272)	0.967	12.4	234302.25−014816.9	...	...	...	...	
1RXSJ234501.0+461846	0.0803 (0.0159)	0.980	11.9	234501.12+461843.4	...	...	...	...	
1RXSJ234644.1+103338	0.0692 (0.0138)	0.958	12.5	234643.55+103336.7	...	...	...	...	
1RXSJ234721.7+300505	0.0633 (0.0169)	0.939	12.0	234720.62+300511.2	GSC 02767−00232	*	./.	11.6 : 10.8	
1RXSJ234825.7−125920	0.4043 (0.0350)	0.972	11.4	234824.92−125915.8	CCDM J23484−1259B	**	./.	:	
...	...	...	...	234824.92−125915.8	GJ 907.1A	*	K7	:	
...	...	...	...	234824.92−125915.8	GJ 907.1B	*	./.	:	
1RXSJ234920.7+783000	0.0629 (0.0093)	0.912	12.6	234919.73+782946.8	...	...	...	...	
1RXSJ234923.9−312602	0.6281 (0.0468)	0.925	13.1	234924.04−312602.5	1RXS J234923.9−312602	Quasar	S...	:	P
1RXSJ234940.8+362525	0.6335 (0.0637)	0.970	11.9	234940.98+362532.9	HD 223460	Rot. Var. *	G1IIIe	6.69 : 5.90	
...	...	...	...	234940.98+362532.9	IRAS 23471+3608	IR	./.	:	
1RXSJ235022.6+513713	0.2005 (0.0227)	0.970	11.8	235021.65+513719.5	HD 223552	**	F3V	6.830 : 6.480	
1RXSJ235038.6+243321	0.0517 (0.0126)	0.959	10.9	235036.64+243322.0	UGC 12804	Gal.	E	15.6 :	
1RXSJ235107.5+785802	0.0686 (0.0099)	0.966	12.4	235109.85+785805.0	...	...	...	...	
1RXSJ235224.3−005610	0.0914 (0.0175)	0.966	12.0	235224.32−005559.2	V* BS Psc	V*	K0III	11.5 : 10.7	
1RXSJ235310.1+441406	0.0608 (0.0148)	0.975	10.5	235310.10+441358.9	...	...	...	...	
1RXSJ235358.0−302135	0.0539 (0.0152)	0.958	0.0	235357.16−302125.3	HD 223957	*	G2Vw...	8.40 : 7.84	
1RXSJ235548.4−135753	0.0667 (0.0165)	0.961	0.0	235548.82−135759.6	HD 224173	*	F5/F6V	7.75 : 7.31	
1RXSJ235750.3+334401	0.0856 (0.0187)	0.905	12.4	235749.74+334348.1	...	...	...	...	
1RXSJ235800.0+155704	0.0633 (0.0138)	0.978	10.5	235758.60+155712.5	V* U Peg	Ecl. Bin. (W UMa)	G2V	10.27 : 9.66	
1RXSJ235809.8+703317	0.2424 (0.0300)	0.968	9.0	235812.62+703324.2	HD 224473	*	G0	8.88 : 8.34	
1RXSJ235810.1+673356	0.8346 (0.0457)	0.952	0.0	235810.89+673359.9	BD+66 1664	*	G5	9.42 : 8.74	P
1RXSJ235812.9−172437	0.3143 (0.0333)	0.938	13.3	235812.95−172434.5	...	...	...	...	
1RXSJ235816.8+514040	0.0951 (0.0157)	0.944	11.6	235815.66+514039.9	...	...	...	...	
1RXSJ235908.7+572355	0.0699 (0.0126)	0.970	12.1	235908.84+572351.6	...	...	...	...	

Table 3: Supplementary 50% RASS/BSC Associations in USNO Catalog, and SIMBAD Sources Within 10 arcsec

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ000011.9+052318	0.2637 (0.0258)	0.738	15.8	000011.74+052317.5	1RXS J000011.9+052318	Sy1	./.	16.4 :	P
1RXSJ000012.6+014621	0.0811 (0.0161)	0.734	0.0	000012.20+014617.4	HD 224725	**mul.	G0	10.45 : 9.81	
1RXSJ000044.2−260521	0.1147 (0.0222)	0.556	15.2	000043.92−260521.8	...	...	...	...	
1RXSJ000115.6+705535	0.0685 (0.0142)	0.886	8.4	000117.63+705538.0	HD 224854	*	F0	8.13 : 7.73	
1RXSJ000123.3+272241	0.0655 (0.0159)	0.578	16.0	000123.52+272241.7	...	...	...	...	
1RXSJ000154.2−670749	0.2415 (0.0301)	0.741	14.8	000155.08−670743.6	...	...	...	...	
1RXSJ000209.4+672503	0.0975 (0.0168)	0.560	0.0	000210.29+672432.2	BD+66 1675	*iC	O7	10.04 : 9.08	
1RXSJ000231.0+082931	0.0770 (0.0156)	0.809	11.4	000230.01+082908.4	HD 225003	*	F0V	5.989 : 5.705	
1RXSJ000312.3−355541	0.5206 (0.0583)	0.636	13.9	000312.97−355613.3	ESO 349− 22	Gal.	S0	15. :	P
1RXSJ000316.8−275627	0.1132 (0.0218)	0.588	16.2	000316.83−275627.0	...	...	...	...	
1RXSJ000359.1+433600	0.3201 (0.0316)	0.684	15.7	000358.62+433602.8	...	...	...	...	
1RXSJ000419.5−642517	0.0812 (0.0197)	0.617	14.2	000415.70−642525.3	...	...	...	...	
1RXSJ000454.0−290929	0.0542 (0.0150)	0.781	13.0	000454.07−290911.1	...	...	...	...	
1RXSJ000513.2−625050	0.0637 (0.0188)	0.737	0.0	000509.80−625042.8	HD 24	*	G0V	8.69 : 8.14	
1RXSJ000521.2−742632	0.3614 (0.0317)	0.586	15.9	000520.44−742640.2	2E 0002.8−7443	X	./.	16.3 :	P
1RXSJ000547.7+020306	0.2229 (0.0297)	0.547	16.9	000547.54+020302.6	[VV96] J000547.5+020302	Quasar	./.	17. : 16.6	P
1RXSJ000549.4+543319	0.0559 (0.0121)	0.697	14.8	000549.15+543321.8	...	...	...	...	
1RXSJ000556.1−203850	0.0554 (0.0173)	0.794	10.8	000557.45−203854.4	BD−21 6532A	*	./.	10.97 : 10.34	
1RXSJ000559.1+160955	0.3404 (0.0267)	0.674	15.8	000559.24+160949.0	[VV96] J000559.3+160949	Quasar	?	16.51 :	P
1RXSJ000604.7−344349	0.2485 (0.0368)	0.780	11.8	000602.49−344405.9	...	...	...	...	
1RXSJ000615.1+582610	0.3232 (0.0264)	0.635	0.0	000615.54+582612.1	GJ 4.1	Eclipsing binary	G5V	6.61 : 5.93	
...	...	...	...	000615.54+582612.1	GJ 4.1A	**	G5	7.07 : 6.43	
...	...	...	...	000615.54+582612.1	GJ 4.1B	**	G8	7.98 : 7.20	
1RXSJ000637.1+434223	0.1970 (0.0251)	0.799	14.4	000636.59+434228.5	...	...	...	...	
1RXSJ000742.4+602251	0.1697 (0.0194)	0.568	15.1	000740.53+602255.9	...	...	...	...	
1RXSJ000805.6+145027	0.1792 (0.0185)	0.886	14.1	000805.64+145023.5	NPM1G +14.0004	Sy1	Sab	15.7 :	P
1RXSJ000806.3+475659	0.2187 (0.0278)	0.814	14.3	000807.00+475702.2	...	...	...	...	
1RXSJ000826.8+063712	0.1971 (0.0238)	0.684	8.2	000825.45+063700.3	HD 377	*	G2V	8.19 : 7.61	
1RXSJ000846.6−464920	0.1200 (0.0304)	0.585	14.9	000846.10−464910.5	CTS 1	Sy1	./.	17. :	
1RXSJ000854.3+205031	0.0899 (0.0210)	0.727	15.0	000854.09+205036.9	...	...	...	...	
1RXSJ000900.2−014442	0.1751 (0.0231)	0.824	13.7	000900.33−014452.9	...	...	...	...	
1RXSJ000934.5+180344	0.0782 (0.0204)	0.567	16.5	000934.87+180343.0	RX J0009.5+1803	Quasar	./.	17.5 : 16.5	P
1RXSJ000951.4+082717	0.0897 (0.0161)	0.541	0.0	000951.26+082712.0	BD+07 9s	**	G5	10.1 : 9.2	
...	...	...	...	000951.26+082712.0	HD 531	**	G5	9.9 : 8.4	
1RXSJ000953.0+371906	0.0824 (0.0172)	0.572	16.1	000952.42+371910.4	...	...	...	...	
1RXSJ001010.2−044225	0.2212 (0.0279)	0.729	14.5	001010.75−044234.6	...	...	...	...	
1RXSJ001020.5−061703	0.0800 (0.0164)	0.586	15.6	001019.98−061705.8	...	...	...	...	
1RXSJ001031.3+105832	0.4796 (0.0429)	0.873	14.1	001031.03+105829.7	QSO 0007+107	Sy1	E	15.96 :	P
1RXSJ001041.5−314128	0.0602 (0.0153)	0.529	13.1	001040.03−314116.0	...	...	...	...	
1RXSJ001042.0−203916	0.1269 (0.0229)	0.722	14.2	001042.86−203905.4	BPS CS 30324−0025	*	./.	:	
1RXSJ001051.3−341329	0.0548 (0.0160)	0.595	14.6	001052.56−341312.8	...	...	...	...	
1RXSJ001052.2+290935	0.0548 (0.0146)	0.544	15.5	001053.50+290933.6	...	...	...	...	
1RXSJ001118.5−285126	0.8891 (0.0533)	0.678	10.3	001121.65−285115.5	ESO 409− 25	Gal.	E	14.30 :	
1RXSJ001121.2+373919	0.1260 (0.0203)	0.612	16.0	001121.02+373923.2	...	...	...	...	
1RXSJ001121.7+302658	0.1126 (0.0200)	0.544	9.0	001121.65+302656.7	...	...	...	...	
1RXSJ001122.0−211432	0.2275 (0.0302)	0.619	11.1	001123.92−211429.4	...	...	...	...	
1RXSJ001124.6−112843	0.6464 (0.0536)	0.853	14.5	001124.74−112843.7	V* WW Cet	DN	?	9.30 :	P
1RXSJ001152.8+225914	0.4110 (0.0448)	0.841	14.5	001152.56+225915.7	...	...	...	...	
1RXSJ001201.7+290324	0.0671 (0.0163)	0.567	16.6	001201.93+290322.6	...	...	...	...	
1RXSJ001258.1−795214	0.2130 (0.0346)	0.766	14.5	001256.52−795206.6	...	...	...	...	
1RXSJ001334.1−344318	0.0935 (0.0194)	0.823	13.1	001335.05−344308.6	...	...	...	...	
1RXSJ001342.6+081132	0.0557 (0.0126)	0.604	12.9	001345.35+081135.9	HD 931	*	F2	7.79 : 7.40	
1RXSJ001356.6−185408	0.6238 (0.0476)	0.822	14.1	001356.04−185406.7	...	...	...	...	
1RXSJ001409.3+085822	0.0856 (0.0133)	0.892	12.2	001409.53+085803.0	...	...	...	...	
1RXSJ001418.8−660426	0.2449 (0.0329)	0.620	14.4	001416.21−660421.6	...	...	...	...	
1RXSJ001419.1−302216	0.3794 (0.0590)	0.722	12.5	001416.25−302202.8	[BAE96] AC 118 173	Gal. in Clust.	./.	:	
...	...	...	...	001416.25−302202.8	[BAE96] AC 118 177	Gal. in Clust.	./.	:	
...	...	...	...	001416.25−302202.8	[BAE96] AC 118 178	Gal. in Clust.	./.	:	
...	...	...	...	001416.25−302202.8	[BAE96] AC 118 179	Gal. in Clust.	./.	:	
...	...	...	...	001416.25−302202.8	[BAE96] AC 118 180	Gal. in Clust.	./.	:	
...	...	...	...	001416.25−302202.8	[CBS98] AC 118 763	Gal. in Clust.	S0...	:	
1RXSJ001428.5+133109	0.1439 (0.0247)	0.868	12.9	001429.44+133109.5	...	...	...	...	
1RXSJ001440.8+062231	0.0524 (0.0127)	0.674	13.3	001439.32+062246.0	...	...	...	...	
1RXSJ001452.7+270549	0.1714 (0.0244)	0.587	16.0	001453.05+270542.6	...	...	...	...	
1RXSJ001500.2+331515	0.0561 (0.0143)	0.646	12.6	001458.63+331543.4	GSC 02264−00328	*	K5	11.9 : 11.2	
1RXSJ001528.8−641501	0.1053 (0.0227)	0.731	13.5	001527.33−641454.0	...	...	...	...	
1RXSJ001552.5−250947	0.1182 (0.0235)	0.871	13.4	001552.39−250938.2	BPS CS 29503−0045	*	./.	:	
1RXSJ001556.5+053724	0.0811 (0.0158)	0.835	11.0	001554.61+053718.8	...	...	...	...	
1RXSJ001557.5−163659	0.1480 (0.0232)	0.696	14.6	001558.49−163658.0	BPS CS 31060−0015	*	./.	:	
1RXSJ001620.4−143008	0.1273 (0.0222)	0.511	16.9	001619.94−143010.8	...	...	...	...	
1RXSJ001630.7+054626	0.0682 (0.0145)	0.746	12.4	001629.68+054640.3	...	...	...	...	
1RXSJ001650.6−071013	0.1084 (0.0201)	0.829	13.6	001649.88−071015.7	...	...	...	...	
1RXSJ001659.7+113725	0.0599 (0.0153)	0.619	15.8	001700.16+113721.0	...	...	...	...	
1RXSJ001710.2+813507	0.0578 (0.0106)	0.544	16.9	001708.50+813508.4	[VV96] J001708.1+813507	Quasar	./.	:	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ001713.6+023702	0.0576 (0.0157)	0.697	14.1	001712.80+023645.5	...	...	...	...	
1RXSJ001745.8+013614	0.1217 (0.0181)	0.518	16.9	001745.82+013621.2	LBQS 0015+0119	Quasar	./.	:	
1RXSJ001745.8−452602	0.1175 (0.0285)	0.806	14.0	001745.97−452612.6	CTS 31	Gal.	./.	:	
1RXSJ001821.7+011859	0.1376 (0.0200)	0.592	16.3	001822.02+011902.2	LBQS 0015+0102	Quasar	./.	:	
...	...	...	...	001822.02+011902.2	PB 5853	*	./.	18. :	
1RXSJ001827.8+294730	0.4605 (0.0366)	0.507	17.8	001827.81+294731.4	[CWH99] J001827.8+294730 RBS 42	BL Lac − type object	./.	:	P
1RXSJ002012.0−341630	0.0752 (0.0176)	0.854	12.8	002010.97−341618.3	...	...	...	...	
1RXSJ002039.5+284027	0.3861 (0.0209)	0.829	12.6	002037.98+284042.1	...	...	...	...	
1RXSJ002041.8−254307	0.2921 (0.0355)	0.519	11.9	002043.15−254228.7	APMBGC 473+045+048	Gal.	./.	:	
1RXSJ002108.1−190950	0.1049 (0.0194)	0.815	13.2	002107.54−191005.6	PKS 0018−19	Rad.	E	17.28 :	
1RXSJ002109.1+445655	0.1292 (0.0184)	0.899	13.4	002108.45+445652.7	...	...	...	...	
1RXSJ002116.4+505315	0.0701 (0.0125)	0.870	0.0	002115.64+505324.0	GSC 03259−00409	*	./.	10.96 : 10.27	
1RXSJ002127.8−110058	0.0573 (0.0171)	0.819	13.2	002126.98−110110.2	...	...	...	...	
1RXSJ002233.8−340722	0.4176 (0.0366)	0.545	17.1	002233.46−340719.7	...	...	...	...	
1RXSJ002246.1−380635	0.0891 (0.0193)	0.522	14.1	002245.64−380652.7	EDSGC 002016.8−382330	Gal. in Clust.	./.	:	
1RXSJ002252.2−121233	0.2890 (0.0326)	0.512	11.9	002250.59−121236.3	...	...	...	...	
1RXSJ002316.1−142301	0.0705 (0.0170)	0.545	16.5	002316.66−142258.1	...	...	...	...	
1RXSJ002328.2−204151	0.0525 (0.0166)	0.820	14.0	002327.87−204149.7	HD 1922	*	G3/G5V	10.46 : 9.84	
1RXSJ002332.4−011437	0.0721 (0.0157)	0.543	16.7	002332.33−011444.0	...	...	...	...	
1RXSJ002337.1+044220	0.2129 (0.0287)	0.748	14.8	002337.22+044222.6	PB 5922	*	./.	17. :	
1RXSJ002415.6+603454	0.0817 (0.0145)	0.895	12.0	002415.10+603500.7	...	...	...	...	
1RXSJ002429.1−291734	0.0644 (0.0161)	0.567	15.8	002428.32−291737.3	...	...	...	...	
1RXSJ002453.0+065652	0.0782 (0.0176)	0.547	16.7	002453.19+065648.5	...	...	...	...	
1RXSJ002502.7−452941	0.9402 (0.0805)	0.569	13.3	002501.24−452955.1	ESO 242− 8	Sy1	S...	16. : 16.1	P
1RXSJ002516.3−205125	0.2537 (0.0322)	0.575	15.9	002516.75−205121.6	...	...	...	...	
1RXSJ002528.2−184818	0.3236 (0.0349)	0.690	15.6	002527.86−184822.0	...	...	...	...	
1RXSJ002529.7−283430	0.0635 (0.0170)	0.853	13.7	002529.75−283427.4	BPS CS 22882−0010	*	./.	:	
1RXSJ002542.6−190009	0.2991 (0.0319)	0.550	17.0	002542.36−190010.3	...	...	...	...	
1RXSJ002548.8+450136	0.0599 (0.0126)	0.712	15.2	002548.63+450132.0	...	...	...	...	
1RXSJ002627.0−513801	0.3045 (0.0495)	0.817	13.5	002627.25−513806.9	...	...	...	...	
1RXSJ002708.6−075238	0.1040 (0.0194)	0.583	8.8	002707.83−075235.2	HD 2333	**mul.	G5	8.84 : 8.13	
1RXSJ002720.7−501457	0.2213 (0.0392)	0.678	13.7	002720.59−501444.5	...	...	...	...	
1RXSJ002723.5−213325	0.1175 (0.0227)	0.572	14.2	002723.47−213302.8	ACO 35	Clust.	./.	17.1 :	
1RXSJ002734.6+284220	0.0576 (0.0144)	0.632	15.1	002735.14+284230.9	...	...	...	...	
1RXSJ002750.4−323317	0.3498 (0.0342)	0.646	13.8	002750.22−323323.5	...	...	...	...	
1RXSJ002811.6+310342	0.1677 (0.0224)	0.509	15.3	002810.73+310348.1	1RXS J002811.6+310342	Quasar	./.	15.79 : 15.42	P
1RXSJ002813.5−322801	0.0602 (0.0170)	0.531	16.1	002814.20−322754.9	GEN# +6.10050009	*	M4	16.82 : 15.16	
1RXSJ002816.7+634357	0.3137 (0.0346)	0.503	9.8	002816.56+634406.4	CCDM J00283+6344AB	**mul.	G0	10.11 : 9.40	
1RXSJ002836.2−233849	0.1740 (0.0239)	0.885	11.2	002836.89−233830.9	EDSGC 002606.5−235456	Gal. in Clust.	./.	:	
...	...	...	...	002836.89−233830.9	[SGH83] ACO 42 G1	Gal. in Clust.	./.	:	
1RXSJ002848.2+591723	0.5178 (0.0329)	0.819	14.7	002848.80+591722.2	V* V709 Cas	CV Star	./.	:	P
1RXSJ002902.7+195717	0.0817 (0.0182)	0.504	16.9	002902.95+195710.2	...	...	...	...	
1RXSJ002913.9+131605	0.4699 (0.0358)	0.773	15.3	002913.70+131604.0	[VV96] J002913.8+131605	Quasar	./.	15.04 : 14.78	P
1RXSJ002958.0−632500	3.1050 (0.1935)	0.730	15.0	002956.75−632457.9	...	...	...	...	
1RXSJ003032.3−623547	0.3913 (0.0664)	0.619	12.0	003025.39−623601.3	...	...	...	...	
1RXSJ003041.2−132130	0.0803 (0.0179)	0.640	14.4	003040.17−132129.3	...	...	...	...	
1RXSJ003121.2+301558	0.0500 (0.0136)	0.687	12.3	003119.13+301551.9	...	...	...	...	
1RXSJ003150.4+365756	0.0543 (0.0154)	0.716	0.0	003149.90+365757.5	HD 2814	**	G0	8.97 : 8.20	
...	...	...	...	003149.90+365757.5	HD 2814 B	**	?	12.15 : 11.46	
1RXSJ003210.0−382728	0.0552 (0.0165)	0.680	12.8	003208.74−382736.8	...	...	...	...	
1RXSJ003221.1+242359	0.0901 (0.0202)	0.543	16.6	003221.05+242359.5	1RXS J003221.1+242359	Sy1	./.	17.3 :	P
1RXSJ003224.1+671406	0.0847 (0.0199)	0.544	0.0	003226.81+671410.4	GJ 22C	*	M2.5V:e	:	
1RXSJ003234.5+072929	0.2871 (0.0505)	0.794	14.4	003234.47+072930.1	EM* StHA 2	Em. *	M3	:	
...	...	...	...	003234.47+072930.1	GJ 3039	*	M4	:	
1RXSJ003241.4−125629	0.0553 (0.0152)	0.714	15.0	003241.13−125625.6	...	...	...	...	
1RXSJ003241.5+400143	0.0607 (0.0126)	0.603	16.2	003241.52+400142.4	[S73] 1	Globular Cluster	./.	16.29 : 15.62	
1RXSJ003247.4−404601	0.0793 (0.0190)	0.831	14.0	003247.75−404557.8	...	...	...	...	
1RXSJ003301.8−034247	0.0715 (0.0212)	0.609	15.0	003300.98−034257.3	...	...	...	...	
1RXSJ003322.1−691502	0.1741 (0.0275)	0.877	11.5	003320.83−691514.2	RX J0033.3−6915	X	./.	15.5 :	P
...	...	...	...	003320.83−691514.2	[QR95] 003111.4−693148	Gal. in Clust.	./.	:	
1RXSJ003322.8−203908	0.3172 (0.0319)	0.827	14.5	003322.44−203908.3	...	...	...	...	
1RXSJ003327.5+575045	0.0617 (0.0131)	0.725	12.9	003328.79+575032.7	...	...	...	...	
1RXSJ003334.6−192130	0.9403 (0.0555)	0.627	16.4	003334.36−192132.8	1RXS J003334.6−192130	X	B...	:	P
...	...	...	...	003334.36−192132.8	KUV 00311−1938	*	./.	16.8 :	
1RXSJ003357.9+612645	0.1721 (0.0275)	0.868	11.9	003357.34+612632.7	GSC 04015−00206	*	./.	10.67 : 9.89	
1RXSJ003400.9−335428	0.1290 (0.0211)	0.701	14.6	003401.75−335422.1	...	...	...	...	
1RXSJ003403.7+010558	0.1243 (0.0199)	0.893	12.3	003404.28+010545.8	...	...	...	...	
1RXSJ003408.7+252342	0.1736 (0.0247)	0.875	12.8	003408.15+252354.3	BPM 84322	*	K5	13.2 : 10.5	
1RXSJ003422.2−790525	0.5054 (0.0509)	0.509	14.1	003416.76−790520.7	...	...	...	...	
1RXSJ003429.4−043319	0.0744 (0.0207)	0.737	0.0	003429.79−043247.5	HD 3125	**mul.	G0	7.71 : 7.02	
1RXSJ003530.0+353943	0.0758 (0.0173)	0.800	10.7	003528.98+353932.6	...	...	...	...	
1RXSJ003537.0+013749	0.1024 (0.0218)	0.702	14.5	003537.11+013753.2	...	...	...	...	
1RXSJ003601.9−053359	0.0833 (0.0199)	0.648	12.2	003601.14−053409.4	...	...	...	...	
1RXSJ003633.7+254513	0.1082 (0.0197)	0.740	13.9	003632.39+254518.7	...	...	...	...	
1RXSJ003633.7+553728	0.0582 (0.0131)	0.848	12.9	003634.06+553737.8	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ003643.7+703413	0.0784 (0.0120)	0.509	0.0	003643.09+703421.7	HD 3262	Pulsating variable Star	F8	8.81 : 8.33	
1RXSJ003644.4−581543	0.1086 (0.0288)	0.568	15.9	003644.48−581539.8	...	...	...	...	
1RXSJ003715.3−461412	0.2930 (0.0434)	0.628	15.2	003714.74−461417.0	...	...	...	...	
1RXSJ003728.3−580052	0.1366 (0.0314)	0.630	15.7	003727.34−580051.9	...	...	...	...	
1RXSJ003739.5−542043	0.1950 (0.0375)	0.537	15.8	003740.00−542030.0	...	...	...	...	
1RXSJ003759.9+321246	0.0802 (0.0163)	0.525	8.8	003758.65+321249.4	HD 3474	*	F5	8.79 : 8.41	
1RXSJ003801.0+435342	0.0793 (0.0156)	0.783	13.4	003759.86+435345.3	...	...	...	...	
1RXSJ003832.6+412858	0.0696 (0.0139)	0.830	13.4	003833.06+412850.7	PGC 2304	Sy1	./.	17.0 :	
1RXSJ003925.1−160404	0.2876 (0.0443)	0.518	16.7	003924.56−160401.4	...	...	...	...	
1RXSJ003952.8+313228	0.1345 (0.0212)	0.744	14.3	003951.90+313232.1	...	...	...	...	
1RXSJ004013.3−192525	0.0714 (0.0167)	0.520	12.7	004012.32−192512.5	...	...	...	...	
1RXSJ004020.7+404358	0.0557 (0.0125)	0.549	16.6	004020.33+404358.7	2E 0037.6+4027	X	./.	:	P
...	...	...	...	004020.33+404358.7	Bol 5	Globular Cluster	./.	16.69 : 15.67	
...	...	...	...	004020.33+404358.7	[BHG88] 40 1650	*	./.	16.12 : 14.90	
1RXSJ004030.3+293328	0.2941 (0.0288)	0.567	14.6	004028.29+293321.7	UGC 428	Gal.	./.	16.0 :	
1RXSJ004031.1+520906	0.2656 (0.0246)	0.560	17.3	004031.10+520908.3	...	...	...	...	
1RXSJ004048.0−071352	0.1393 (0.0209)	0.721	0.0	004047.48−071356.6	GJ 9020A	**	G0	7.66 : 7.05	
1RXSJ004053.2−074201	0.4154 (0.0360)	0.781	14.3	004052.79−074208.0	...	...	...	...	
1RXSJ004112.2−264936	0.0890 (0.0202)	0.839	11.3	004111.64−265012.2	HD 3877	**mul.	G0V	10.47 : 9.93	
1RXSJ004131.8+125740	0.2760 (0.0286)	0.794	8.6	004131.75+125737.8	HD 3884	*	G0	8.30 : 7.70	
1RXSJ004141.0+441055	0.1208 (0.0221)	0.748	14.7	004141.59+441054.7	...	...	...	...	
1RXSJ004144.9+212507	0.0695 (0.0206)	0.640	13.7	004143.26+212500.0	...	...	...	...	
1RXSJ004146.5−470132	0.2460 (0.0389)	0.520	16.7	004147.00−470137.2	...	...	...	...	
1RXSJ004204.8−423418	0.0555 (0.0161)	0.638	15.1	004203.80−423411.8	...	...	...	...	
1RXSJ004211.1−425245	0.0612 (0.0166)	0.791	13.7	004210.77−425253.9	...	...	...	...	
1RXSJ004212.5−544431	0.1139 (0.0281)	0.543	15.0	004209.94−544442.7	...	...	...	...	
1RXSJ004215.5−251022	0.0646 (0.0171)	0.828	13.3	004214.44−251023.9	...	...	...	...	
1RXSJ004218.5−774804	0.2092 (0.0369)	0.726	11.1	004219.81−774739.7	CD−78 24	*	K5	11.5 : 10.38	
1RXSJ004223.9+040958	0.1407 (0.0250)	0.518	0.0	004223.18+040957.8	HD 3972	**mul.	F8V	8.19 : 7.74	
1RXSJ004230.2−442502	0.1414 (0.0273)	0.519	0.0	004227.32−442446.2	CD−45 216A	HiPM*	K4	:	
1RXSJ004236.9−104919	0.2444 (0.0278)	0.808	14.9	004236.90−104921.8	...	...	...	...	
1RXSJ004240.8+301742	0.1366 (0.0207)	0.550	15.4	004241.60+301744.0	...	...	...	...	
1RXSJ004248.4+353257	1.0220 (0.0472)	0.817	11.9	004247.19+353252.8	...	...	...	...	
1RXSJ004301.6−533436	0.0669 (0.0192)	0.693	14.3	004302.71−533429.4	...	...	...	...	
1RXSJ004325.4−165544	0.2866 (0.0321)	0.584	14.9	004324.91−165557.1	...	...	...	...	
1RXSJ004343.6+372521	0.1197 (0.0175)	0.722	14.4	004342.55+372519.8	...	...	...	...	
1RXSJ004351.2+242422	0.5003 (0.0465)	0.722	14.5	004352.18+242421.4	[BSF97] J004352.4+242424	Clust.	./.	:	P
...	...	...	...	004352.18+242421.4	[CEF95] 004112.7+240756	Gal. in Clust.	./.	:	
1RXSJ004356.5+734407	0.0560 (0.0094)	0.599	12.5	004348.68+734404.1	...	...	...	...	
1RXSJ004404.6+013344	0.1633 (0.0260)	0.620	16.2	004404.90+013343.2	HS 0041+0117	Quasar	./.	:	
1RXSJ004426.0−274848	0.0650 (0.0162)	0.715	14.7	004425.52−274859.1	BPS CS 29497−0036	*	./.	:	
1RXSJ004459.4+192143	0.1655 (0.0220)	0.671	15.9	004459.14+192141.5	RGB J0044+193	Quasar	./.	:	
1RXSJ004646.2+213726	0.0695 (0.0162)	0.730	0.0	004644.84+213727.6	HD 4432	*	F8IV	7.46 : 6.97	
1RXSJ004649.4+152741	0.0873 (0.0175)	0.569	15.4	004650.02+152753.5	...	...	...	...	
1RXSJ004655.6−162704	0.0620 (0.0164)	0.558	13.6	004655.22−162654.5	...	...	...	...	
1RXSJ004816.8+521935	0.0789 (0.0150)	0.881	12.2	004818.28+521918.2	GSC 03274−00391	*	./.	11.8 : 11.3	
1RXSJ004819.6+394110	0.2254 (0.0230)	0.702	15.4	004818.98+394111.9	...	...	...	...	
1RXSJ004820.7−733154	0.1993 (0.0217)	0.693	10.5	004825.91−733144.8	...	...	...	...	
1RXSJ004823.8+274527	0.0703 (0.0191)	0.675	13.8	004825.45+274531.3	...	...	...	...	
1RXSJ004835.0−211454	0.1327 (0.0222)	0.510	15.8	004834.19−211445.4	...	...	...	...	
1RXSJ004838.3−431146	0.0707 (0.0210)	0.510	14.3	004836.33−431149.3	...	...	...	...	
1RXSJ004845.4+212714	0.1368 (0.0197)	0.567	16.5	004845.32+212715.5	1RXS J004845.4+212714	Quasar	./.	:	P
1RXSJ004859.5+443500	0.2223 (0.0372)	0.586	13.7	004857.68+443515.2	GJ 3058	*	M3	:	
1RXSJ004904.0+574917	0.1379 (0.0219)	0.889	0.0	004903.96+574908.1	IRAS 00461+5732	IR	./.	:	
1RXSJ004917.3−445712	0.2309 (0.0343)	0.571	16.3	004916.61−445711.4	...	...	...	...	
1RXSJ004924.0−293128	0.2568 (0.0326)	0.852	10.9	004922.94−293112.7	...	...	...	...	
1RXSJ004931.8−585047	0.0838 (0.0236)	0.545	16.1	004930.64−585054.8	...	...	...	...	
1RXSJ005011.3−033743	0.0893 (0.0185)	0.611	15.2	005010.65−033753.2	...	...	...	...	
1RXSJ005017.9+083734	0.0674 (0.0145)	0.597	15.5	005017.32+083735.7	...	...	...	...	
1RXSJ005020.8+105221	0.0694 (0.0143)	0.717	15.0	005021.14+105229.0	CCDM J00503+1052B	**	./.	15.7 :	
1RXSJ005033.3+244901	0.4435 (0.0579)	0.503	0.0	005033.11+244900.6	1RXS J005033.3+244901	*	MV:e	:	P
...	...	...	...	005033.11+244900.6	GJ 3060A	HiPM*	M3.5	:	
1RXSJ005034.2+044152	0.0521 (0.0136)	0.514	16.7	005033.77+044149.1	...	...	...	...	
1RXSJ005039.7+561545	0.0667 (0.0172)	0.851	10.5	005038.21+561516.5	GSC 03663−00191	*	./.	10.35 : 9.90	
1RXSJ005050.6+353645	0.2854 (0.0278)	0.749	14.4	005050.75+353643.2	...	...	...	...	
1RXSJ005101.3−320405	0.0718 (0.0177)	0.575	14.3	005100.05−320413.3	...	...	...	...	
1RXSJ005101.5+200827	0.0537 (0.0132)	0.897	13.0	005102.09+200828.5	...	...	...	...	
1RXSJ005117.7−624154	0.2892 (0.0429)	0.540	16.1	005116.66−624204.3	...	...	...	...	
1RXSJ005118.0−144751	0.1392 (0.0214)	0.583	15.6	005117.63−144751.0	...	...	...	...	
1RXSJ005154.8+172552	0.4180 (0.0320)	0.665	15.8	005154.77+172558.7	QSO 0049+171	Sy1	./.	15.88 :	P
1RXSJ005222.0+205632	0.0655 (0.0142)	0.697	15.5	005221.67+205635.2	** LDS 3206A	**	./.	:	
1RXSJ005225.7−392614	0.0599 (0.0163)	0.775	12.3	005223.28−392556.9	...	...	...	...	
1RXSJ005238.2−182229	0.3972 (0.0382)	0.577	16.6	005237.93−182230.7	...	...	...	...	
1RXSJ005246.4−801539	0.2926 (0.0511)	0.670	13.5	005240.81−801538.4	ACO 2837	Clust.	./.	:	
1RXSJ005250.9+433617	0.1161 (0.0166)	0.807	14.4	005250.45+433614.3	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ005252.2−473722	0.5586 (0.0570)	0.871	14.0	005252.02−473726.8	...	...	...	...	
1RXSJ005304.6+482942	0.0702 (0.0158)	0.512	12.8	005302.39+482936.7	...	...	...	...	
1RXSJ005351.3+221222	0.0624 (0.0155)	0.545	15.9	005350.95+221213.9	...	...	...	...	
1RXSJ005415.9+510816	0.0512 (0.0130)	0.830	0.0	005414.92+510812.5	CCDM J00542+5108AB	**mul.	K0	10.21 : 9.39	
1RXSJ005447.6+273106	0.0501 (0.0142)	0.546	16.2	005446.90+273103.1	...	...	...	...	
1RXSJ005452.3+252534	0.5424 (0.0484)	0.766	14.9	005452.12+252539.0	[VV96] J005452.2+252539	Quasar	./.	:	P
1RXSJ005502.5−024607	0.0514 (0.0147)	0.747	13.9	005501.49−024603.3	...	...	...	...	
1RXSJ005514.4−035430	0.0546 (0.0149)	0.731	14.2	005514.40−035445.1	...	...	...	...	
1RXSJ005515.0+301527	0.0681 (0.0136)	0.637	15.4	005514.75+301517.5	...	...	...	...	
1RXSJ005519.1+522934	0.0726 (0.0157)	0.507	16.0	005517.51+522930.4	...	...	...	...	
1RXSJ005529.0−373136	0.0520 (0.0150)	0.747	12.9	005526.65−373125.5	HD 5403	*	G5V	9.35 : 8.67	
...	...	...	...	005526.65−373125.5	[G81] 1	*	./.	9.47 : 8.67	
1RXSJ005601.6+024916	0.0504 (0.0137)	0.655	14.9	005601.01+024924.1	...	...	...	...	
1RXSJ005604.8+415319	0.3028 (0.0266)	0.838	12.7	005605.28+415324.4	...	...	...	...	
1RXSJ005607.6+254802	0.1247 (0.0219)	0.621	16.1	005607.68+254805.0	1RXS J005607.6+254802	Quasar	./.	:	P
1RXSJ005617.5−011501	0.5365 (0.0431)	0.587	13.2	005616.13−011519.3	UGC 579	Gal.	E	15.0 :	
...	...	...	...	005616.13−011519.3	[D80] ACO 119 66	Gal. in Clust.	dG	:	
...	...	...	...	005616.13−011519.3	[L84] A119 −G1	Gal. in Clust.	./.	15.58 : 14.45	
1RXSJ005620.1−093626	0.3558 (0.0332)	0.824	14.4	005620.09−093631.2	...	...	...	...	
1RXSJ005655.1−751349	0.2996 (0.0235)	0.835	14.7	005655.06−751353.0	...	...	...	...	
1RXSJ005822.8−024126	0.1235 (0.0196)	0.634	13.4	005822.32−024141.7	...	...	...	...	
1RXSJ005837.9−360559	0.6980 (0.0650)	0.741	14.9	005837.39−360605.1	[VV96] J005837.4−360605	Quasar	./.	15.50 : 14.90	P
1RXSJ005845.1−055309	0.0619 (0.0159)	0.854	12.7	005845.71−055254.5	HD 5720	*	K0	7.718 : 6.594	
1RXSJ005941.1−540754	0.0531 (0.0166)	0.691	13.2	005940.56−540820.5	HD 5895	*	G5V	10.31 : 9.51	
1RXSJ010000.7+191156	0.0535 (0.0130)	0.511	17.1	010000.46+191153.5	...	...	...	...	
1RXSJ010013.9+213536	0.0970 (0.0260)	0.900	12.2	010013.05+213532.2	...	...	...	...	
1RXSJ010014.0+055200	0.0749 (0.0153)	0.690	15.5	010014.06+055154.9	...	...	...	...	
1RXSJ010052.1+311136	0.0946 (0.0155)	0.552	15.9	010052.48+311137.7	...	...	...	...	
1RXSJ010052.2−052032	0.0953 (0.0184)	0.546	16.3	010051.57−052033.3	...	...	...	...	
1RXSJ010112.0−092746	0.0989 (0.0183)	0.531	15.8	010113.03−092742.0	...	...	...	...	
1RXSJ010123.5−030846	0.0619 (0.0154)	0.601	15.1	010124.38−030840.1	...	...	...	...	
1RXSJ010158.3−552346	0.0609 (0.0170)	0.524	15.5	010157.23−552347.7	...	...	...	...	
1RXSJ010227.1−003911	0.0762 (0.0160)	0.542	15.8	010226.32−003904.6	[HOG96] DMS 0059−0055	Quasar	./.	16.8 :	
1RXSJ010251.4+185706	0.0536 (0.0129)	0.593	15.3	010250.68+185657.0	...	...	...	...	
1RXSJ010312.7−554020	0.1384 (0.0233)	0.573	16.6	010312.90−554019.1	...	...	...	...	
1RXSJ010313.5+022107	0.0786 (0.0154)	0.552	16.4	010312.99+022110.1	[VV96] J010313.0+022110	Quasar	./.	17.0 : 17.2	P
1RXSJ010314.4+200547	0.1463 (0.0243)	0.514	0.0	010313.74+200551.8	CCDM J01032+2006A	**	./.	:	
1RXSJ010340.8+405124	0.4816 (0.0354)	0.524	14.8	010341.57+405123.6	G 132−51B	*	M	:	
...	...	...	...	010341.57+405123.6	G 132−51C	*	./.	:	
1RXSJ010434.7+411816	0.0551 (0.0140)	0.792	12.2	010435.53+411759.0	V* RX And	DN	?p...	:	P
1RXSJ010450.6+404105	0.0505 (0.0138)	0.550	12.7	010448.40+404051.5	...	...	...	...	
1RXSJ010500.1−722305	0.2359 (0.0279)	0.726	14.2	010457.92−722306.6	...	...	...	...	
1RXSJ010506.0+281505	0.1105 (0.0182)	0.574	16.4	010506.36+281503.5	...	...	...	...	
1RXSJ010515.1+802713	0.1748 (0.0176)	0.697	14.8	010511.23+802707.0	...	...	...	...	
1RXSJ010527.6−171220	0.0883 (0.0204)	0.586	16.1	010528.11−171222.5	...	...	...	...	
1RXSJ010538.7−141610	1.4860 (0.1088)	0.571	13.6	010538.79−141614.0	BPS CS 22166−0025	*	./.	:	
1RXSJ010550.1+045421	0.0554 (0.0156)	0.718	0.0	010549.22+045431.2	HD 6479	**	F3V	6.696 : 6.354	
1RXSJ010556.1−355601	0.0568 (0.0155)	0.672	14.4	010554.73−355603.0	CTS 71	Gal.	./.	16.96 :	
1RXSJ010609.4−521551	0.1849 (0.0335)	0.646	15.5	010608.43−521551.8	...	...	...	...	
1RXSJ010620.9+330556	0.1714 (0.0226)	0.809	11.8	010618.68+330601.7	GSC 02282−01396	*	./.	11.4 : 10.3	
1RXSJ010626.0−141724	0.0974 (0.0172)	0.520	10.2	010625.85−141742.6	HD 6569	HiPM*	K1V	10.35 : 9.52	
1RXSJ010703.8+190858	0.2476 (0.0318)	0.744	11.8	010705.32+190908.8	GSC 01199−00701	*	./.	10.95 : 9.94	
1RXSJ010721.2+322254	0.1207 (0.0199)	0.639	13.7	010722.08+322323.1	...	...	...	...	
1RXSJ010742.8−265918	0.1731 (0.0257)	0.718	15.2	010743.01−265916.1	[CT83] 358	UV	./.	17.4 :	
1RXSJ010747.6−155557	0.0647 (0.0150)	0.553	17.0	010747.47−155559.3	...	...	...	...	
1RXSJ010757.1−402110	0.0778 (0.0179)	0.567	16.2	010756.79−402102.7	...	...	...	...	
1RXSJ010820.4+053901	0.0616 (0.0151)	0.879	0.0	010822.34+053900.8	HD 6763	V*	F0III−IV	5.86 :	
1RXSJ010821.4−353433	0.0762 (0.0184)	0.751	14.3	010820.78−353440.9	GD 683	WD	DA:	15.8 :	
1RXSJ010835.3−464025	0.0772 (0.0198)	0.513	0.0	010833.83−464006.0	HD 6869	**mul.	A9V	7.17 : 6.888	
1RXSJ010838.5−402040	0.0679 (0.0171)	0.728	12.0	010838.97−402026.0	ESO 296− 1	Gal.	cGrs	:	
1RXSJ010908.3+181601	0.3822 (0.0384)	0.531	16.8	010908.18+181607.6	RX J0109.0+1815	BL Lac − type object	./.	:	P
1RXSJ010918.0+131011	0.0687 (0.0149)	0.793	14.4	010918.42+131008.6	UGC 716	Gal.	S0	15.7 :	P
...	...	...	...	010918.42+131008.6	[SBM98] ACO 150 J010918.45+131007.5	Gal. in Clust.	./.	:	
1RXSJ010938.3−071044	0.0999 (0.0193)	0.545	0.0	010938.92−071046.0	BD−07 184	HiPM*	M0	11.8 : 10.9	
1RXSJ010953.0−455547	0.1121 (0.0235)	0.896	11.7	010955.53−455552.1	ACO 2877	Clust.	./.	:	
...	...	...	...	010955.53−455552.1	IC 1633	Gal. in Clust.	S0	12. :	
...	...	...	...	010955.53−455552.1	MCL 33 010742.0−461148	Group of Galaxies	./.	:	
1RXSJ011001.0+284210	0.1131 (0.0187)	0.610	0.0	011001.06+284208.5	HD 6902	*	F8	9.07 : 8.58	
1RXSJ011021.0+420500	0.1068 (0.0184)	0.683	0.0	011018.74+420453.3	GJ 53.4	*	F8V	6.240 : 5.679	
1RXSJ011029.4−151018	0.0683 (0.0143)	0.674	15.0	011028.95−151008.3	GEN# +6.10050030	**mul.	./.	15.82 : 14.22	
1RXSJ011032.6+015436	0.0754 (0.0156)	0.501	14.3	011034.17+015439.0	...	...	...	...	
1RXSJ011034.9−164821	0.2087 (0.0252)	0.618	15.4	011035.51−164827.4	...	...	...	...	
1RXSJ011103.9+173855	0.0837 (0.0204)	0.591	14.3	011103.55+173906.8	IC 1635	Group of Galaxies	./.	15.7 :	
...	...	...	...	011103.55+173906.8	PGC 73753	Gal.	./.	:	
...	...	...	...	011103.55+173906.8	[D80] ACO 154 42	Gal. in Clust.	E	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	011103.55+173906.8	[D80] ACO 154 43	Gal. in Clust.	dG	:	
...	...	...	...	011103.55+173906.8	[LO95] 0108+173	Rad. Gal.	./.	:	
1RXSJ011123.8−052539	0.1773 (0.0232)	0.794	14.9	011123.57−052538.5	GR* 82	*	./.	15.2 :	
1RXSJ011125.4+152625	0.0936 (0.0182)	0.619	15.7	011124.82+152627.6	GJ 3076	*	M5	:	
1RXSJ011205.2+224452	0.1510 (0.0248)	0.567	15.2	011205.83+224438.9	QSO 0109+224	BL Lac − type object	./.	15.96 : 15.66	P
1RXSJ011207.8−210424	0.0759 (0.0187)	0.572	16.2	011207.84−210429.4	...	...	...	...	
1RXSJ011219.5+423827	0.0504 (0.0135)	0.824	13.1	011218.16+423835.0	...	...	...	...	
1RXSJ011220.9−281625	0.0883 (0.0174)	0.570	15.8	011220.04−281625.5	...	...	...	...	
1RXSJ011235.6+170401	0.0657 (0.0168)	0.619	15.3	011234.76+170400.2	...	...	...	...	
1RXSJ011250.8−215745	0.1027 (0.0202)	0.628	16.3	011250.80−215743.6	...	...	...	...	
1RXSJ011254.6+000308	0.0651 (0.0146)	0.518	16.7	011254.93+000313.2	[VV96] J011255.0+000313	Quasar	./.	18.5 :	
1RXSJ011301.1+153041	0.1098 (0.0222)	0.566	13.2	011258.77+153040.8	...	...	...	...	
1RXSJ011318.8−380252	0.1333 (0.0220)	0.672	15.4	011319.50−380254.4	...	...	...	...	
1RXSJ011324.6+295812	0.0603 (0.0133)	0.603	15.9	011324.22+295816.5	[VV96] J011324.2+295816	Quasar	./.	:	P
1RXSJ011330.7−073805	0.1376 (0.0223)	0.715	13.1	011329.38−073805.6	StKM 1− 124	*	K4	:	
1RXSJ011354.6+390742	0.1255 (0.0222)	0.568	16.6	011354.50+390744.5	[VV96] J011354.5+390744	Quasar	./.	16.7 : 16.7	P
1RXSJ011405.4+283148	0.0613 (0.0139)	0.744	0.0	011404.91+283146.5	HD 7351	Semi−Reg. Pulsating *	Ms	8.077 : 6.375	
1RXSJ011416.1+042601	0.0594 (0.0134)	0.839	12.0	011415.91+042626.3	GSC 00023−00645	*	./.	11.1 : 10.5	
1RXSJ011421.9−412951	0.0605 (0.0149)	0.548	16.5	011422.11−412947.7	...	...	...	...	
1RXSJ011442.4+034905	0.0869 (0.0158)	0.737	14.4	011442.11+034916.8	PB 6335	*	./.	17.5 :	
1RXSJ011447.3−211802	0.1010 (0.0202)	0.549	15.2	011447.18−211821.1	...	...	...	...	
1RXSJ011457.6−422445	0.3027 (0.0306)	0.876	14.1	011457.69−422449.4	...	...	...	...	
1RXSJ011541.2−624919	0.2381 (0.0347)	0.592	16.2	011540.55−624924.5	...	...	...	...	
1RXSJ011545.7−685221	0.5217 (0.0716)	0.662	0.0	011544.95−685230.3	CCDM J01157−6852AB	**mul.	F8	5.1 : 7.3	
...	...	...	...	011544.95−685230.3	GJ 55.3B	HiPM*	?	:	
...	...	...	...	011544.95−685230.3	GJ 9049A	V*	F6IV	4.73 :	
1RXSJ011611.2+283439	0.0770 (0.0147)	0.670	0.0	011610.85+283443.7	HD 7579	*	F8	9.48 : 8.94	
1RXSJ011613.3−155447	0.1375 (0.0218)	0.767	11.8	011612.23−155434.7	MCG−03−04−035	Gal.	./.	16. :	
1RXSJ011631.3−045130	0.0641 (0.0146)	0.675	13.4	011629.88−045143.1	HD 7673	*	F5	8.48 : 8.02	
1RXSJ011704.2+000025	0.2012 (0.0244)	0.700	14.7	011703.59+000027.7	1E 0114−00.2	Sy1	./.	:	P
1RXSJ011724.1−222748	0.0940 (0.0188)	0.728	14.5	011724.39−222800.1	EUVE J0117−22.4	UV	./.	:	
1RXSJ011727.0+051404	0.1091 (0.0172)	0.809	13.5	011727.40+051414.4	StKM 1− 136	*	K6	12.94 : 11.89	
1RXSJ011730.7−382629	0.9308 (0.0737)	0.693	16.2	011730.64−382629.9	1RXS J011730.7−382629	Quasar	S...	:	P
1RXSJ011735.6−194403	0.0661 (0.0147)	0.510	16.7	011735.72−194358.3	...	...	...	...	
1RXSJ011740.0+582954	0.1296 (0.0192)	0.870	14.1	011739.50+582954.8	...	...	...	...	
1RXSJ011745.5+363718	0.2134 (0.0254)	0.720	15.7	011745.61+363714.7	...	...	...	...	
1RXSJ011757.6−160434	0.1495 (0.0243)	0.587	15.9	011758.10−160438.9	...	...	...	...	
1RXSJ011758.8+651730	0.1145 (0.0145)	0.825	12.6	011802.69+651729.9	GSC 04038−00888	*	./.	11.7 : 11.0	
1RXSJ011800.3+543207	0.0688 (0.0173)	0.763	12.3	011802.71+543222.2	...	...	...	...	
1RXSJ011835.7−184334	0.1022 (0.0169)	0.523	16.8	011835.80−184334.7	...	...	...	...	
1RXSJ011859.8+703336	0.1270 (0.0156)	0.873	0.0	011903.20+703326.3	...	...	...	...	
1RXSJ011907.8−325715	0.0567 (0.0155)	0.557	14.3	011906.61−325712.8	...	...	...	...	
1RXSJ011922.8+320244	0.0580 (0.0128)	0.833	13.0	011922.16+320238.5	QSO 0116+317	Active Galaxy Nucleus	./.	15.7 : 16.30	P
1RXSJ011936.3−282125	0.5359 (0.0458)	0.543	16.2	011935.69−282131.5	[VV96] J011935.7−282131	Quasar	./.	:	P
1RXSJ011955.7−201025	0.1016 (0.0170)	0.751	14.9	011956.07−201022.8	...	...	...	...	
1RXSJ012021.9−051052	0.0781 (0.0152)	0.679	15.8	012021.96−051047.7	...	...	...	...	
1RXSJ012032.6−270120	0.0805 (0.0165)	0.519	15.8	012031.66−270124.9	QSO 0118−272	BL Lac − type object	./.	15.86 : 15.56	P
1RXSJ012032.9−112807	0.0979 (0.0184)	0.872	0.0	012032.20−112802.5	BD−12 243	*	G0	9.17 : 8.42	
1RXSJ012059.6−240901	0.0552 (0.0140)	0.734	14.7	012059.99−240852.3	BPS CS 29514−0033	*	./.	:	
1RXSJ012103.7+073629	0.1249 (0.0183)	0.530	9.3	012103.93+073625.5	HD 8152	Ecl. Bin. (W UMa)	F8	9.16 : 8.67	
1RXSJ012106.4−391005	0.0891 (0.0187)	0.583	15.9	012106.55−391012.6	...	...	...	...	
1RXSJ012130.1−405815	0.0704 (0.0159)	0.886	13.4	012129.34−405817.9	CD−41 343B	**	?	:	
...	...	...	...	012129.34−405817.9	HD 8283	**	F3V	9.03 : 8.61	
1RXSJ012149.3−135810	0.1368 (0.0218)	0.750	14.6	012149.94−135809.9	...	...	...	...	
1RXSJ012151.5−282048	0.3809 (0.0324)	0.768	14.3	012151.51−282058.1	[VV96] J012151.6−282057	Quasar	?	15.38 : 15.19	
1RXSJ012200.6−324447	0.0633 (0.0164)	0.569	15.1	012202.07−324445.6	...	...	...	...	
1RXSJ012249.9−124527	0.0946 (0.0190)	0.543	14.8	012251.48−124550.9	...	...	...	...	
1RXSJ012250.4+004248	1.5200 (0.0604)	0.624	9.1	012250.56+004253.1	...	...	...	...	
1RXSJ012250.4−243937	0.0569 (0.0141)	0.583	15.5	012250.83−243948.9	...	...	...	...	
1RXSJ012254.1−752117	0.5277 (0.0668)	0.763	15.0	012253.07−752114.1	...	...	...	...	
1RXSJ012308.7+314914	0.0642 (0.0143)	0.570	16.0	012309.37+314915.5	RX J0123.0+3149	X	./.	:	P
1RXSJ012320.9−572853	0.4949 (0.0537)	0.834	12.8	012321.03−572850.7	HD 8558	*	G6V	9.21 : 8.54	
1RXSJ012326.1−794139	0.2817 (0.0451)	0.596	11.5	012316.75−794132.8	GSC 09356−01284	*	./.	11.3 : 10.12	
1RXSJ012337.0−175014	0.0588 (0.0164)	0.737	12.0	012338.20−175103.4	...	...	...	...	
1RXSJ012349.1−142944	0.0886 (0.0191)	0.528	16.4	012348.92−142937.2	...	...	...	...	
1RXSJ012358.0−134201	0.0547 (0.0134)	0.623	12.7	012359.79−134147.1	...	...	...	...	
1RXSJ012441.8−154102	0.0624 (0.0165)	0.840	12.4	012441.87−154043.8	...	...	...	...	
1RXSJ012448.3−115823	0.0607 (0.0137)	0.721	14.4	012448.30−115809.1	...	...	...	...	
1RXSJ012458.8+255703	0.0640 (0.0153)	0.897	12.0	012457.92+255703.2	GSC 01751−01515	*	./.	11.3 : 10.6	
1RXSJ012501.1−512151	0.2714 (0.0423)	0.721	14.8	012500.21−512156.0	...	...	...	...	
1RXSJ012505.5−142114	0.2564 (0.0271)	0.646	16.0	012505.41−142120.0	PB 8809	*	./.	17.5 :	
1RXSJ012529.5−000547	0.0782 (0.0148)	0.518	16.1	012528.85−000555.7	[VV96] J012528.9−000556	Quasar	E	:	P
1RXSJ012541.8−182520	0.0710 (0.0181)	0.578	16.2	012541.72−182521.2	...	...	...	...	
1RXSJ012605.9−375757	0.0616 (0.0161)	0.846	12.5	012605.44−375753.3	APMGS 012350.87−381329.0	Gal.	./.	:	
...	...	...	...	012605.44−375753.3	EDSGC 012350.8−381330	Gal. in Clust.	./.	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	012605.44−375753.3	EDSGC 012351.0−381330	Gal. in Clust.	./.	:	
...	...	...	...	012605.44−375753.3	[CFG91] ACO 2911 1	Gal. in Clust.	./.	:	
...	...	...	...	012605.44−375753.3	[GVD92] 012350.7−381323	Gal. in Clust.	./.	:	
1RXSJ012624.3+200402	0.0845 (0.0163)	0.787	12.4	012623.43+200416.9	HD 8733	*	K0	7.383 : 6.450	
1RXSJ012645.1−181016	0.0910 (0.0204)	0.571	15.0	012643.84−181016.1	...	...	...	...	
1RXSJ012648.9+032709	0.0840 (0.0161)	0.525	16.1	012648.09+032706.7	PB 6443	*	./.	17. :	
1RXSJ012657.1+330730	0.1528 (0.0223)	0.513	17.2	012657.26+330730.6	...	...	...	...	
1RXSJ012706.2−050426	0.0512 (0.0129)	0.619	14.3	012707.05−050446.9	...	...	...	...	
1RXSJ012728.7−492822	0.1017 (0.0227)	0.611	0.0	012725.97−492823.7	CD−50 392	**	./.	10.6 :	
1RXSJ012729.4+290622	0.0686 (0.0143)	0.881	12.3	012728.86+290619.9	...	...	...	...	
1RXSJ012733.9−081841	0.2019 (0.0241)	0.580	16.6	012733.65−081844.1	...	...	...	...	
1RXSJ012749.6−265036	0.0552 (0.0130)	0.819	14.0	012750.15−265041.1	...	...	...	...	
1RXSJ012801.1+023745	0.0704 (0.0143)	0.542	16.8	012800.77+023745.2	[VV96] J012800.7+023745	Quasar	./.	18. : 17.97	
1RXSJ012802.7+044217	0.0589 (0.0151)	0.559	13.9	012802.12+044124.9	...	...	...	...	
1RXSJ012819.0−064804	0.0617 (0.0138)	0.530	15.3	012818.46−064746.5	...	...	...	...	
1RXSJ012824.3−302945	0.1040 (0.0169)	0.581	16.2	012824.83−302941.5	...	...	...	...	
1RXSJ012846.8−542119	0.4974 (0.1100)	0.804	13.9	012847.70−542126.5	CTS 72	Sy1	./.	:	P
1RXSJ012857.1+210731	0.0748 (0.0149)	0.639	14.2	012856.69+210745.7	...	...	...	...	
1RXSJ012908.2−073834	0.0518 (0.0127)	0.813	12.1	012906.61−073829.9	...	...	...	...	
1RXSJ012912.4+481933	0.0593 (0.0173)	0.511	16.7	012911.62+481936.5	...	...	...	...	
1RXSJ012931.0+082233	0.0616 (0.0167)	0.713	0.0	012931.30+082250.2	BD+07 218	*	G0	9.96 : 9.34	
1RXSJ012944.6+614756	0.0721 (0.0141)	0.727	14.9	012945.78+614759.5	...	...	...	...	
1RXSJ012944.9−403351	0.2346 (0.0278)	0.517	15.2	012944.65−403353.8	...	...	...	...	
1RXSJ012957.8−170001	0.0627 (0.0147)	0.579	16.1	012957.34−170005.4	...	...	...	...	
1RXSJ013010.3+120327	0.1496 (0.0209)	0.816	0.0	013010.48+120322.3	...	...	...	...	
1RXSJ013020.0−255710	0.0814 (0.0143)	0.775	14.8	013020.30−255710.3	GR* 294	*	./.	15.1 :	
1RXSJ013022.8−460129	0.0607 (0.0167)	0.693	13.2	013021.28−460145.1	...	...	...	...	
1RXSJ013030.5−424222	0.0527 (0.0136)	0.508	0.0	013030.48−424226.1	HD 9283	V* with rapid variations	F3/F5V	10.44 : 10.00	
1RXSJ013037.8−055448	0.0586 (0.0144)	0.715	13.8	013036.84−055438.1	...	...	...	...	
1RXSJ013042.7−233528	0.0601 (0.0164)	0.645	15.1	013042.43−233538.2	...	...	...	...	
1RXSJ013051.8+012712	0.0793 (0.0155)	0.560	16.1	013052.48+012711.4	PB 6481	*	./.	17.5 :	
1RXSJ013124.2+330837	0.1048 (0.0187)	0.820	14.2	013123.87+330838.1	PGC 5667	Gal.	S	16.5 :	
1RXSJ013126.2+360241	0.4018 (0.0336)	0.780	14.9	013126.14+360238.0	...	...	...	...	
1RXSJ013129.2−082708	0.2269 (0.0250)	0.716	15.4	013128.89−082702.8	...	...	...	...	
1RXSJ013146.8+384757	0.0527 (0.0136)	0.844	13.7	013147.15+384803.2	...	...	...	...	
1RXSJ013204.2−093148	0.0603 (0.0134)	0.506	16.1	013203.48−093153.5	...	...	...	...	
1RXSJ013231.5−340012	0.0824 (0.0182)	0.518	16.3	013232.35−340014.7	...	...	...	...	
1RXSJ013233.0−080913	0.0689 (0.0139)	0.891	12.2	013233.53−080926.4	...	...	...	...	
1RXSJ013252.9+583642	0.1036 (0.0260)	0.527	8.5	013255.45+583638.3	HD 9297	*	F2	8.29 : 7.96	
1RXSJ013359.0−173827	0.0742 (0.0152)	0.555	13.5	013357.97−173821.7	G 272−43	*	M:	15.2 :	
1RXSJ013417.2−425821	0.1677 (0.0233)	0.568	16.4	013416.91−425826.0	RX J0134.2−4258	Quasar	./.	:	P
1RXSJ013420.4−260632	0.0676 (0.0156)	0.715	12.6	013423.29−260619.2	...	...	...	...	
1RXSJ013423.4+013621	0.1053 (0.0195)	0.806	14.0	013423.26+013630.9	...	...	...	...	
1RXSJ013426.8+642651	0.1393 (0.0180)	0.871	13.6	013428.12+642650.1	...	...	...	...	
1RXSJ013443.1−413610	0.1576 (0.0220)	0.529	17.1	013442.73−413612.2	[VV96] J013443.4−413603	Quasar	./.	:	P
1RXSJ013445.2−043017	0.7332 (0.0672)	0.700	15.3	013445.65−043013.0	...	...	...	...	
1RXSJ013449.4−025441	0.0737 (0.0158)	0.721	14.4	013450.37−025440.8	...	...	...	...	
1RXSJ013452.4+123336	0.1010 (0.0176)	0.852	0.0	013452.65+123334.5	BD+11 201B	**	F5V	8.87 : 8.51	
1RXSJ013500.7−295430	2.5940 (0.2087)	0.614	11.5	013500.83−295438.1	GJ 60	V*	K3V	8.05 : 7.14	P
1RXSJ013514.2−071254	0.1785 (0.0225)	0.763	14.4	013513.62−071249.0	Kiev 161 28	*	./.	:	
1RXSJ013526.9−042636	0.3545 (0.0322)	0.762	15.5	013527.03−042635.5	...	...	...	...	
1RXSJ013625.8+404352	0.0715 (0.0166)	0.795	14.5	013625.93+404346.1	...	...	...	...	
1RXSJ013632.9+390556	0.7497 (0.0462)	0.759	15.3	013632.61+390559.2	B3 0133+388	BL Lac − type object	./.	:	P
1RXSJ013648.6+412353	0.1349 (0.0227)	0.839	0.0	013647.98+412423.0	GJ 61	HiPM*	F8V	4.63 : 4.09	
1RXSJ013655.2−064731	0.1233 (0.0183)	0.690	15.3	013654.64−064733.4	WT 1212	*	./.	:	
1RXSJ013709.4+505715	0.1852 (0.0287)	0.753	14.6	013708.51+505720.5	V* KT Per	DN	?	10.70 :	P
1RXSJ013725.2+251000	0.0685 (0.0159)	0.823	12.9	013725.80+251012.6	...	...	...	...	
1RXSJ013734.7+065702	0.0741 (0.0155)	0.585	14.4	013733.54+065650.3	...	...	...	...	
1RXSJ013738.5+852414	0.0613 (0.0111)	0.652	16.1	013736.81+852410.5	...	...	...	...	
1RXSJ013741.7+330931	0.6470 (0.0438)	0.716	15.6	013741.33+330935.1	[VV96] J013741.3+330935	Quasar	E	16.60 :	P
1RXSJ013802.1+213606	0.0552 (0.0125)	0.618	16.1	013802.17+213612.4	...	...	...	...	
1RXSJ013803.9−053702	0.0676 (0.0138)	0.600	16.2	013803.80−053703.9	...	...	...	...	
1RXSJ013805.5+692637	0.0597 (0.0110)	0.542	0.0	013804.83+692637.3	HD 9776	*	G5	8.99 : 8.43	
1RXSJ013853.1+252325	0.5318 (0.0404)	0.773	15.0	013852.80+252325.2	WD 0136+251	WD	DAp	15.83 :	P
1RXSJ013900.4+352448	0.0535 (0.0150)	0.723	13.7	013859.05+352456.9	...	...	...	...	
1RXSJ013925.6+370446	0.0638 (0.0156)	0.780	14.1	013925.15+370454.5	...	...	...	...	
1RXSJ014016.7−005005	0.2554 (0.0351)	0.571	16.5	014017.06−005002.9	[VV96] J014017.0−005003	Quasar	./.	16.37 :	P
1RXSJ014023.0+240255	0.1404 (0.0201)	0.551	16.5	014022.89+240251.8	...	...	...	...	
1RXSJ014031.6−662927	0.4066 (0.0425)	0.684	14.2	014029.57−662933.2	...	...	...	...	
1RXSJ014050.7+495223	0.1520 (0.0256)	0.801	0.0	014051.62+495231.2	BD+49 435	**	K1V	9.5 : 8.9	
1RXSJ014100.4−675332	2.7580 (0.1961)	0.744	15.4	014100.25−675327.6	V* BL Hyi	CV (AM Her type)	Am	14.9 : 18.	P
1RXSJ014102.5+530834	0.1019 (0.0197)	0.728	14.2	014101.70+530829.7	...	...	...	...	
1RXSJ014109.9+120555	0.0769 (0.0155)	0.781	11.8	014108.41+120550.5	BD+11 216	*	F5	10.01 : 9.59	
1RXSJ014132.8−152755	0.2964 (0.0336)	0.807	14.3	014132.53−152801.4	...	...	...	...	
1RXSJ014156.1−271227	0.0930 (0.0199)	0.526	15.4	014154.78−271230.7	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ014220.8+545101	0.0560 (0.0164)	0.864	12.4	014221.77+545055.3	GSC 03675−01966	*	./.	11.8 : 11.2	
1RXSJ014221.9−352545	0.1430 (0.0173)	0.710	15.1	014222.28−352541.4	...	...	...	...	
1RXSJ014248.8−100843	0.1389 (0.0211)	0.524	16.4	014248.32−100839.9	...	...	...	...	
1RXSJ014314.6−213701	0.4634 (0.0472)	0.544	0.0	014314.14−213656.3	BD−22 286B	**	?	11.2 : 10.08	
1RXSJ014345.1−060239	0.2780 (0.0279)	0.833	14.4	014344.98−060239.1	BPS CS 22962−0011	*	./.	:	
1RXSJ014448.4+323320	0.0706 (0.0164)	0.845	12.5	014447.64+323300.8	...	...	...	...	
1RXSJ014454.5+282440	0.0627 (0.0166)	0.840	12.3	014453.62+282459.4	GSC 01762−02418	*	./.	11.7 : 10.9	
1RXSJ014539.0−250308	0.2604 (0.0265)	0.632	0.0	014538.82−250304.4	HD 10830	**mul.	F2IV	5.70 : 5.31	
1RXSJ014605.5+634853	0.0527 (0.0114)	0.688	0.0	014605.38+634856.2	HD 10663	**mul.	G2V	9.28 : 8.67	P
1RXSJ014612.2−392303	0.2581 (0.0280)	0.664	16.1	014612.56−392306.1	[VV96] J014612.6−392305	Quasar	./.	:	
1RXSJ014620.9−764151	0.0563 (0.0136)	0.803	12.9	014615.39−764158.0	...	...	...	...	
1RXSJ014631.3+331715	0.0776 (0.0168)	0.813	10.7	014633.52+331711.1	GSC 02298−00964	*	./.	10.76 : 10.00	
1RXSJ014645.6−004039	0.1381 (0.0199)	0.673	13.8	014644.81−004043.0	1E 0144.1−0055	Sy	./.	16.3 :	P
1RXSJ014659.3−222656	0.0769 (0.0145)	0.547	16.9	014659.05−222658.3	...	...	...	...	
1RXSJ014732.3+345358	0.1817 (0.0253)	0.577	16.2	014732.36+345355.6	...	...	...	...	
1RXSJ014749.6−232906	0.0574 (0.0124)	0.529	15.2	014750.23−232922.4	...	...	...	...	
1RXSJ014822.3−275828	2.2300 (0.1440)	0.729	15.8	014822.32−275825.7	...	...	...	...	
1RXSJ014841.0+330611	0.1327 (0.0233)	0.708	13.5	014839.57+330608.5	G 72−37	*	?	16.04 : 14.45	
...	...	...	...	014839.57+330608.5	G 72−38	*	./.	13.8 : 12.51	
1RXSJ014841.1−483057	0.1363 (0.0211)	0.786	13.3	014840.61−483050.8	...	...	...	...	
1RXSJ014850.5−624259	0.0647 (0.0153)	0.589	15.0	014850.74−624257.7	...	...	...	...	
1RXSJ014852.7−205340	0.0730 (0.0148)	0.672	0.0	014853.55−205330.6	CCDM J01489−2054B	**	./.	:	
...	...	...	...	014853.55−205330.6	V* TW Cet	Ecl. Bin. (W UMa)	G5	11.2 : 10.7	
1RXSJ014936.5−135215	0.3344 (0.0287)	0.548	16.9	014936.26−135210.6	...	...	...	...	
1RXSJ014942.9+001504	0.0751 (0.0150)	0.629	16.1	014942.51+001502.1	...	...	...	...	
1RXSJ015021.4+110736	0.0509 (0.0141)	0.807	13.8	015021.52+110747.9	...	...	...	...	
1RXSJ015025.6+091445	0.1210 (0.0189)	0.529	16.9	015025.35+091451.1	[VV96] J011013.0+091657	Quasar	?	17.38 : 17.40	
1RXSJ015028.9+501210	0.0581 (0.0139)	0.591	12.4	015030.73+501227.0	...	...	...	...	
1RXSJ015109.6+673947	0.1353 (0.0185)	0.717	14.2	015109.18+673931.2	GD 421	WD	DAw...	14.17 : 14.42	
1RXSJ015152.0−325233	0.1587 (0.0204)	0.747	15.1	015152.21−325239.5	...	...	...	...	
1RXSJ015201.5+374804	0.0869 (0.0189)	0.844	12.6	015203.06+374809.2	...	...	...	...	
1RXSJ015211.3−210737	0.1327 (0.0180)	0.870	14.0	015211.39−210742.8	...	...	...	...	
1RXSJ015219.2−183239	0.2729 (0.0265)	0.546	16.8	015219.19−183232.6	...	...	...	...	
1RXSJ015227.1−231956	1.0520 (0.0918)	0.882	14.2	015227.09−231953.5	1RXS J015227.1−231956	Quasar	S...	:	P
1RXSJ015230.5−502827	0.0615 (0.0163)	0.525	16.3	015230.18−502818.7	...	...	...	...	
1RXSJ015240.2+014718	0.3005 (0.0304)	0.786	14.3	015239.61+014717.3	RGB J0152+017	Rad.	./.	:	
...	...	...	...	015239.61+014717.3	[BSF97] J015239.7+014718	BL Lac − type object	./.	:	
1RXSJ015259.4−134504	0.1477 (0.0210)	0.510	12.4	015300.45−134417.8	NGC 720	Gal.	E...	11. :	
1RXSJ015305.7−021525	0.0862 (0.0158)	0.574	15.9	015305.41−021516.9	...	...	...	...	
1RXSJ015311.5−072849	0.1385 (0.0280)	0.594	15.6	015311.12−072854.8	[VV96] J015311.0−072857	Quasar	./.	:	
1RXSJ015316.2−475830	0.1895 (0.0236)	0.639	15.9	015316.20−475823.4	...	...	...	...	
1RXSJ015325.0+711515	0.0559 (0.0096)	0.778	14.3	015325.95+711506.8	[BSF97] J015325.82+711506.5	Gal.	./.	:	P
1RXSJ015349.5+015257	0.2537 (0.0271)	0.855	12.8	015349.91+015244.9	...	...	...	...	
1RXSJ015403.8−404037	0.0771 (0.0146)	0.866	12.9	015402.60−404044.1	...	...	...	...	
1RXSJ015426.6+574136	0.2356 (0.0209)	0.849	12.7	015428.13+574138.0	...	...	...	...	
1RXSJ015440.5−270659	0.0622 (0.0132)	0.577	15.0	015440.32−270701.7	...	...	...	...	
1RXSJ015503.5−050835	0.0593 (0.0146)	0.583	15.9	015502.99−050834.1	...	...	...	...	
1RXSJ015514.4−450605	0.0844 (0.0163)	0.618	15.1	015513.21−450611.8	...	...	...	...	
1RXSJ015524.9+022818	1.2650 (0.1040)	0.690	16.2	015524.96+022816.7	...	...	...	...	
1RXSJ015546.4+071902	0.0755 (0.0154)	0.512	16.8	015546.39+071904.2	...	...	...	...	
1RXSJ015549.8−053506	0.0707 (0.0155)	0.891	13.1	015550.41−053505.7	...	...	...	...	
1RXSJ015555.6+040620	0.0944 (0.0169)	0.531	17.0	015555.33+040620.3	...	...	...	...	
1RXSJ015615.2+000603	0.0824 (0.0170)	0.776	13.8	015614.56+000612.6	...	...	...	...	
1RXSJ015621.6+241838	0.0645 (0.0180)	0.569	16.5	015621.36+241837.6	...	...	...	...	
1RXSJ015622.0+444230	0.0771 (0.0181)	0.718	13.2	015621.92+444232.2	ZOAG 134.90−16.65	Gal.	./.	:	
1RXSJ015622.6+053736	0.0822 (0.0167)	0.582	14.8	015624.11+053736.4	NGC 742	Galaxy in Pair of Galaxies	E	14.8 :	
1RXSJ015634.6−421306	0.1024 (0.0189)	0.538	15.9	015633.52−421300.3	...	...	...	...	
1RXSJ015634.6−835836	0.1323 (0.0254)	0.568	16.5	015637.08−835833.9	...	...	...	...	
1RXSJ015647.6−002100	0.0595 (0.0149)	0.811	13.4	015646.92−002110.2	...	...	...	...	
1RXSJ015705.3+412029	0.2188 (0.0359)	0.664	15.1	015705.02+412030.6	BWE 0154+4106	Gal.	./.	:	
...	...	...	...	015705.02+412030.6	[LO95] 0154+410	Rad.	./.	:	
...	...	...	...	015705.02+412030.6	[OWG93] ACO 0276	Gal. in Clust.	./.	:	
1RXSJ015720.1+121453	0.1290 (0.0197)	0.659	15.3	015719.86+121502.9	...	...	...	...	
1RXSJ015722.5+321253	0.0790 (0.0197)	0.570	15.8	015721.69+321253.1	Slee ACO 278 7	Rad.	./.	:	
1RXSJ015729.7−642304	0.0505 (0.0145)	0.599	14.0	015728.87−642310.8	...	...	...	...	
1RXSJ015752.3+331012	0.4731 (0.0401)	0.617	0.0	015752.53+331018.8	BD+32 354	HiPM*	K0	9.8 : 8.6	
1RXSJ015812.1+484406	0.0686 (0.0159)	0.724	14.1	015812.63+484421.8	...	...	...	...	
1RXSJ015912.4+033110	0.3237 (0.0308)	0.543	0.0	015912.23+033109.1	BD+02 305	*	M1	11.9 : 10.9	
...	...	...	...	015912.23+033109.1	GJ 1041A	*	M0.5	12.43 :	
...	...	...	...	015912.23+033109.1	GJ 1041B	*	M2.5	:	
1RXSJ015938.5−133205	0.2627 (0.0330)	0.696	15.7	015938.31−133208.1	...	...	...	...	
1RXSJ015948.9−035206	0.1391 (0.0214)	0.551	16.5	015949.09−035159.9	...	...	...	...	
1RXSJ015950.6+002337	0.2081 (0.0260)	0.732	15.3	015950.27+002341.3	[VV96] J015950.2+002341	Quasar	./.	16.0 : 15.69	P
1RXSJ015957.7+624156	0.0729 (0.0118)	0.814	12.1	015958.12+624143.0	GSC 04036−00884	*	./.	11.7 : 10.87	
1RXSJ020013.6−084106	0.1701 (0.0232)	0.556	13.6	020012.44−084049.1	BPS CS 22171−0011	*	./.	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ020029.3−312741	0.0528 (0.0139)	0.711	14.7	020029.61−312729.8	...	...	...	...	
1RXSJ020029.8−024004	0.0895 (0.0173)	0.603	15.6	020029.98−023954.7	...	...	...	...	
1RXSJ020033.8−230013	0.0534 (0.0125)	0.895	13.8	020033.57−230013.8	...	...	...	...	
1RXSJ020034.3+275303	0.0608 (0.0177)	0.525	9.0	020033.76+275319.1	BD+27 318B	**	?	:	
...	...	...	...	020033.76+275319.1	HD 12211	Ecl. Bin. (Algol)	A7V	9.30 : 9.00	
1RXSJ020037.3−164904	0.2766 (0.0285)	0.773	15.2	020037.40−164906.4	...	...	...	...	
1RXSJ020046.3+595728	0.2534 (0.0217)	0.883	11.8	020048.06+595734.6	HD 12112	*	A3IV	6.874 : 6.753	
1RXSJ020121.7−225931	0.0667 (0.0140)	0.554	15.9	020121.83−225926.0	...	...	...	...	
1RXSJ020138.7−324554	0.1347 (0.0237)	0.565	15.3	020140.03−324548.8	...	...	...	...	
1RXSJ020157.1−113238	0.1764 (0.0254)	0.699	15.5	020157.19−113233.3	[VV96] J020157.1−113234	Quasar	./.	16.54 :	P
1RXSJ020215.2−444657	0.1775 (0.0159)	0.693	10.5	020214.92−444655.7	ESO 245− 11	Gal.	./.	:	
1RXSJ020215.7+364311	0.5700 (0.0829)	0.872	0.0	020212.76+364300.5	BD+36 391A	**	G9V	9.1 : 8.2	
...	...	...	...	020212.76+364300.5	BD+36 391B	**	K0V	:	
...	...	...	...	020212.76+364300.5	HD 12376	**mul.	G5	8.97 : 8.18	
1RXSJ020216.5−761959	0.1015 (0.0156)	0.515	16.4	020213.67−762003.1	[VV96] J020213.1−762006	Quasar	./.	16.83 :	P
1RXSJ020220.5−010609	0.0668 (0.0137)	0.814	12.5	020220.29−010639.0	...	...	...	...	
1RXSJ020221.0−010715	0.1432 (0.0227)	0.675	10.6	020223.92−010708.2	BD−01 277	*	K0	10.9 : 9.90	
1RXSJ020222.9+190421	0.2240 (0.0464)	0.716	12.4	020218.91+190401.9	UGC 1518	Gal.	cG	16.0 :	
...	...	...	...	020218.91+190401.9	[LO95] 0159+188	Rad.	./.	:	
...	...	...	...	020218.91+190401.9	[OWG93] ACO 0292	Gal. in Clust.	./.	:	
1RXSJ020227.1+024902	0.0763 (0.0174)	0.560	9.2	020226.65+024857.5	HD 12484	*	F8	8.80 : 8.20	
1RXSJ020243.7+133438	0.1259 (0.0229)	0.555	15.7	020242.80+133438.4	...	...	...	...	
1RXSJ020253.5+044658	0.0749 (0.0161)	0.653	14.2	020252.32+044708.3	...	...	...	...	
1RXSJ020301.2−240213	0.2024 (0.0218)	0.618	16.3	020300.88−240212.2	...	...	...	...	
1RXSJ020309.9+483718	0.1372 (0.0282)	0.574	0.0	020309.51+483711.7	BD+47 552C	**	?	:	
...	...	...	...	020309.51+483711.7	HD 12424	**mul.	G0	8.32 : 7.72	
1RXSJ020348.7+295921	0.5394 (0.0472)	0.774	15.1	020348.64+295926.8	1RXS J020348.7+295921	X	Am	:	P
...	...	...	...	020348.64+295926.8	RX J0203.8+2959	CV (AM Her type)	M2.5	:	
1RXSJ020350.3−424332	0.2508 (0.0349)	0.635	16.2	020350.17−424329.1	...	...	...	...	
1RXSJ020355.4−452446	0.4305 (0.0325)	0.789	0.0	020355.25−452446.4	GJ 83.4B	**	?	11.5 :	
...	...	...	...	020355.25−452446.4	GJ 9069A	V*	G3V	7.97 :	
1RXSJ020400.1−293251	0.0667 (0.0139)	0.673	15.2	020400.56−293242.4	...	...	...	...	
1RXSJ020408.4−485401	0.0569 (0.0145)	0.567	16.3	020408.00−485407.2	...	...	...	...	
1RXSJ020436.7−545320	0.1379 (0.0300)	0.878	0.0	020435.13−545254.1	HD 12894	*	F2V	6.793 : 6.457	
1RXSJ020436.8−115941	0.0737 (0.0165)	0.867	13.9	020436.73−115943.2	IRAS F02021−1213	Gal.	cG	16.5 :	
1RXSJ020452.6−534612	0.1705 (0.0275)	0.566	16.0	020452.94−534615.9	...	...	...	...	
1RXSJ020515.9−450100	0.1496 (0.0203)	0.867	13.9	020516.49−450102.5	...	...	...	...	
1RXSJ020549.7−133818	0.1784 (0.0273)	0.714	14.7	020549.06−133826.3	GD 1104	WD	./.	15.7 :	
1RXSJ020549.7−420645	0.1288 (0.0162)	0.585	16.0	020550.46−420643.4	...	...	...	...	
1RXSJ020600.1+063210	0.0701 (0.0176)	0.858	12.4	020559.00+063210.8	...	...	...	...	
1RXSJ020619.7−422307	0.0547 (0.0112)	0.643	16.2	020619.85−422306.0	...	...	...	...	
1RXSJ020619.8−070229	0.0886 (0.0178)	0.742	13.6	020618.79−070220.9	...	...	...	...	
1RXSJ020648.8+673955	0.0749 (0.0124)	0.865	0.0	020652.83+673951.5	...	...	...	...	
1RXSJ020701.9−440645	0.0759 (0.0137)	0.873	13.7	020701.58−440638.5	...	...	...	...	
1RXSJ020729.1−594014	0.3663 (0.0580)	0.701	11.8	020732.01−594020.9	CD−60 416	**	?	11.5 : 10.43	
1RXSJ020811.9+150839	0.0992 (0.0209)	0.661	14.9	020811.39+150843.1	...	...	...	...	
1RXSJ020852.1+492705	0.3426 (0.0570)	0.818	13.5	020852.50+492709.2	...	...	...	...	
1RXSJ020917.0−212259	0.3275 (0.0300)	0.637	16.2	020917.02−212254.5	...	...	...	...	
1RXSJ020922.2−522920	0.7669 (0.0532)	0.659	16.0	020921.61−522922.6	1RXS J020922.2−522920	X	B...	:	P
1RXSJ020936.5−851811	0.2484 (0.0268)	0.856	13.8	020929.77−851812.9	CD−85 22	*	G0	10.48 : 9.88	
1RXSJ020936.8+522645	0.7518 (0.0374)	0.530	15.4	020937.39+522639.6	...	...	...	...	
1RXSJ020952.1−631838	0.3274 (0.0414)	0.740	14.8	020950.76−631840.1	V* WX Hyi	DN	?	10.70 :	P
1RXSJ020953.8−135321	0.2783 (0.0292)	0.868	13.6	020953.75−135320.2	...	...	...	...	
1RXSJ021021.0−434255	0.0504 (0.0105)	0.572	11.7	021018.62−434305.5	GSC 07556−00282	*	./.	12.0 : 11.3	
1RXSJ021022.8−035103	0.0507 (0.0135)	0.897	13.1	021022.27−035056.1	...	...	...	...	
1RXSJ021059.9−210258	0.0796 (0.0172)	0.572	16.2	021059.50−210301.6	...	...	...	...	
1RXSJ021121.1+193827	0.1363 (0.0278)	0.636	15.7	021120.78+193825.3	...	...	...	...	
1RXSJ021208.9+362550	0.0598 (0.0162)	0.507	15.9	021208.61+362534.0	...	...	...	...	
1RXSJ021217.8+373827	0.1073 (0.0210)	0.539	12.0	021218.46+373840.3	...	...	...	...	
1RXSJ021222.3+301810	1.0230 (0.1010)	0.535	0.0	021222.32+301811.6	HD 13480	V* (RS CVn)	G5III+...	5.73 :	
...	...	...	...	021222.32+301811.6	HD 13480 B	Spec. Bin.	F6V	:	
...	...	...	...	021222.32+301811.6	IRAS 02094+3004	IR	./.	:	
1RXSJ021244.5+580536	0.0824 (0.0125)	0.675	14.9	021244.84+580533.3	...	...	...	...	
1RXSJ021253.0+404006	0.1453 (0.0223)	0.601	12.8	021254.85+404010.6	HD 13507	*	G0	7.846 : 7.210	
1RXSJ021254.6+000015	0.0847 (0.0190)	0.532	13.9	021252.90+000015.5	...	...	...	...	
1RXSJ021312.8+403030	0.1861 (0.0235)	0.531	8.3	021313.06+403031.8	HD 13531	*	G0	8.03 : 7.35	
1RXSJ021329.9−465452	0.1059 (0.0171)	0.782	14.9	021330.08−465450.8	...	...	...	...	
1RXSJ021354.1−221923	0.1099 (0.0202)	0.543	16.9	021354.02−221928.4	...	...	...	...	
1RXSJ021355.3−055124	0.1329 (0.0222)	0.553	16.7	021355.14−055121.2	...	...	...	...	
1RXSJ021359.7+472831	0.1486 (0.0430)	0.838	0.0	021402.50+472903.8	HD 13594	**mul.	F4V	6.45 : 6.08	
...	...	...	...	021402.50+472903.8	IRAS 02108+4715	IR	./.	:	
1RXSJ021411.4−473241	0.0618 (0.0137)	0.706	14.5	021411.89−473253.6	...	...	...	...	
1RXSJ021417.8+514457	0.3417 (0.0236)	0.862	14.2	021418.01+514452.3	BWE 0210+5131	Gal.	./.	:	
...	...	...	...	021418.01+514452.3	RX J0214.2+5144	X	./.	:	P
1RXSJ021431.0−112119	0.0846 (0.0180)	0.543	16.9	021430.79−112118.6	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ021438.0−643018	0.2921 (0.0340)	0.522	13.3	021436.52−643017.7	...	...	...	...	
1RXSJ021553.0−470950	0.1275 (0.0176)	0.609	15.4	021553.06−470957.0	...	...	...	...	
1RXSJ021559.9−092913	0.2907 (0.0330)	0.559	13.4	021558.62−092910.3	BPS CS 22175−0005	*	./.	:	
1RXSJ021655.0−232216	0.2785 (0.0330)	0.864	14.2	021654.76−232212.3	BPS CS 29510−0080	*	./.	:	
1RXSJ021656.2−434605	0.1173 (0.0153)	0.540	16.1	021656.69−434614.7	...	...	...	...	
1RXSJ021658.1−032458	0.1965 (0.0243)	0.567	16.7	021657.77−032459.6	...	...	...	...	
1RXSJ021707.8+110403	0.2516 (0.0331)	0.571	15.9	021707.67+110410.2	[VV96] J021707.7+110409	Quasar	E	:	P
1RXSJ021724.8+284430	0.3639 (0.0736)	0.662	0.0	021724.68+284431.0	HD 14082 B	**	G2V	8.33 : 7.74	
1RXSJ021738.8−300455	0.2252 (0.0243)	0.652	15.0	021738.10−300447.7	...	...	...	...	
1RXSJ021754.1−195813	0.1442 (0.0237)	0.512	16.5	021753.58−195819.5	1RXS J021754.1−195813	Sy1	./.	:	P
1RXSJ021756.5+122532	0.1001 (0.0224)	0.657	14.9	021755.84+122528.8	...	...	...	...	
1RXSJ021802.3−712759	0.4713 (0.0556)	0.574	0.0	021800.79−712802.9	HD 14643	V* (RS CVn)	G1:IVp	9.22 : 8.30	
1RXSJ021814.5−642258	0.0576 (0.0107)	0.628	15.7	021813.65−642251.9	...	...	...	...	
1RXSJ021828.6+410836	0.1067 (0.0221)	0.690	15.7	021828.30+410837.6	...	...	...	...	
1RXSJ021835.0−305009	0.2836 (0.0259)	0.742	15.2	021835.20−305015.4	...	...	...	...	
1RXSJ021853.8−285751	0.1100 (0.0177)	0.665	15.2	021853.11−285747.1	...	...	...	...	
1RXSJ021944.9−102549	0.1567 (0.0262)	0.765	12.1	021947.35−102540.8	GSC 05282−02210	TT	K0	:	P
1RXSJ022019.2−314010	0.0780 (0.0144)	0.710	14.9	022018.97−314018.6	...	...	...	...	
1RXSJ022025.4−161348	0.1401 (0.0206)	0.637	15.7	022024.98−161342.8	...	...	...	...	
1RXSJ022029.2−270653	0.0768 (0.0168)	0.674	15.3	022029.76−270648.3	...	...	...	...	
1RXSJ022048.8−333319	0.2234 (0.0233)	0.717	15.3	022048.61−333326.7	...	...	...	...	
1RXSJ022050.7+332049	0.0672 (0.0166)	0.701	14.9	022050.33+332052.8	...	...	...	...	
1RXSJ022056.3−382850	0.1081 (0.0156)	0.552	16.0	022056.67−382848.0	...	...	...	...	
1RXSJ022206.0+522112	0.1164 (0.0161)	0.517	15.9	022206.31+522105.7	RX J0222.1+5221	Sy1	./.	:	P
1RXSJ022218.0−062513	0.1174 (0.0200)	0.536	17.2	022218.05−062511.1	...	...	...	...	
1RXSJ022225.1+472927	0.2211 (0.0222)	0.877	12.6	022225.98+472918.0	RX J0222.4+4729	V* (BY Dra)	M0	12.82 : 11.48	P
1RXSJ022225.7−411553	0.1389 (0.0199)	0.891	13.9	022225.21−411552.1	...	...	...	...	
1RXSJ022226.0−085706	0.0772 (0.0175)	0.557	16.7	022226.17−085701.8	...	...	...	...	
1RXSJ022231.7+110603	0.0804 (0.0212)	0.524	13.5	022232.11+110611.6	BD+10 315B	**	?	:	
1RXSJ022234.1+503335	0.4602 (0.0292)	0.877	10.4	022233.79+503342.5	BD+49 646	*	?	10.47 : 9.64	P
1RXSJ022302.4−250225	0.1227 (0.0259)	0.537	16.1	022302.37−250226.4	...	...	...	...	
1RXSJ022314.5−295155	0.0509 (0.0134)	0.587	0.0	022314.58−295208.9	HD 14882	**mul.	G1V	7.51 : 6.95	
1RXSJ022441.4−190826	0.2327 (0.0266)	0.569	8.9	022440.48−190830.7	ESO 545− 13	Gal.	./.	:	
1RXSJ022502.9−231254	0.4454 (0.0361)	0.570	16.7	022502.81−231248.4	QSO 0222−234	Quasar	./.	:	P
1RXSJ022509.9−292815	0.2075 (0.0253)	0.748	11.4	022511.52−292840.2	...	...	...	...	
1RXSJ022511.9−102835	0.0506 (0.0142)	0.706	0.0	022511.61−102825.9	HD 15045	**mul.	G0	9.73 : 9.09	
1RXSJ022515.3−322536	0.0722 (0.0142)	0.512	16.6	022514.56−322535.3	...	...	...	...	
1RXSJ022538.3+373225	0.0500 (0.0154)	0.586	15.0	022537.29+373237.1	...	...	...	...	
1RXSJ022552.2−415446	0.1976 (0.0242)	0.509	16.1	022553.05−415452.8	...	...	...	...	
1RXSJ022559.0−152025	0.0917 (0.0198)	0.805	0.0	022559.59−152023.1	ADS 1849 AB	**mul.	Ap	5.94 : 5.80	
...	...	...	...	022559.59−152023.1	BD−15 426B	**	?	9.88 : 9.26	
1RXSJ022624.6−213309	0.0608 (0.0152)	0.582	15.4	022623.61−213311.5	...	...	...	...	
1RXSJ022645.0−843223	0.0571 (0.0161)	0.720	12.9	022627.90−843219.3	...	...	...	...	
1RXSJ022709.2+342334	0.0954 (0.0183)	0.882	12.6	022708.29+342321.2	...	...	...	...	
1RXSJ022712.6−285118	0.0880 (0.0195)	0.520	15.5	022712.03−285134.3	...	...	...	...	
1RXSJ022716.1−292926	0.0562 (0.0149)	0.691	15.4	022716.01−292926.4	...	...	...	...	
1RXSJ022733.2+285834	0.0740 (0.0172)	0.876	11.8	022734.77+285832.0	BD+28 418	*	G0	10.39 : 9.79	
1RXSJ022757.5−210900	0.1444 (0.0223)	0.596	15.9	022757.21−210908.1	...	...	...	...	
1RXSJ022801.1+504901	0.0599 (0.0129)	0.886	11.7	022801.27+504914.2	...	...	...	...	
1RXSJ022810.2−505639	0.0527 (0.0121)	0.510	17.1	022809.72−505643.2	...	...	...	...	
1RXSJ022815.6−405712	0.4374 (0.0546)	0.741	15.4	022815.23−405715.1	IRAS 02262−4110	Sy	./.	:	P
1RXSJ022825.2−103525	0.0796 (0.0170)	0.868	13.4	022824.61−103530.7	BPS CS 22175−0026	*	K5	:	
1RXSJ022830.6+313425	0.1399 (0.0228)	0.642	16.0	022830.53+313428.1	...	...	...	...	
1RXSJ022901.8−153856	0.0686 (0.0168)	0.737	15.2	022901.63−153852.9	...	...	...	...	
1RXSJ022901.8−410813	0.0590 (0.0136)	0.820	12.0	022900.31−410733.9	...	...	...	...	
1RXSJ022902.9+672407	0.2277 (0.0199)	0.688	0.0	022903.60+672406.9	2E 0224.8+6710	X	./.	:	
...	...	...	...	022903.60+672406.9	HD 15089	V* (alpha2 CVn)	A5p...	4.66 :	
...	...	...	...	022903.60+672406.9	HD 15089 C	**	?	9.12 : 8.40	
...	...	...	...	022903.60+672406.9	HIC 11569	*	./.	:	
...	...	...	...	022903.60+672406.9	IRAS 02249+6710	IR	./.	:	
1RXSJ022904.0+380548	0.1166 (0.0320)	0.525	13.2	022901.14+380553.2	MCG+06−06−043	Gal.	S0a	15.5 :	
1RXSJ022922.5−333221	0.2641 (0.0232)	0.763	12.8	022921.39−333155.3	APMBGC 355−035−073	Gal. in Clust.	./.	:	
1RXSJ022936.5+342334	0.1675 (0.0237)	0.863	13.1	022936.63+342347.7	...	...	...	...	
1RXSJ023032.5+251413	0.1419 (0.0277)	0.816	0.0	023032.31+251406.8	HD 15524	**	F6IV	6.268 : 5.898	
1RXSJ023034.5−154327	0.0803 (0.0182)	0.545	14.5	023033.14−154320.5	...	...	...	...	
1RXSJ023045.4−450655	0.1228 (0.0186)	0.542	16.6	023045.32−450702.2	...	...	...	...	
1RXSJ023047.5+565618	0.0568 (0.0112)	0.889	11.5	023044.67+565614.1	GSC 03695−02260	*	./.	10.70 : 10.12	
1RXSJ023118.5−361143	0.1704 (0.0205)	0.559	16.7	023118.27−361137.6	...	...	...	...	
1RXSJ023131.1−482659	0.0843 (0.0137)	0.544	16.9	023131.36−482657.6	...	...	...	...	
1RXSJ023145.3−333945	0.0572 (0.0134)	0.567	15.8	023144.46−333952.0	...	...	...	...	
1RXSJ023213.4+064948	0.0886 (0.0224)	0.693	15.1	023213.07+064951.1	...	...	...	...	
1RXSJ023216.9−121634	0.0724 (0.0187)	0.546	16.1	023217.40−121633.0	...	...	...	...	
1RXSJ023231.4+340435	0.1074 (0.0199)	0.546	15.0	023232.37+340422.9	IRAS 02295+3351	IR	./.	:	
1RXSJ023238.9−442149	0.1524 (0.0235)	0.762	11.9	023236.53−442148.2	...	...	...	...	
1RXSJ023245.8+063706	0.1435 (0.0294)	0.513	14.8	023246.26+063742.6	NPM1G +06.0105	Gal.	./.	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ023248.3+201722	0.4261 (0.0620)	0.512	17.1	023248.62+201717.8	BWE 0229+2004	BL Lac − type object	./.	18.0 :	P
1RXSJ023336.5+245549	0.1452 (0.0275)	0.524	14.3	023336.99+245611.0	...	...	...	...	
1RXSJ023349.3+022933	0.1612 (0.0289)	0.545	16.6	023349.22+022925.3	[VV96] J023349.2+022924	Quasar	./.	17.2 : 17.4	P
1RXSJ023428.6−470139	0.0587 (0.0112)	0.568	16.3	023428.84−470146.8	...	...	...	...	
1RXSJ023434.1−520359	0.0654 (0.0138)	0.735	14.6	023434.29−520355.7	...	...	...	...	
1RXSJ023447.6−222250	0.0758 (0.0167)	0.826	14.0	023447.69−222244.9	...	...	...	...	
1RXSJ023507.3−040214	0.1236 (0.0346)	0.536	16.3	023507.36−040205.1	[VV96] J023507.2−040205	Quasar	./.	16.61 :	P
1RXSJ023522.7+233442	0.0982 (0.0235)	0.667	15.2	023522.91+233434.0	...	...	...	...	
1RXSJ023541.9+633802	0.0509 (0.0106)	0.644	0.0	023542.84+633805.5	HD 15850	*	F5	8.1 : 7.7	
1RXSJ023552.3−291242	0.1003 (0.0186)	0.555	16.3	023551.93−291242.0	...	...	...	...	
1RXSJ023601.9+082124	0.0922 (0.0230)	0.549	16.6	023601.39+082127.4	...	...	...	...	
1RXSJ023725.5−122129	0.1659 (0.0305)	0.741	14.5	023726.17−122134.5	...	...	...	...	
1RXSJ023733.9−360330	0.2216 (0.0226)	0.594	16.5	023734.03−360328.5	...	...	...	...	
1RXSJ023739.9+181945	0.0992 (0.0246)	0.585	15.9	023740.46+181942.1	...	...	...	...	
1RXSJ023809.6+051210	0.0768 (0.0222)	0.793	12.3	023807.92+051209.3	...	...	...	...	
1RXSJ023827.5+015426	0.3163 (0.0411)	0.671	11.7	023827.47+015428.2	NGC 1019	Sy1	SBb	14.6 :	P
1RXSJ023832.6−311658	0.5733 (0.0432)	0.592	16.9	023832.50−311658.5	...	...	...	...	
1RXSJ023901.2−193714	0.0699 (0.0191)	0.692	13.2	023900.76−193704.1	...	...	...	...	
1RXSJ023920.8−371101	0.0649 (0.0135)	0.628	15.6	023920.19−371055.3	...	...	...	...	
1RXSJ023923.5−000130	0.1435 (0.0310)	0.571	15.5	023922.88−000119.6	[R97] NGC 1068 9	Quasar	./.	:	
1RXSJ023947.9+500349	0.1114 (0.0164)	0.780	14.6	023948.44+500347.3	...	...	...	...	
1RXSJ024012.4−092657	0.1559 (0.0298)	0.855	0.0	024012.42−092710.3	GJ 3175	*	F6V	6.271 : 5.800	
1RXSJ024029.7+200602	0.0605 (0.0162)	0.692	13.3	024028.45+200559.7	...	...	...	...	
1RXSJ024031.0−162258	0.1372 (0.0246)	0.676	15.7	024030.91−162254.3	...	...	...	...	
1RXSJ024033.3−420233	0.1176 (0.0197)	0.540	16.7	024032.60−420231.5	...	...	...	...	
1RXSJ024041.8−063913	0.0964 (0.0272)	0.543	14.5	024041.19−063932.6	...	...	...	...	
1RXSJ024115.0−621532	0.0722 (0.0193)	0.520	13.7	024114.29−621445.7	...	...	...	...	
1RXSJ024115.2−304139	0.0841 (0.0165)	0.532	17.1	024115.52−304140.4	...	...	...	...	
1RXSJ024115.7−480733	0.1188 (0.0164)	0.516	14.4	024117.45−480736.8	...	...	...	...	
1RXSJ024118.8−572522	0.0606 (0.0190)	0.746	15.1	024119.05−572519.5	...	...	...	...	
1RXSJ024207.6−452234	0.0861 (0.0143)	0.555	16.6	024207.15−452231.9	...	...	...	...	
1RXSJ024208.5−463121	0.1651 (0.0237)	0.862	0.0	024208.44−463128.0	HD 17006	*	K1III	6.962 : 6.102	
1RXSJ024213.8−545711	0.1964 (0.0252)	0.646	15.3	024213.86−545713.0	...	...	...	...	
1RXSJ024214.5+074442	0.0984 (0.0284)	0.548	15.9	024214.20+074453.3	HS 0239+0732	Quasar	./.	:	
1RXSJ024215.2+053037	0.4861 (0.0502)	0.815	14.1	024214.63+053036.1	RBS 345	Sy1	./.	:	P
1RXSJ024319.0+031408	0.3764 (0.0439)	0.694	0.0	024318.13+031410.2	GJ 106.1B	HiPM*	F3	7.4 : 6.2	
...	...	...	...	024318.13+031410.2	GJ 9098A	HiPM*	A3V	3.56 : 3.47	
...	...	...	...	024318.13+031410.2	IRAS 02407+0301	IR	./.	:	
1RXSJ024320.7+192534	0.0810 (0.0186)	0.587	9.3	024319.52+192546.7	...	...	...	...	
1RXSJ024333.1+170831	0.0630 (0.0171)	0.688	0.0	024334.09+170816.3	...	...	...	...	
1RXSJ024436.8+211358	0.0509 (0.0139)	0.777	13.2	024436.80+211420.1	...	...	...	...	
1RXSJ024439.8−581953	0.6151 (0.0540)	0.559	17.1	024440.29−581954.5	...	...	...	...	
1RXSJ024457.8+622810	0.4114 (0.0260)	0.501	17.3	024457.72+622806.5	ICRF J024457.6+622806	Rad.	./.	:	
...	...	...	...	024457.72+622806.5	[VV96] J024457.6+622806	Sy1	?	:	P
1RXSJ024515.7−462754	0.1136 (0.0184)	0.691	11.5	024513.42−462719.8	APMBGC 247+044+084	Gal.	./.	:	
1RXSJ024554.2−445942	0.1566 (0.0195)	0.615	15.7	024554.08−445939.7	[VV96] J024554.0−445939	Quasar	./.	18.0 : 17.6	P
1RXSJ024556.7−272345	0.0831 (0.0173)	0.690	14.9	024557.54−272344.8	...	...	...	...	
1RXSJ024608.3−113243	0.1368 (0.0284)	0.577	16.2	024608.01−113236.5	PB 9203	*	./.	18. :	
1RXSJ024710.4−222924	0.2927 (0.0353)	0.578	11.3	024711.09−222906.7	HD 17438	*	F2V	6.819 : 6.468	
1RXSJ024727.2+192224	0.3449 (0.0342)	0.718	0.0	024727.15+192222.3	CCDM J02475+1923A	**	G0V	7.4 :	
...	...	...	...	024727.15+192222.3	HD 17332	HiPM*	G0	7.55 : 6.87	
1RXSJ024740.7+194103	0.0967 (0.0186)	0.567	16.4	024740.86+194057.8	[VV96] J024740.8+194058	Quasar	./.	:	P
1RXSJ024807.8+150010	0.0510 (0.0151)	0.744	14.2	024807.40+145957.7	...	...	...	...	
1RXSJ024807.9−365857	0.7519 (0.0507)	0.553	0.0	024807.92−365854.0	HD 17576	**mul.	G0V	8.44 : 7.92	P
1RXSJ024817.2+132226	0.0869 (0.0207)	0.604	14.4	024816.05+132245.4	...	...	...	...	
1RXSJ024824.4−313341	0.0909 (0.0176)	0.547	16.6	024824.65−313348.6	...	...	...	...	
1RXSJ024853.5−340428	0.1350 (0.0221)	0.655	14.7	024852.47−340424.4	...	...	...	...	
1RXSJ024902.4−102912	0.1319 (0.0265)	0.892	13.3	024902.10−102920.8	...	...	...	...	
1RXSJ024937.1−311114	0.3628 (0.0300)	0.583	12.2	024933.85−311121.9	IC 1860	Gal. in Clust.	E	11. :	
...	...	...	...	024933.85−311121.9	MCL 67 024728.0−312348	Group of Galaxies	./.	:	
...	...	...	...	024933.85−311121.9	[S96b] ACO S301 14	Gal. in Clust.	E	:	
1RXSJ024939.9−542839	0.1408 (0.0195)	0.546	17.2	024940.07−542843.0	...	...	...	...	
1RXSJ024952.1+085636	0.0959 (0.0278)	0.586	0.0	024952.35+085622.8	BD+08 433B	**	F8	10.2 : 9.6	
...	...	...	...	024952.35+085622.8	HD 17613	Ecl. Bin. (W UMa)	F8	10.1 : 7.9	
1RXSJ024955.0+334515	0.1814 (0.0197)	0.772	14.8	024955.43+334511.1	RX J0249.9+3345	*	./.	:	
...	...	...	...	024955.43+334511.1	[LH98] 12	TT	./.	:	P
1RXSJ025041.1+581131	0.0606 (0.0121)	0.868	13.3	025040.36+581122.9	...	...	...	...	
1RXSJ025055.4−361640	0.1391 (0.0214)	0.571	16.7	025055.33−361635.9	...	...	...	...	
1RXSJ025100.3−340914	0.0658 (0.0160)	0.528	15.9	025059.49−340904.7	...	...	...	...	
1RXSJ025107.2+602506	0.0827 (0.0134)	0.584	0.0	025107.98+602503.9	HD 17505	*iC	O6e	7.49 : 7.10	
1RXSJ025153.2+222735	0.9279 (0.0487)	0.786	14.6	025153.70+222735.7	[LH98] 15	TT	M:	:	P
1RXSJ025202.0−113455	0.0877 (0.0233)	0.727	10.9	025204.22−113541.5	BD−12 537	*	./.	10.60 : 9.67	
1RXSJ025210.4−393624	0.1160 (0.0203)	0.565	15.5	025210.33−393610.8	...	...	...	...	
1RXSJ025223.5+372914	0.0506 (0.0118)	0.834	11.5	025224.69+372852.9	...	...	...	...	
1RXSJ025223.7−434753	0.1600 (0.0236)	0.600	16.2	025223.11−434754.6	CTS 38	Gal.	./.	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ025228.9−592234	0.0827 (0.0219)	0.549	16.3	025228.38−592243.0	...	...	...	...	
1RXSJ025233.7+221924	0.0579 (0.0147)	0.773	13.7	025234.88+221923.2	...	...	...	...	
1RXSJ025245.2−265043	0.0798 (0.0177)	0.541	16.3	025245.64−265050.6	...	...	...	...	
1RXSJ025251.1+104030	0.0671 (0.0169)	0.643	9.6	025252.55+104009.6	HD 17906 A	**	G5	10.5 : 9.6	
...	...	...	...	025252.55+104009.6	HD 17906 B	**	G5	10.34 : 9.65	
1RXSJ025331.6−391251	0.1024 (0.0212)	0.511	16.5	025330.80−391253.0	...	...	...	...	
1RXSJ025335.1−382620	0.1391 (0.0247)	0.897	0.0	025334.35−382613.5	HD 18149	*	F6IV	6.339 : 5.937	
1RXSJ025357.3+460947	0.0748 (0.0135)	0.569	13.9	025357.74+460927.3	...	...	...	...	
1RXSJ025414.5+413530	2.6410 (0.0453)	0.571	15.1	025415.80+413534.0	...	...	...	...	
1RXSJ025416.6−261527	0.0638 (0.0161)	0.548	16.6	025416.35−261529.5	...	...	...	...	
1RXSJ025437.1+152558	0.0697 (0.0158)	0.540	15.4	025436.38+152544.4	...	...	...	...	
1RXSJ025443.8+472640	0.0983 (0.0143)	0.867	13.5	025444.39+472634.4	ZOAG 143.57−10.43	Gal.	./.	:	
1RXSJ025448.0−402653	0.2173 (0.0266)	0.567	17.1	025447.95−402652.8	...	...	...	...	
1RXSJ025601.7−162919	0.0927 (0.0215)	0.773	13.5	025602.67−162915.4	PGC 11080	Sy2	./.	16.5 :	
...	...	...	...	025602.67−162915.4	[DML87] 64	IR	./.	:	
1RXSJ025613.6−801240	0.0791 (0.0195)	0.767	14.2	025611.64−801240.1	...	...	...	...	
1RXSJ025613.8−790808	0.0618 (0.0172)	0.721	14.8	025616.57−790815.9	...	...	...	...	
1RXSJ025620.0+614129	0.1077 (0.0156)	0.679	14.9	025620.52+614123.2	GSC 04048−00621	*	M2Ve	:	P
1RXSJ025640.9+334222	0.0707 (0.0131)	0.851	13.2	025641.50+334215.6	...	...	...	...	
1RXSJ025652.0−243327	0.0646 (0.0176)	0.785	13.6	025651.60−243312.7	EDSGC 025439.1−244515	Gal. in Clust.	./.	:	
1RXSJ025658.3+603355	0.0747 (0.0132)	0.729	0.0	025657.99+603352.5	GSC 04048−01944	*	./.	11.2 : 10.43	
1RXSJ025659.9+101912	0.0717 (0.0181)	0.829	13.6	025700.18+101921.2	G 76−43	TT	?	13.94 : 12.61	P
1RXSJ025713.4−295118	0.1251 (0.0200)	0.877	0.0	025712.90−295119.0	HD 18466	*	A2.5V:+...	6.734 : 6.293	
1RXSJ025726.6+093020	0.1060 (0.0217)	0.714	13.9	025727.14+093024.0	...	...	...	...	
1RXSJ025740.5+235755	0.3962 (0.0598)	0.538	0.0	025742.78+235745.3	V* AP Ari	TT	K0	10.64 : 9.88	P
1RXSJ025740.7−163050	0.1475 (0.0275)	0.875	13.8	025740.95−163045.2	PGC 97508	Sy1	./.	16.0 :	P
1RXSJ025753.2−281404	0.1606 (0.0239)	0.520	16.9	025752.67−281403.2	...	...	...	...	
1RXSJ025755.5+415159	0.0809 (0.0147)	0.510	12.6	025752.74+415135.2	...	...	...	...	
1RXSJ025848.7−544811	0.0708 (0.0123)	0.545	0.0	025849.01−544816.1	CD−55 624	*	K5V	11.7 : 10.17	
1RXSJ025858.2+133449	1.7480 (0.0554)	0.598	15.5	025857.83+133458.4	UGC 2450	Gal.	cGD	16.5 :	
1RXSJ030004.3+074508	0.0578 (0.0168)	0.606	11.3	030001.77+074457.4	...	...	...	...	
1RXSJ030007.6+163023	0.3292 (0.0299)	0.639	15.0	030007.99+163014.3	...	...	...	...	
1RXSJ030010.1−494058	0.0523 (0.0117)	0.548	16.7	030010.57−494054.4	...	...	...	...	
1RXSJ030019.6+385508	0.1227 (0.0166)	0.569	16.1	030020.10+385500.5	...	...	...	...	
1RXSJ030121.9+441513	0.0523 (0.0123)	0.740	14.3	030122.80+441521.9	...	...	...	...	
1RXSJ030202.6−243048	0.0931 (0.0218)	0.637	15.6	030202.36−243051.5	...	...	...	...	
1RXSJ030303.9−783619	0.0619 (0.0182)	0.576	13.5	030256.84−783627.4	...	...	...	...	
1RXSJ030308.2+385843	0.0672 (0.0137)	0.718	12.2	030306.72+385902.1	...	...	...	...	
1RXSJ030313.9−474214	0.1959 (0.0228)	0.751	15.3	030314.29−474213.6	1RXS J030313.9−474214	Active Galaxy Nucleus	./.	:	P
1RXSJ030319.3−080458	0.1219 (0.0354)	0.714	13.4	030320.96−080513.5	...	...	...	...	
1RXSJ030326.3−240717	0.6453 (0.0514)	0.642	15.9	030326.51−240711.7	QSO 0301−243	BL Lac − type object	B...	16.5 :	P
1RXSJ030335.4+362635	0.0875 (0.0150)	0.581	0.0	030335.64+362631.2	HD 18900	**	F8	8.26 : 7.68	
1RXSJ030400.9+312333	0.0720 (0.0139)	0.567	14.6	030401.99+312322.0	PGC 11555	Sy2	./.	16.5 :	
1RXSJ030405.3−365605	0.1212 (0.0212)	0.521	13.3	030405.68−365646.4	...	...	...	...	
1RXSJ030416.5+201111	0.0860 (0.0206)	0.623	15.5	030416.23+201115.0	...	...	...	...	
1RXSJ030421.4+211801	0.0887 (0.0182)	0.579	14.1	030421.73+211822.1	...	...	...	...	
1RXSJ030437.1+025706	0.0927 (0.0222)	0.789	14.2	030437.44+025704.4	...	...	...	...	
1RXSJ030443.2+143740	0.1941 (0.0308)	0.818	12.0	030444.46+143728.7	...	...	...	...	
1RXSJ030510.1−372507	0.0502 (0.0148)	0.883	13.6	030509.68−372505.8	...	...	...	...	
1RXSJ030536.7+762257	0.1880 (0.0191)	0.601	16.8	030536.54+762255.9	...	...	...	...	
1RXSJ030640.2+000342	0.0742 (0.0202)	0.586	15.8	030639.56+000343.3	PB 7009	*	./.	16.5 :	
1RXSJ030757.2−224221	0.1135 (0.0274)	0.742	15.2	030757.15−224222.5	...	...	...	...	
1RXSJ030855.8+110320	0.0677 (0.0187)	0.656	14.8	030856.71+110315.8	HS 0306+1051	Quasar	./.	15.2 :	
1RXSJ030908.9+415243	0.1977 (0.0219)	0.714	14.7	030908.41+415233.5	...	...	...	...	
1RXSJ030910.2+032341	0.0560 (0.0133)	0.647	10.9	030909.85+032345.4	GSC 00058−00166	*	./.	11.10 : 10.7	
...	...	...	...	030909.85+032345.4	[MMS97] RX J0309.1+0324N	*	./.	:	
...	...	...	...	030909.85+032345.4	[MMS97] RX J0309.1+0324S	*	./.	:	
1RXSJ030926.6+673238	0.0849 (0.0135)	0.777	14.8	030927.00+673240.1	...	...	...	...	
1RXSJ031014.8+355056	0.0556 (0.0129)	0.721	12.9	031012.29+355039.9	...	...	...	...	
1RXSJ031027.8−004953	0.2327 (0.0310)	0.695	15.5	031027.85−004950.6	KUV 03079−0101	UV	./.	16.5 :	
...	...	...	...	031027.85−004950.6	LBQS 0307−0101	Active Galaxy Nucleus	./.	:	
1RXSJ031044.0+323933	0.0847 (0.0149)	0.511	17.0	031044.39+323929.0	...	...	...	...	
1RXSJ031113.0+222518	0.1629 (0.0191)	0.829	9.0	031113.61+222502.9	BD+21 418	**	G5	9.11 : 8.51	P
1RXSJ031118.9−204621	0.9275 (0.0700)	0.882	14.3	031118.82−204618.6	...	...	...	...	
1RXSJ031129.5−444916	0.0592 (0.0164)	0.752	14.5	031128.97−444920.7	...	...	...	...	
1RXSJ031203.9−285924	2.7920 (0.1681)	0.545	0.0	031203.98−285918.7	HD 20010	HiPM*	F8IV	4.36 : 3.85	P
...	...	...	...	031203.98−285918.7	IRAS 03099−2910	IR	./.	:	
1RXSJ031225.6−442511	1.2510 (0.0911)	0.552	0.0	031225.59−442514.4	CD−44 1025C	**	?	:	
...	...	...	...	031225.59−442514.4	HD 20121	**mul.	F7III+...	6.37 : 5.93	
...	...	...	...	031225.59−442514.4	IRAS 03106−4436	IR	./.	:	
1RXSJ031232.3+094426	0.0865 (0.0229)	0.591	12.0	031234.08+094501.1	GSC 00648−01252	*	./.	11.4 : 10.3	
1RXSJ031250.4−041357	0.1004 (0.0234)	0.840	0.0	031250.23−041404.9	GSC 04711−00684	*	./.	10.82 : 10.20	
...	...	...	...	031250.23−041404.9	RX J0312.8−0414	*	G0	:	P
...	...	...	...	031250.23−041404.9	[MMS97] RX J0312.8−0414NW	*	./.	:	
1RXSJ031301.7+325406	0.1372 (0.0200)	0.865	9.3	031302.23+325350.3	HD 19902	HiPM*	G5	8.87 : 8.16	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ031325.0−350636	0.5678 (0.0516)	0.741	14.7	031324.82−350626.6	CTS 76	Gal.	./.	:	
1RXSJ031342.2−415934	0.0788 (0.0158)	0.707	15.6	031342.32−415936.5	[MPP88] 0311−421	Emission−line galaxy	./.	18.4 : 17.6	
1RXSJ031347.9+290729	0.0636 (0.0140)	0.771	14.6	031348.40+290727.3	[LH98] 47	TT	K4V	:	P
1RXSJ031355.9+670452	0.0622 (0.0110)	0.817	12.9	031355.74+670500.2	...	...	...	...	
1RXSJ031446.7+112738	0.0652 (0.0162)	0.745	14.6	031446.98+112729.6	...	...	...	...	
1RXSJ031519.3−214329	0.3842 (0.0531)	0.537	17.1	031519.20−214330.2	...	...	...	...	
1RXSJ031521.0−564246	0.2465 (0.0353)	0.841	14.3	031521.26−564250.4	...	...	...	...	
1RXSJ031523.7−282130	0.2318 (0.0397)	0.559	15.7	031523.35−282141.1	...	...	...	...	
1RXSJ031530.7+260451	0.0566 (0.0125)	0.726	13.9	031531.94+260451.0	...	...	...	...	
1RXSJ031537.5+372424	0.1321 (0.0180)	0.728	15.1	031537.08+372418.5	[LH98] 49	TT	K4V	:	P
1RXSJ031546.3−542501	0.0825 (0.0142)	0.697	11.8	031548.92−542511.6	...	...	...	...	
1RXSJ031634.9+321115	0.5878 (0.0362)	0.779	0.0	031635.19+321102.5	HD 20277	Semi−Reg. Pulsating *	G8IV	6.964 : 6.004	P
1RXSJ031714.1−532855	0.1420 (0.0179)	0.591	15.6	031714.37−532855.2	...	...	...	...	
1RXSJ031723.1+261908	0.1396 (0.0197)	0.674	0.0	031722.67+261857.6	BD+25 522	*iC	M0	12.51 : 11.11	
1RXSJ031732.3+074123	0.0981 (0.0214)	0.500	8.5	031732.37+074122.6	HD 20439	*iC	G0	8.37 : 7.76	
1RXSJ031734.7−290344	0.1596 (0.0340)	0.558	16.6	031734.43−290338.2	...	...	...	...	
1RXSJ031828.4−212216	0.2661 (0.0504)	0.567	16.3	031828.16−212208.9	...	...	...	...	
1RXSJ031918.1−434328	0.1091 (0.0174)	0.564	16.3	031917.52−434322.2	...	...	...	...	
1RXSJ031928.7+615618	0.1383 (0.0169)	0.567	15.8	031927.33+615613.2	...	...	...	...	
1RXSJ031958.4+432801	0.1595 (0.0190)	0.724	0.0	031959.33+432808.1	GSC 02860−01368	*	./.	10.02 : 9.50	
1RXSJ032143.0+084546	0.0584 (0.0127)	0.503	9.2	032143.94+084528.2	HD 20837	**mul.	G0	9.29 : 8.68	
1RXSJ032208.6−520536	0.1562 (0.0162)	0.567	16.8	032208.23−520535.3	...	...	...	...	
1RXSJ032213.5−531041	0.1655 (0.0178)	0.899	11.2	032212.35−531107.0	IC 1917	Gal.	S0	:	
1RXSJ032214.3−664714	0.0694 (0.0160)	0.581	13.7	032211.63−664728.6	...	...	...	...	
1RXSJ032215.5−534515	0.1559 (0.0252)	0.794	14.5	032214.80−534515.4	BPS CS 22968−0036	WD	DA	:	
1RXSJ032259.7−484306	0.0575 (0.0143)	0.770	13.8	032258.39−484312.9	...	...	...	...	
1RXSJ032310.3−385752	0.1628 (0.0243)	0.546	16.6	032310.00−385758.8	...	...	...	...	
1RXSJ032311.1+330455	0.0802 (0.0146)	0.833	8.4	032311.64+330446.1	HD 20891	TT	G0	8.51 : 7.96	P
1RXSJ032320.6−481808	0.1580 (0.0229)	0.639	16.0	032320.13−481809.8	...	...	...	...	
1RXSJ032322.4+114122	0.1026 (0.0161)	0.762	13.9	032323.27+114120.7	GJ 3221	HiPM*	M2.5	13.76 : 12.20	
1RXSJ032406.6+234714	0.5094 (0.0350)	0.601	0.0	032406.30+234709.4	GJ 140	**mul.	M0V	12.0 : 10.7	
...	...	...	...	032406.30+234709.4	GJ 140A	HiPM*	M1	11.89 : 10.38	
1RXSJ032439.7−390421	0.3953 (0.0392)	0.664	15.5	032440.42−390422.7	...	...	...	...	
1RXSJ032441.3+341056	0.2324 (0.0233)	0.750	14.5	032441.13+341045.9	B2 0321+33	Sy1	./.	:	P
1RXSJ032502.4−415426	0.8179 (0.0798)	0.799	14.3	032502.23−415417.8	ESO−LV 301−0131	Gal.	./.	:	
1RXSJ032547.5+365147	0.0676 (0.0131)	0.858	14.1	032547.97+365148.1	1RXS J032547.5+365147	TT	K0IV	:	P
1RXSJ032553.5−422901	0.1297 (0.0194)	0.579	16.2	032553.59−422901.4	...	...	...	...	
1RXSJ032612.9−070507	0.0578 (0.0133)	0.730	14.5	032613.38−070515.5	...	...	...	...	
1RXSJ032613.6+022523	0.9120 (0.0730)	0.511	16.3	032613.95+022514.8	QSO 0323+022	BL Lac − type object	./.	16.5 : 16.80	P
1RXSJ032704.9−375316	0.2431 (0.0383)	0.876	0.0	032705.16−375317.5	CD−38 1139B	**	?	10.23 : 9.74	
1RXSJ032750.7−194823	0.2464 (0.0675)	0.747	10.0	032750.71−194830.9	...	...	...	...	
1RXSJ032822.1−043338	0.0696 (0.0181)	0.542	0.0	032821.95−043345.0	BD−05 668C	**	?	:	
...	...	...	...	032821.95−043345.0	HD 21529	**mul.	A2	8.41 : 8.18	
1RXSJ032859.3+443131	0.0780 (0.0139)	0.825	13.0	032858.93+443141.0	...	...	...	...	
1RXSJ032905.2+603313	0.1250 (0.0174)	0.712	9.8	032906.31+603339.3	HD 21276	*	G5	9.98 : 9.48	
1RXSJ032950.6−364604	0.1198 (0.0313)	0.717	14.7	032949.83−364609.2	...	...	...	...	
1RXSJ032956.2−144248	0.0553 (0.0150)	0.635	14.1	032955.37−144314.2	...	...	...	...	
1RXSJ033125.1+045516	0.0990 (0.0176)	0.757	14.3	033125.59+045507.3	...	...	...	...	
1RXSJ033155.6−574137	0.1142 (0.0226)	0.560	16.0	033156.63−574135.9	...	...	...	...	
1RXSJ033200.3−715007	0.0571 (0.0163)	0.550	15.2	033201.87−714958.4	...	...	...	...	
1RXSJ033203.3−513946	0.0908 (0.0133)	0.599	14.4	033203.42−513955.7	...	...	...	...	
1RXSJ033214.0+491420	0.1100 (0.0164)	0.764	13.6	033213.23+491424.6	Koenig 48	HiPM*	./.	12.1 :	
1RXSJ033236.2+284403	0.0712 (0.0150)	0.671	15.3	033235.59+284358.9	RX J0332.6+2843	*	./.	:	
1RXSJ033243.5−085531	0.0794 (0.0189)	0.772	13.5	033243.08−085534.6	...	...	...	...	
1RXSJ033252.2−845256	0.0506 (0.0124)	0.572	13.9	033223.48−845303.7	...	...	...	...	
1RXSJ033307.5−135419	0.2591 (0.0235)	0.544	15.3	033307.77−135433.3	...	...	...	...	
1RXSJ033310.7+103613	0.0516 (0.0136)	0.740	13.3	033311.54+103557.3	GSC 00653−00192	TT	K3	:	P
1RXSJ033313.4+461530	1.0430 (0.0488)	0.680	0.0	033313.49+461526.5	BD+45 784B	**	?	:	
...	...	...	...	033313.49+461526.5	HD 21845	V*	K2	8.96 : 8.29	
1RXSJ033339.6−370656	0.5909 (0.0626)	0.697	15.5	033340.16−370654.5	1RXS J033339.6−370656	X	S...	:	P
...	...	...	...	033340.16−370654.5	PGC 13176	Sy2	./.	16.4 :	
...	...	...	...	033340.16−370654.5	[MPP88] 0331−373	Sy1	./.	16.4 : 16.1	
1RXSJ033355.3−491553	0.0715 (0.0144)	0.515	16.9	033354.83−491557.0	...	...	...	...	
1RXSJ033401.5−613211	0.2534 (0.0281)	0.743	15.1	033401.92−613217.5	...	...	...	...	
1RXSJ033405.3−412032	0.1928 (0.0360)	0.548	11.6	033404.36−412019.2	HD 22323	*	F2V	8.10 : 7.74	
1RXSJ033415.2−372538	0.1004 (0.0272)	0.573	16.3	033415.41−372543.2	...	...	...	...	
1RXSJ033424.5−151325	0.2858 (0.0250)	0.763	13.5	033424.55−151340.1	...	...	...	...	
1RXSJ033458.2+174245	0.0723 (0.0151)	0.547	0.0	033458.51+174238.4	V* V1123 Tau	Ecl. Bin. (beta Lyr)	G0	10.80 : 9.97	
1RXSJ033502.5+600226	0.0614 (0.0119)	0.614	0.0	033501.02+600228.9	HD 21903	**mul.	F3V	6.85 : 6.46	
...	...	...	...	033501.02+600228.9	IRAS 03309+5952	IR	./.	:	
1RXSJ033550.1−471556	0.2448 (0.0241)	0.544	17.0	033549.83−471558.8	1RXS J033550.1−471556	Sy1	./.	:	P
1RXSJ033609.2+311853	0.0737 (0.0147)	0.570	15.5	033608.30+311845.5	[GBM90] Per 49	*	./.	:	
1RXSJ033624.5−605848	0.0673 (0.0145)	0.529	16.6	033623.64−605848.1	...	...	...	...	
1RXSJ033634.2−522118	0.2658 (0.0327)	0.571	16.3	033633.43−522122.3	...	...	...	...	
1RXSJ033639.8+032932	0.0507 (0.0152)	0.741	14.4	033640.48+032925.0	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ033713.9+691050	0.0765 (0.0131)	0.683	14.7	033712.73+691055.4	GJ 3236	*	M3.5	:	
1RXSJ033717.6−083210	0.0734 (0.0179)	0.504	16.6	033717.74−083218.0	...	...	...	...	
1RXSJ033817.4+224350	0.0578 (0.0132)	0.542	13.9	033816.20+224337.0	...	...	...	...	
1RXSJ033823.5−451057	0.1082 (0.0201)	0.634	15.5	033823.26−451049.3	...	...	...	...	
1RXSJ033841.1+095824	2.7800 (0.1274)	0.619	15.0	033840.54+095812.5	EQ 0335+096	Sy	./.	16.5 :	
...	...	...	...	033840.54+095812.5	NAME CENTRAL D GALAXY	Rad.	./.	:	
...	...	...	...	033840.54+095812.5	[SBO95] b	Rad.	./.	:	
...	...	...	...	033840.54+095812.5	[SBO95] d	Rad.	./.	:	
1RXSJ033844.6+013702	0.0606 (0.0152)	0.779	13.9	033844.55+013650.3	EF B0336+0130	Rad.	./.	:	
1RXSJ033929.8+245802	0.0704 (0.0158)	0.741	14.3	033929.31+245753.1	Cl* Melotte 22 HCG 19	*iC	./.	:	
...	...	...	...	033929.31+245753.1	GJ 3241	HiPM*	M3	:	
...	...	...	...	033929.31+245753.1	RX J0339.4+2457	*	./.	:	
1RXSJ033933.3+182316	0.1351 (0.0214)	0.548	9.2	033932.95+182314.4	...	...	...	...	
1RXSJ033936.7+453126	0.0820 (0.0155)	0.663	15.4	033936.86+453119.3	...	...	...	...	
1RXSJ033947.7+332833	0.1603 (0.0214)	0.769	0.0	033947.95+332830.2	GJ 9119B	**	M3	:	
...	...	...	...	033947.95+332830.2	[LH98] 78	TT	./.	:	P
1RXSJ034002.0+635210	0.3070 (0.0238)	0.861	0.0	033958.82+635213.5	HD 22399	HiPM*	F5	7.26 : 6.80	
1RXSJ034010.7−183448	0.0962 (0.0154)	0.891	12.4	034011.86−183448.4	NGC 1407	GiG	E...	10.8 : 9.83	P
1RXSJ034019.2+122029	0.0620 (0.0141)	0.840	13.8	034019.15+122020.3	RX J0340.3+1220	*	K5	:	
...	...	...	...	034019.15+122020.3	[LH98] 79	TT	K0V	:	P
1RXSJ034039.1−524301	0.0544 (0.0119)	0.853	14.0	034038.44−524259.8	...	...	...	...	
1RXSJ034042.5−024002	0.1700 (0.0233)	0.852	12.1	034044.22−024017.5	...	...	...	...	
1RXSJ034043.1−073116	0.0886 (0.0154)	0.565	16.1	034042.95−073125.6	...	...	...	...	
1RXSJ034044.4+513807	0.0554 (0.0118)	0.878	12.5	034046.41+513805.7	...	...	...	...	
1RXSJ034047.7−454101	0.2041 (0.0192)	0.629	13.5	034049.54−454039.1	APMGS 033912.01−455014.9	Gal.	./.	:	
1RXSJ034106.7+283644	0.0843 (0.0166)	0.553	16.2	034106.12+283638.4	...	...	...	...	
1RXSJ034114.3+045323	0.0696 (0.0151)	0.721	15.5	034114.33+045325.3	HS 0338+0443	Quasar	./.	:	
...	...	...	...	034114.33+045325.3	RX J0341.2+0453	*	G9	:	
1RXSJ034116.2+455409	0.0930 (0.0168)	0.510	8.4	034116.14+455344.6	HD 22743	**mul.	F8	8.56 : 7.94	
1RXSJ034117.1−225228	0.2661 (0.0307)	0.673	13.6	034116.07−225243.7	...	...	...	...	
1RXSJ034119.0−352650	0.1316 (0.0364)	0.871	11.0	034119.90−352714.1	...	...	...	...	
1RXSJ034121.4−463059	0.1098 (0.0202)	0.500	15.8	034120.43−463101.4	...	...	...	...	
1RXSJ034203.8−211428	0.2580 (0.0259)	0.591	0.0	034201.96−211414.1	HD 23134	*	K0IV	9.31 : 8.34	
1RXSJ034221.6+291443	0.0854 (0.0168)	0.748	12.8	034220.83+291442.3	...	...	...	...	
1RXSJ034231.8+121622	0.0730 (0.0160)	0.593	15.8	034231.19+121622.7	...	...	...	...	
1RXSJ034255.4−533727	2.2570 (0.0579)	0.725	13.9	034255.48−533735.7	[LDM83] 126	Gal.	E	:	
1RXSJ034308.0+185836	0.1826 (0.0224)	0.531	16.3	034308.29+185826.2	...	...	...	...	
1RXSJ034314.1+102941	0.2101 (0.0275)	0.673	16.0	034314.23+102939.7	...	...	...	...	
1RXSJ034327.2+293546	0.0664 (0.0151)	0.513	0.0	034327.47+293539.2	BD+29 599	**	./.	10.1 :	
...	...	...	...	034327.47+293539.2	CCDM J03435+2936B	**	./.	10.4 :	
...	...	...	...	034327.47+293539.2	[LH98] 86	TT	G5IV	:	P
1RXSJ034327.4+252330	0.0530 (0.0139)	0.896	12.5	034327.05+252317.5	Cl* Melotte 22 PELS 56	*iC	G2IV	12.24 : 11.43	P
...	...	...	...	034327.05+252317.5	Cl* Melotte 22 SRS 78175	*iC	./.	12.26 : 11.41	
1RXSJ034346.6+572601	0.1424 (0.0157)	0.753	14.5	034347.47+572553.8	...	...	...	...	
1RXSJ034401.8+730115	0.0741 (0.0136)	0.747	13.4	034357.34+730124.4	...	...	...	...	
1RXSJ034402.1−183703	0.0640 (0.0147)	0.636	13.2	034402.95−183729.3	...	...	...	...	
1RXSJ034408.9−381702	0.1077 (0.0321)	0.515	0.0	034408.25−381704.6	...	...	...	...	
1RXSJ034420.7+244719	0.1273 (0.0207)	0.774	12.1	034420.02+244748.3	GJ 9124	V* (BY Dra)	G1V	11.2 : 10.4	
1RXSJ034424.5+343016	0.0697 (0.0144)	0.729	13.4	034423.18+343023.3	...	...	...	...	
1RXSJ034432.1+395937	0.0501 (0.0141)	0.672	14.1	034432.07+395937.2	[LH98] 94	TT	K4V	:	P
1RXSJ034434.3+320851	0.1356 (0.0192)	0.805	11.8	034432.68+320839.8	Cl* IC 348 F 16	*iC	F8:Ve...	15.06 : 13.54	
...	...	...	...	034432.68+320839.8	Cl* IC 348 H 143	*iC	M2	17.82 : 16.01	
...	...	...	...	034432.68+320839.8	Cl* IC 348 TJ 75	*iC	./.	14.92 : 13.46	
...	...	...	...	034432.68+320839.8	RX J034432.8+320836	X	./.	:	
1RXSJ034453.4+035946	0.0515 (0.0136)	0.819	13.3	034453.10+035931.4	GSC 00068−01471	*	K2	:	P
1RXSJ034458.8+634439	0.0795 (0.0138)	0.885	13.5	034458.92+634432.1	...	...	...	...	
1RXSJ034504.4−264824	0.2177 (0.0378)	0.510	15.5	034503.17−264820.2	...	...	...	...	
1RXSJ034512.7−455932	0.1164 (0.0230)	0.898	11.9	034514.25−455917.8	...	...	...	...	
1RXSJ034541.2−750907	0.0700 (0.0107)	0.629	15.8	034540.21−750912.9	...	...	...	...	
1RXSJ034557.4−241706	0.2516 (0.0256)	0.557	11.3	034559.23−241753.6	[QR95] 034350.1−242710	Gal. in Clust.	./.	:	
1RXSJ034608.7−165838	0.0858 (0.0176)	0.788	12.5	034609.46−165847.8	...	...	...	...	
1RXSJ034629.2+242605	0.0504 (0.0138)	0.696	14.8	034628.36+242604.2	Cl* Melotte 22 MSK 92	*iC	A2	11.85 : 11.10	P
1RXSJ034639.4−543608	0.0591 (0.0107)	0.571	16.1	034640.30−543609.0	...	...	...	...	
1RXSJ034713.5+401121	0.1087 (0.0207)	0.897	12.0	034714.24+401107.6	HD 275793	**mul.	F8	10.92 : 10.20	
1RXSJ034716.3−044419	0.0549 (0.0142)	0.697	15.5	034716.36−044415.3	...	...	...	...	
1RXSJ034725.6−021738	0.0784 (0.0165)	0.891	9.5	034727.07−021801.9	HD 23744	*	F5	9.44 : 8.99	
1RXSJ034755.4−412517	0.4178 (0.0607)	0.838	14.0	034754.87−412512.4	...	...	...	...	
1RXSJ034805.7+421239	0.0647 (0.0155)	0.640	14.0	034807.49+421248.9	...	...	...	...	
1RXSJ034850.1+235844	0.1261 (0.0212)	0.665	14.9	034849.26+235840.0	Cl* Melotte 22 HAR 9b	*iC	K2.5e	13.61 : 12.65	P
...	...	...	...	034849.26+235840.0	V* V545 Tau	V*	./.	:	
1RXSJ034907.6−471107	0.6863 (0.0447)	0.587	16.7	034907.70−471104.3	1RXS J034907.6−471107	Quasar	S...	:	P
1RXSJ034942.5+241911	0.0725 (0.0158)	0.758	14.9	034942.74+241907.3	RX J0349.7+2419	*	./.	:	
...	...	...	...	034942.74+241907.3	V* II Tau	Flare *	M4e	15.75 : 14.16	P
1RXSJ034958.2+235109	0.1120 (0.0191)	0.595	0.0	034957.85+235053.8	ADS 2795	**mul.	B9	6.8 :	
...	...	...	...	034957.85+235053.8	BD+23 569C	**	G0Ve	10.95 : 8.9	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
...	...	...	...	034957.85+235053.8	HD 23964	Spec. Bin.	A0V...	6.80 : 6.74	
1RXSJ035015.5−013108	0.1193 (0.0197)	0.621	0.0	035015.81−013122.7	BD−01 544B	**	?	:	
...	...	...	...	035015.81−013122.7	HD 24098	**	F2	6.879 : 6.498	
...	...	...	...	035015.81−013122.7	IRAS 03477−0140	IR	./.	:	
1RXSJ035028.1+052827	0.0693 (0.0171)	0.640	15.0	035028.69+052832.4	...	...	...	...	
1RXSJ035102.8−502830	0.3023 (0.0300)	0.674	15.9	035102.25−502830.6	...	...	...	...	
1RXSJ035108.1−052627	0.0875 (0.0172)	0.572	15.8	035107.62−052636.7	...	...	...	...	
1RXSJ035115.4+784721	0.0539 (0.0124)	0.588	16.0	035112.61+784720.2	...	...	...	...	
1RXSJ035126.2−821254	0.3603 (0.0263)	0.746	12.6	035134.13−821311.2	ACO S 405	Clust.	./.	:	
1RXSJ035126.3+152143	0.0590 (0.0144)	0.569	15.2	035126.89+152155.6	...	...	...	...	
1RXSJ035128.5−142903	0.1026 (0.0168)	0.689	15.7	035128.57−142908.2	[VV96] J035128.6−142910	Quasar	./.	16.55 : 16.22	P
1RXSJ035150.3−454454	0.2005 (0.0354)	0.895	11.6	035150.09−454456.6	FRL 1117	Sy1	./.	:	
1RXSJ035222.3−282610	0.0699 (0.0143)	0.697	13.5	035223.38−282619.6	...	...	...	...	
1RXSJ035230.7+491816	0.0572 (0.0118)	0.769	12.4	035231.40+491843.0	GSC 03334−00393	*	./.	11.9 : 11.1	
1RXSJ035253.4−304328	0.0602 (0.0168)	0.673	14.4	035253.75−304331.0	...	...	...	...	
1RXSJ035307.5−014933	0.0604 (0.0155)	0.781	0.0	035308.45−015015.4	HD 24435	**	F8	9.34 : 8.92	
1RXSJ035308.3+825633	0.1138 (0.0158)	0.642	16.3	035308.55+825631.6	...	...	...	...	
1RXSJ035330.5+263152	0.0524 (0.0142)	0.887	12.7	035331.31+263143.4	Cl* Melotte 22 AK 4287	*iC	G7IV	12.81 : 11.90	P
1RXSJ035342.7−304159	0.0502 (0.0145)	0.567	14.9	035344.18−304144.4	...	...	...	...	
1RXSJ035345.9+195825	0.1261 (0.0202)	0.871	13.0	035346.26+195826.1	RGB J0353+199	Rad.	./.	:	
1RXSJ035347.8−631620	0.0506 (0.0132)	0.540	16.5	035347.26−631626.9	...	...	...	...	
1RXSJ035353.5−541416	0.1354 (0.0178)	0.579	16.6	035353.57−541413.9	...	...	...	...	
1RXSJ035410.4−165244	0.2323 (0.0237)	0.722	16.0	035410.34−165245.0	...	...	...	...	
1RXSJ035414.8−474902	0.0955 (0.0247)	0.745	12.6	035411.62−474919.2	...	...	...	...	
1RXSJ035417.2−025711	0.2072 (0.0254)	0.874	0.0	035417.39−025710.3	CCDM J03543−0257A	**mul.	G8III+...	5.13 : 4.45	
...	...	...	...	035417.39−025710.3	HD 24554	**	A2V	6.23 : 6.14	
...	...	...	...	035417.39−025710.3	HD 24555	**	G8III	5.73 : 4.79	
...	...	...	...	035417.39−025710.3	IRAS 03517−0306	IR	./.	:	
1RXSJ035423.8+242146	0.0517 (0.0132)	0.888	0.0	035425.24+242136.3	Cl* Melotte 22 PELS 191	*iC	./.	11.654 : 10.940	
1RXSJ035425.3−090915	0.0579 (0.0158)	0.857	12.3	035425.95−090936.7	...	...	...	...	
1RXSJ035432.5−134005	0.1920 (0.0253)	0.648	16.0	035432.85−134007.7	...	...	...	...	
1RXSJ035514.0−545159	0.2157 (0.0212)	0.690	15.6	035513.31−545157.5	1RXS J035514.0−545159	Sy1	./.	:	P
1RXSJ035520.2−014334	0.4171 (0.0369)	0.527	9.5	035520.22−014340.9	HD 24681	*	G5	9.77 : 9.02	
1RXSJ035558.2−162437	0.0622 (0.0162)	0.519	16.4	035557.91−162445.0	...	...	...	...	
1RXSJ035559.9−610432	0.2744 (0.0398)	0.780	14.9	035559.63−610429.0	...	...	...	...	
1RXSJ035629.1−364134	0.6967 (0.1664)	0.804	12.8	035630.59−364119.6	GSC 07035−00491	**mul.	./.	:	
1RXSJ035632.5+315746	0.0928 (0.0182)	0.562	14.7	035632.68+315727.6	...	...	...	...	
1RXSJ035657.3+425536	0.1048 (0.0158)	0.609	16.1	035657.04+425540.7	IRAS 03535+4247	IR	./.	:	
1RXSJ035706.6−125924	0.0523 (0.0155)	0.620	15.1	035706.71−125927.0	...	...	...	...	
1RXSJ035716.9−271218	0.1635 (0.0244)	0.837	11.4	035716.37−271247.0	PPM 724370	*	./.	9.5 :	
1RXSJ035717.3+415245	0.0613 (0.0126)	0.649	0.0	035716.74+415243.0	BD+41 779B	**	?	:	
...	...	...	...	035716.74+415243.0	HD 24689	**	A2	6.976 : 6.897	
1RXSJ035733.8−783431	0.0579 (0.0148)	0.817	11.7	035733.83−783404.1	...	...	...	...	
1RXSJ035749.7+400033	0.0687 (0.0134)	0.647	0.0	035751.22+400037.0	ADS 2888 AB	**mul.	B0.5III	2.7 : 2.9	
...	...	...	...	035751.22+400037.0	HD 24760	V* (beta Cep)	B0.5V+...	2.733 : 2.901	
...	...	...	...	035751.22+400037.0	HD 24760 B	**	A2V	7.53 : 7.59	
...	...	...	...	035751.22+400037.0	IRAS 03544+3952	IR	./.	:	
1RXSJ035811.3+093235	0.0743 (0.0162)	0.826	12.3	035812.65+093223.5	GSC 00659−00051	TT	K3	:	P
1RXSJ035845.9+162716	0.0571 (0.0138)	0.720	15.1	035845.71+162720.8	...	...	...	...	
1RXSJ035909.1+752452	0.0729 (0.0140)	0.534	10.3	035907.06+752446.0	HD 24273	*	K0	10.26 : 9.19	
1RXSJ035912.6+802017	0.0505 (0.0126)	0.741	14.5	035914.00+802006.3	...	...	...	...	
1RXSJ040001.9−290205	0.5214 (0.0556)	0.525	0.0	040003.78−290216.3	HD 25284	*	K0	11.4 : 9.6	P
1RXSJ040010.0+081830	0.3628 (0.0346)	0.500	10.2	040009.43+081817.5	BD+07 582	**	K0	10.9 : 9.8	
...	...	...	...	040009.43+081817.5	CCDM J04002+0818BC	**mul.	K0	11.0 : 9.9	
1RXSJ040011.1+105511	0.1149 (0.0204)	0.586	16.0	040011.66+105512.8	[VV96] J040011.7+105511	Quasar	./.	17.5 : 17.26	P
1RXSJ040037.3+320256	0.0628 (0.0150)	0.761	13.8	040036.86+320240.7	...	...	...	...	
1RXSJ040239.4+425037	0.1359 (0.0174)	0.732	15.0	040238.97+425044.4	...	...	...	...	
1RXSJ040349.2+084624	0.0752 (0.0175)	0.891	13.7	040349.15+084620.1	...	...	...	...	
1RXSJ040354.6+190345	0.0695 (0.0186)	0.621	11.9	040353.43+190416.9	GSC 01258−01011	*	./.	11.5 : 10.8	
1RXSJ040408.0+393023	0.3511 (0.0280)	0.611	0.0	040407.19+393035.5	HD 25444	**mul.	G5	7.85 : 7.20	P
1RXSJ040415.8+494359	0.0528 (0.0117)	0.882	12.4	040415.21+494359.3	...	...	...	...	
1RXSJ040421.6−651004	0.1262 (0.0220)	0.591	15.0	040422.56−651013.6	...	...	...	...	
1RXSJ040432.1+215658	0.0903 (0.0268)	0.536	15.2	040432.16+215635.7	...	...	...	...	
1RXSJ040443.5−295316	0.2054 (0.0233)	0.623	15.9	040443.25−295323.3	[WFQ98] C3223− 1	Active Galaxy Nucleus	./.	:	
1RXSJ040447.1−034751	0.0726 (0.0173)	0.688	15.4	040447.32−034757.2	...	...	...	...	
1RXSJ040511.1+263258	0.1053 (0.0233)	0.780	12.2	040512.28+263244.9	GSC 01822−01383	TT	K2	:	P
1RXSJ040513.6−501204	0.1876 (0.0341)	0.518	16.6	040513.31−501212.1	...	...	...	...	
1RXSJ040530.0+032404	0.0694 (0.0166)	0.877	12.8	040530.21+032350.5	GSC 00076−00713	*	K4	:	
1RXSJ040537.2+014038	0.0514 (0.0146)	0.554	16.6	040537.14+014038.3	...	...	...	...	
1RXSJ040539.4+054456	0.1546 (0.0241)	0.680	14.4	040538.78+054442.5	GJ 3261	*	M3.5	12.89 :	
1RXSJ040542.3−113718	0.0669 (0.0167)	0.678	11.6	040543.05−113738.9	HD 25898	*	A5	9.42 : 9.10	
1RXSJ040542.8+570733	0.2768 (0.0231)	0.532	10.3	040542.40+570735.7	HD 237215	Semi−Reg. Pulsating *	K0	10.11 : 9.09	
1RXSJ040556.4+711639	0.0970 (0.0154)	0.556	14.2	040555.57+711657.5	LP 31−302	*	./.	:	
1RXSJ040605.5−191728	0.1279 (0.0205)	0.683	10.9	040605.21−191738.1	BD−19 817	*	./.	11.15 : 10.44	
1RXSJ040619.1+110745	0.0758 (0.0189)	0.805	13.6	040619.13+110732.9	...	...	...	...	
1RXSJ040630.8−341521	0.0524 (0.0128)	0.671	13.6	040631.57−341540.5	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ040633.7+562821	0.0573 (0.0125)	0.899	12.1	040634.87+562827.8	...	...	...	...	
1RXSJ040641.0−282134	0.0581 (0.0125)	0.622	14.0	040642.05−282145.3	...	...	...	...	
1RXSJ040649.9+005328	0.0522 (0.0158)	0.781	14.5	040650.05+005323.9	...	...	...	...	
1RXSJ040702.2−172801	0.0590 (0.0156)	0.509	14.3	040702.12−172822.0	...	...	...	...	
1RXSJ040710.6−291823	0.1368 (0.0185)	0.775	12.7	040711.43−291834.4	...	...	...	...	
1RXSJ040727.8−154647	0.3398 (0.0327)	0.571	16.6	040728.07−154648.9	...	...	...	...	
1RXSJ040734.6+380415	1.2410 (0.0542)	0.505	0.0	040734.37+380430.6	GJ 160.1	V* (BY Dra)	G5	7.99 : 7.08	
...	...	...	...	040734.37+380430.6	GJ 160.1A	HiPM*	K2	8.2 : 7.3	
1RXSJ040748.7−121133	0.4188 (0.0362)	0.812	14.6	040748.43−121136.5	PMN J0407−1211	Rad.	./.	:	
...	...	...	...	040748.43−121136.5	[VV96] J040748.5−121136	Quasar	./.	:	P
1RXSJ040805.1−273136	0.0617 (0.0135)	0.798	14.2	040805.45−273136.1	...	...	...	...	
1RXSJ040814.3+400723	0.0576 (0.0113)	0.660	15.0	040813.94+400735.0	...	...	...	...	
1RXSJ040830.3−784439	0.0931 (0.0170)	0.885	12.7	040826.50−784448.0	...	...	...	...	
1RXSJ040840.9+033448	0.1016 (0.0204)	0.883	12.8	040840.79+033448.6	...	...	...	...	
1RXSJ040903.5−604800	0.0592 (0.0099)	0.515	16.9	040903.73−604803.4	...	...	...	...	
1RXSJ040913.8−112455	0.2986 (0.0311)	0.778	14.6	040913.54−112502.1	...	...	...	...	
1RXSJ040914.4−400802	0.0573 (0.0166)	0.594	15.9	040914.04−400802.1	...	...	...	...	
1RXSJ040933.2−372403	0.0695 (0.0135)	0.592	16.3	040933.35−372407.0	...	...	...	...	
1RXSJ040938.6−264843	0.1141 (0.0175)	0.844	13.7	040939.24−264847.8	BPS CS 22177−0014	*	./.	:	
1RXSJ040940.8−075327	4.4090 (0.2860)	0.890	12.6	040940.75−075338.7	GJ 3264	V* (RS CVn)	G5IV	7.69 : 7.06	P
1RXSJ041047.5−563853	0.0876 (0.0143)	0.818	14.4	041047.94−563855.7	...	...	...	...	
1RXSJ041110.2−591113	0.0652 (0.0093)	0.549	16.2	041109.19−591116.2	...	...	...	...	
1RXSJ041122.0+232344	0.0695 (0.0160)	0.543	14.2	041121.00+232311.9	RX J0411.3+2323	X	M0	:	
1RXSJ041128.6+754422	0.0622 (0.0146)	0.816	13.5	041127.99+754424.5	...	...	...	...	
1RXSJ041132.8+023559	0.0825 (0.0185)	0.741	13.9	041131.68+023605.2	...	...	...	...	
1RXSJ041145.4+714555	0.0502 (0.0123)	0.698	13.2	041142.04+714600.3	...	...	...	...	
1RXSJ041158.4−643647	0.0628 (0.0174)	0.558	14.8	041159.42−643623.6	PKS 0411−647	Rad. Gal.	E	:	P
1RXSJ041217.0+093904	0.2540 (0.0343)	0.522	7.8	041216.53+093901.3	HD 26547	**mul.	F0	7.91 : 7.57	
1RXSJ041220.4+305256	0.1067 (0.0166)	0.509	17.0	041219.98+305300.1	...	...	...	...	
1RXSJ041226.5−043757	0.0588 (0.0158)	0.618	16.3	041226.70−043756.3	...	...	...	...	
1RXSJ041244.9+612123	0.2530 (0.0242)	0.714	15.4	041244.33+612117.8	...	...	...	...	
1RXSJ041255.6−141841	0.0738 (0.0178)	0.632	14.0	041255.57−141857.5	...	...	...	...	
1RXSJ041300.4−283211	0.1011 (0.0166)	0.555	0.0	041300.57−283225.7	CCDM J04130−2832AB	**mul.	F8	8.3 : 8.2	
...	...	...	...	041300.57−283225.7	HD 26770	**mul.	G0V	7.96 : 7.44	
1RXSJ041312.4−404914	0.4796 (0.0552)	0.548	16.8	041312.51−404920.3	...	...	...	...	
1RXSJ041325.8−013919	0.0976 (0.0200)	0.743	15.0	041326.19−013920.7	...	...	...	...	
1RXSJ041327.3+281630	0.0591 (0.0125)	0.748	14.9	041327.20+281625.8	...	...	...	...	
1RXSJ041337.5+720649	0.1059 (0.0164)	0.584	16.3	041337.65+720652.3	...	...	...	...	
1RXSJ041337.9−215209	0.2538 (0.0286)	0.544	17.0	041338.08−215204.7	...	...	...	...	
1RXSJ041357.5−380543	0.5819 (0.0367)	0.636	13.7	041358.80−380551.0	ESO 303− 5	Gal.	cG	15.5 :	
1RXSJ041411.9+281230	0.1503 (0.0193)	0.743	12.0	041412.88+281213.3	HD 283447	Em. *	K2	11.8 : 10.7	
1RXSJ041417.0−090650	0.2009 (0.0271)	0.740	15.1	041416.99−090648.1	...	...	...	...	
1RXSJ041420.6−594134	0.1298 (0.0251)	0.646	14.8	041418.91−594132.1	EUVE J0414−59.6	UV	./.	:	
...	...	...	...	041418.91−594132.1	IRAS F04134−5949	Sy2	./.	:	
1RXSJ041426.4−622752	0.3781 (0.0631)	0.730	0.0	041425.49−622825.8	HD 27256	**	G8II−III	4.237 : 3.343	
1RXSJ041427.5+143653	0.0932 (0.0207)	0.736	9.4	041425.34+143731.8	HD 26756	*iC	G5	9.12 : 8.45	
1RXSJ041430.3+285131	0.1494 (0.0186)	0.802	13.3	041430.32+285133.6	EM* LkCa 2	Em. *	./.	:	
1RXSJ041448.0+275246	0.0571 (0.0128)	0.852	13.5	041447.95+275235.6	EM* LkCa 3	Em. *	M1V	13.61 : 12.10	
1RXSJ041451.8−075521	0.0515 (0.0148)	0.584	14.6	041452.65−075539.4	Anon 0412−0803	Gal. in Clust.	./.	:	
...	...	...	...	041452.65−075539.4	QSO 0412−080	Sy1	./.	15.66 : 14.84	
1RXSJ041530.5−661937	0.1164 (0.0169)	0.613	14.3	041529.82−661944.6	...	...	...	...	
1RXSJ041539.8−402228	0.3642 (0.0484)	0.602	16.2	041539.74−402232.8	...	...	...	...	
1RXSJ041541.9+204928	0.0911 (0.0170)	0.769	8.3	041542.22+204915.2	HD 26874	*iC	G4V	8.50 : 7.82	
1RXSJ041547.5−191003	0.0528 (0.0132)	0.772	14.7	041547.41−190957.1	...	...	...	...	
1RXSJ041638.8+400236	0.0649 (0.0135)	0.522	15.8	041639.49+400233.4	...	...	...	...	
1RXSJ041649.7−254432	0.0862 (0.0161)	0.510	16.8	041649.65−254440.8	[BFE95] 3	Quasar	./.	17.2 :	
1RXSJ041652.6+010532	1.6990 (0.1169)	0.544	16.5	041652.49+010524.2	2E 0414.2+0057	BL Lac − type object	./.	16.78 : 16.38	P
1RXSJ041701.7+331430	0.0584 (0.0113)	0.523	9.2	041700.99+331434.6	HD 26952	*	K0	9.37 : 8.45	
1RXSJ041717.1+121354	0.1557 (0.0252)	0.734	14.6	041716.32+121356.0	EXO 0414.4+1206	*	./.	:	P
1RXSJ041717.6−055343	0.1112 (0.0215)	0.552	15.8	041716.79−055345.3	[VV96] J041716.7−055345	Quasar	./.	15.30 :	P
1RXSJ041717.9+084940	0.1206 (0.0234)	0.751	14.9	041718.12+084938.8	...	...	...	...	
1RXSJ041732.5−131017	0.0824 (0.0182)	0.570	15.5	041732.12−131028.2	...	...	...	...	
1RXSJ041737.6−241943	0.0713 (0.0151)	0.816	13.9	041736.96−241946.8	...	...	...	...	
1RXSJ041743.5−175409	0.0520 (0.0149)	0.731	11.7	041743.36−175422.4	...	...	...	...	
1RXSJ041744.1+410314	0.1008 (0.0172)	0.780	14.3	041744.02+410323.2	...	...	...	...	
1RXSJ041748.9+001154	0.0925 (0.0213)	0.867	13.2	041749.55+001146.9	...	...	...	...	
1RXSJ041756.9−382649	0.1632 (0.0186)	0.619	14.7	041757.29−382702.7	...	...	...	...	
1RXSJ041757.9−801243	0.1412 (0.0202)	0.548	10.8	041758.69−801250.0	HD 28525	V*	K2.5III+...	6.499 : 5.694	
1RXSJ041801.5+181543	0.1093 (0.0184)	0.871	12.6	041801.47+181526.8	HD 27149	Spec. Bin.	G5V	8.18 : 7.53	
1RXSJ041823.9+731631	0.0599 (0.0135)	0.668	14.6	041822.12+731625.9	ZOAG 136.54+16.14	Gal.	./.	:	
1RXSJ041833.6−073637	0.2292 (0.0297)	0.867	12.9	041833.84−073650.8	...	...	...	...	
1RXSJ041845.2+282002	0.0689 (0.0117)	0.584	14.4	041846.99+282008.9	V* V1023 Tau	TT	K7	14.41 : 12.73	
1RXSJ041851.4+172335	0.0689 (0.0149)	0.730	13.5	041851.69+172317.4	V* V1069 Tau	V* (Orion)	K7	13.41 : 12.28	P
1RXSJ041920.5−313428	0.1207 (0.0178)	0.892	13.2	041920.06−313436.5	HD 27520	**mul.	F3/F5V	9.71 : 9.31	
1RXSJ041933.0−170204	0.1290 (0.0224)	0.565	15.9	041933.19−170215.1	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ041941.7+274953	0.0807 (0.0130)	0.871	13.5	041941.26+274949.7	...	...	...	...	
1RXSJ041957.0+140213	0.0931 (0.0168)	0.833	0.0	041957.70+140206.7	HD 27397	V*	F0IV	5.845 : 5.581	
1RXSJ042003.1−502300	0.1236 (0.0296)	0.690	11.3	042002.96−502332.1	CD−50 1353	*	./.	9.9 :	
1RXSJ042048.9−342045	0.1236 (0.0171)	0.566	16.3	042048.86−342050.3	...	...	...	...	
1RXSJ042123.7−600032	0.0942 (0.0151)	0.527	16.2	042123.92−600027.8	...	...	...	...	
1RXSJ042139.2−723352	0.0780 (0.0121)	0.736	14.4	042138.83−723356.7	...	...	...	...	
1RXSJ042153.3+360746	0.1613 (0.0219)	0.527	15.2	042152.01+360737.1	MCG+06−10−006	Gal.	./.	17. :	
1RXSJ042156.8−181942	0.1305 (0.0217)	0.846	11.9	042157.68−181933.0	...	...	...	...	
1RXSJ042202.2−415324	0.1901 (0.0255)	0.770	13.2	042202.88−415332.6	AM 0420−420	Gal.	./.	:	
1RXSJ042208.3+191510	0.1082 (0.0170)	0.798	13.6	042208.55+191523.5	1E 0419.2+1908	Flare *	M4.5V:e	:	
...	...	...	...	042208.55+191523.5	GJ 3275	*	M3	:	
...	...	...	...	042208.55+191523.5	[D98] 37	X	M4.5V	:	
1RXSJ042219.7−284247	0.1311 (0.0186)	0.602	12.5	042218.37−284251.5	...	...	...	...	
1RXSJ042224.0+033710	0.2506 (0.0309)	0.709	15.0	042224.62+033708.0	...	...	...	...	
1RXSJ042244.6+150311	0.1971 (0.0222)	0.554	0.0	042244.10+150322.2	HD 27691	Spec. Bin.	G0	7.62 : 7.12	
...	...	...	...	042244.10+150322.2	HD 27691 A	**	F8IV	:	
...	...	...	...	042244.10+150322.2	HD 27691 B	**	G1	:	
1RXSJ042315.8+555652	0.1142 (0.0162)	0.814	0.0	042315.14+555652.9	...	...	...	...	
1RXSJ042323.2+805511	0.0991 (0.0158)	0.696	14.9	042327.61+805514.4	...	...	...	...	
1RXSJ042331.3+095444	0.0568 (0.0140)	0.797	12.9	042330.28+095430.1	GSC 00672−01156	*	K4	:	
1RXSJ042340.7+153740	0.1367 (0.0201)	0.840	12.3	042341.32+153755.7	...	...	...	...	
1RXSJ042350.4+091228	0.1344 (0.0203)	0.804	14.2	042350.39+091219.5	HG 7−192	*iC	./.	14.40 : 12.88	
1RXSJ042350.4+145514	0.0792 (0.0152)	0.780	14.2	042349.99+145518.5	...	...	...	...	
1RXSJ042359.5−430818	0.1211 (0.0139)	0.731	12.6	042401.17−430804.5	...	...	...	...	
1RXSJ042401.1−551217	0.0531 (0.0145)	0.769	14.5	042400.86−551223.1	...	...	...	...	
1RXSJ042413.1+162217	0.0521 (0.0131)	0.800	8.9	042412.49+162244.4	HD 27835	*iC	G0V	8.79 : 8.23	P
1RXSJ042414.5−570413	0.0514 (0.0124)	0.651	0.0	042412.32−570416.2	CCDM J04242−5704AB	**mul.	G5	7.1 : 7.5	
...	...	...	...	042412.32−570416.2	GJ 9155A	**	G4V	7.40 : 6.81	
...	...	...	...	042412.32−570416.2	GJ 9155B	**	G6V	:	
...	...	...	...	042412.32−570416.2	IRAS 04232−5711	IR	./.	:	
1RXSJ042414.6+214412	0.1504 (0.0181)	0.876	8.1	042413.76+214418.5	...	...	...	...	
1RXSJ042440.9−200715	0.1100 (0.0196)	0.571	11.4	042441.04−200711.4	...	...	...	...	
1RXSJ042441.9−064725	0.1541 (0.0271)	0.779	14.6	042442.17−064731.6	...	...	...	...	
1RXSJ042455.4−774057	0.1743 (0.0221)	0.813	0.0	042455.64−774102.1	CPD−77 172B	**	?	8.65 : 8.20	
1RXSJ042456.7−344516	0.0560 (0.0132)	0.701	10.9	042456.50−344525.1	HD 28143	**	F2III	6.968 : 6.558	
1RXSJ042457.1+190228	0.0607 (0.0119)	0.545	11.9	042456.85+190232.0	HD 27901	*iC	F4V	6.329 : 5.977	
1RXSJ042516.2−440942	0.1229 (0.0144)	0.892	0.0	042519.12−440939.2	HD 28246	*	F6V	6.788 : 6.387	
1RXSJ042517.8+261805	0.0521 (0.0116)	0.609	15.1	042517.59+261751.0	[HJS91] 4872	Pre−main sequence Star	K7	:	
1RXSJ042523.0+632016	0.0682 (0.0138)	0.655	14.4	042525.12+632016.3	...	...	...	...	
1RXSJ042533.0+344715	0.1986 (0.0222)	0.585	16.6	042533.12+344719.7	...	...	...	...	
1RXSJ042536.7+155617	0.2148 (0.0220)	0.830	0.0	042537.32+155627.7	HD 27991	*iC	F7V	6.906 : 6.452	P
1RXSJ042542.8−021352	0.1539 (0.0269)	0.583	0.0	042541.93−021356.8	HD 28072	**mul.	F8	7.87 : 7.32	
1RXSJ042551.3−083329	0.9381 (0.0609)	0.841	12.1	042551.34−083338.1	EXO 0423.4−0840	BL Lac − type object	./.	15.5 :	
1RXSJ042601.6−571202	4.5630 (0.2143)	0.844	14.1	042600.72−571202.0	[VV98] J042600.8−571201	Quasar	./.	14.1 :	
1RXSJ042608.9+354151	0.1106 (0.0177)	0.546	16.4	042609.25+354147.2	...	...	...	...	
1RXSJ042624.6+165039	0.0953 (0.0144)	0.541	9.0	042624.30+165112.9	HD 28068	V* (BY Dra)	G1V	8.67 : 8.05	
1RXSJ042700.9−204321	0.1062 (0.0223)	0.547	15.3	042659.94−204307.9	...	...	...	...	
1RXSJ042704.1+071631	0.1185 (0.0184)	0.592	16.5	042704.29+071631.9	...	...	...	...	
1RXSJ042706.2+181217	0.1606 (0.0182)	0.634	0.0	042705.98+181237.1	BD+17 724B	**	G5	9.7 : 8.8	
1RXSJ042720.0−442019	0.0857 (0.0127)	0.788	11.7	042720.48−442039.3	GSC 07585−00787	*	./.	11.4 : 10.8	
1RXSJ042734.0+740735	1.5200 (0.0594)	0.774	14.9	042733.64+740731.1	FBS 0421+740	*	./.	:	
1RXSJ042809.8−573744	0.0845 (0.0149)	0.544	16.7	042809.14−573739.5	...	...	...	...	
1RXSJ042829.4+174138	0.1829 (0.0198)	0.781	12.9	042828.46+174147.0	V* V1102 Tau	V*	M1	13.67 : 12.20	
1RXSJ042830.7−173426	0.4286 (0.0444)	0.633	15.8	042831.06−173432.4	...	...	...	...	
1RXSJ042916.4−265432	0.3881 (0.0378)	0.570	15.9	042916.97−265439.5	HE 0427−2701	Quasar	./.	17.2 :	
1RXSJ042932.2−281638	0.0866 (0.0190)	0.680	15.5	042931.89−281642.9	...	...	...	...	
1RXSJ042944.4−273728	0.0633 (0.0175)	0.871	12.9	042945.38−273721.0	...	...	...	...	
1RXSJ042947.7−305240	0.0952 (0.0211)	0.519	13.8	042943.70−305254.4	...	...	...	...	
1RXSJ042956.3+165431	0.0524 (0.0121)	0.597	13.5	042955.41+165452.0	Cl* Melotte 25 HAN 476	*iC	?	14.31 : 12.79	
1RXSJ043009.7+153812	0.0562 (0.0120)	0.553	0.0	043008.63+153817.9	HD 28485	*iC	F0V	5.90 : 5.58	
...	...	...	...	043008.63+153817.9	[AKS95] 45	*	./.	5.895 : 5.556	
1RXSJ043024.6+395124	0.0867 (0.0153)	0.703	15.3	043024.20+395126.2	...	...	...	...	
1RXSJ043038.3+225421	0.0693 (0.0144)	0.747	14.4	043037.87+225431.2	EM* LkCa 12	Em. *	./.	:	
...	...	...	...	043037.87+225431.2	RX J0430.6+2254	X	M2.5	:	
1RXSJ043057.5+104454	0.0798 (0.0134)	0.755	12.7	043056.85+104506.8	HD 28608	*iC	F5	7.480 : 7.043	
...	...	...	...	043056.85+104506.8	LP 10−588	*	./.	7.53 : 7.14	
1RXSJ043057.6+121811	0.0572 (0.0115)	0.688	15.2	043056.98+121814.3	Cl* Melotte 25 HAN 499	*iC	./.	15.53 : 14.06	
1RXSJ043103.5−452112	0.0686 (0.0115)	0.636	9.1	043104.70−452138.4	HD 28904	*	G3V	8.87 : 8.29	
1RXSJ043113.4−783746	0.2723 (0.0248)	0.753	0.0	043115.92−783754.9	CPD−78 145C	**	?	11.2 : 10.5	
1RXSJ043114.5+271021	0.0855 (0.0148)	0.859	14.3	043114.41+271019.5	JH 56	Pre−main sequence Star	./.	:	
1RXSJ043115.5−551319	0.0713 (0.0187)	0.598	15.9	043115.66−551321.9	...	...	...	...	
1RXSJ043116.1+421714	0.2055 (0.0225)	0.739	13.8	043115.03+421716.7	...	...	...	...	
1RXSJ043119.5+375143	0.0565 (0.0123)	0.895	12.2	043118.79+375154.4	HD 279935	TT	G5	12.0 : 11.4	P
1RXSJ043132.9−733758	0.0784 (0.0103)	0.507	17.2	043133.78−733802.0	...	...	...	...	
1RXSJ043136.9−024116	0.2566 (0.0280)	0.742	15.0	043137.08−024123.8	...	...	...	...	
1RXSJ043137.9−304237	0.0592 (0.0182)	0.582	15.2	043138.54−304251.0	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ043213.9+181959	0.0670 (0.0147)	0.775	13.2	043214.55+182015.6	V* V827 Tau	TT	K7	13.58 : 12.18	
1RXSJ043217.0+180122	0.1090 (0.0170)	0.602	13.1	043215.81+180139.7	...	...	...	...	
1RXSJ043224.8+384804	0.1378 (0.0181)	0.547	0.0	043225.41+384835.9	HD 28619	**mul.	F5	9.37 : 8.86	
1RXSJ043225.3−390301	0.0667 (0.0151)	0.534	15.7	043225.48−390316.0	...	...	...	...	
1RXSJ043244.0+185505	0.1130 (0.0183)	0.854	11.4	043242.45+185510.8	AG+18 345	*	K2	10.9 : 9.7	
...	...	...	...	043242.45+185510.8	GSC 01274−01501	TT	K1	11.4 : 10.8	
1RXSJ043304.7−464602	0.0837 (0.0117)	0.887	11.4	043306.22−464614.1	GSC 08076−00294	*	./.	11.3 : 10.8	
1RXSJ043311.2+052112	1.7050 (0.1539)	0.793	14.3	043311.08+052116.0	QSO 0430+052	Sy1	?	14.85 :	P
1RXSJ043323.7+235924	0.2301 (0.0244)	0.815	14.4	043323.42+235929.5	EM* LkCa 13	Em. *	M3	14.3 : 13.	
...	...	...	...	043323.42+235929.5	RX J0433.3+2359	X	M3.5	:	
1RXSJ043332.5−783525	0.1821 (0.0209)	0.834	11.8	043331.94−783539.0	...	...	...	...	
1RXSJ043333.1+180049	0.2821 (0.0280)	0.675	0.0	043333.06+180100.2	HD 28867	**mul.	B9IVn	6.32 : 6.25	
1RXSJ043337.7−131528	2.1180 (0.0970)	0.749	13.7	043337.85−131543.1	MCG−02−12−039	Gal. in Clust.	cGD	14. :	P
...	...	...	...	043337.85−131543.1	PGC 15524	Gal.	./.	:	
...	...	...	...	043337.85−131543.1	Slee ACO 496 4	Rad.	./.	:	
...	...	...	...	043337.85−131543.1	[L84] A496 −G1	Gal. in Clust.	./.	15.34 : 14.22	
...	...	...	...	043337.85−131543.1	[LO95] 0431−133	Rad. Gal.	./.	:	
...	...	...	...	043337.85−131543.1	[WCB96] ACO 496 A	Gal. in Clust.	./.	:	
...	...	...	...	043337.85−131543.1	[ZHG90] 0431−1322	Gal. in Clust.	./.	:	
1RXSJ043412.1+113353	0.0539 (0.0132)	0.739	12.9	043410.87+113329.0	Cl Melotte 25 362	*iC	?	13.17 : 11.77	
...	...	...	...	043410.87+113329.0	Cl* Melotte 25 LEID 79	*iC	K4V	13.12 : 11.73	P
...	...	...	...	043410.87+113329.0	Cl* Melotte 25 VR 79	*iC	./.	:	
1RXSJ043417.0+202955	0.0555 (0.0133)	0.701	0.0	043416.30+203017.5	CCDM J04343+2030B	**	./.	11.0 :	
...	...	...	...	043416.30+203017.5	HD 284560	**	G0	10.93 : 10.20	
1RXSJ043424.4−475755	0.0617 (0.0106)	0.833	11.6	043424.78−475824.0	...	...	...	...	
1RXSJ043429.0+712757	0.1679 (0.0205)	0.720	15.6	043429.18+712801.9	...	...	...	...	
1RXSJ043440.0+151225	0.1164 (0.0200)	0.863	13.1	043439.62+151233.7	...	...	...	...	
1RXSJ043442.1+401425	0.1615 (0.0189)	0.744	14.7	043441.54+401419.6	IRAS 04312+4008	Sy1	./.	:	P
1RXSJ043513.8−461524	0.2489 (0.0379)	0.607	15.2	043514.48−461533.3	...	...	...	...	
1RXSJ043520.2−145452	0.0801 (0.0198)	0.781	13.8	043520.76−145445.2	...	...	...	...	
1RXSJ043554.2−363635	0.4449 (0.0398)	0.760	14.8	043553.99−363641.8	CTS 46	Gal.	./.	:	
...	...	...	...	043553.99−363641.8	RX J0435.9−3636	Sy	./.	:	P
1RXSJ043556.8+235210	0.2077 (0.0227)	0.743	12.8	043556.11+235207.2	...	...	...	...	
1RXSJ043559.6−384140	0.0616 (0.0165)	0.875	11.1	043558.68−384134.4	GSC 07579−00359	*	./.	11.6 : 10.9	
1RXSJ043603.7+185306	0.0682 (0.0149)	0.756	14.0	043603.90+185320.4	Cl* Melotte 25 PELS 86	HiPM*	./.	15.07 : 13.56	
...	...	...	...	043603.90+185320.4	RX J0436.0+1853	X	M3.5	:	
1RXSJ043612.5−682236	0.0852 (0.0079)	0.645	14.0	043613.20−682224.9	...	...	...	...	
1RXSJ043618.5+254255	0.0543 (0.0123)	0.881	13.4	043619.08+254300.5	EM* LkCa 14	Em. *	M0:V	:	
1RXSJ043618.8−105113	0.1282 (0.0221)	0.585	15.7	043618.24−105117.0	...	...	...	...	
1RXSJ043622.3−102226	0.5790 (0.0424)	0.829	0.0	043622.21−102234.3	QSO 0434−104	Sy1	SBa	14.5 :	P
1RXSJ043623.7+635836	0.0527 (0.0123)	0.603	13.5	043622.84+635815.4	...	...	...	...	
1RXSJ043640.9+155156	0.1793 (0.0222)	0.861	12.4	043640.40+155210.4	HD 29225	*iC	F8	7.044 : 6.637	
...	...	...	...	043640.40+155210.4	LP 15−656	*	./.	:	
1RXSJ043657.1−161258	0.3852 (0.0387)	0.651	14.3	043657.15−161305.0	...	...	...	...	
1RXSJ043711.9−473142	0.0668 (0.0119)	0.637	15.9	043711.80−473147.1	...	...	...	...	
1RXSJ043726.6−471118	0.8475 (0.0902)	0.691	12.9	043728.16−471129.5	1ES 0435−47.2	Sy	./.	:	
1RXSJ043731.3+150827	0.1101 (0.0174)	0.579	0.0	043731.99+150847.2	HD 29310	V* (BY Dra)	G0	8.12 : 7.56	
1RXSJ043742.2−052738	0.0510 (0.0127)	0.685	14.4	043741.76−052723.7	...	...	...	...	
1RXSJ043750.8+211151	0.0529 (0.0141)	0.637	12.9	043750.60+211110.5	...	...	...	...	
1RXSJ043751.3+012632	0.0931 (0.0142)	0.853	13.6	043751.28+012639.0	...	...	...	...	
1RXSJ043759.9−431540	0.0735 (0.0156)	0.792	14.1	043800.62−431546.2	1E 0436−43.3	Emission−line galaxy	./.	:	P
1RXSJ043802.9−055623	0.0662 (0.0141)	0.525	15.4	043802.73−055605.2	...	...	...	...	
1RXSJ043807.6+420701	0.1529 (0.0186)	0.692	0.0	043807.13+420702.9	HD 29235	**mul.	K0	8.63 : 7.40	
...	...	...	...	043807.13+420702.9	IRAS 04346+4201	IR	./.	:	
1RXSJ043812.2+281305	0.3099 (0.0281)	0.763	14.0	043811.32+281304.0	...	...	...	...	
1RXSJ043825.9−024419	0.0845 (0.0157)	0.821	12.4	043827.05−024406.3	...	...	...	...	
1RXSJ043830.0−614758	0.3902 (0.0679)	0.592	16.2	043829.20−614759.1	RX J0438.5−6148	Sy1	./.	:	P
1RXSJ043830.2+265625	0.0545 (0.0130)	0.520	0.0	043829.49+265622.0	2E 0435.4+2650	X	./.	:	
...	...	...	...	043829.49+265622.0	HD 29364	V*	F2V:	7.1 :	
...	...	...	...	043829.49+265622.0	HD 29364 A	**	F0	6.8 :	
...	...	...	...	043829.49+265622.0	HD 29364 B	**	F0	6.8 :	
1RXSJ043834.7−561740	0.0741 (0.0164)	0.526	17.0	043834.32−561737.0	PMN J0438−5617	Rad.	./.	:	
1RXSJ043854.3−482511	0.0718 (0.0119)	0.817	14.5	043854.51−482512.5	...	...	...	...	
1RXSJ043855.1+191100	0.0975 (0.0166)	0.772	14.4	043854.43+191057.5	Cl* Melotte 25 REID 384	HiPM*	./.	:	
...	...	...	...	043854.43+191057.5	LP 15−292	*	./.	:	
1RXSJ043917.9+224802	0.0754 (0.0147)	0.881	13.2	043917.37+224754.4	...	...	...	...	
1RXSJ043926.1+333218	0.1318 (0.0184)	0.512	12.6	043925.38+333246.9	GSC 02378−01232	TT	K5	:	
1RXSJ043929.5−043605	0.2122 (0.0219)	0.683	14.2	043929.86−043554.1	...	...	...	...	
1RXSJ043944.2−090327	0.0542 (0.0135)	0.755	13.8	043944.04−090322.4	...	...	...	...	
1RXSJ044046.9+273948	0.1271 (0.0175)	0.513	16.1	044047.86+273948.0	...	...	...	...	
1RXSJ044105.2+245107	0.1125 (0.0170)	0.819	14.2	044104.68+245107.2	V* IW Tau	V* with rapid variations	K7V	14.04 : 12.51	
1RXSJ044116.8−431331	0.0845 (0.0193)	0.656	14.9	044117.30−431343.2	[VV96] J044117.3−431343	Quasar	./.	:	P
1RXSJ044122.7−270811	0.7211 (0.0884)	0.716	14.4	044122.53−270819.7	RX J0441.3−2708	Gal.	./.	:	
...	...	...	...	044122.53−270819.7	[VV96] J044122.6−270820	Quasar	S...	15.4 : 15.43	P
1RXSJ044123.2+283718	0.0987 (0.0162)	0.634	15.3	044122.37+283719.7	HD 29646 B	**	?	11.4 : 10.6	
1RXSJ044123.4+324226	0.0541 (0.0123)	0.731	14.6	044122.95+324229.3	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ044127.8+140428	0.1517 (0.0212)	0.795	14.4	044127.54+140434.8	RX J0441.4+1404	X	M2.5	:	P
1RXSJ044142.0+082611	0.0515 (0.0133)	0.545	16.0	044142.68+082620.2	...	...	...	...	
1RXSJ044154.5−082639	0.1972 (0.0208)	0.763	14.8	044154.08−082634.2	1ES 0439−08.5	Sy	./.	:	P
1RXSJ044230.1+202707	0.0769 (0.0150)	0.885	13.7	044230.01+202713.0	LP 415−345	HiPM*	./.	13.28 :	
1RXSJ044237.9+725838	0.0544 (0.0135)	0.625	9.2	044244.69+725842.4	HD 29213	*	F0	8.66 : 8.36	
1RXSJ044239.3+614040	0.1471 (0.0192)	0.588	14.3	044237.23+614047.1	...	...	...	...	
1RXSJ044245.6+643728	0.0670 (0.0139)	0.627	14.4	044244.97+643746.7	...	...	...	...	
1RXSJ044249.9−145234	0.0645 (0.0147)	0.512	15.4	044249.19−145220.9	...	...	...	...	
1RXSJ044256.0−185611	0.3537 (0.0315)	0.652	15.9	044255.78−185616.9	...	...	...	...	
1RXSJ044307.1−034655	1.9770 (0.1812)	0.684	15.7	044307.14−034649.1	...	...	...	...	
1RXSJ044320.8−282039	0.1541 (0.0394)	0.619	15.2	044320.78−282052.1	...	...	...	...	
1RXSJ044328.4−415151	0.3429 (0.0345)	0.679	14.5	044328.85−415143.3	...	...	...	...	
1RXSJ044334.6−084744	0.2028 (0.0207)	0.783	0.0	044334.75−084739.5	CCDM J04436−0848AB	**mul.	F4	6.8 : 6.7	
...	...	...	...	044334.75−084739.5	HD 30020	V*	F4IIIsp...	7.21 : 6.82	
...	...	...	...	044334.75−084739.5	HD 30020 J	**mul.	?	6.62 : 5.98	
...	...	...	...	044334.75−084739.5	HD 30021	**	G8III	7.62 : 6.70	
...	...	...	...	044334.75−084739.5	IRAS 04411−0853	IR	./.	:	
1RXSJ044356.8−392611	0.0976 (0.0223)	0.795	12.8	044355.13−392608.6	...	...	...	...	
1RXSJ044357.5+372303	0.0946 (0.0171)	0.752	14.7	044356.82+372306.1	...	...	...	...	
1RXSJ044404.7−222441	0.0792 (0.0170)	0.714	14.7	044403.92−222446.1	...	...	...	...	
1RXSJ044408.6+140129	0.0540 (0.0134)	0.713	15.6	044408.48+140128.7	RX J0444.1+1401	X	M4	:	P
1RXSJ044428.6+122113	0.1620 (0.0210)	0.720	15.6	044428.77+122111.6	1RXS J044428.6+122113	Sy1	./.	16.2 :	P
...	...	...	...	044428.77+122111.6	IRAS 04416+1215	Gal.	./.	:	
...	...	...	...	044428.77+122111.6	RX J0444.4+1221	Gal.	./.	:	
1RXSJ044520.0+133429	0.1457 (0.0202)	0.780	14.4	044519.44+133426.9	...	...	...	...	
1RXSJ044550.1−385537	0.2228 (0.0358)	0.518	16.7	044550.77−385538.3	1RXS J044550.1−385537	WD	./.	:	P
1RXSJ044552.2−224842	0.0551 (0.0136)	0.549	16.9	044552.18−224844.6	...	...	...	...	
1RXSJ044601.3−444015	0.0548 (0.0171)	0.539	11.7	044603.77−444045.4	...	...	...	...	
1RXSJ044652.0−111658	0.2493 (0.0261)	0.795	13.5	044652.21−111645.3	...	...	...	...	
1RXSJ044712.8+203809	0.0988 (0.0165)	0.618	15.1	044711.99+203815.1	RX J0447.2+2038	X	M3	:	P
1RXSJ044720.4−050813	0.1331 (0.0218)	0.872	14.0	044720.73−050813.9	PGC 16005	Sy1	./.	18.0 :	P
...	...	...	...	044720.73−050813.9	[DML87] 148	IR	./.	:	
1RXSJ044720.6+280903	0.0552 (0.0129)	0.680	15.0	044720.96+280855.9	...	...	...	...	
1RXSJ044727.7−330902	0.2225 (0.0508)	0.868	12.9	044727.59−330907.1	CTS 81	Gal.	./.	:	
...	...	...	...	044727.59−330907.1	[BFE95] 7	Active Galaxy Nucleus	./.	17.5 :	
1RXSJ044731.8−452424	0.0656 (0.0173)	0.513	17.1	044732.04−452424.3	...	...	...	...	
1RXSJ044738.5−040332	0.1938 (0.0264)	0.593	14.7	044738.97−040329.8	1RXP J044738.8−040329	Quasar	./.	:	
1RXSJ044743.0−243457	0.0828 (0.0156)	0.643	12.2	044741.21−243513.1	...	...	...	...	
1RXSJ044754.8−032247	0.0919 (0.0175)	0.606	15.8	044754.76−032242.4	...	...	...	...	
1RXSJ044829.1−523727	0.0640 (0.0145)	0.514	0.0	044830.53−523744.0	HD 30879	HiPM*	G2V	9.61 : 9.02	
1RXSJ044834.0−450017	0.1076 (0.0232)	0.521	16.4	044835.00−450016.2	...	...	...	...	
1RXSJ044837.7−163249	0.2512 (0.0225)	0.584	16.4	044837.64−163242.9	PMN J0448−1632	Rad.	./.	:	
1RXSJ044847.6+100302	0.1197 (0.0193)	0.868	13.8	044847.62+100306.5	...	...	...	...	
1RXSJ044852.7+103028	0.0825 (0.0162)	0.741	14.4	044852.11+103037.6	...	...	...	...	
1RXSJ044912.1+710058	0.0695 (0.0147)	0.750	13.1	044910.28+710046.3	...	...	...	...	
1RXSJ044914.4−312524	0.0779 (0.0223)	0.712	0.0	044913.35−312535.8	HD 30774	*	G3/G5V	8.54 : 7.90	
1RXSJ044924.2−435002	0.9062 (0.0596)	0.630	15.6	044924.69−435008.9	1RXS J044924.2−435002	X	B...	:	P
...	...	...	...	044924.69−435008.9	EUVE J0449−43.8	UV	./.	:	
...	...	...	...	044924.69−435008.9	PMN J0449−4350	Rad.	./.	:	
...	...	...	...	044924.69−435008.9	PKS J0449−4350	Sy1	./.	:	
1RXSJ044929.8+482849	0.1501 (0.0198)	0.520	14.9	044928.68+482854.3	...	...	...	...	
1RXSJ044938.0−025244	0.0543 (0.0138)	0.776	14.5	044938.25−025237.6	...	...	...	...	
1RXSJ044955.7−444037	0.2910 (0.0377)	0.586	13.9	044956.53−444024.1	...	...	...	...	
1RXSJ044956.2+234056	0.3978 (0.0319)	0.728	12.9	044956.27+234109.8	EM* LkCa 18	Em. *	G1V:	:	
1RXSJ045003.2−180119	0.0573 (0.0117)	0.526	16.8	045003.42−180117.7	...	...	...	...	
1RXSJ045013.5+040217	0.1120 (0.0194)	0.506	14.0	045012.13+040210.5	...	...	...	...	
1RXSJ045016.8+203735	0.0703 (0.0146)	0.685	15.6	045016.40+203734.7	EF B0447+2031	Rad.	./.	:	
...	...	...	...	045016.40+203734.7	RX J0450.2+2037	X	M4.5	:	
1RXSJ045024.1+171207	0.1133 (0.0173)	0.849	12.8	045023.64+171211.2	HD 30676	*iC	F8	7.63 : 7.11	
1RXSJ045049.2+161228	0.0848 (0.0158)	0.858	12.5	045048.31+161238.4	HD 30738	Eclipsing binary	F8	7.75 : 7.27	
1RXSJ045054.7−532722	0.1070 (0.0185)	0.518	0.0	045055.39−532742.2	CCDM J04509−5328A	**mul.	F0V	5.56 : 5.23	
...	...	...	...	045055.39−532742.2	HD 31203	**	F0IV	5.94 : 5.61	
1RXSJ045100.1−121415	0.0937 (0.0175)	0.751	0.0	045100.48−121421.7	BD−12 1007B	**	?	11.04 : 10.52	
...	...	...	...	045100.48−121421.7	HD 30900	**	G6/G8III:	10.57 : 9.65	
1RXSJ045101.0+312734	0.1743 (0.0216)	0.776	14.3	045100.65+312725.9	RX J0451.0+3127	X	M4	:	P
1RXSJ045102.1+145815	0.0527 (0.0129)	0.836	13.1	045102.16+145817.9	RX J0451.0+1458	X	M0	:	P
1RXSJ045125.0+152607	0.0564 (0.0135)	0.879	8.5	045123.03+152601.1	HD 30809	*iC	F8	8.41 : 7.90	
1RXSJ045142.6−082439	0.0526 (0.0147)	0.790	11.0	045141.23−082453.7	GSC 05322−00772	*	./.	11.8 : 11.0	
1RXSJ045145.2−581058	0.2060 (0.0283)	0.685	15.2	045144.05−581100.6	...	...	...	...	
1RXSJ045145.7−240012	0.0656 (0.0129)	0.631	15.8	045146.10−240007.7	...	...	...	...	
1RXSJ045149.2+011444	0.0633 (0.0154)	0.575	0.0	045149.37+011455.4	HD 30926	**mul.	F8	8.6 : 8.2	
1RXSJ045205.0+493248	0.5937 (0.0355)	0.637	16.4	045204.78+493244.7	RX J0452.0+4932	Sy1	./.	:	P
...	...	...	...	045204.78+493244.7	ZOAG 157.25+03.42	Gal.	./.	:	
1RXSJ045222.6+400633	0.0620 (0.0133)	0.777	14.0	045221.96+400637.6	...	...	...	...	
1RXSJ045223.2+104313	0.0526 (0.0130)	0.824	14.1	045223.63+104310.5	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ045223.8−164926	0.4311 (0.0345)	0.870	12.6	045224.03−164912.5	1RXS J045223.8−164926	*	MV:e	:	P
1RXSJ045230.4−295329	0.2147 (0.0278)	0.762	14.8	045230.08−295335.4	[VV96] J045230.1−295335	Quasar	./.	:	
1RXSJ045233.6−481539	0.1398 (0.0237)	0.554	16.5	045233.07−481535.7	...	...	...	...	
1RXSJ045249.4−195506	0.2573 (0.0257)	0.684	11.3	045249.48−195501.5	BD−20 951	*	./.	10.99 : 10.12	
1RXSJ045254.2−585351	0.1651 (0.0230)	0.592	16.2	045253.98−585348.4	PMN J0452−5853	Rad.	./.	:	
1RXSJ045257.5+192001	0.0533 (0.0123)	0.871	13.2	045257.08+191950.8	GSC 01288−00790	*	./.	:	
...	...	...	...	045257.08+191950.8	RX J0452.9+1920	TT	K5	:	
1RXSJ045329.3−410351	0.1744 (0.0370)	0.712	15.3	045328.82−410349.6	...	...	...	...	
1RXSJ045330.2−555128	1.0840 (0.1085)	0.795	0.0	045330.40−555132.3	GJ 2036A	**	M2	12.70 : 11.13	
1RXSJ045401.4−270340	0.2452 (0.0231)	0.679	12.9	045401.28−270324.0	HD 31359	*	F5V	9.03 : 8.61	
1RXSJ045414.4+240001	0.0563 (0.0138)	0.540	8.1	045413.10+235957.8	HD 31137	*	F2	7.90 : 7.53	
1RXSJ045416.1+072212	0.1283 (0.0198)	0.887	0.0	045416.27+072207.7	HD 31208 B	HiPM*	K0	9.27 : 8.38	
1RXSJ045416.3−611626	0.0997 (0.0132)	0.530	16.2	045415.94−611626.6	...	...	...	...	
1RXSJ045428.7−044617	0.0591 (0.0157)	0.648	12.9	045429.32−044637.1	...	...	...	...	
1RXSJ045430.9+650451	0.1579 (0.0204)	0.598	15.5	045429.44+650445.8	...	...	...	...	
1RXSJ045456.0+083557	0.0633 (0.0136)	0.506	0.0	045456.34+083601.7	HD 31306	**mul.	A0	7.09 : 6.94	
1RXSJ045540.7−191758	0.0847 (0.0167)	0.539	13.8	045540.32−191754.4	...	...	...	...	
1RXSJ045543.2+020507	0.0711 (0.0151)	0.896	12.7	045543.47+020516.2	...	...	...	...	
1RXSJ045554.7+044023	0.1494 (0.0220)	0.866	13.4	045555.40+044021.6	GJ 9169B	*	M1.5	:	
1RXSJ045557.7−145644	0.1821 (0.0244)	0.692	15.8	045557.52−145641.2	...	...	...	...	
1RXSJ045600.1+303400	0.1382 (0.0195)	0.785	0.0	045559.38+303401.5	HD 282624	V* (Orion)	G2IIIevar	10.22 : 9.42	
...	...	...	...	045559.38+303401.5	SSV LDN 1517 2	IR	./.	:	
1RXSJ045602.3−753211	0.0608 (0.0122)	0.859	12.6	045558.86−753227.9	ESO 33− 2	Sy2	SB0	14.5 :	
1RXSJ045608.8−215906	0.1955 (0.0235)	0.674	16.1	045608.93−215909.4	[VV96] J045608.9−215909	Quasar	./.	16.16 : 16.10	P
1RXSJ045637.2−533213	0.1007 (0.0137)	0.560	15.9	045638.53−533211.1	...	...	...	...	
1RXSJ045712.5−280754	0.0661 (0.0140)	0.839	13.6	045713.26−280753.1	...	...	...	...	
1RXSJ045717.3−062138	0.0654 (0.0162)	0.743	14.2	045717.23−062152.4	...	...	...	...	
1RXSJ045752.4−183015	0.0587 (0.0143)	0.783	10.5	045752.42−183021.2	BD−18 965	*	./.	10.28 : 9.70	
1RXSJ045816.3−751608	0.6529 (0.0340)	0.511	17.2	045816.96−751611.2	...	...	...	...	
1RXSJ045817.1−141546	0.0754 (0.0156)	0.705	14.9	045817.82−141543.3	...	...	...	...	
1RXSJ045834.0−270314	0.0529 (0.0126)	0.586	10.2	045834.33−270353.6	CD−27 1987	*	K3V	10.56 : 9.61	
1RXSJ045844.9−685048	0.1240 (0.0107)	0.813	13.3	045843.57−685056.3	...	...	...	...	
1RXSJ045859.6−002904	0.1204 (0.0198)	0.500	15.5	045859.90−002847.4	...	...	...	...	
1RXSJ045907.8+165148	0.0809 (0.0167)	0.701	15.0	045907.55+165156.3	RX J0459.1+1651	X	M4	:	P
1RXSJ045917.4−164021	0.0680 (0.0150)	0.832	12.0	045916.34−164034.8	BD−16 1014	*	./.	:	
1RXSJ045929.4−222953	0.1145 (0.0192)	0.567	16.1	045928.87−222954.3	1RXS J045929.4−222953	Gal.	./.	:	P
1RXSJ045930.9−204456	0.0706 (0.0155)	0.501	12.7	045930.07−204507.7	...	...	...	...	
1RXSJ045937.7+261505	0.0945 (0.0168)	0.604	0.0	045938.77+261459.4	HD 31781	*	F8V	9.01 : 8.48	
1RXSJ045940.2−002033	0.0508 (0.0136)	0.555	16.7	045939.98−002033.7	...	...	...	...	
1RXSJ045954.3+101717	0.0520 (0.0129)	0.691	15.0	045954.96+101718.5	RX J0459.9+1017	*	F5	:	
1RXSJ045957.6−033302	0.0809 (0.0173)	0.560	15.3	045958.34−033314.0	...	...	...	...	
1RXSJ050020.8+523747	0.2794 (0.0282)	0.555	15.1	050022.50+523754.7	...	...	...	...	
1RXSJ050024.2−115338	0.1089 (0.0189)	0.529	15.8	050024.18−115348.5	...	...	...	...	
1RXSJ050027.7+133415	0.0775 (0.0153)	0.559	16.4	050027.21+133419.6	...	...	...	...	
1RXSJ050054.7−511547	0.1383 (0.0226)	0.533	11.5	050056.90−511630.9	...	...	...	...	
1RXSJ050102.9−415745	0.0676 (0.0201)	0.513	16.6	050102.22−415745.9	...	...	...	...	
1RXSJ050107.9+451631	0.0930 (0.0147)	0.526	15.7	050109.46+451629.8	...	...	...	...	
1RXSJ050140.8+304831	0.0727 (0.0141)	0.597	15.3	050139.77+304831.5	...	...	...	...	
1RXSJ050156.7+010845	0.2305 (0.0271)	0.869	14.3	050156.55+010847.1	...	...	...	...	
1RXSJ050204.9+541028	0.0684 (0.0142)	0.623	13.2	050206.18+541015.3	...	...	...	...	
1RXSJ050218.4−422134	0.3207 (0.0377)	0.671	16.1	050218.17−422137.0	PMN J0502−4221	Rad.	./.	:	
1RXSJ050218.4−561939	0.1084 (0.0239)	0.507	15.6	050219.57−561946.6	...	...	...	...	
1RXSJ050250.8−622742	0.1981 (0.0288)	0.712	15.9	050250.68−622740.9	[CF97b] EUVE J0502−62.4 2	*	G6V	:	
1RXSJ050251.5−622744	0.2460 (0.0175)	0.637	15.9	050250.68−622740.9	[CF97b] EUVE J0502−62.4 2	*	G6V	:	
1RXSJ050258.5+225949	0.5034 (0.0343)	0.695	15.7	050258.24+225952.1	[BBM92] 63	Sy	./.	:	P
1RXSJ050304.8−663345	0.0847 (0.0105)	0.851	13.9	050303.91−663345.9	CAL F	Sy	./.	16.0 :	P
1RXSJ050315.2+084101	0.0554 (0.0131)	0.663	12.0	050314.63+084043.8	...	...	...	...	
1RXSJ050321.6−500151	0.1107 (0.0236)	0.790	12.7	050323.30−500157.7	...	...	...	...	
1RXSJ050328.9+310955	0.0660 (0.0133)	0.766	13.5	050329.65+310942.3	...	...	...	...	
1RXSJ050417.8−294434	0.1034 (0.0171)	0.508	15.8	050419.03−294439.2	...	...	...	...	
1RXSJ050421.9−255420	0.0641 (0.0142)	0.782	14.5	050422.01−255415.9	[BFE95] 13	Active Galaxy Nucleus	./.	17.5 :	P
1RXSJ050434.2−734902	0.0638 (0.0123)	0.740	12.8	050434.30−734926.6	...	...	...	...	
1RXSJ050506.5+060758	0.0813 (0.0157)	0.842	13.7	050506.29+060749.0	HD 32662	*	G0	8.17 : 7.71	
1RXSJ050507.9−322007	0.1231 (0.0183)	0.527	14.2	050509.37−321955.2	...	...	...	...	
1RXSJ050511.9−442249	0.0533 (0.0166)	0.512	16.4	050511.04−442254.8	...	...	...	...	
1RXSJ050533.4+004421	0.1106 (0.0181)	0.568	15.0	050533.27+004404.7	...	...	...	...	
1RXSJ050534.7+041600	0.2305 (0.0242)	0.608	16.1	050534.76+041554.4	RGB J0505+042	Rad.	./.	:	
...	...	...	...	050534.76+041554.4	RX J0505.5+0416	X	./.	:	P
1RXSJ050538.7−791203	0.0885 (0.0126)	0.609	16.2	050539.93−791201.3	...	...	...	...	
1RXSJ050539.1+015825	0.0624 (0.0156)	0.735	14.6	050539.21+015830.7	1RXP J050539.1+015830	WD	./.	:	
...	...	...	...	050539.21+015830.7	HS 0503+0154	Object of unknown nature	./.	:	
1RXSJ050543.8+023003	0.0516 (0.0140)	0.577	13.4	050542.85+022934.7	...	...	...	...	
1RXSJ050611.7−582819	0.0595 (0.0096)	0.761	13.9	050610.32−582829.5	BPS CS 31076−0115	*	./.	:	
1RXSJ050612.0+372132	0.0733 (0.0146)	0.846	11.6	050613.11+372125.9	...	...	...	...	
1RXSJ050613.3+043941	0.1444 (0.0208)	0.659	13.9	050612.80+043931.3	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ050642.4+745604	0.0558 (0.0137)	0.830	11.3	050638.31+745601.3	GSC 04354−00433	*	./.	11.29 : 10.72	
1RXSJ050648.5−193651	0.1004 (0.0171)	0.569	15.6	050647.93−193651.0	...	...	...	...	
1RXSJ050649.5−213505	1.1470 (0.0990)	0.659	0.0	050649.88−213509.0	GJ 3331A	*	M2V	11.81 : 10.29	P
1RXSJ050652.5−722055	0.0590 (0.0104)	0.817	11.5	050650.55−722112.7	GSC 09169−00969	*	./.	11.6 : 10.7	
1RXSJ050702.8+332444	0.0986 (0.0160)	0.845	0.0	050702.74+332447.0	BD+33 956B	**	A3	10.9 : 10.8	
...	...	...	...	050702.74+332447.0	HD 32769	**	A3	9.1 : 8.4	
...	...	...	...	050702.74+332447.0	[LH98] 166	TT	B8	:	P
1RXSJ050727.6−334628	0.1666 (0.0201)	0.539	16.5	050727.80−334621.3	...	...	...	...	
1RXSJ050728.0−052403	0.0896 (0.0168)	0.807	11.7	050728.43−052424.2	V* EZ Eri	V* (RS CVn)	G9	11.2 : 10.2	P
1RXSJ050749.1+175904	0.0552 (0.0138)	0.851	13.6	050749.00+175911.0	...	...	...	...	
1RXSJ050750.5−050455	0.1763 (0.0236)	0.554	0.0	050751.03−050510.5	GJ 9175	V*	A3III	2.92 :	P
1RXSJ050756.6+673721	0.9769 (0.0501)	0.545	17.3	050756.19+673724.2	1ES 0502+67.5	BL Lac − type object	./.	:	
1RXSJ050808.7+242714	0.0696 (0.0141)	0.837	13.3	050808.28+242716.2	[LH98] 168	TT	K5V	:	P
1RXSJ050814.7−444904	0.4214 (0.0442)	0.702	0.0	050815.43−444910.5	HD 273417	**	G5	10.98 : 10.16	
1RXSJ050820.9+172134	0.0602 (0.0128)	0.564	14.1	050819.77+172148.5	...	...	...	...	
1RXSJ050826.5+715626	0.0627 (0.0137)	0.684	15.7	050825.83+715623.1	...	...	...	...	
1RXSJ050827.3−210130	0.0518 (0.0130)	0.517	16.0	050827.25−210144.3	...	...	...	...	
1RXSJ050828.8+674348	0.0902 (0.0168)	0.701	15.0	050827.07+674348.0	...	...	...	...	
1RXSJ050903.4−420926	0.0871 (0.0146)	0.808	14.6	050903.51−420921.1	...	...	...	...	
1RXSJ050926.3+185405	0.0593 (0.0130)	0.872	13.2	050926.15+185401.2	[LH98] 172	TT	K0IV	:	P
1RXSJ050932.0+384054	0.0884 (0.0149)	0.528	0.0	050936.44+384107.9	HD 33089	*	G5	7.91 : 6.92	
1RXSJ050947.1+634957	0.0925 (0.0171)	0.521	9.1	050945.72+634957.8	HD 32745	*	G0	8.90 : 8.21	
1RXSJ050957.9−641741	0.2190 (0.0105)	0.503	17.7	050957.25−641741.5	...	...	...	...	
1RXSJ051002.5+651437	0.0781 (0.0149)	0.505	16.6	051002.00+651445.4	...	...	...	...	
1RXSJ051004.7−234024	0.2131 (0.0248)	0.552	14.4	051004.84−234014.9	...	...	...	...	
1RXSJ051015.5−451926	0.2486 (0.0338)	0.513	15.3	051017.53−451918.8	1E 0508.8−4523	Clust.	./.	:	
1RXSJ051024.1−771249	0.3763 (0.0240)	0.615	12.1	051026.86−771302.3	HD 34802	V* (RS CVn)	K1IIIp	8.82 : 7.77	
1RXSJ051042.9+465751	0.1178 (0.0171)	0.844	0.0	051042.92+465743.5	HD 33167	*	F5V	6.079 : 5.683	
1RXSJ051045.4+162953	0.6684 (0.0390)	0.744	15.4	051045.53+162958.1	2E 0507.8+1626	Sy1	./.	15.6 :	
...	...	...	...	051045.53+162958.1	IRAS 05078+1626	IR	./.	:	
...	...	...	...	051045.53+162958.1	Z 0507.9+1625	Gal.	E	15.7 :	
1RXSJ051110.8−490350	0.0843 (0.0179)	0.649	15.3	051110.91−490400.3	...	...	...	...	
1RXSJ051110.9+154857	0.0556 (0.0133)	0.772	13.4	051109.51+154858.9	[LH98] 174	TT	K4.5	:	P
1RXSJ051119.1−022914	0.1055 (0.0180)	0.889	0.0	051119.18−022926.8	HD 33608	*	F5V	6.327 : 5.904	
1RXSJ051133.9+064548	0.0760 (0.0163)	0.624	13.2	051132.20+064613.0	...	...	...	...	
1RXSJ051146.5−170529	0.0634 (0.0135)	0.542	14.6	051146.51−170541.6	...	...	...	...	
1RXSJ051153.0−524620	0.0631 (0.0185)	0.770	14.1	051152.83−524630.5	...	...	...	...	
1RXSJ051153.5+164432	0.2856 (0.0261)	0.743	9.4	051153.49+164434.3	BD+16 721B	**	?	:	
...	...	...	...	051153.49+164434.3	HD 33572	**	G5	9.10 : 8.65	P
1RXSJ051153.6+370749	0.1431 (0.0196)	0.893	11.4	051151.62+370736.8	HD 280583	*	G0	10.30 : 9.52	
1RXSJ051206.1−004149	0.6119 (0.0365)	0.568	13.4	051206.61−004208.4	...	...	...	...	
1RXSJ051223.5−414525	0.7109 (0.0634)	0.575	16.5	051223.02−414526.2	...	...	...	...	
1RXSJ051311.9−550737	0.0653 (0.0135)	0.879	13.1	051311.87−550749.0	RX J0513.2−5507	X	K5/M0V	13.76 : 12.54	
1RXSJ051336.1+772836	0.0713 (0.0136)	0.675	15.3	051336.60+772843.2	2E 0506.1+7725	X	./.	:	
...	...	...	...	051336.60+772843.2	[DCM91] 0506+77 X3	X	./.	:	
1RXSJ051428.8+091754	0.0577 (0.0136)	0.541	15.5	051429.65+091805.3	...	...	...	...	
1RXSJ051432.5−114655	0.0584 (0.0147)	0.792	12.5	051433.72−114645.5	...	...	...	...	
1RXSJ051451.8−372639	0.0983 (0.0150)	0.777	14.9	051451.48−372637.5	...	...	...	...	
1RXSJ051500.2+505140	0.0525 (0.0124)	0.603	13.1	051502.13+505151.3	...	...	...	...	
1RXSJ051501.0−423227	0.2078 (0.0253)	0.752	14.8	051501.44−423222.4	...	...	...	...	
1RXSJ051510.8+082553	0.1084 (0.0172)	0.646	0.0	051510.55+082552.2	BD+08 900B	**	?	:	
...	...	...	...	051510.55+082552.2	HD 34081	**	F0	7.5 : 7.2	
1RXSJ051516.7−615954	0.0821 (0.0140)	0.664	12.9	051511.38−615955.7	...	...	...	...	
1RXSJ051516.9−012346	0.0559 (0.0138)	0.570	0.0	051518.50−012432.3	HD 34180	*	F0IV	6.518 : 6.157	
1RXSJ051517.1+471022	0.1768 (0.0222)	0.893	8.3	051514.94+471020.3	HD 33798	V* (BY Dra)	G5	7.89 : 6.92	
1RXSJ051521.6+122118	0.0582 (0.0134)	0.802	13.0	051520.48+122115.1	GSC 00707−01311	*	K0	:	
1RXSJ051532.3−293107	0.0820 (0.0154)	0.551	0.0	051531.80−293054.5	HD 34357	**mul.	A2IV	8.5 : 8.5	
1RXSJ051544.7−455647	0.0958 (0.0169)	0.560	16.6	051545.23−455643.3	QSO 0514−459	Quasar	./.	:	P
1RXSJ051602.1+255728	0.0599 (0.0125)	0.618	0.0	051600.75+255725.6	BD+25 807B	**	?	:	
...	...	...	...	051600.75+255725.6	HD 34096	**	A0	8.25 : 8.15	P
1RXSJ051621.5−103341	0.3072 (0.0285)	0.506	15.0	051621.23−103341.3	MCG−02−14−009	Sy1	./.	15. :	P
1RXSJ051633.9−315412	0.0620 (0.0134)	0.511	16.1	051632.82−315413.5	...	...	...	...	
1RXSJ051644.2−541021	0.0537 (0.0147)	0.629	15.0	051645.79−541017.4	...	...	...	...	
1RXSJ051731.3+200754	0.0527 (0.0125)	0.508	0.0	051731.15+200754.6	HD 34335	Ecl. Bin. (Algol)	F7V	7.21 : 6.77	
...	...	...	...	051731.15+200754.6	HD 34335 B	**	K2V:	10.69 : 9.88	
1RXSJ051757.1−583435	0.1947 (0.0135)	0.682	12.1	051753.62−583425.7	...	...	...	...	
1RXSJ051757.6−543351	0.0529 (0.0145)	0.809	14.2	051757.82−543351.3	...	...	...	...	
1RXSJ051811.6+091306	0.0649 (0.0139)	0.575	12.2	051811.12+091300.2	HD 34500	*	A2	7.60 : 7.42	
1RXSJ051845.9−572043	0.0646 (0.0126)	0.658	12.5	051848.22−572106.2	...	...	...	...	
1RXSJ051847.5−212335	0.1339 (0.0203)	0.508	0.0	051847.62−212336.1	GJ 199A	**	K7	10.69 : 9.40	
1RXSJ051908.2+340529	0.0814 (0.0152)	0.784	13.6	051908.40+340540.9	...	...	...	...	
1RXSJ051924.6−174447	0.2992 (0.0283)	0.614	10.0	051924.15−174452.7	BD−17 1085	*	K0	10.10 : 9.39	
1RXSJ051929.3+645435	0.0829 (0.0169)	0.663	14.6	051931.13+645426.9	...	...	...	...	
1RXSJ051950.9+055211	0.0541 (0.0120)	0.567	14.9	051951.14+055230.7	...	...	...	...	
1RXSJ051952.0−512347	0.1473 (0.0234)	0.753	14.3	051952.79−512338.1	...	...	...	...	
1RXSJ051954.1+315944	0.0906 (0.0157)	0.782	13.8	051953.15+315937.8	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ052026.9+525256	0.0741 (0.0157)	0.751	13.4	052024.34+525251.4	...	...	...	...	
1RXSJ052036.6+244731	0.0526 (0.0120)	0.887	12.2	052037.07+244714.5	...	...	...	...	
1RXSJ052038.2+714314	0.0522 (0.0134)	0.869	12.5	052038.60+714253.3	HD 34004	*	G5	7.482 : 6.574	
1RXSJ052044.4−231324	0.0522 (0.0131)	0.743	14.0	052043.38−231323.3	...	...	...	...	
1RXSJ052050.3−545136	0.0540 (0.0132)	0.832	12.5	052047.52−545145.8	...	...	...	...	
1RXSJ052054.8+240206	0.0605 (0.0127)	0.681	0.0	052055.68+240207.5	BD+23 902B	**	F2	9.83 : 9.30	P
...	...	...	...	052055.68+240207.5	HD 34772	**	F2	9.52 : 9.07	
1RXSJ052058.3−213517	0.1388 (0.0205)	0.900	13.3	052058.15−213520.1	...	...	...	...	
1RXSJ052104.8+033301	0.0702 (0.0141)	0.769	13.6	052104.62+033305.9	...	...	...	...	
1RXSJ052119.2−102925	0.1515 (0.0205)	0.674	15.2	052118.94−102915.3	...	...	...	...	
1RXSJ052135.1+671808	0.1626 (0.0205)	0.654	14.2	052133.68+671810.0	...	...	...	...	
1RXSJ052148.3−330739	0.1687 (0.0214)	0.760	11.1	052147.14−330804.3	GSC 07051−00432	*	./.	11.05 : 10.29	
1RXSJ052210.9+052343	0.3041 (0.0276)	0.722	0.0	052211.59+052350.8	BD+05 899B	**	?	10.6 :	
...	...	...	...	052211.59+052350.8	HD 35066	**	F5	7.440 : 7.004	
1RXSJ052214.6−675555	0.1683 (0.0090)	0.684	14.7	052215.45−675554.4	...	...	...	...	
1RXSJ052224.4−072515	0.1576 (0.0218)	0.723	11.5	052222.76−072459.3	...	...	...	...	
1RXSJ052249.2+201617	0.0827 (0.0153)	0.684	13.7	052250.04+201635.4	...	...	...	...	
1RXSJ052250.8+191423	0.0620 (0.0135)	0.514	15.7	052250.08+191411.7	...	...	...	...	
1RXSJ052257.6−085015	0.0687 (0.0148)	0.746	14.6	052257.01−085011.2	...	...	...	...	
1RXSJ052311.9−132528	0.0600 (0.0131)	0.540	16.0	052312.48−132537.4	...	...	...	...	
1RXSJ052319.1−191814	0.0675 (0.0140)	0.893	11.6	052317.73−191809.9	...	...	...	...	
1RXSJ052322.9−140256	0.0798 (0.0150)	0.569	15.1	052321.83−140258.9	...	...	...	...	
1RXSJ052334.1+100444	0.0583 (0.0127)	0.881	12.9	052333.75+100431.0	GSC 00704−02521	*	K3	:	
1RXSJ052342.7+065156	0.0600 (0.0129)	0.848	14.0	052342.43+065200.0	RX J0523.7+0652	TT	K6	13.87 : 12.47	P
1RXSJ052345.0−075343	0.1374 (0.0187)	0.852	13.3	052344.29−075336.9	...	...	...	...	
1RXSJ052352.8−005207	0.0584 (0.0142)	0.526	0.0	052351.40−005202.6	CCDM J05239−0052A	**	F7V	6.6 : 6.1	
...	...	...	...	052351.40−005202.6	CCDM J05239−0052B	**	F8V	8.0 :	
...	...	...	...	052351.40−005202.6	CCDM J05239−0052BC	**mul.	./.	:	
...	...	...	...	052351.40−005202.6	CCDM J05239−0052C	**	F8V	8.1 :	
...	...	...	...	052351.40−005202.6	HD 35317	**mul.	F7V	6.62 : 6.11	
...	...	...	...	052351.40−005202.6	IRAS 05213−0054	IR	./.	:	
1RXSJ052403.2+192241	0.1736 (0.0202)	0.554	15.2	052402.24+192244.9	...	...	...	...	
1RXSJ052404.5−341830	0.1391 (0.0189)	0.581	14.0	052402.95−341837.6	...	...	...	...	
1RXSJ052414.0−210452	0.0565 (0.0135)	0.549	15.6	052413.13−210443.0	...	...	...	...	
1RXSJ052419.1−160117	0.1374 (0.0200)	0.780	15.0	052419.09−160113.6	...	...	...	...	
1RXSJ052425.5+192204	0.0533 (0.0126)	0.553	16.0	052425.77+192208.6	[LH98] 190	TT	./.	:	P
1RXSJ052429.7−022403	0.0640 (0.0136)	0.517	0.0	052428.73−022349.3	HD 35411	Ecl. Bin. (beta Lyr)	B0.5V	3.21 : 3.38	
1RXSJ052440.0−305511	0.0558 (0.0141)	0.824	12.6	052438.57−305524.3	...	...	...	...	
1RXSJ052448.8+715452	0.0594 (0.0137)	0.811	14.5	052448.02+715451.9	...	...	...	...	
1RXSJ052513.2−020530	0.0858 (0.0166)	0.782	12.9	052511.81−020524.0	...	...	...	...	
1RXSJ052517.1−310024	0.0538 (0.0141)	0.535	15.6	052517.87−310035.2	...	...	...	...	
1RXSJ052519.4+651057	0.1080 (0.0185)	0.502	0.0	052520.47+651054.3	AC +65 1687	*	K8	11.6 : 10.37	
1RXSJ052535.1−505445	0.0891 (0.0153)	0.545	17.1	052535.38−505445.7	...	...	...	...	
1RXSJ052540.6+425139	0.1990 (0.0242)	0.581	14.2	052540.45+425129.8	...	...	...	...	
1RXSJ052546.2−434907	0.0925 (0.0141)	0.868	14.1	052546.36−434907.7	...	...	...	...	
1RXSJ052559.2−660450	1.1750 (0.0219)	0.732	12.8	052600.75−660500.4	SNR 0525−66.1	SuperNova Remnant	./.	:	
1RXSJ052623.1−432232	0.1397 (0.0163)	0.717	0.0	052622.95−432236.4	HD 274197	**	G0	10.0 : 8.5	
1RXSJ052630.4−302916	0.0934 (0.0169)	0.882	11.2	052630.17−302848.8	...	...	...	...	
1RXSJ052630.7−602227	0.0626 (0.0083)	0.623	15.5	052631.06−602237.6	...	...	...	...	
1RXSJ052639.9−101520	0.0760 (0.0147)	0.573	15.7	052639.92−101532.4	...	...	...	...	
1RXSJ052731.0+035020	0.0502 (0.0127)	0.772	14.1	052730.21+035022.5	...	...	...	...	
1RXSJ052737.7+395525	0.0601 (0.0127)	0.773	13.5	052737.93+395531.6	[LH98] 195	TT	K2IV	:	P
1RXSJ052801.1+150400	0.0541 (0.0120)	0.610	9.2	052800.28+150408.2	HD 243928	*	G5	9.52 : 8.89	
1RXSJ052802.4−414637	0.1314 (0.0159)	0.641	16.1	052802.25−414632.9	[BFE95] 25	Quasar	./.	17.8 :	
1RXSJ052815.9−294305	0.2078 (0.0232)	0.743	14.3	052815.09−294303.3	...	...	...	...	
1RXSJ052825.5+033353	0.0756 (0.0150)	0.547	15.6	052824.94+033338.4	...	...	...	...	
1RXSJ052856.6+170307	0.0681 (0.0137)	0.776	14.2	052856.27+170314.8	[LH98] 196	TT	M0V	:	P
1RXSJ052859.8−033400	0.0967 (0.0156)	0.861	13.7	052859.61−033352.2	V* V1159 Ori	DN	./.	12.5 :	P
1RXSJ052901.8+105712	0.0895 (0.0152)	0.582	16.6	052901.66+105709.7	...	...	...	...	
1RXSJ052916.9+250853	0.1903 (0.0226)	0.523	0.0	052916.33+250856.9	HD 35943	V*	B8.5V	5.42 :	
...	...	...	...	052916.33+250856.9	HD 35943 B	**	A1V	6.3 : 6.7	
...	...	...	...	052916.33+250856.9	IRAS 05261+2506	IR	./.	:	
...	...	...	...	052916.33+250856.9	[LH98] 198	TT	B8	:	P
1RXSJ052922.3+115212	0.0919 (0.0134)	0.584	13.6	052923.93+115157.7	V* V649 Ori	V* (Orion)	K3V:e	12.80 :	
1RXSJ052922.5+004112	0.0519 (0.0127)	0.685	12.6	052920.62+004128.2	...	...	...	...	
1RXSJ052924.2+144836	0.0843 (0.0147)	0.727	9.2	052923.74+144822.6	HD 244162	TT	F8	10.07 : 9.62	P
1RXSJ052929.6+031838	0.1475 (0.0194)	0.684	13.5	052929.48+031821.0	...	...	...	...	
1RXSJ052943.1+233412	0.0646 (0.0138)	0.721	14.4	052942.47+233412.6	...	...	...	...	
1RXSJ052945.2−323911	0.1003 (0.0163)	0.752	14.7	052944.67−323914.7	EXO 052753−3241.5	X	M4.5Ve	:	
1RXSJ052955.3+443452	0.0617 (0.0138)	0.689	12.6	052955.61+443438.5	IRAS 05262+4432	Gal.	./.	:	P
1RXSJ053001.0+022205	0.0938 (0.0156)	0.617	9.0	053000.42+022214.4	GSC 00118−00424	*	./.	9.37 : 9.35	
1RXSJ053055.8+101506	0.0704 (0.0137)	0.757	14.5	053056.22+101500.5	...	...	...	...	
1RXSJ053118.3−391647	0.3720 (0.0386)	0.701	15.5	053117.74−391645.5	[BFE95] 26	Quasar	./.	17.1 :	
1RXSJ053124.6+214232	0.0820 (0.0168)	0.739	14.4	053125.52+214230.1	G 100−12	*	./.	14.8 :	
1RXSJ053134.2+242539	0.0829 (0.0149)	0.732	14.9	053134.50+242531.3	RE J053131+242348	X	MV:e	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ053136.3−462406	0.7261 (0.0941)	0.557	16.5	053135.53−462407.8	V* UW Pic	CV (AM Her type)	CV	:	P
1RXSJ053138.9−032659	0.0786 (0.0153)	0.817	0.0	053138.55−032707.2	BD−03 1125	TT	K0	:	P
1RXSJ053159.6+030846	0.1041 (0.0158)	0.549	9.3	053158.97+030839.1	HD 36472	*	A0	9.51 : 9.36	
1RXSJ053207.7+060217	0.0509 (0.0115)	0.670	0.0	053207.40+060249.3	HD 36471	*Neb.	B8V	8.78 : 8.70	
1RXSJ053230.6−375310	0.2061 (0.0296)	0.562	16.1	053230.74−375320.5	[VV96] J053230.7−375321	Quasar	./.	:	
1RXSJ053234.9+624755	0.2602 (0.0269)	0.557	16.3	053233.71+624751.8	...	...	...	...	
1RXSJ053236.6−052254	0.1219 (0.0175)	0.860	13.5	053236.11−052301.1	...	...	...	...	
1RXSJ053246.1−662203	2.3010 (0.0238)	0.526	13.8	053247.21−662152.4	RM 1−580	*	./.	:	
1RXSJ053256.0−370134	0.1547 (0.0188)	0.684	15.4	053256.13−370140.2	...	...	...	...	
1RXSJ053306.7+140011	0.0549 (0.0131)	0.507	15.0	053305.75+140038.1	...	...	...	...	
1RXSJ053310.8−291416	0.0594 (0.0127)	0.637	15.6	053311.27−291420.1	...	...	...	...	
1RXSJ053314.1−622211	0.0957 (0.0092)	0.848	13.9	053315.10−622213.1	...	...	...	...	
1RXSJ053315.2−303315	0.0557 (0.0140)	0.606	12.0	053318.57−303326.9	...	...	...	...	
1RXSJ053317.6−361931	0.1855 (0.0191)	0.704	12.4	053318.00−362005.9	...	...	...	...	
1RXSJ053318.7+444914	0.0860 (0.0162)	0.869	13.2	053318.91+444915.4	GJ 1081	HiPM*	M3.5	13.79 : 12.19	
1RXSJ053328.4−425713	0.2517 (0.0293)	0.893	13.3	053328.07−425721.5	...	...	...	...	
1RXSJ053353.0+704158	0.0841 (0.0155)	0.697	15.3	053353.83+704154.0	...	...	...	...	
1RXSJ053428.3+013718	0.0705 (0.0138)	0.705	13.7	053426.82+013730.3	...	...	...	...	
1RXSJ053431.8−601613	0.0935 (0.0117)	0.723	14.4	053430.96−601616.3	...	...	...	...	
1RXSJ053448.6−323953	0.0648 (0.0136)	0.687	14.2	053448.54−323936.5	...	...	...	...	
1RXSJ053450.5−104853	0.0720 (0.0138)	0.619	16.2	053450.76−104850.2	...	...	...	...	
1RXSJ053451.2−580150	0.2198 (0.0158)	0.672	14.9	053450.57−580140.7	V* TW Pic	CV (DQ Her type)	./.	14.1 :	P
1RXSJ053501.1+645046	0.1481 (0.0224)	0.892	13.4	053500.64+645040.6	EUVE J0535+64.8	UV	./.	:	
...	...	...	...	053500.64+645040.6	GSC 04089−00790	*	K	:	P
1RXSJ053508.6+095607	0.3622 (0.0287)	0.838	0.0	053508.51+095606.4	HD 36861	Em. *	O8III	3.48 : 3.3	
...	...	...	...	053508.51+095606.4	HD 36861 J	**mul.	O...	3.20 : 3.39	
...	...	...	...	053508.51+095606.4	HD 36862	**	B0.5V	5.65 : 5.61	
1RXSJ053509.9−390557	0.0675 (0.0124)	0.619	16.0	053510.21−390559.0	...	...	...	...	
1RXSJ053516.6−052320	2.3900 (0.1502)	0.821	0.0	053516.47−052322.9	* tet01 Ori G	YSO	./.	11.4 :	
...	...	...	...	053516.47−052322.9	* tet01 Ori H	YSO	./.	10.8 :	
...	...	...	...	053516.47−052322.9	ADS 4186 ABCD	**mul.	?	4.63 : 4.58	
...	...	...	...	053516.47−052322.9	CCDM J05353−0524KL	**mul.	./.	:	
...	...	...	...	053516.47−052322.9	CTA 37	Rad.	./.	:	
...	...	...	...	053516.47−052322.9	GMR 20	*	./.	:	
...	...	...	...	053516.47−052322.9	GMR 5	*	./.	:	
...	...	...	...	053516.47−052322.9	GMR 8	Rad.	./.	:	
...	...	...	...	053516.47−052322.9	HD 37022	V*	O6pe	5.15 :	P
...	...	...	...	053516.47−052322.9	NSV 2296	V*	B8	:	
...	...	...	...	053516.47−052322.9	PSH 162	*	./.	:	
...	...	...	...	053516.47−052322.9	PSH 164	*	./.	:	
...	...	...	...	053516.47−052322.9	PSH 165	*	./.	:	
...	...	...	...	053516.47−052322.9	SV* ZI 434	V*	?	:	
...	...	...	...	053516.47−052322.9	[AD95] 3149	*	./.	:	
...	...	...	...	053516.47−052322.9	[AD95] 3254	*	./.	:	
...	...	...	...	053516.47−052322.9	[AD95] 3528	*	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 1	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 12	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 18	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 2	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 3	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 4	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 5	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 6	YSO	./.	11.4 :	
...	...	...	...	053516.47−052322.9	[BSD98] 7	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[BSD98] 9	YSO	./.	:	
...	...	...	...	053516.47−052322.9	[HHM94] 13	IR	./.	:	
...	...	...	...	053516.47−052322.9	[HHM94] 2	IR	./.	:	
...	...	...	...	053516.47−052322.9	[OW94] 160−323	*	./.	:	
...	...	...	...	053516.47−052322.9	[OW94] 161−323	*	./.	:	
...	...	...	...	053516.47−052322.9	[OW94] 162−319	*	./.	:	
...	...	...	...	053516.47−052322.9	[OW94] 163−322	*	./.	:	
...	...	...	...	053516.47−052322.9	[OW94] 163−325	*	./.	:	
...	...	...	...	053516.47−052322.9	[OW94] 166−329	*	./.	:	
1RXSJ053520.5−004218	0.0503 (0.0128)	0.609	15.7	053520.16−004213.7	Haro 5−72	Em. *	./.	:	
1RXSJ053526.3−055436	1.6200 (0.1280)	0.873	0.0	053525.98−055435.6	BD−06 1241B	**	B7IV	:	
...	...	...	...	053525.98−055435.6	GEN# +2.19760721	*	./.	2.52 : 2.77	
...	...	...	...	053525.98−055435.6	HD 37043	Spec. Bin.	O9III	2.53 : 2.77	
1RXSJ053527.5−432247	0.2078 (0.0261)	0.841	14.0	053526.78−432245.7	RBS 665	Sy1	./.	:	P
1RXSJ053532.6+401116	0.1642 (0.0213)	0.692	15.5	053532.13+401115.4	IRAS 05320+4009	IR	./.	:	
1RXSJ053555.0−653039	0.1218 (0.0072)	0.867	13.6	053554.65−653038.9	...	...	...	...	
1RXSJ053605.5−054142	0.0623 (0.0142)	0.704	13.4	053606.32−054156.4	Parenago 2328	*Neb.	./.	12.8 : 11.7	
...	...	...	...	053606.32−054156.4	[AD95] 209	*	./.	:	
...	...	...	...	053606.32−054156.4	[AD95] 2201	*	./.	:	
1RXSJ053609.5+822314	0.0949 (0.0151)	0.700	14.8	053607.23+822313.2	...	...	...	...	
1RXSJ053611.9−394550	0.0892 (0.0143)	0.665	11.8	053611.30−394508.5	...	...	...	...	
1RXSJ053615.5−063850	0.0662 (0.0141)	0.805	11.9	053613.85−063848.7	BD−06 1252	*	G2IV	11.13 : 10.53	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	053613.85−063848.7	V* V1241 Ori	Flare *	./.	15.2 : 13.8	
...	...	...	...	053613.85−063848.7	[VSS88] 21	*	./.	:	
1RXSJ053621.3−514401	0.1106 (0.0132)	0.787	14.5	053621.26−514408.3	...	...	...	...	
1RXSJ053636.6+213927	0.1472 (0.0232)	0.775	14.4	053636.34+213935.2	[LH98] 211	TT	K4V	:	P
1RXSJ053656.3−475751	1.3170 (0.1772)	0.845	0.0	053656.85−475752.9	HD 37572	**	K0V	8.76 : 7.93	
1RXSJ053713.4−424257	0.1323 (0.0155)	0.705	0.0	053713.24−424257.3	HD 37551	V*	K1/K2V+...	9.7 : 9.2	
1RXSJ053718.6−444257	0.1314 (0.0150)	0.837	14.0	053718.67−444305.0	...	...	...	...	
1RXSJ053723.5−142531	0.0530 (0.0127)	0.723	12.5	053726.49−142512.8	...	...	...	...	
1RXSJ053724.2−650413	0.0651 (0.0067)	0.745	13.3	053721.80−650408.6	IRAS 05371−6505	IR	./.	:	
...	...	...	...	053721.80−650408.6	[FHW95] LMC B0537−6506	IR	./.	:	
1RXSJ053736.1−081036	0.0551 (0.0126)	0.690	14.8	053735.60−081026.9	...	...	...	...	
1RXSJ053743.5−000643	0.0529 (0.0126)	0.684	12.7	053742.23−000648.6	...	...	...	...	
1RXSJ053744.6−570952	0.0800 (0.0109)	0.882	14.1	053744.77−570955.8	...	...	...	...	
1RXSJ053746.4+023112	0.2462 (0.0246)	0.684	12.3	053746.48+023128.8	RE J053753+023134	X	MV:e	:	
1RXSJ053756.8−023857	0.0501 (0.0128)	0.692	12.9	053754.41−023929.8	...	...	...	...	
1RXSJ053828.2−014356	0.0513 (0.0123)	0.503	13.7	053826.70−014411.0	...	...	...	...	
1RXSJ053832.4−015351	0.0554 (0.0128)	0.835	12.9	053831.38−015403.0	...	...	...	...	
1RXSJ053842.2+322811	0.1556 (0.0198)	0.562	8.4	053841.46+322831.9	HD 37252	**	G0	8.41 : 7.96	
1RXSJ053850.2−440504	0.1776 (0.0167)	0.688	15.8	053850.38−440508.9	QSO 0537−4406	BL Lac − type object	./.	15.96 :	P
1RXSJ053857.5−062449	0.0558 (0.0127)	0.874	11.9	053856.61−062439.2	Parenago 2752	*Neb.	G5	11.55 : 10.88	
...	...	...	...	053856.61−062439.2	RX J0538.9−0624	TT	G9	:	
...	...	...	...	053856.61−062439.2	[VSS88] 156	*	./.	:	
1RXSJ053919.5−680619	0.0532 (0.0058)	0.621	14.0	053923.10−680613.9	...	...	...	...	
1RXSJ053923.6−193333	0.3012 (0.0263)	0.605	11.0	053923.17−193329.3	CPD−19 878	*	./.	:	
...	...	...	...	053923.17−193329.3	GSC 05925−01547	*	./.	11.5 : 10.7	
1RXSJ053925.5−424515	0.1420 (0.0158)	0.828	14.0	053924.99−424521.5	...	...	...	...	
1RXSJ053926.8−185755	0.0533 (0.0123)	0.539	13.3	053926.24−185806.5	...	...	...	...	
1RXSJ053931.8+605343	0.1004 (0.0189)	0.658	13.9	053934.10+605321.0	...	...	...	...	
1RXSJ053932.5−155036	0.0522 (0.0117)	0.544	16.3	053932.01−155030.0	[VV96] J053932.0−155029	Quasar	./.	:	P
1RXSJ053936.4−404706	0.1136 (0.0154)	0.633	16.1	053936.40−404708.8	...	...	...	...	
1RXSJ053954.8−130805	0.0505 (0.0120)	0.695	15.2	053954.90−130759.1	...	...	...	...	
1RXSJ053956.8+095638	0.2669 (0.0249)	0.726	11.1	053956.64+095634.4	RX J0539.9+0956	TT	K4	:	P
1RXSJ054011.0−432311	0.1211 (0.0152)	0.816	12.8	054010.57−432319.0	...	...	...	...	
1RXSJ054024.1−294257	0.2087 (0.0222)	0.654	15.9	054023.89−294302.1	...	...	...	...	
1RXSJ054053.0−614312	0.0977 (0.0110)	0.824	11.4	054050.79−614237.7	MOST 0540−617	Gal.	./.	:	P
...	...	...	...	054050.79−614237.7	PMN J0540−6142	Rad.	./.	:	
1RXSJ054056.2−481019	0.0598 (0.0101)	0.864	11.9	054057.46−480947.1	MRC 0539−481	Rad.	./.	:	
1RXSJ054139.7+394925	0.0559 (0.0138)	0.774	13.7	054138.95+394938.4	...	...	...	...	
1RXSJ054158.2−373835	0.0753 (0.0125)	0.586	16.3	054158.03−373837.1	[VV96] J054158.1−373837	Quasar	./.	17.1 : 17.1	
1RXSJ054201.5+663510	0.0677 (0.0146)	0.722	14.2	054201.04+663523.8	...	...	...	...	
1RXSJ054223.7−275803	0.0873 (0.0147)	0.527	16.3	054223.86−275803.4	...	...	...	...	
1RXSJ054232.1+152459	0.1217 (0.0180)	0.869	14.0	054232.04+152504.9	...	...	...	...	
1RXSJ054249.9+605132	1.4990 (0.0662)	0.816	14.5	054249.05+605131.4	V* BY Cam	CV (AM Her type)	./.	16.60 : 16.61	
1RXSJ054256.1−071844	0.0822 (0.0151)	0.697	15.3	054255.83−071837.3	...	...	...	...	
1RXSJ054327.1−302518	0.1155 (0.0169)	0.848	14.0	054326.73−302513.2	...	...	...	...	
1RXSJ054330.9−353609	0.1178 (0.0165)	0.683	15.6	054330.73−353615.3	...	...	...	...	
1RXSJ054334.5−682218	0.8994 (0.0194)	0.512	17.5	054334.14−682222.4	2E 0543.7−6822	X−ray Binary	Ss	16.7 :	P
...	...	...	...	054334.14−682222.4	EQ 054348.4−682334.1	./.	./.	:	
1RXSJ054357.3−553206	0.6851 (0.0275)	0.668	16.4	054357.23−553207.4	RBS 679	BL Lac − type object	./.	:	P
1RXSJ054426.9−251018	0.2455 (0.0232)	0.539	16.5	054426.55−251025.3	...	...	...	...	
1RXSJ054434.2−200515	0.0820 (0.0148)	0.818	14.4	054433.74−200515.6	...	...	...	...	
1RXSJ054454.3+103513	0.0932 (0.0167)	0.800	12.7	054455.19+103514.4	...	...	...	...	
1RXSJ054508.2+234951	0.0513 (0.0127)	0.682	12.0	054506.69+235016.1	...	...	...	...	
1RXSJ054522.7−475617	0.1589 (0.0154)	0.563	14.7	054521.83−475622.4	...	...	...	...	
1RXSJ054531.7−255628	0.1706 (0.0133)	0.647	9.5	054529.58−255556.9	ESO 488− 9	Gal. in Clust.	S0	14. :	
...	...	...	...	054529.58−255556.9	[GVD92] 054328.3−255703	Gal. in Clust.	./.	:	
...	...	...	...	054529.58−255556.9	[QR95] 054328.0−255706	Gal. in Clust.	./.	:	
1RXSJ054536.6+552942	0.0659 (0.0154)	0.770	14.4	054537.64+552943.6	...	...	...	...	
1RXSJ054552.2+225248	0.2363 (0.0256)	0.867	13.7	054551.95+225247.9	...	...	...	...	
1RXSJ054612.0+781512	0.0783 (0.0150)	0.514	9.1	054614.09+781516.5	HD 37006	*	G0	8.93 : 8.20	
1RXSJ054631.6+304809	0.0723 (0.0141)	0.659	12.6	054632.02+304827.6	...	...	...	...	
1RXSJ054706.5−321047	0.0756 (0.0134)	0.764	14.8	054706.46−321041.6	...	...	...	...	
1RXSJ054717.5−285617	0.0966 (0.0154)	0.608	14.8	054717.85−285613.6	...	...	...	...	
1RXSJ054731.6−304148	0.2162 (0.0220)	0.776	15.1	054731.77−304146.2	...	...	...	...	
1RXSJ054738.6−472402	0.0754 (0.0108)	0.554	14.8	054736.02−472351.1	...	...	...	...	
1RXSJ054738.6−541838	0.1143 (0.0110)	0.675	14.7	054738.70−541847.0	...	...	...	...	
1RXSJ054747.2−195609	0.1677 (0.0205)	0.531	17.1	054746.89−195608.5	1RXS J054747.2−195609	Active Galaxy Nucleus	./.	:	P
1RXSJ054748.5+283512	0.1340 (0.0179)	0.698	15.9	054748.32+283511.6	V* FS Aur	DN	?	14.40 :	
1RXSJ054906.7−273356	0.1377 (0.0195)	0.830	0.0	054906.57−273355.6	CD−27 2520	*	./.	11.01 : 10.27	
1RXSJ054915.4−242550	0.2788 (0.0246)	0.757	14.6	054914.90−242551.9	...	...	...	...	
1RXSJ054923.2−411800	0.0622 (0.0109)	0.543	16.3	054923.69−411800.4	[VV96] J054923.7−411800	Quasar	./.	17.5 : 17.5	
1RXSJ054937.2−142902	0.0616 (0.0129)	0.516	0.0	054936.60−142903.0	HD 39070	**mul.	G8III	6.37 : 5.49	
1RXSJ054942.9−115848	0.0678 (0.0137)	0.704	14.9	054942.76−115849.8	...	...	...	...	
1RXSJ055003.0−281314	0.1618 (0.0207)	0.603	15.0	055002.10−281312.4	...	...	...	...	
1RXSJ055009.0+051154	0.0707 (0.0138)	0.766	14.0	055008.55+051155.5	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ055013.3+265738	0.1547 (0.0202)	0.685	9.2	055013.42+265747.4	HD 248087	V*	G0	9.22 : 8.70	
1RXSJ055020.9+771730	0.0617 (0.0137)	0.818	14.2	055021.68+771736.7	...	...	...	...	
1RXSJ055033.0−250418	0.1167 (0.0172)	0.753	14.1	055032.67−250420.4	...	...	...	...	
1RXSJ055038.1+000553	0.6711 (0.0561)	0.685	14.6	055037.34+000555.4	...	...	...	...	
1RXSJ055040.7−321619	2.5330 (0.1793)	0.809	10.1	055040.65−321617.3	QSO 0548−322	BL Lac − type object	?	16.07 :	P
...	...	...	...	055040.65−321617.3	[RLM94] 0548−322 1	Rad.	./.	:	
1RXSJ055041.2+430443	0.1324 (0.0199)	0.862	13.3	055041.53+430453.8	...	...	...	...	
1RXSJ055046.6−175630	0.0604 (0.0132)	0.870	12.2	055045.86−175642.8	...	...	...	...	
1RXSJ055047.4−240853	0.2729 (0.0371)	0.563	16.1	055046.71−240850.7	...	...	...	...	
1RXSJ055100.3−221746	0.0645 (0.0127)	0.720	15.3	055100.10−221746.0	...	...	...	...	
1RXSJ055142.4−191302	0.0716 (0.0136)	0.820	13.9	055141.86−191306.4	...	...	...	...	
1RXSJ055209.9+613429	0.0559 (0.0143)	0.784	13.2	055207.87+613441.2	...	...	...	...	
1RXSJ055225.6+204158	0.0665 (0.0135)	0.792	8.7	055223.65+204152.8	HD 39285	*	B9V	8.22 : 8.21	
1RXSJ055228.1+155313	2.1430 (0.0708)	0.544	14.9	055227.36+155321.9	FS 12	*	./.	:	
...	...	...	...	055227.36+155321.9	GD 71	WD	DAw...	12.81 : 13.06	P
1RXSJ055229.5+592842	0.3943 (0.0358)	0.795	13.8	055228.21+592836.7	...	...	...	...	
1RXSJ055252.0−210315	0.3663 (0.0279)	0.799	12.5	055251.04−210304.4	...	...	...	...	
1RXSJ055252.2−331139	0.0907 (0.0146)	0.728	14.3	055251.94−331153.8	...	...	...	...	
1RXSJ055310.6−400924	0.0609 (0.0107)	0.721	15.0	055311.09−400931.7	...	...	...	...	
1RXSJ055401.7+605834	0.0573 (0.0142)	0.557	16.3	055401.21+605841.0	IRAS 05494+6058	Gal.	./.	:	P
1RXSJ055402.6+014024	0.2632 (0.0235)	0.532	8.0	055403.00+014025.9	HD 288313	Em. *	K2	11.1 : 10.00	
1RXSJ055403.4−165735	0.0575 (0.0129)	0.569	16.4	055403.11−165736.2	...	...	...	...	
1RXSJ055427.1−345339	0.2110 (0.0206)	0.618	15.8	055426.42−345340.6	...	...	...	...	
1RXSJ055448.8+662036	0.0523 (0.0136)	0.603	14.6	055447.27+662043.7	IRAS 05496+6620	IR	./.	:	
1RXSJ055516.5+125332	0.1719 (0.0208)	0.625	0.0	055515.81+125343.2	HD 39771	*	G0	8.96 : 8.60	
1RXSJ055533.1−082915	0.0717 (0.0131)	0.568	15.7	055532.57−082925.1	...	...	...	...	
1RXSJ055534.8−204840	0.1353 (0.0179)	0.730	10.9	055535.28−204839.4	CPD−20 1039	*	./.	11.5 : 10.79	
1RXSJ055540.4−220115	0.1166 (0.0160)	0.567	16.9	055540.34−220114.0	...	...	...	...	
1RXSJ055553.0+200418	0.0939 (0.0158)	0.763	14.1	055553.22+200429.3	...	...	...	...	
1RXSJ055556.5+402910	0.0688 (0.0146)	0.777	13.3	055557.63+402906.8	...	...	...	...	
1RXSJ055632.8+230554	0.1065 (0.0180)	0.848	12.7	055633.22+230547.1	...	...	...	...	
1RXSJ055637.9−484739	0.0574 (0.0094)	0.744	14.4	055637.02−484731.5	...	...	...	...	
1RXSJ055641.0−101837	0.0599 (0.0127)	0.745	14.4	055640.76−101843.7	...	...	...	...	
1RXSJ055701.2−163507	0.1424 (0.0189)	0.528	17.0	055701.34−163512.2	...	...	...	...	
1RXSJ055707.6−415954	0.0524 (0.0102)	0.646	13.4	055706.37−420005.0	...	...	...	...	
1RXSJ055707.7+205837	0.0726 (0.0145)	0.501	8.2	055707.85+205839.2	HD 40019	*	A2	8.14 : 7.90	
1RXSJ055711.1−372813	0.2081 (0.0196)	0.885	9.6	055712.49−372836.6	ACO S 555	Clust.	./.	:	
...	...	...	...	055712.49−372836.6	ESO 364− 18	Gal.	S0	15. :	P
1RXSJ055713.9+544452	0.1454 (0.0220)	0.876	9.3	055714.62+544518.0	HD 39658	*	A0	8.89 : 8.77	
1RXSJ055715.0−535719	0.1880 (0.0123)	0.815	13.1	055714.72−535714.1	CTS 83	Gal.	./.	:	
...	...	...	...	055714.72−535714.1	IRAS 05562−5357	IR	./.	:	
1RXSJ055724.7+000142	0.0540 (0.0122)	0.519	0.0	055725.22+000140.4	CCDM J05574+0002B	**	./.	:	
...	...	...	...	055725.22+000140.4	CCDM J05574+0002C	**	./.	:	
...	...	...	...	055725.22+000140.4	HD 40210	**	A0V	6.90 : 6.90	
1RXSJ055733.3−514331	0.0694 (0.0096)	0.845	11.8	055734.16−514348.0	GSC 08100−00533	*	./.	11.8 : 11.0	
1RXSJ055751.4−380409	0.3353 (0.0416)	0.850	13.7	055750.79−380403.4	V* TY Col	V* (RS CVn)	G4Vvar+...	10.21 : 9.57	P
1RXSJ055800.7+535358	1.6470 (0.0674)	0.523	13.3	055759.29+535345.6	...	...	...	...	
1RXSJ055806.6−383829	0.5929 (0.0639)	0.594	16.6	055806.41−383831.6	EXO 0556.4−3838	BL Lac − type object	./.	:	P
1RXSJ055814.3−192540	0.0752 (0.0131)	0.772	11.9	055814.58−192602.0	...	...	...	...	
1RXSJ055817.1−444404	0.0678 (0.0107)	0.815	11.3	055814.61−444349.7	...	...	...	...	
1RXSJ055841.6−031123	0.0656 (0.0136)	0.825	12.6	055841.66−031101.2	...	...	...	...	
1RXSJ055946.5−502640	4.1980 (0.3019)	0.675	14.3	055947.38−502652.4	[VV96] J055947.4−502651	Quasar	./.	15.18 : 14.97	P
1RXSJ055955.9+583413	0.1398 (0.0234)	0.637	14.9	055955.69+583426.9	...	...	...	...	
1RXSJ060003.4+024227	0.4040 (0.0447)	0.822	12.4	060002.55+024225.6	...	...	...	...	
1RXSJ060009.3−200819	0.0675 (0.0142)	0.518	16.1	060009.95−200809.4	...	...	...	...	
1RXSJ060023.4−440122	0.1096 (0.0127)	0.684	15.8	060023.00−440122.4	...	...	...	...	
1RXSJ060046.2+264210	0.1629 (0.0245)	0.588	9.2	060046.11+264213.0	HD 250174	*	A3	9.49 : 9.02	
1RXSJ060054.6+380525	0.0512 (0.0131)	0.529	8.6	060054.41+380526.9	HD 40498	*	F5	8.84 : 8.46	
1RXSJ060125.7−322510	0.2053 (0.0197)	0.845	13.8	060125.37−322517.7	...	...	...	...	
1RXSJ060131.0+132758	0.0787 (0.0148)	0.878	11.7	060131.34+132744.5	GSC 00729−01744	*	./.	11.2 : 10.28	
1RXSJ060133.0−401643	0.0778 (0.0126)	0.556	15.8	060131.88−401646.8	...	...	...	...	
1RXSJ060200.7+531612	0.2201 (0.0267)	0.512	15.7	060200.44+531600.2	...	...	...	...	
1RXSJ060210.7+282821	0.8663 (0.0598)	0.796	14.6	060210.49+282819.3	IRAS 05589+2828	IR	./.	:	
...	...	...	...	060210.49+282819.3	RX J0602.1+2828	Sy1	./.	:	P
1RXSJ060216.9−202558	0.0543 (0.0116)	0.811	14.2	060216.58−202554.4	...	...	...	...	
1RXSJ060236.1−595132	0.0553 (0.0058)	0.588	13.0	060238.54−595159.9	...	...	...	...	
1RXSJ060303.3+570121	0.0771 (0.0171)	0.527	12.4	060304.60+570110.8	HD 40568	*	G5	7.439 : 6.500	
1RXSJ060336.9−263925	0.0839 (0.0151)	0.803	9.8	060339.16−263950.9	ESO 488− 59	Gal.	S0	:	
1RXSJ060358.3+222813	0.0630 (0.0173)	0.820	12.7	060358.45+222832.3	...	...	...	...	
1RXSJ060415.2+124555	0.3881 (0.0315)	0.783	0.0	060414.99+124551.1	HD 251108	*	K2	11.3 : 9.97	
1RXSJ060446.6−482728	1.9020 (0.2121)	0.672	0.0	060446.77−482729.7	HD 41824	V*	G6V	7.29 :	P
...	...	...	...	060446.77−482729.7	IRAS 06034−4827	IR	./.	:	
1RXSJ060455.4−010753	0.0589 (0.0164)	0.705	8.5	060456.91−010800.2	HD 41420	**	F5	8.58 : 8.14	
1RXSJ060459.3+642753	0.0924 (0.0181)	0.568	14.8	060501.96+642749.3	...	...	...	...	
1RXSJ060502.5−481944	0.0695 (0.0154)	0.568	15.3	060502.70−481959.6	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ060548.1−275439	0.3825 (0.0379)	0.609	15.2	060548.97−275440.4	...	...	...	...	
1RXSJ060552.7−351759	0.3981 (0.0367)	0.736	13.0	060554.07−351807.6	Cul 0604−352	Rad.	./.	:	
...	...	...	...	060554.07−351807.6	MRC 0604−352	Gal.	S0	:	P
1RXSJ060607.9−624808	0.1480 (0.0078)	0.844	13.0	060608.56−624806.1	...	...	...	...	
1RXSJ060613.6−033701	0.0559 (0.0121)	0.616	14.8	060613.00−033712.3	...	...	...	...	
1RXSJ060635.4−472957	0.2129 (0.0155)	0.556	9.6	060635.79−472955.2	ESO 254− 17	Gal.	Sa	:	P
...	...	...	...	060635.79−472955.2	PMN J0606−4729	Rad.	./.	:	
1RXSJ060702.5+414553	0.0578 (0.0170)	0.507	9.2	060702.90+414543.7	BD+41 1354B	**	?	:	
...	...	...	...	060702.90+414543.7	HD 41414	**	F8	9.31 : 8.70	
1RXSJ060708.1−135958	0.0527 (0.0110)	0.845	11.8	060707.84−135953.8	...	...	...	...	
1RXSJ060712.1−221559	0.1002 (0.0157)	0.530	0.0	060713.03−221559.2	HD 41974	**	G1V:+...	9.88 : 9.31	
1RXSJ060713.8+133640	0.0583 (0.0134)	0.887	12.1	060713.68+133657.1	...	...	...	...	
1RXSJ060738.1−111015	0.0721 (0.0130)	0.741	14.4	060738.13−111028.3	...	...	...	...	
1RXSJ060758.4+231316	0.0602 (0.0143)	0.845	12.6	060757.49+231259.0	...	...	...	...	
1RXSJ060828.4−462130	0.0552 (0.0087)	0.871	13.6	060828.37−462121.3	...	...	...	...	
1RXSJ060841.0−304138	0.0997 (0.0133)	0.618	16.0	060840.56−304133.9	...	...	...	...	
1RXSJ060857.9+634801	0.0620 (0.0152)	0.842	12.7	060859.85+634806.0	...	...	...	...	
1RXSJ060918.2−090738	0.0924 (0.0146)	0.524	8.4	060918.58−090736.7	HD 42238	*	G5	8.55 : 7.99	
1RXSJ060936.2−032343	0.1780 (0.0213)	0.576	0.0	060935.86−032346.4	HD 42258	**mul.	G0	9.07 : 8.63	
1RXSJ060945.9+833731	0.0514 (0.0115)	0.535	13.7	060951.33+833716.3	...	...	...	...	
1RXSJ060951.5+323011	0.1180 (0.0193)	0.841	0.0	060951.09+322948.7	GSC 02424−00396	*	./.	11.0 : 10.06	
1RXSJ060959.6+680059	0.1104 (0.0195)	0.673	10.6	060954.98+680129.8	GSC 04345−01373	*	./.	10.37 : 9.79	
1RXSJ061006.6−624311	0.3559 (0.0123)	0.742	16.0	061006.67−624311.6	...	...	...	...	
1RXSJ061016.0+212006	0.1331 (0.0204)	0.558	12.0	061015.68+212004.9	...	...	...	...	
1RXSJ061046.2−265340	0.0960 (0.0130)	0.737	15.2	061045.84−265339.6	...	...	...	...	
1RXSJ061100.8−273524	0.1295 (0.0157)	0.763	14.3	061101.15−273533.1	...	...	...	...	
1RXSJ061117.7−192255	0.1343 (0.0161)	0.635	15.8	061117.35−192300.6	...	...	...	...	
1RXSJ061118.5+071118	0.0509 (0.0127)	0.675	14.0	061118.68+071108.9	...	...	...	...	
1RXSJ061132.6−721335	0.0654 (0.0084)	0.617	15.1	061129.91−721340.0	...	...	...	...	
1RXSJ061148.5−662430	0.1972 (0.0056)	0.640	16.5	061148.32−662434.0	[FHW95] LMC B0611−6623	Rad.	./.	:	
1RXSJ061157.1−444430	0.1138 (0.0126)	0.795	14.7	061156.76−444434.4	...	...	...	...	
1RXSJ061231.4−212831	0.0902 (0.0128)	0.566	16.8	061231.39−212831.4	...	...	...	...	
1RXSJ061233.5+483645	0.1203 (0.0224)	0.652	14.3	061234.96+483659.7	...	...	...	...	
1RXSJ061238.5−354316	0.0918 (0.0128)	0.823	13.1	061238.65−354307.2	...	...	...	...	
1RXSJ061242.0+585509	0.0568 (0.0139)	0.559	16.8	061241.75+585510.4	...	...	...	...	
1RXSJ061254.1+193153	0.0980 (0.0169)	0.849	12.0	061255.45+193151.7	...	...	...	...	
1RXSJ061254.6+524354	0.0523 (0.0140)	0.511	9.7	061255.07+524358.7	HD 42291	*	A2	9.64 : 9.36	
1RXSJ061309.8+502644	0.0505 (0.0137)	0.683	14.3	061310.08+502628.4	...	...	...	...	
1RXSJ061347.5+084617	0.1039 (0.0177)	0.704	0.0	061348.16+084616.2	GSC 00730−01040	*	./.	12.0 : 11.0	
1RXSJ061355.7−273318	0.0762 (0.0134)	0.861	13.2	061355.62−273320.7	...	...	...	...	
1RXSJ061454.9−603926	0.0500 (0.0068)	0.878	12.7	061454.67−603922.8	...	...	...	...	
1RXSJ061503.5+195246	0.0726 (0.0152)	0.638	15.0	061503.38+195242.9	...	...	...	...	
1RXSJ061509.9+252250	0.0530 (0.0137)	0.714	12.4	061509.35+252229.3	...	...	...	...	
1RXSJ061514.4−240548	0.0593 (0.0108)	0.742	14.1	061514.00−240535.9	...	...	...	...	
1RXSJ061521.4−782836	0.0842 (0.0119)	0.557	15.1	061518.20−782830.3	...	...	...	...	
1RXSJ061521.8+510922	0.1215 (0.0215)	0.643	13.1	061522.63+510906.8	...	...	...	...	
1RXSJ061530.2−843313	0.1322 (0.0253)	0.742	14.2	061539.85−843313.0	...	...	...	...	
1RXSJ061543.6+283502	0.0730 (0.0157)	0.543	16.7	061543.91+283509.1	V* KR Aur	Nova−like Star	?	11.30 :	
1RXSJ061544.4−653151	0.0927 (0.0052)	0.721	15.7	061543.66−653153.1	1RXS J061544.4−653151	Sy1	./.	:	P
1RXSJ061544.7−031430	0.0709 (0.0143)	0.865	11.4	061542.67−031458.5	...	...	...	...	
1RXSJ061545.3+475752	0.1389 (0.0227)	0.526	17.1	061544.91+475749.4	...	...	...	...	
1RXSJ061549.4−331116	0.0505 (0.0102)	0.729	13.4	061549.26−331056.8	...	...	...	...	
1RXSJ061606.7−515230	0.0658 (0.0100)	0.891	12.5	061606.17−515229.3	...	...	...	...	
1RXSJ061610.6−132046	0.0690 (0.0127)	0.565	16.5	061610.36−132040.8	...	...	...	...	
1RXSJ061643.2+152419	0.0514 (0.0129)	0.592	15.3	061643.24+152411.7	V* CZ Ori	DN	?	11.80 :	
1RXSJ061747.8−520132	0.0807 (0.0105)	0.566	12.4	061750.64−520114.0	...	...	...	...	
1RXSJ061833.1−484445	0.0787 (0.0114)	0.892	10.5	061837.75−484429.4	CD−48 2248	*	./.	10.64 : 10.25	
1RXSJ061850.1−233441	0.0595 (0.0120)	0.598	15.3	061850.89−233446.9	...	...	...	...	
1RXSJ061853.9+134643	0.1009 (0.0164)	0.501	8.4	061854.48+134640.5	HD 43820	**mul.	A2Ib	8.37 : 8.27	
1RXSJ061907.3−082825	0.0793 (0.0138)	0.518	15.3	061906.92−082806.2	...	...	...	...	
1RXSJ061908.2−032625	0.4896 (0.0464)	0.579	8.4	061908.10−032618.2	HD 43989	V*	G0	8.50 : 7.96	
1RXSJ061909.0+083859	0.3430 (0.0277)	0.569	15.6	061909.03+083903.0	...	...	...	...	
1RXSJ061957.8+282554	0.0705 (0.0160)	0.542	0.0	061958.75+282536.3	CCDM J06200+2826AB	**mul.	./.	:	
...	...	...	...	061958.75+282536.3	CCDM J06200+2826AC	**mul.	./.	:	
...	...	...	...	061958.75+282536.3	HD 43885	**mul.	A3	7.59 : 7.39	
1RXSJ062003.3−331349	0.0906 (0.0137)	0.570	12.4	062004.48−331334.7	...	...	...	...	
1RXSJ062011.4−090414	0.0669 (0.0129)	0.579	15.8	062011.70−090404.8	[D98] RX J0620.2−0904 B	Em. *	./.	:	
1RXSJ062045.9−362003	0.0807 (0.0127)	0.724	13.2	062047.20−361948.9	...	...	...	...	
1RXSJ062052.2+132436	0.3523 (0.0307)	0.892	13.9	062052.24+132432.4	...	...	...	...	
1RXSJ062105.7+483855	0.0688 (0.0165)	0.590	0.0	062104.35+483906.9	TYC 3379 51 1	*	./.	10.94 : 10.11	
...	...	...	...	062104.35+483906.9	TYC 3379 51 2	*	./.	11.4 : 10.7	
1RXSJ062113.1+441430	0.2650 (0.0334)	0.594	13.8	062112.36+441442.4	...	...	...	...	
1RXSJ062157.9−343046	0.0554 (0.0106)	0.524	9.3	062157.27−343044.9	HD 44748	*	G6V	9.77 : 9.15	
1RXSJ062203.7−773057	0.0778 (0.0116)	0.891	14.0	062204.30−773101.6	...	...	...	...	
1RXSJ062219.8−645616	0.1245 (0.0074)	0.531	9.1	062221.57−645604.6	NGC 2235	Gal. in Clust.	S0a	11. :	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ062241.3−273757	0.0927 (0.0142)	0.787	14.9	062241.32−273755.7	WT 1498	*	./.	:	
1RXSJ062307.7−643618	0.4174 (0.0128)	0.898	14.4	062307.68−643620.8	2E 0622.9−6434	X	./.	:	
...	...	...	...	062307.68−643620.8	IRAS C06229−6434	Sy1	./.	:	
1RXSJ062332.0−441310	0.0535 (0.0105)	0.527	16.6	062331.77−441302.5	[VV96] J062331.8−441303	Quasar	./.	17.15 :	P
1RXSJ062334.6+644542	0.2593 (0.0279)	0.559	16.6	062335.14+644536.3	...	...	...	...	
1RXSJ062337.8−750437	0.1445 (0.0159)	0.752	14.5	062340.15−750433.9	...	...	...	...	
1RXSJ062346.2+043544	0.0801 (0.0149)	0.667	0.0	062346.49+043545.1	ADS 5012 AB	**mul.	A5	4.51 : 4.30	
...	...	...	...	062346.49+043545.1	HD 44770	**	F5V	6.99 : 6.60	
1RXSJ062515.5−552101	0.0523 (0.0072)	0.678	13.6	062516.38−552104.1	...	...	...	...	
1RXSJ062518.2+733433	0.1804 (0.0209)	0.770	14.2	062516.25+733438.9	...	...	...	...	
1RXSJ062520.6+383842	0.0682 (0.0168)	0.552	11.5	062521.93+383804.2	...	...	...	...	
1RXSJ062535.9−481604	0.0544 (0.0116)	0.764	14.4	062536.21−481558.3	...	...	...	...	
1RXSJ062614.2+234942	0.0743 (0.0159)	0.590	13.1	062614.59+234945.7	...	...	...	...	
1RXSJ062618.5−542905	0.1605 (0.0130)	0.675	15.1	062618.94−542901.3	...	...	...	...	
1RXSJ062628.1−073953	0.0617 (0.0137)	0.568	14.2	062629.31−073953.4	...	...	...	...	
1RXSJ062642.7+230625	0.0612 (0.0144)	0.636	16.2	062642.75+230625.9	...	...	...	...	
1RXSJ062645.2−473925	0.1065 (0.0149)	0.874	12.7	062644.36−473934.5	...	...	...	...	
1RXSJ062651.3+630210	0.0662 (0.0157)	0.795	14.4	062652.02+630205.1	...	...	...	...	
1RXSJ062654.9+172702	0.0862 (0.0169)	0.529	8.6	062655.14+172707.2	HD 45210	*	G0	8.38 : 7.71	
1RXSJ062717.3+501542	0.0524 (0.0159)	0.710	15.4	062717.01+501546.3	...	...	...	...	
1RXSJ062736.9−260103	0.2895 (0.0224)	0.706	16.1	062736.97−260102.2	...	...	...	...	
1RXSJ062746.3−542531	0.0980 (0.0101)	0.552	13.1	062748.21−542531.0	TCG ACO 3395 34	Gal. in Clust.	./.	:	
1RXSJ062818.5−011049	0.0661 (0.0139)	0.524	14.6	062818.58−011051.3	...	...	...	...	
1RXSJ062823.6+311548	0.0957 (0.0191)	0.645	0.0	062823.61+311551.2	HD 257514	**	G5	10.8 : 9.9	
1RXSJ062824.5+610435	0.0860 (0.0178)	0.887	13.3	062824.00+610438.0	...	...	...	...	
1RXSJ062834.1−130249	0.0943 (0.0140)	0.827	8.7	062835.03−130302.4	HD 45733	*	Fm	7.84 : 7.56	
1RXSJ062837.1+775734	0.0599 (0.0122)	0.622	9.1	062833.43+775735.2	HD 43748	*	G5III−IV	8.88 : 7.98	
1RXSJ062845.9+563724	0.0685 (0.0170)	0.737	14.6	062844.57+563727.2	...	...	...	...	
1RXSJ062846.8−680757	0.0500 (0.0064)	0.856	11.5	062850.07−680749.6	HD 46605	*	F2III	9.70 : 9.24	
1RXSJ062849.7−414332	0.1983 (0.0195)	0.825	14.2	062849.80−414337.6	MRC 0627−416	Rad.	./.	:	
1RXSJ062912.3−373925	0.0525 (0.0098)	0.593	16.2	062912.51−373922.5	...	...	...	...	
1RXSJ062925.1−054535	0.1330 (0.0178)	0.571	15.9	062924.78−054526.4	IRAS 06269−0543	Gal.	./.	:	P
1RXSJ062925.3−002850	0.0935 (0.0150)	0.709	13.3	062925.39−002907.5	...	...	...	...	
1RXSJ062935.8+710452	0.0766 (0.0147)	0.742	13.4	062933.98+710437.7	V* BZ Cam	Nova−like Star	./.	14.1 : 12.5	
1RXSJ062948.7−501412	0.0700 (0.0105)	0.589	0.0	062948.11−501412.7	CD−50 2240	**	?	9.1 : 8.9	
...	...	...	...	062948.11−501412.7	IRAS 06285−5012	IR	./.	:	
1RXSJ062950.3−024746	0.1049 (0.0154)	0.617	14.6	062949.82−024736.7	1E 0627.3−0245	*	MV:e	:	
1RXSJ062954.6−033520	0.0687 (0.0131)	0.772	13.2	062953.95−033507.3	...	...	...	...	
1RXSJ062956.6−265848	0.0787 (0.0136)	0.655	11.5	062954.98−265851.7	...	...	...	...	
1RXSJ062958.9−480358	0.1306 (0.0146)	0.821	13.8	062959.20−480408.0	...	...	...	...	
1RXSJ063001.7+690458	0.2789 (0.0301)	0.850	14.1	063002.48+690503.4	[VV96] J063002.4+690504	Quasar	./.	:	
1RXSJ063025.8+002009	0.0566 (0.0124)	0.809	12.6	063025.65+001944.7	...	...	...	...	
1RXSJ063032.3−673614	0.0710 (0.0062)	0.532	9.0	063033.34−673609.6	HD 46920	*	G3V	9.55 : 9.00	
1RXSJ063046.9+344154	0.0599 (0.0154)	0.639	13.4	063046.66+344136.2	...	...	...	...	
1RXSJ063054.1+055934	0.0571 (0.0131)	0.886	0.0	063053.19+055938.7	2E 0628.2+0601	X	./.	:	P
1RXSJ063059.7−240636	0.0844 (0.0139)	0.588	15.7	063059.51−240646.2	PMN J0630−2406	BL Lac − type object	./.	:	P
1RXSJ063100.8+500236	0.3601 (0.0375)	0.678	12.6	063101.71+500256.7	...	...	...	...	
1RXSJ063112.5+305614	0.1378 (0.0210)	0.770	12.4	063111.04+305615.0	...	...	...	...	
1RXSJ063130.1−324327	0.1364 (0.0170)	0.665	13.1	063128.45−324329.0	...	...	...	...	
1RXSJ063146.4−642612	0.1882 (0.0083)	0.765	15.6	063146.36−642615.2	...	...	...	...	
1RXSJ063150.6+412948	0.0849 (0.0186)	0.503	16.5	063150.76+412955.5	GJ 3396	*	M5	:	
...	...	...	...	063150.76+412955.5	LP 205−44	HiPM*	./.	:	
1RXSJ063157.3+045609	0.1271 (0.0196)	0.666	0.0	063155.52+045634.3	BD+05 1283C	**	?	:	
...	...	...	...	063155.52+045634.3	HD 46150	Em. *	O6e	6.87 : 6.75	
1RXSJ063157.9−083301	0.0618 (0.0126)	0.785	13.4	063157.56−083249.5	...	...	...	...	
1RXSJ063214.5−143308	0.0776 (0.0137)	0.774	14.4	063214.25−143301.8	...	...	...	...	
1RXSJ063220.9+154222	0.1112 (0.0183)	0.647	0.0	063220.70+154222.3	HD 46148	**mul.	F5	7.85 : 7.24	
1RXSJ063232.4+431541	0.1239 (0.0217)	0.555	16.9	063232.42+431540.9	...	...	...	...	
1RXSJ063258.1−050547	0.9080 (0.0436)	0.751	15.3	063257.76−050548.2	...	...	...	...	
1RXSJ063258.3+591522	0.0511 (0.0144)	0.723	13.9	063300.74+591516.7	...	...	...	...	
1RXSJ063326.8−103721	0.0792 (0.0141)	0.861	12.3	063325.99−103737.6	...	...	...	...	
1RXSJ063345.0−753739	0.0595 (0.0115)	0.601	0.0	063343.29−753747.9	CCDM J06337−7538A	**	./.	:	
1RXSJ063346.8−434207	0.0532 (0.0120)	0.635	11.6	063347.55−434139.5	...	...	...	...	
1RXSJ063401.1−744629	0.0990 (0.0138)	0.518	16.2	063403.52−744637.6	...	...	...	...	
1RXSJ063447.0+150443	0.0506 (0.0126)	0.636	9.1	063446.35+150440.6	HD 46572	*	G5	9.03 : 8.39	
1RXSJ063502.8+223116	0.3280 (0.0307)	0.507	16.2	063503.41+223116.1	...	...	...	...	
1RXSJ063516.5+474537	0.0658 (0.0175)	0.669	14.1	063518.65+474539.3	...	...	...	...	
1RXSJ063517.1−191135	0.0513 (0.0116)	0.576	12.5	063516.86−191129.4	...	...	...	...	
1RXSJ063524.2−364635	0.0676 (0.0155)	0.512	0.0	063524.22−364647.7	HD 47144	**mul.	A0V	5.63 : 5.77	
1RXSJ063547.2−751617	0.2152 (0.0281)	0.570	15.9	063546.50−751617.0	[VV96] J063546.5−751617	Quasar	./.	16.08 : 15.75	P
1RXSJ063553.8−735951	0.0536 (0.0104)	0.785	14.3	063554.78−735949.2	...	...	...	...	
1RXSJ063631.9+353537	0.0501 (0.0136)	0.565	15.7	063632.55+353543.1	...	...	...	...	
1RXSJ063632.5−205103	0.1049 (0.0152)	0.628	15.2	063632.30−205101.1	...	...	...	...	
1RXSJ063652.4−081044	0.0617 (0.0124)	0.545	15.6	063652.43−081048.4	...	...	...	...	
1RXSJ063723.9+024508	0.0854 (0.0153)	0.713	14.7	063723.28+024507.5	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ063726.1+334227	0.0791 (0.0174)	0.576	15.0	063725.58+334218.4	...	...	...	...	
1RXSJ063732.5−282306	0.0601 (0.0134)	0.858	13.7	063732.22−282312.7	...	...	...	...	
1RXSJ063800.5−405559	0.0594 (0.0111)	0.525	15.6	063800.31−405603.2	...	...	...	...	
1RXSJ063800.7−613156	2.3250 (0.0496)	0.730	11.1	063800.53−613201.1	GJ 3401B	*	./.	:	
...	...	...	...	063800.53−613201.1	HD 48189 A	**	G0V	6.96 : 6.34	
...	...	...	...	063800.53−613201.1	GJ 3400A	**mul.	G1.5V	6.747 : 6.182	P
1RXSJ063811.9−005216	0.0788 (0.0161)	0.625	13.6	063813.15−005212.8	...	...	...	...	
1RXSJ063957.4+200008	0.0507 (0.0121)	0.877	12.7	063957.08+200017.0	...	...	...	...	
1RXSJ064000.7−290025	0.0740 (0.0159)	0.874	9.6	063956.02−290036.2	MCG−05−16−012	Gal.	./.	16. :	
1RXSJ064006.3−303329	0.1456 (0.0225)	0.617	0.0	064005.74−303309.0	CD−30 3394B	**	?	11.3 : 10.6	
1RXSJ064020.7+842038	0.0599 (0.0115)	0.547	11.2	064018.99+842034.7	BD+84 126	*	K5	11.9 : 10.4	
1RXSJ064023.4+083601	0.0687 (0.0140)	0.859	13.9	064023.49+083604.7	...	...	...	...	
1RXSJ064039.3+224241	0.0609 (0.0135)	0.662	14.7	064039.37+224246.3	...	...	...	...	
1RXSJ064047.8−242305	0.8193 (0.0516)	0.502	16.3	064047.72−242314.5	...	...	...	...	
1RXSJ064059.3+095330	0.4394 (0.0334)	0.559	0.0	064058.54+095342.0	BD+10 1220B	**	?	:	
...	...	...	...	064058.54+095342.0	HD 47839	**mul.	O7Ve	4.41 :	
1RXSJ064109.3+044733	0.0756 (0.0178)	0.818	13.0	064109.26+044719.0	...	...	...	...	
1RXSJ064112.2+334453	0.0809 (0.0165)	0.538	15.8	064111.24+334500.0	...	...	...	...	
1RXSJ064117.0+464904	0.2356 (0.0285)	0.886	12.8	064116.84+464912.2	...	...	...	...	
1RXSJ064154.3−431827	0.0502 (0.0136)	0.759	11.0	064157.68−431742.4	...	...	...	...	
1RXSJ064227.6−423417	0.0794 (0.0132)	0.520	0.0	064227.10−423417.7	HD 48676	**mul.	F7V	8.55 : 8.04	
1RXSJ064228.9−325432	0.0764 (0.0138)	0.650	11.4	064226.88−325440.9	...	...	...	...	
1RXSJ064259.4−330716	0.0535 (0.0114)	0.670	14.7	064300.10−330714.5	...	...	...	...	
1RXSJ064311.2+194340	0.0539 (0.0129)	0.778	12.6	064310.90+194327.0	...	...	...	...	
1RXSJ064422.9−662625	0.0547 (0.0070)	0.618	15.8	064421.87−662620.1	...	...	...	...	
1RXSJ064509.3−164241	12.7300 (0.2187)	0.877	0.0	064508.94−164257.7	GJ 244A	Spec. Bin.	A1V	:	
...	...	...	...	064508.94−164257.7	GJ 244B	WD	DA	8.41 : 8.44	
1RXSJ064536.7+542028	0.1092 (0.0209)	0.566	8.6	064536.35+542031.6	HD 48251	**mul.	F2	9.1 : 8.6	
1RXSJ064643.6−770027	0.0511 (0.0120)	0.740	13.2	064642.40−770004.2	...	...	...	...	
1RXSJ064715.5+105501	0.0541 (0.0137)	0.552	8.9	064715.81+105506.1	BD+11 1303B	**	?	:	
...	...	...	...	064715.81+105506.1	BD+11 1303D	**	?	:	
...	...	...	...	064715.81+105506.1	HD 49101	**	G0	9.40 : 8.78	
1RXSJ064731.6−511803	0.0850 (0.0131)	0.781	0.0	064732.24−511813.4	...	...	...	...	
1RXSJ064735.0+280629	0.1363 (0.0189)	0.521	13.4	064735.73+280620.5	[HH95] IR Gem−20	*	./.	13.888 : 13.759	
1RXSJ064747.6−151658	0.1878 (0.0277)	0.883	12.4	064748.37−151656.2	...	...	...	...	
1RXSJ064813.6+554216	0.1156 (0.0204)	0.670	0.0	064812.77+554217.1	HD 48766	**	F5V:	6.75 : 6.28	
...	...	...	...	064812.77+554217.1	HD 48766 J	**mul.	F6+...	5.98 : 5.52	
...	...	...	...	064812.77+554217.1	HD 48767	**	F6V:	6.8 : 6.30	
...	...	...	...	064812.77+554217.1	IRAS 06440+5545	IR	./.	:	
1RXSJ064850.2+180224	0.0743 (0.0155)	0.850	12.4	064850.36+180214.9	...	...	...	...	
1RXSJ064855.3−252350	0.2390 (0.0248)	0.845	13.4	064856.10−252347.6	WD 0646−253	WD	DA:	:	P
1RXSJ064931.2−453353	0.0805 (0.0159)	0.510	0.0	064931.58−453400.9	HD 50126	**mul.	A0V	7.08 : 7.11	
1RXSJ065046.7+250257	0.9805 (0.0472)	0.652	16.3	065046.51+250259.7	1ES 0647+25.0	BL Lac − type object	./.	:	P
1RXSJ065114.4+075414	0.0759 (0.0168)	0.844	11.9	065114.49+075357.7	HD 265111	*	K0	10.72 : 9.62	
1RXSJ065130.0+035810	0.1456 (0.0262)	0.585	9.6	065129.52+035819.5	HD 50022	**mul.	G5	9.49 : 8.79	
1RXSJ065148.2+271159	0.1127 (0.0178)	0.530	13.0	065148.35+271211.8	...	...	...	...	
1RXSJ065159.0+031254	0.1357 (0.0273)	0.723	14.6	065159.67+031257.3	...	...	...	...	
1RXSJ065200.2−193721	0.1208 (0.0180)	0.662	11.7	065200.58−193722.3	...	...	...	...	
1RXSJ065211.3+553436	0.1510 (0.0217)	0.616	16.3	065211.62+553433.8	...	...	...	...	
1RXSJ065214.0+193147	0.0799 (0.0153)	0.518	14.0	065213.13+193156.9	...	...	...	...	
1RXSJ065221.0−051851	0.0878 (0.0190)	0.736	12.4	065222.93−051858.8	HD 50282	*	K0	7.250 : 6.298	P
1RXSJ065224.5+393022	0.1609 (0.0234)	0.638	16.2	065224.66+393026.4	...	...	...	...	
1RXSJ065253.8−052427	0.1449 (0.0215)	0.644	13.9	065253.88−052436.1	...	...	...	...	
1RXSJ065300.3+385134	0.0535 (0.0141)	0.691	0.0	065300.11+385152.9	HD 50018 B	**	?	10.94 : 10.24	
1RXSJ065409.8+731111	0.0549 (0.0126)	0.582	16.3	065408.92+731115.5	...	...	...	...	
1RXSJ065414.2−020940	0.2441 (0.0665)	0.512	14.3	065413.59−020916.3	...	...	...	...	
1RXSJ065426.8+092536	0.0774 (0.0193)	0.851	14.1	065426.97+092540.6	RX J0654.3+0925	X	./.	:	P
1RXSJ065434.4+070325	0.1914 (0.0329)	0.632	13.4	065434.28+070320.0	IRAS 06518+0707	IR	./.	:	
...	...	...	...	065434.28+070320.0	RX J0654.5+0703	X	./.	:	P
1RXSJ065438.4+131039	0.2634 (0.0307)	0.865	0.0	065438.59+131040.9	GJ 9220	V*	F0Vp	4.982 : 4.706	
...	...	...	...	065438.59+131040.9	GJ 9220A	**	A8III−IVn	5.04 : 4.74	
...	...	...	...	065438.59+131040.9	GJ 9220B	**	G6V	8.40 : 7.68	
1RXSJ065444.4−371601	0.0639 (0.0149)	0.528	12.0	065446.39−371620.2	...	...	...	...	
1RXSJ065459.1−563914	0.0648 (0.0135)	0.788	13.9	065459.81−563910.7	CD−56 1687	*	G0	9.97 : 9.52	
1RXSJ065508.4+842712	0.0875 (0.0133)	0.738	14.9	065504.86+842706.6	...	...	...	...	
1RXSJ065536.5+002623	0.0521 (0.0140)	0.771	13.4	065537.04+002637.2	...	...	...	...	
1RXSJ065537.9−092922	0.2504 (0.0244)	0.840	0.0	065537.69−092922.4	HD 51081	**	G0	9.14 : 8.64	
1RXSJ065547.0+011902	0.0608 (0.0157)	0.656	13.1	065547.83+011911.8	...	...	...	...	
1RXSJ065549.7+395957	0.1118 (0.0190)	0.537	11.3	065549.45+400001.4	UGC 3601	Gal.	./.	14.5 :	
1RXSJ065553.2−513354	0.0739 (0.0169)	0.615	14.4	065553.27−513346.6	...	...	...	...	
1RXSJ065558.4+290731	0.0778 (0.0147)	0.892	12.2	065557.96+290750.8	...	...	...	...	
1RXSJ065611.5+423702	0.1021 (0.0182)	0.696	15.0	065610.72+423702.8	JVAS 0652+426	Rad.	./.	:	
...	...	...	...	065610.72+423702.8	RGB J0656+426	Rad.	./.	:	
...	...	...	...	065610.72+423702.8	RX J0656.1+4236	X	./.	:	
1RXSJ065653.2−142455	0.6367 (0.0444)	0.882	11.3	065654.32−142458.9	BD−14 1654	*	./.	:	
1RXSJ065728.1+740529	0.1703 (0.0206)	0.711	14.3	065727.21+740527.8	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ065739.9+495157	0.1004 (0.0191)	0.847	13.8	065738.99+495156.9	...	...	...	...	
1RXSJ065746.0−665913	0.0821 (0.0183)	0.511	0.0	065746.98−665908.9	HD 52879	*	F5IV	8.91 : 8.48	
1RXSJ065756.6+621932	0.3315 (0.0333)	0.571	15.0	065755.05+621942.4	...	...	...	...	
1RXSJ065839.5−202150	0.0813 (0.0153)	0.781	14.4	065839.75−202153.4	...	...	...	...	
1RXSJ065844.2−095145	0.0559 (0.0125)	0.747	0.0	065844.99−095148.8	GSC 05384−01088	*	./.	10.80 : 10.8	
1RXSJ065940.5+054541	0.0651 (0.0148)	0.687	13.6	065941.65+054543.2	...	...	...	...	
1RXSJ070022.2−251224	0.0585 (0.0137)	0.631	12.1	070022.71−251206.2	...	...	...	...	
1RXSJ070037.1+482813	0.0514 (0.0144)	0.814	11.9	070039.91+482831.7	HD 51639	*	G0	9.15 : 8.67	
1RXSJ070048.7−332803	0.0506 (0.0134)	0.755	0.0	070049.75−332755.9	HD 52703	*	G8II−III	7.445 : 6.406	
1RXSJ070059.8−261330	0.0635 (0.0136)	0.705	15.2	070100.30−261334.5	...	...	...	...	
1RXSJ070110.4−323450	0.2093 (0.0238)	0.879	13.6	070110.24−323453.1	...	...	...	...	
1RXSJ070124.8+682750	0.0538 (0.0138)	0.505	9.1	070125.04+682755.4	HD 51069	*	F5	8.94 : 8.52	
1RXSJ070140.3−623556	0.0583 (0.0061)	0.780	13.5	070138.83−623606.9	...	...	...	...	
1RXSJ070204.3−544331	0.0524 (0.0136)	0.519	13.9	070201.05−544328.0	...	...	...	...	
1RXSJ070204.5−864336	0.0682 (0.0161)	0.687	14.4	070207.55−864345.9	...	...	...	...	
1RXSJ070208.6−062604	0.1951 (0.0237)	0.615	14.7	070208.79−062617.0	...	...	...	...	
1RXSJ070235.5−224016	0.0638 (0.0138)	0.673	11.3	070235.47−224006.7	...	...	...	...	
1RXSJ070406.9+751337	0.0805 (0.0145)	0.614	0.0	070404.14+751341.4	HD 51067	HiPM*	G0	7.68 : 7.12	
...	...	...	...	070404.14+751341.4	IRAS 06574+7518	IR	./.	:	
1RXSJ070423.2+190001	0.0700 (0.0154)	0.758	13.5	070423.88+185945.5	...	...	...	...	
1RXSJ070431.1−061224	0.0721 (0.0145)	0.767	13.3	070431.47−061217.1	GSC 04826−03053	*	K:...	:	P
1RXSJ070529.1+633323	0.0945 (0.0187)	0.767	14.4	070529.43+633333.0	[VV96] J070529.4+633333	Sy1	./.	:	P
1RXSJ070534.9−485029	0.0768 (0.0195)	0.878	0.0	070535.17−485030.6	CD−48 2704B	**	?	:	
...	...	...	...	070535.17−485030.6	HD 54236	**	F8V	9.80 : 9.25	
1RXSJ070546.2+224714	0.0598 (0.0146)	0.841	13.1	070546.70+224701.7	...	...	...	...	
1RXSJ070549.3−542544	0.0575 (0.0135)	0.510	13.6	070548.62−542527.0	...	...	...	...	
1RXSJ070609.7+024502	0.0590 (0.0129)	0.524	10.5	070610.07+024454.8	HD 289601	*	K0	10.82 : 9.80	
1RXSJ070630.3−374730	0.0593 (0.0130)	0.673	0.0	070628.91−374726.4	...	...	...	...	
1RXSJ070658.3−622107	0.0738 (0.0070)	0.705	15.5	070658.87−622110.4	...	...	...	...	
1RXSJ070659.0−535347	0.1828 (0.0234)	0.859	11.8	070657.73−535347.2	...	...	...	...	
1RXSJ070700.6+575205	0.0800 (0.0171)	0.567	13.7	070701.96+575235.9	...	...	...	...	
1RXSJ070713.5+643558	0.8702 (0.0490)	0.875	14.4	070713.11+643558.9	[VV96] J070713.2+643559	Sy1	./.	:	P
1RXSJ070739.9+050153	0.0838 (0.0156)	0.610	14.9	070739.60+050152.5	...	...	...	...	
1RXSJ070802.3+330840	0.1036 (0.0274)	0.615	13.2	070804.45+330855.1	...	...	...	...	
1RXSJ070813.5+184642	0.1886 (0.0222)	0.843	14.5	070813.72+184640.3	...	...	...	...	
1RXSJ070825.9−574831	0.0912 (0.0135)	0.780	14.8	070825.87−574836.0	...	...	...	...	
1RXSJ070834.7−764210	0.0727 (0.0134)	0.569	14.4	070840.36−764225.7	...	...	...	...	
1RXSJ070837.9−703017	0.0792 (0.0125)	0.691	0.0	070842.34−702950.4	HD 55864	**	F2V	6.046 : 5.623	
1RXSJ070845.5+613529	0.0543 (0.0152)	0.558	15.8	070845.16+613519.7	[GBH97] S29	*	M	16.5 :	
1RXSJ070854.3−505757	0.1661 (0.0337)	0.784	11.1	070854.24−505749.4	CD−50 2604	*	?	10.38 : 9.76	
1RXSJ070908.7+062327	0.0846 (0.0155)	0.737	9.3	070908.75+062318.8	HD 54461	*	G0	9.78 : 9.24	
1RXSJ071006.0+500243	0.1231 (0.0204)	0.567	16.2	071006.77+500246.7	...	...	...	...	
1RXSJ071029.8−390142	0.2218 (0.0237)	0.814	14.8	071029.65−390141.0	...	...	...	...	
1RXSJ071030.8−163727	0.0963 (0.0167)	0.696	14.4	071029.96−163735.7	...	...	...	...	
1RXSJ071033.3−535741	0.3152 (0.0311)	0.829	12.6	071032.86−535751.8	...	...	...	...	
1RXSJ071146.8+194958	0.0607 (0.0142)	0.781	12.6	071148.60+195015.0	...	...	...	...	
1RXSJ071200.2−351011	0.0770 (0.0168)	0.647	14.6	071159.21−351014.8	...	...	...	...	
1RXSJ071204.2−304845	0.0506 (0.0139)	0.702	0.0	071204.09−304916.9	HD 55568	*iC	A8V	6.346 : 6.097	
1RXSJ071215.9+153930	0.1707 (0.0301)	0.637	16.1	071215.61+153930.5	...	...	...	...	
1RXSJ071221.3+593154	0.0615 (0.0145)	0.543	14.2	071223.97+593146.2	...	...	...	...	
1RXSJ071302.5+032718	0.0517 (0.0124)	0.842	0.0	071301.96+032726.8	GSC 00167−03081	*	./.	10.23 : 9.77	
1RXSJ071309.6+365558	0.0530 (0.0143)	0.558	15.8	071309.47+365606.8	RX J0713.1+3655	X	./.	:	
...	...	...	...	071309.47+365606.8	[VV96] J071309.4+365607	Quasar	./.	:	
1RXSJ071321.2−121024	0.1130 (0.0203)	0.735	13.8	071321.57−121023.7	...	...	...	...	
1RXSJ071339.7+382043	0.1204 (0.0210)	0.617	15.4	071340.32+382040.1	1RXS J071339.7+382043	Quasar	./.	16.0 :	P
...	...	...	...	071340.32+382040.1	HS 0710+3825	Quasar	./.	14.7 :	
1RXSJ071343.7+384643	0.0702 (0.0176)	0.730	13.9	071342.17+384649.4	...	...	...	...	
1RXSJ071401.3−194541	0.0747 (0.0159)	0.644	12.7	071402.95−194548.4	...	...	...	...	
1RXSJ071435.1−393738	0.0929 (0.0195)	0.633	0.0	071434.40−393740.3	HD 56261	*	G8/K0III:	10.97 : 10.15	
1RXSJ071435.7+740809	0.1248 (0.0185)	0.636	16.1	071436.17+740810.1	JVAS 0708+742	Rad.	./.	:	
...	...	...	...	071436.17+740810.1	[BSF97] J071436.19+740810.2	Quasar	./.	:	
1RXSJ071444.3+334334	0.0915 (0.0158)	0.610	15.8	071444.15+334333.8	...	...	...	...	
1RXSJ071451.4+320352	0.0532 (0.0134)	0.568	15.2	071451.16+320409.2	KUV 07116+3209	*	sd:B	17.0 :	
1RXSJ071457.8−720241	0.1093 (0.0199)	0.811	11.4	071501.99−720251.3	CD−71 392	*	./.	10.77 : 10.01	
1RXSJ071514.9−452903	0.0870 (0.0227)	0.582	15.9	071514.24−452857.2	...	...	...	...	
1RXSJ071533.3−755204	0.1241 (0.0141)	0.873	0.0	071530.78−755154.1	** I 312	**mul.	./.	:	
...	...	...	...	071530.78−755154.1	HD 58046	**mul.	F8V	7.99 : 7.52	
1RXSJ071534.3−063850	0.0854 (0.0169)	0.716	13.6	071535.47−063851.5	...	...	...	...	
1RXSJ071616.7−414842	0.0585 (0.0178)	0.548	10.9	071617.00−414846.1	...	...	...	...	
1RXSJ071618.7+330918	0.0807 (0.0153)	0.543	15.9	071618.39+330930.8	...	...	...	...	
1RXSJ071652.4+192348	0.0714 (0.0143)	0.527	16.8	071652.76+192344.6	...	...	...	...	
1RXSJ071703.7−631109	0.0552 (0.0093)	0.795	14.4	071704.42−631113.5	...	...	...	...	
1RXSJ071709.4+222638	0.0614 (0.0136)	0.622	15.5	071708.90+222631.0	...	...	...	...	
1RXSJ071710.3−362216	0.2518 (0.0245)	0.661	13.7	071708.11−362158.9	PGC 20574	Gal.	E	17.8 :	
1RXSJ071733.5+440003	0.0691 (0.0199)	0.528	12.6	071730.94+440027.2	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ071800.7+440527	0.6447 (0.0493)	0.816	15.0	071800.62+440527.1	BWE 0714+4411	Gal.	./.	:	
...	...	...	...	071800.62+440527.1	[HB91] 0714+441	Sy1	./.	15.5 :	
1RXSJ071802.7−601836	0.1002 (0.0188)	0.609	15.0	071804.10−601829.6	...	...	...	...	
1RXSJ071823.3−573022	0.0649 (0.0107)	0.550	16.7	071823.46−573022.6	...	...	...	...	
1RXSJ071841.7−245707	0.1523 (0.0233)	0.807	0.0	071842.49−245715.8	BD−24 5176	*	B0	:	
...	...	...	...	071842.49−245715.8	HD 57061	Spec. Bin.	O9Ib	4.25 :	
1RXSJ071858.2+705920	0.0820 (0.0154)	0.568	16.6	071857.80+705921.0	...	...	...	...	
1RXSJ071922.6+024428	0.0690 (0.0138)	0.533	12.2	071922.44+024427.5	HD 56989	*	G9III	6.952 : 5.901	
1RXSJ071923.7+570840	0.1839 (0.0243)	0.719	15.3	071924.30+570839.4	HS 0715+5714	Quasar	./.	16.3 :	
1RXSJ071944.3+315341	0.0684 (0.0139)	0.565	15.8	071945.17+315346.7	...	...	...	...	
1RXSJ072007.6−084541	0.0572 (0.0147)	0.818	12.1	072008.54−084603.1	...	...	...	...	
1RXSJ072021.8−521832	0.3537 (0.0349)	0.835	0.0	072021.89−521834.5	CCDM J07204−5219A	**mul.	F2	6.01 : 5.52	
...	...	...	...	072021.89−521834.5	CCDM J07204−5219AB	**mul.	F2	6.4 : 7.0	
...	...	...	...	072021.89−521834.5	HD 57852	**	F1IV−V	6.47 : 6.05	
...	...	...	...	072021.89−521834.5	HD 57853	**	G0V:e	7.19 : 6.63	
1RXSJ072107.6+673944	0.0758 (0.0157)	0.635	0.0	072106.74+673942.6	HD 56168	*	K0	9.28 : 8.40	
1RXSJ072114.5−022047	0.1239 (0.0237)	0.573	12.4	072114.49−022013.5	...	...	...	...	
1RXSJ072127.1+554628	0.2269 (0.0335)	0.877	0.0	072132.38+554621.4	HD 237606	*	K7	10.23 : 9.08	
1RXSJ072141.1+493257	0.0769 (0.0216)	0.795	12.3	072137.98+493254.3	...	...	...	...	
1RXSJ072153.2+712031	0.1925 (0.0232)	0.870	14.1	072153.46+712036.2	QSO 0716+714	BL Lac − type object	./.	15.5 : 14.17	P
1RXSJ072215.6−355458	0.1700 (0.0227)	0.575	0.0	072216.40−355459.3	HD 58038	**	F8	7.51 : 7.01	
...	...	...	...	072216.40−355459.3	HD 58038 B	**	?	8.66 : 8.09	
...	...	...	...	072216.40−355459.3	IRAS 07204−3549	IR	./.	:	
1RXSJ072217.4+303052	0.1412 (0.0195)	0.688	15.5	072217.55+303050.4	HS 0719+3036	Quasar	./.	16.2 :	
1RXSJ072241.8+023434	0.0606 (0.0139)	0.504	14.5	072242.31+023430.3	...	...	...	...	
1RXSJ072320.0−274720	1.0060 (0.0514)	0.873	14.0	072319.91−274722.3	WD 0721−276	WD	DA...	:	P
1RXSJ072347.6−580619	0.0609 (0.0120)	0.785	13.6	072346.92−580631.2	...	...	...	...	
1RXSJ072348.4−332901	0.2807 (0.0319)	0.584	0.0	072348.73−332905.3	HD 58326	**mul.	G1V	9.11 : 8.56	
1RXSJ072408.4+355309	0.2603 (0.0265)	0.631	15.9	072408.82+355306.4	HS 0720+3558	Quasar	./.	16.8 :	
1RXSJ072409.3+504417	0.0658 (0.0186)	0.656	13.9	072409.61+504358.1	...	...	...	...	
1RXSJ072436.5−712808	0.0534 (0.0111)	0.511	10.9	072436.97−712814.6	HD 59640	*	A3V	6.598 : 6.482	
1RXSJ072448.2+501354	0.0755 (0.0177)	0.813	13.8	072448.54+501405.0	...	...	...	...	
1RXSJ072456.8+305437	0.0724 (0.0146)	0.807	14.3	072457.20+305435.4	...	...	...	...	
1RXSJ072458.9+184146	0.0787 (0.0158)	0.640	0.0	072456.94+184138.9	GSC 01351−00460	*	./.	11.3 : 10.10	
1RXSJ072513.2−002528	0.8054 (0.0549)	0.610	0.0	072513.89−002537.3	BD−00 1712	*	K5	10.34 : 9.34	
1RXSJ072528.8−050329	0.1080 (0.0185)	0.780	12.7	072529.04−050312.6	...	...	...	...	
1RXSJ072531.8+705417	0.1343 (0.0186)	0.545	16.9	072532.73+705421.8	1E 0719.9+7100	Active Galaxy Nucleus	./.	:	P
1RXSJ072617.9−494104	0.0528 (0.0149)	0.507	0.0	072617.71−494050.6	HD 59169	**mul.	G3IV/V	10.60 : 10.06	
1RXSJ072626.9+234117	0.0626 (0.0174)	0.686	14.6	072626.54+234118.0	...	...	...	...	
1RXSJ072630.9+685746	0.1701 (0.0214)	0.568	16.6	072630.84+685751.2	QSO 0721+690	Quasar	./.	16.8 :	P
1RXSJ072635.3+370006	0.4716 (0.0340)	0.672	16.0	072635.36+370002.7	KUV 07232+3706	Quasar	./.	:	
1RXSJ072744.4+212651	0.4851 (0.0353)	0.507	0.0	072744.67+212643.5	HD 58728	Spec. Bin.	F5V+...	5.62 : 5.24	
1RXSJ072820.6+334521	0.1117 (0.0181)	0.528	14.1	072821.19+334517.8	...	...	...	...	
1RXSJ072826.6+303407	0.0688 (0.0141)	0.543	16.6	072826.68+303413.1	...	...	...	...	
1RXSJ072831.5+475519	0.0631 (0.0134)	0.837	14.2	072831.25+475514.3	...	...	...	...	
1RXSJ072839.4−262907	0.0689 (0.0209)	0.868	0.0	072836.53−262906.3	HD 59364	*	B5V	8.95 : 9.06	
1RXSJ072851.7−301459	1.6200 (0.1023)	0.899	0.0	072851.46−301447.4	CCDM J07289−3015B	**	./.	:	
...	...	...	...	072851.46−301447.4	GJ 2060	V*	M1V:e...	:	
1RXSJ072852.7+481106	0.1103 (0.0185)	0.850	0.0	072851.59+481102.5	HD 58661	**mul.	B9mnp...	5.611 : 5.703	
1RXSJ072852.8−260626	0.1123 (0.0250)	0.844	11.8	072853.61−260629.0	4U 0728−25	High Mass X−ray Binary	B0.5e	11.9 : 11.6	
...	...	...	...	072853.61−260629.0	CSI−26−07268	*	B+...	12.1 :	
1RXSJ072858.8−503422	0.0704 (0.0138)	0.567	16.6	072858.49−503425.6	...	...	...	...	
1RXSJ072906.9−432721	0.0838 (0.0226)	0.867	12.1	072906.75−432721.2	...	...	...	...	
1RXSJ072908.7+400840	0.0561 (0.0143)	0.569	16.7	072908.71+400836.5	...	...	...	...	
1RXSJ072912.9+410552	0.1124 (0.0194)	0.546	16.6	072912.27+410551.4	...	...	...	...	
1RXSJ072957.8+382624	0.0727 (0.0145)	0.513	8.4	072957.81+382623.5	HD 59058	*	G5V	8.44 : 7.73	
1RXSJ073048.2−660212	0.1388 (0.0152)	0.573	15.6	073049.57−660219.2	...	...	...	...	
1RXSJ073101.9+460030	0.1433 (0.0211)	0.695	15.6	073101.37+460031.2	...	...	...	...	
1RXSJ073126.1+260542	0.0762 (0.0163)	0.897	12.6	073126.30+260536.9	...	...	...	...	
1RXSJ073138.4+455718	0.0703 (0.0149)	0.743	15.2	073138.54+455722.2	...	...	...	...	
1RXSJ073152.4+280423	0.2153 (0.0231)	0.580	16.3	073152.29+280421.6	RX J0731.8+2804	X	./.	:	P
1RXSJ073230.4−744555	0.0676 (0.0125)	0.794	13.9	073227.77−744551.5	...	...	...	...	
1RXSJ073239.5+463217	0.0867 (0.0158)	0.872	13.1	073240.12+463206.8	HD 59555	*	G5	8.25 : 7.64	
1RXSJ073308.7+455511	0.2734 (0.0273)	0.641	15.7	073309.30+455506.2	1RXS J073308.7+455511	Quasar	./.	16.2 :	P
1RXSJ073353.4+491737	0.0800 (0.0163)	0.895	12.9	073353.13+491731.0	UGC 3901	Gal.	SB	15.3 :	
1RXSJ073410.5−031516	0.0962 (0.0236)	0.861	10.1	073412.99−031450.8	BD−02 2180	*	G5	9.90 : 8.90	
1RXSJ073427.6−065355	0.0737 (0.0182)	0.521	9.3	073426.40−065346.5	HD 60491	*	K2V	9.02 : 8.16	
1RXSJ073431.7−001757	0.0676 (0.0145)	0.769	13.8	073431.46−001801.1	...	...	...	...	
1RXSJ073502.2+475010	0.0598 (0.0137)	0.547	16.9	073502.32+475008.4	[VV96] J073502.2+475008	Quasar	./.	18.0 : 18.0	P
1RXSJ073601.1+031650	0.0895 (0.0172)	0.870	13.8	073600.71+031650.6	...	...	...	...	
1RXSJ073606.7−030639	0.1008 (0.0299)	0.714	0.0	073604.17−030640.9	...	...	...	...	
1RXSJ073626.9+254411	0.0661 (0.0145)	0.570	16.2	073627.30+254412.0	EUVE J0736+25.7	Sy2	./.	:	
1RXSJ073636.5−231811	0.0665 (0.0174)	0.691	0.0	073635.73−231819.3	HD 61070	*	G3/G5V	9.63 : 8.97	
1RXSJ073659.3+171616	0.0887 (0.0204)	0.521	16.7	073659.10+171622.7	...	...	...	...	
1RXSJ073701.4−522146	0.0956 (0.0147)	0.870	0.0	073702.79−522157.0	HD 61518	*	F5V	8.34 : 7.90	
1RXSJ073727.1+594143	0.0616 (0.0176)	0.866	11.3	073730.11+594103.3	UGC 3927	Gal.	S0	15.5 :	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ073735.8+430856	0.0558 (0.0128)	0.518	17.0	073735.59+430851.2	...	...	...	...	
1RXSJ073806.9+212726	0.0606 (0.0155)	0.562	16.5	073807.03+212729.7	...	...	...	...	
1RXSJ073807.0−750625	0.0647 (0.0115)	0.718	14.4	073806.53−750626.2	...	...	...	...	
1RXSJ073808.0+174224	0.0819 (0.0188)	0.555	14.9	073807.42+174219.2	QSO 0735+1749	BL Lac − type object	./.	15.32 :	P
1RXSJ073829.3+240014	0.2928 (0.0300)	0.732	14.6	073830.08+240013.5	...	...	...	...	
1RXSJ073829.9+334235	0.1078 (0.0173)	0.536	0.0	073830.25+334241.3	HD 60987	V*	F0	8.2 : 7.9	
1RXSJ073833.8+040711	0.1883 (0.0240)	0.577	16.4	073834.11+040714.8	...	...	...	...	
1RXSJ073850.0−474137	0.0610 (0.0150)	0.568	14.2	073848.95−474127.5	...	...	...	...	
1RXSJ073906.4−220922	0.1700 (0.0250)	0.661	12.1	073906.33−220947.7	...	...	...	...	
1RXSJ073908.5−431120	0.1019 (0.0224)	0.656	14.4	073907.88−431127.2	...	...	...	...	
1RXSJ073914.0−293215	0.1682 (0.0365)	0.761	0.0	073913.70−293140.1	V* V382 Pup	V*	M0	:	
1RXSJ074025.8−714825	0.0942 (0.0144)	0.841	12.1	074029.82−714824.0	GSC 09188−01526	*	./.	11.7 : 11.1	
1RXSJ074046.9−205735	0.0644 (0.0162)	0.573	8.5	074046.21−205719.4	HD 61940	*	A2V	8.29 : 8.15	
1RXSJ074116.0−043730	0.0524 (0.0155)	0.556	12.3	074117.27−043753.4	...	...	...	...	
1RXSJ074207.2−624343	0.0501 (0.0106)	0.505	15.0	074207.84−624357.2	...	...	...	...	
1RXSJ074240.3+354023	0.0528 (0.0130)	0.505	17.1	074240.06+354025.0	...	...	...	...	
1RXSJ074255.3−581337	0.0693 (0.0180)	0.715	0.0	074253.33−581348.2	HD 62897	*	K0III	7.250 : 6.214	
1RXSJ074311.3+742926	0.1387 (0.0208)	0.544	16.1	074312.64+742936.7	...	...	...	...	
1RXSJ074323.5−520946	0.2101 (0.0287)	0.865	11.4	074321.71−520953.9	HD 62848	*	G0V	7.205 : 6.696	
1RXSJ074405.6+743356	0.5331 (0.0362)	0.637	16.5	074405.37+743358.2	...	...	...	...	
1RXSJ074439.7+033245	1.4670 (0.0788)	0.544	0.0	074440.17+033308.9	GJ 285	Flare *	M4.5	12.73 :	
1RXSJ074459.4+554348	0.0734 (0.0153)	0.761	12.2	074459.95+554349.4	...	...	...	...	
1RXSJ074516.3−075945	0.1544 (0.0351)	0.558	11.7	074517.89−075945.8	...	...	...	...	
1RXSJ074530.4+464358	0.0635 (0.0147)	0.697	12.5	074532.22+464418.1	...	...	...	...	
1RXSJ074537.7−794007	0.1586 (0.0224)	0.611	0.0	074535.61−794008.6	CPD−79 255B	**	?	:	
...	...	...	...	074535.61−794008.6	HD 64982	**	F8V	9.46 : 8.96	
1RXSJ074601.7−245730	0.1097 (0.0225)	0.800	0.0	074601.29−245736.0	...	...	...	...	
1RXSJ074616.8−161127	0.2862 (0.0383)	0.870	13.4	074617.13−161127.8	...	...	...	...	
1RXSJ074623.5+454419	0.0685 (0.0149)	0.814	14.5	074623.04+454422.4	...	...	...	...	
1RXSJ074658.6+260142	0.0505 (0.0130)	0.538	0.0	074658.50+260129.1	HD 62857	*	G5IV	9.15 : 8.51	
1RXSJ074717.5+295757	0.0760 (0.0160)	0.568	14.4	074717.09+295736.5	RX J0747.2+2957	*	./.	:	
1RXSJ074727.0−490248	0.0911 (0.0153)	0.726	12.1	074726.01−490252.0	GSC 08142−01112	*	./.	11.22 : 10.64	
1RXSJ074730.7+701228	0.0888 (0.0193)	0.511	12.4	074731.53+701230.2	GJ 9240	*	G0	7.749 : 7.082	
1RXSJ074732.3−191747	0.9476 (0.0695)	0.568	15.0	074731.29−191740.1	F3R 6420	Rad.	./.	:	
...	...	...	...	074731.29−191740.1	PGC 21813	Gal.	./.	:	P
...	...	...	...	074731.29−191740.1	PMN J0747−1917	Rad.	./.	:	
1RXSJ074753.5−083102	0.1103 (0.0274)	0.564	15.9	074753.63−083110.8	...	...	...	...	
1RXSJ074759.2+205229	0.1122 (0.0190)	0.779	13.0	074758.86+205234.3	...	...	...	...	
1RXSJ074804.6+181125	0.0914 (0.0172)	0.710	14.4	074804.99+181122.0	...	...	...	...	
1RXSJ074809.7−531010	0.0529 (0.0086)	0.895	13.5	074809.90−531004.8	...	...	...	...	
1RXSJ074849.9−432647	0.3096 (0.0323)	0.765	11.8	074849.89−432706.4	GSC 07657−01711	*	./.	11.9 : 11.0	
1RXSJ074854.4+032349	0.0977 (0.0203)	0.711	12.2	074855.82+032408.6	...	...	...	...	
1RXSJ074906.2+451039	0.1089 (0.0181)	0.714	15.4	074906.56+451034.1	B3 0745+453	Quasar	./.	:	P
1RXSJ074912.3−431413	0.0916 (0.0194)	0.709	14.2	074912.54−431426.5	...	...	...	...	
1RXSJ074948.5−031712	0.3014 (0.0512)	0.613	13.9	074949.29−031714.6	...	...	...	...	
1RXSJ074948.7+345444	0.0958 (0.0167)	0.690	15.7	074948.30+345443.9	[BFE95] 32	Active Galaxy Nucleus	./.	17.4 :	P
1RXSJ075044.0−863217	0.1273 (0.0211)	0.575	16.4	075047.10−863212.1	...	...	...	...	
1RXSJ075053.1+442829	0.0508 (0.0125)	0.841	14.1	075053.38+442824.8	...	...	...	...	
1RXSJ075117.6+144434	2.9640 (0.2681)	0.818	13.7	075117.36+144423.6	V* PQ Gem	CV (DQ Her type)	CV	:	
1RXSJ075122.1+551156	0.1517 (0.0213)	0.586	16.2	075122.26+551157.4	...	...	...	...	
1RXSJ075128.1−432810	0.0579 (0.0160)	0.832	11.8	075128.47−432823.2	...	...	...	...	
1RXSJ075151.6+494854	0.0668 (0.0141)	0.692	12.1	075151.98+494851.0	MCG+08−15−009	Gal.	./.	15.1 :	
1RXSJ075215.6−344225	0.5888 (0.0632)	0.640	0.0	075215.52−344221.9	GJ 292A	HiPM*	F5V	5.45 : 5.01	
1RXSJ075223.4−572740	0.1096 (0.0169)	0.810	11.5	075226.91−572731.7	...	...	...	...	
1RXSJ075233.1−643632	0.0515 (0.0128)	0.897	13.3	075233.23−643631.2	...	...	...	...	
1RXSJ075243.6+455653	0.1852 (0.0216)	0.841	14.0	075244.26+455657.7	B3 0749+460A	Gal.	./.	16.36 :	P
1RXSJ075245.9+261729	0.1582 (0.0208)	0.545	16.6	075245.60+261736.0	[BFE95] 33	Active Galaxy Nucleus	./.	17.0 :	P
1RXSJ075343.8+105105	0.0560 (0.0160)	0.786	13.4	075344.69+105108.2	...	...	...	...	
1RXSJ075408.2−632014	0.0746 (0.0142)	0.545	15.9	075407.18−632015.6	...	...	...	...	
1RXSJ075408.7+431611	0.1221 (0.0175)	0.544	16.7	075407.98+431610.5	...	...	...	...	
1RXSJ075427.0+780633	0.0551 (0.0128)	0.879	12.4	075430.70+780649.5	...	...	...	...	
1RXSJ075447.7−443458	0.0506 (0.0134)	0.541	14.5	075447.32−443502.7	...	...	...	...	
1RXSJ075500.0−041914	0.0721 (0.0155)	0.540	16.5	075459.49−041918.9	...	...	...	...	
1RXSJ075505.1+220008	0.4883 (0.0389)	0.891	14.2	075505.35+220007.0	HD 64511	DN	sd:Be+...	:	
1RXSJ075509.4+055458	0.0749 (0.0225)	0.687	0.0	075509.94+055445.4	GSC 00193−00530	*	./.	10.11 : 9.52	
1RXSJ075526.1+391111	0.4485 (0.0342)	0.843	12.0	075525.35+391110.1	KUV 07521+3919	UV	./.	:	
...	...	...	...	075525.35+391110.1	QSO 0752+393	Sy1	SBc	15.5 :	
1RXSJ075532.5−543628	0.0652 (0.0147)	0.826	11.6	075531.66−543651.2	...	...	...	...	
1RXSJ075547.4−015742	0.5992 (0.0426)	0.711	14.3	075547.41−015740.8	RX J0755.7−0157	Sy1	./.	:	P
1RXSJ075700.5+630602	0.1518 (0.0199)	0.567	16.5	075701.35+630602.1	RX J0757.0+6306	CV Star	./.	:	P
1RXSJ075704.9+583245	0.1060 (0.0181)	0.544	14.5	075706.31+583259.1	...	...	...	...	
1RXSJ075705.5−211453	0.1206 (0.0287)	0.554	11.1	075704.97−211500.3	...	...	...	...	
1RXSJ075706.7+095647	0.1130 (0.0218)	0.713	14.7	075706.64+095635.3	QSO 0754+101	BL Lac − type object	./.	14.5 :	P
1RXSJ075726.4+120140	0.0902 (0.0214)	0.813	13.6	075727.16+120133.9	...	...	...	...	
1RXSJ075756.2−215740	0.1078 (0.0280)	0.644	11.5	075759.31−215717.7	CGMW 2−1722	Gal.	./.	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ075759.7+392036	0.0773 (0.0150)	0.722	14.9	075800.07+392029.3	[VV96] J075800.1+392030	Sy1	./.	:	P
1RXSJ075819.5+421938	0.1497 (0.0203)	0.720	15.7	075819.63+421934.7	[VV96] J075819.8+421935	Quasar	./.	:	
1RXSJ075910.0+115152	0.1539 (0.0292)	0.621	15.8	075910.45+115156.8	...	...	...	...	
1RXSJ075916.5−210029	0.1011 (0.0271)	0.576	12.4	075917.90−210041.0	...	...	...	...	
1RXSJ080018.5−610943	0.0774 (0.0155)	0.809	13.5	080017.68−610949.7	Cl* NGC 2516 DAC 647	*iC	./.	14.31 : 13.06	
1RXSJ080024.2−474601	0.6957 (0.0595)	0.849	14.4	080023.97−474558.3	...	...	...	...	
1RXSJ080026.2+101313	0.2191 (0.0457)	0.750	14.0	080026.90+101308.9	IRAS 07577+1021	Sy	./.	:	P
1RXSJ080114.9+511640	0.1620 (0.0223)	0.823	0.0	080114.67+511641.7	...	...	...	...	
1RXSJ080132.3+473618	0.3165 (0.0286)	0.772	15.1	080131.97+473616.1	1RXS J080132.3+473618	X	./.	16.10 : 15.73	P
...	...	...	...	080131.97+473616.1	[BSF97] J080131.96+473616.1	Quasar	./.	:	
1RXSJ080137.4−063604	0.1000 (0.0262)	0.587	15.4	080136.83−063609.5	...	...	...	...	
1RXSJ080142.7+495946	0.0701 (0.0145)	0.831	14.0	080143.52+495948.8	...	...	...	...	
1RXSJ080147.8+563316	0.0976 (0.0183)	0.774	13.7	080145.92+563312.4	NGC 2488	Gal.	E/S0	14.2 :	P
1RXSJ080149.7−552731	0.0535 (0.0129)	0.774	12.0	080152.57−552800.9	...	...	...	...	
1RXSJ080230.8+594401	0.0636 (0.0138)	0.559	14.8	080230.03+594404.6	...	...	...	...	
1RXSJ080241.8−791407	0.1230 (0.0172)	0.623	14.8	080242.38−791353.6	...	...	...	...	
1RXSJ080243.8+310413	0.0933 (0.0178)	0.743	14.5	080243.41+310403.4	...	...	...	...	
1RXSJ080311.1+202213	0.3275 (0.0492)	0.680	14.5	080310.54+202218.3	...	...	...	...	
1RXSJ080332.3−081033	0.0571 (0.0162)	0.722	0.0	080332.11−081024.3	HD 66488	**	F8	7.90 : 7.43	
1RXSJ080334.7−271655	0.0827 (0.0197)	0.832	12.0	080335.12−271657.8	...	...	...	...	
1RXSJ080405.8−631637	0.0788 (0.0156)	0.763	14.8	080405.36−631640.3	...	...	...	...	
1RXSJ080455.0−634621	0.0600 (0.0144)	0.783	14.3	080454.39−634619.5	...	...	...	...	
1RXSJ080534.6+543132	0.1628 (0.0225)	0.799	14.9	080534.83+543130.1	...	...	...	...	
1RXSJ080557.9−582932	0.0559 (0.0106)	0.796	12.8	080557.59−582947.2	...	...	...	...	
1RXSJ080625.5+593105	0.1898 (0.0229)	0.549	17.1	080625.93+593106.9	RX J0806.3+5931	X	./.	:	P
1RXSJ080721.0−110339	0.1005 (0.0239)	0.815	14.0	080720.61−110337.7	...	...	...	...	
1RXSJ080727.2+140534	0.1472 (0.0369)	0.637	15.7	080727.31+140537.2	...	...	...	...	
1RXSJ080728.8−763157	0.0744 (0.0128)	0.782	14.6	080728.22−763201.3	V* Z Cha	DN	?	12.00 :	P
1RXSJ080800.6−383307	0.0786 (0.0156)	0.837	12.1	080758.87−383303.6	...	...	...	...	
1RXSJ080810.0−220756	0.3098 (0.0311)	0.542	0.0	080810.12−220755.5	HD 67652	**mul.	G0V	8.0 : 7.6	
1RXSJ080921.4−391055	0.0609 (0.0130)	0.521	12.8	080923.61−391052.1	...	...	...	...	
1RXSJ080933.1−725909	0.0933 (0.0184)	0.751	14.3	080932.15−725917.7	...	...	...	...	
1RXSJ080938.5+345544	0.3178 (0.0366)	0.638	15.5	080938.98+345537.1	BWE 0806+3504	BL Lac − type object	./.	:	P
1RXSJ080938.7−201344	0.0995 (0.0195)	0.501	8.4	080938.74−201350.5	HD 67945	*	F0V	8.39 : 8.08	
1RXSJ080938.9+754851	0.1683 (0.0234)	0.798	14.6	080939.87+754855.3	1E 0803.3+7557	Active Galaxy Nucleus	./.	:	P
1RXSJ080949.2+521855	0.6997 (0.0427)	0.817	14.9	080949.22+521858.3	1ES 0806+52.4	BL Lac − type object	./.	:	
1RXSJ080955.9−025801	0.2057 (0.0305)	0.547	16.6	080955.40−025804.3	...	...	...	...	
1RXSJ080957.8−461701	0.0521 (0.0127)	0.878	12.6	080957.96−461703.6	...	...	...	...	
1RXSJ081021.3+421657	0.1375 (0.0214)	0.536	14.0	081023.25+421626.1	PGC 22928	Gal.	./.	15.6 :	
1RXSJ081027.0+253040	0.1813 (0.0233)	0.859	0.0	081027.18+253026.4	BD+25 1865C	**	?	:	
...	...	...	...	081027.18+253026.4	HD 67767	HiPM*	G7V	6.54 : 5.73	
1RXSJ081045.8−364553	0.0533 (0.0134)	0.833	13.8	081046.25−364600.3	...	...	...	...	
1RXSJ081055.2−050522	0.1377 (0.0301)	0.529	16.5	081054.71−050528.6	...	...	...	...	
1RXSJ081059.0+760245	1.4090 (0.0606)	0.894	14.2	081058.68+760242.5	FBS 0804+762	*	./.	:	
...	...	...	...	081058.68+760242.5	[VV96] J081058.5+760243	Quasar	./.	15.15 : 15.2	
1RXSJ081100.8+571415	0.0662 (0.0146)	0.507	17.1	081100.65+571412.4	BWE 0806+5723	Quasar	./.	:	
...	...	...	...	081100.65+571412.4	JVAS 0806+573	Rad.	./.	:	
...	...	...	...	081100.65+571412.4	RX J0810.9+5714	X	./.	:	
1RXSJ081105.6+164401	0.0821 (0.0199)	0.511	14.7	081105.21+164400.0	...	...	...	...	
1RXSJ081110.7+173945	0.1017 (0.0192)	0.616	16.1	081110.31+173943.8	...	...	...	...	
1RXSJ081116.3−125529	0.1963 (0.0260)	0.890	0.0	081116.31−125537.2	CCDM J08112−1256AE	**mul.	K0	7.8 : 4.8	
...	...	...	...	081116.31−125537.2	HD 68290	**mul.	K0III	5.659 : 4.726	
1RXSJ081201.8+023735	0.7551 (0.0476)	0.546	17.2	081201.86+023733.4	RX J0811.9+0237	X	./.	:	
1RXSJ081213.5+173904	0.1294 (0.0201)	0.803	0.0	081213.13+173854.4	CCDM J08123+1738ABC	**mul.	G0V	5.20 : 4.67	
...	...	...	...	081213.13+173854.4	GJ 9257	**mul.	F8V	5.59 : 5.05	
...	...	...	...	081213.13+173854.4	GJ 9257C	**	G5V	6.80 : 6.20	
1RXSJ081226.7+044004	0.0614 (0.0169)	0.520	13.9	081227.58+044016.1	...	...	...	...	
1RXSJ081232.3−571423	0.6977 (0.0283)	0.594	14.3	081232.33−571433.7	PGC 23009	Gal.	./.	:	
1RXSJ081237.9+435636	0.0980 (0.0174)	0.544	16.7	081237.85+435635.0	...	...	...	...	
1RXSJ081302.6+261650	0.0702 (0.0184)	0.812	13.6	081303.02+261649.4	...	...	...	...	
1RXSJ081320.3+460852	0.1003 (0.0153)	0.640	15.3	081319.32+460849.7	...	...	...	...	
1RXSJ081323.7+542232	0.0513 (0.0137)	0.824	13.5	081324.02+542236.9	...	...	...	...	
1RXSJ081337.4+152718	0.2368 (0.0303)	0.894	13.2	081338.05+152715.5	...	...	...	...	
1RXSJ081353.2−160055	0.1150 (0.0209)	0.831	11.9	081353.48−160043.6	...	...	...	...	
1RXSJ081438.6−255947	0.0517 (0.0144)	0.841	0.0	081439.81−255958.6	HD 69139	*	A0V	8.144 : 8.118	
1RXSJ081441.9+212914	0.0844 (0.0193)	0.513	17.1	081441.93+212918.8	...	...	...	...	
1RXSJ081502.4+525304	0.1601 (0.0200)	0.570	15.9	081501.85+525255.3	...	...	...	...	
1RXSJ081517.9−625447	0.0953 (0.0176)	0.791	0.0	081516.50−625454.8	CPD−62 985B	**	?	:	
...	...	...	...	081516.50−625454.8	HD 69863	**	A2V	5.25 : 5.16	
...	...	...	...	081516.50−625454.8	IRAS 08145−6245	IR	./.	:	
1RXSJ081521.0+273608	0.0792 (0.0220)	0.554	16.0	081520.66+273617.0	[VV96] J081520.6+273618	Quasar	./.	16.1 : 16.1	
1RXSJ081523.2+015500	0.1602 (0.0265)	0.570	16.7	081522.95+015459.7	[VV96] J081523.0+015458	Quasar	./.	:	P
1RXSJ081539.3+294641	0.0989 (0.0295)	0.870	11.8	081536.06+294640.4	EXO 0812.5+2955	*	./.	:	
1RXSJ081540.9−015419	0.1210 (0.0257)	0.706	11.8	081540.79−015503.1	GSC 04852−01887	*	./.	11.3 : 10.6	
1RXSJ081546.8+460123	0.0501 (0.0134)	0.505	14.3	081549.51+460123.0	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ081552.8−305526	0.2198 (0.0244)	0.594	0.0	081552.54−305531.3	HD 69445	**mul.	G6III+...	6.99 : 6.21	
...	...	...	...	081552.54−305531.3	IRAS 08138−3046	IR	./.	:	
1RXSJ081619.1−255640	0.0636 (0.0149)	0.886	12.0	081618.53−255650.6	...	...	...	...	
1RXSJ081626.9−131149	0.6547 (0.0427)	0.571	16.7	081627.21−131152.2	RX J0816.4−1311	BL Lac − type object	./.	:	P
1RXSJ081648.8−090044	0.0768 (0.0182)	0.586	0.0	081647.85−090053.1	HD 69460	**mul.	A0	7.0 : 7.0	
1RXSJ081714.0+324152	0.0596 (0.0144)	0.876	13.6	081714.44+324147.1	...	...	...	...	
1RXSJ081724.3−451112	0.1287 (0.0187)	0.780	0.0	081722.45−451117.4	HD 69931	*	F6V	9.18 : 8.74	
1RXSJ081733.8−040211	0.1201 (0.0219)	0.735	11.4	081736.37−040141.8	GSC 04856−00217	*	./.	11.3 : 10.5	
1RXSJ081738.0+242333	0.0740 (0.0190)	0.519	16.8	081738.32+242330.1	...	...	...	...	
1RXSJ081744.7−411041	0.1029 (0.0159)	0.630	0.0	081743.05−411040.7	HD 69950	*	G8IV	10.39 : 9.72	
1RXSJ081749.0+025104	0.1420 (0.0267)	0.635	11.9	081750.17+025057.0	...	...	...	...	
1RXSJ081802.0−161426	0.0600 (0.0163)	0.569	13.3	081800.63−161400.0	...	...	...	...	
1RXSJ081820.4−142555	0.1460 (0.0225)	0.507	17.5	081820.26−142552.6	...	...	...	...	
1RXSJ081843.6−104524	0.0537 (0.0139)	0.539	15.0	081843.56−104529.4	...	...	...	...	
1RXSJ081858.8−723957	0.0621 (0.0139)	0.884	13.5	081859.50−723957.5	...	...	...	...	
1RXSJ081909.4+761543	0.0995 (0.0207)	0.814	14.5	081910.59+761541.9	...	...	...	...	
1RXSJ081926.6+633741	0.1716 (0.0189)	0.568	15.3	081925.85+633726.6	KOS 081501.1+634647	Gal.	E	:	
1RXSJ081928.3−712729	0.0652 (0.0143)	0.570	14.2	081929.02−712728.0	...	...	...	...	
1RXSJ081928.4−182655	0.0677 (0.0185)	0.654	13.2	081929.19−182643.6	...	...	...	...	
1RXSJ081929.5+704221	0.2229 (0.0293)	0.882	12.6	081928.09+704220.5	HSK 69	HII (ionized) region	./.	:	
...	...	...	...	081928.09+704220.5	RX J081929+70423	X	./.	:	P
...	...	...	...	081928.09+704220.5	[H69] Ho II 3	HII (ionized) region	./.	:	
1RXSJ081940.4−740125	0.0535 (0.0141)	0.564	15.6	081943.18−740124.2	...	...	...	...	
1RXSJ081941.8+053026	0.0687 (0.0191)	0.730	13.9	081941.79+053014.9	...	...	...	...	
1RXSJ082009.6−564143	0.1498 (0.0164)	0.520	0.0	082010.26−564136.7	HD 70617	*	F8	10.0 : 9.0	
1RXSJ082017.9−215832	0.1129 (0.0185)	0.881	11.4	082017.84−215844.5	GSC 06009−05605	*	./.	11.4 : 10.4	
1RXSJ082025.4−125730	0.0577 (0.0149)	0.842	13.0	082026.22−125729.3	...	...	...	...	
1RXSJ082057.3−125858	0.0752 (0.0163)	0.542	16.7	082057.46−125859.0	QSO 0818−128	BL Lac − type object	./.	:	P
1RXSJ082120.5+341841	0.0853 (0.0182)	0.518	9.2	082121.09+341840.3	HD 70088	*	G5	9.18 : 8.48	
1RXSJ082141.7−634045	0.0511 (0.0124)	0.790	12.3	082138.27−634049.7	...	...	...	...	
1RXSJ082142.0+010136	0.0657 (0.0177)	0.553	12.7	082143.03+010153.8	...	...	...	...	
1RXSJ082204.1+744012	0.0697 (0.0190)	0.603	14.8	082208.16+744021.3	1E 0816.2+7449	*	M2e	:	P
1RXSJ082218.7+330527	0.1279 (0.0302)	0.514	15.6	082219.69+330536.3	...	...	...	...	
1RXSJ082221.3−111357	0.1083 (0.0197)	0.761	13.6	082221.39−111405.6	...	...	...	...	
1RXSJ082228.9−010614	0.0670 (0.0166)	0.529	10.0	082229.19−010602.5	BD−00 1975	*	K2	10.86 : 9.77	
1RXSJ082245.8−575318	0.0727 (0.0139)	0.510	0.0	082245.99−575318.9	CPD−57 1496B	**	?	:	
...	...	...	...	082245.99−575318.9	HD 71146	**	A3V	8.07 : 7.91	
1RXSJ082308.2+421536	0.0931 (0.0186)	0.505	15.7	082308.34+421521.4	...	...	...	...	
1RXSJ082321.4+042231	0.0948 (0.0230)	0.720	13.3	082321.68+042220.7	IC 505	Gal.	S	14.8 :	
1RXSJ082345.2+361854	0.1420 (0.0223)	0.509	9.9	082345.89+361852.4	HD 70517	V* (irregular)	K2	9.90 : 8.69	
1RXSJ082437.5−294308	0.0543 (0.0157)	0.848	12.0	082436.34−294258.7	...	...	...	...	
1RXSJ082446.7+792135	0.0841 (0.0148)	0.510	17.1	082446.09+792136.4	...	...	...	...	
1RXSJ082508.2+422510	0.0526 (0.0126)	0.546	16.6	082508.24+422516.4	[VV96] J082508.3+422515	Quasar	./.	:	
1RXSJ082524.0−212435	0.1735 (0.0241)	0.599	11.1	082524.44−212436.7	...	...	...	...	
1RXSJ082535.4+005617	0.0621 (0.0170)	0.836	9.3	082534.08+005656.8	BD+01 2090	*	F8	9.37 : 8.93	
1RXSJ082550.2+030930	0.1329 (0.0234)	0.641	15.7	082550.49+030923.9	2E 0823.2+0319	X	./.	:	
...	...	...	...	082550.49+030923.9	QSO 0823+033	BL Lac − type object	./.	:	P
1RXSJ082601.9−223016	0.1002 (0.0186)	0.526	15.8	082601.55−223027.4	QSO 0823−223	BL Lac − type object	./.	17.5 :	P
1RXSJ082623.5−703142	0.3715 (0.0305)	0.881	14.3	082623.53−703143.5	1ES 0826−70.3	X	./.	:	P
1RXSJ082635.4−610331	0.2131 (0.0263)	0.815	14.0	082634.94−610340.3	...	...	...	...	
1RXSJ082639.2+243226	0.2458 (0.0387)	0.848	0.0	082640.14+243207.4	HD 71152	**	F0III	7.18 : 6.91	
...	...	...	...	082640.14+243207.4	HD 71153	**mul.	F7V	8.33 : 7.81	
1RXSJ082658.4+190929	0.0916 (0.0176)	0.566	16.4	082658.58+190921.8	...	...	...	...	
1RXSJ082704.9+284411	0.4617 (0.0371)	0.826	14.0	082705.16+284403.1	WD 0824+289	WD	DA	14.73 :	
...	...	...	...	082705.16+284403.1	[TI98] 0824+2853	Carbon Star	./.	:	
1RXSJ082741.2+003216	0.0563 (0.0162)	0.632	15.0	082741.62+003229.2	...	...	...	...	
1RXSJ082750.2−142717	0.1404 (0.0242)	0.682	14.4	082750.14−142714.1	...	...	...	...	
1RXSJ082806.1−304035	0.0866 (0.0182)	0.731	12.7	082806.52−304032.1	...	...	...	...	
1RXSJ082904.5+175415	0.1331 (0.0225)	0.675	15.8	082904.85+175416.1	RX J0829.0+1755	X	./.	:	P
1RXSJ082929.0−610635	0.0597 (0.0148)	0.804	9.4	082929.53−610636.5	HD 72425	**	F5V	10.04 : 9.53	
1RXSJ082929.7+081240	0.0794 (0.0193)	0.585	15.4	082930.58+081238.3	...	...	...	...	
1RXSJ082955.0+000110	0.1119 (0.0220)	0.669	10.2	082955.26+000050.4	...	...	...	...	
1RXSJ083045.0+340527	0.1412 (0.0235)	0.673	15.6	083045.37+340532.0	[BFE95] 38	Active Galaxy Nucleus	./.	17.2 :	P
1RXSJ083101.3+401217	0.1155 (0.0259)	0.572	15.7	083102.11+401217.3	EUVE J0831+40.2	*	M5V:e	:	
1RXSJ083123.8−302134	0.0723 (0.0172)	0.744	12.2	083124.72−302147.2	GSC 07135−01255	*	./.	11.19 : 10.61	
1RXSJ083143.4−713947	0.0555 (0.0121)	0.670	11.9	083139.30−713939.8	...	...	...	...	
1RXSJ083147.3+054504	0.2019 (0.0310)	0.543	13.3	083148.07+054523.4	...	...	...	...	
1RXSJ083151.0−534029	0.0930 (0.0135)	0.510	14.5	083151.82−534030.2	...	...	...	...	
1RXSJ083201.1+461438	0.1399 (0.0196)	0.508	15.2	083202.15+461425.9	...	...	...	...	
1RXSJ083225.1+370737	0.3968 (0.0430)	0.618	16.3	083225.36+370736.3	CBS 74	Sy	./.	17. :	
1RXSJ083243.8−372802	0.0671 (0.0139)	0.582	8.9	083243.32−372812.0	HD 72645	**	F8IV/V	8.87 : 8.33	
1RXSJ083320.9+763801	0.1552 (0.0257)	0.818	11.6	083322.68+763726.8	GSC 04540−02828	*	./.	10.88 : 9.93	
1RXSJ083336.4−510541	0.0540 (0.0089)	0.877	14.0	083336.34−510545.3	...	...	...	...	
1RXSJ083359.2−562211	0.0568 (0.0121)	0.771	13.7	083358.82−562202.9	...	...	...	...	
1RXSJ083416.3−570050	0.0631 (0.0123)	0.881	12.9	083417.10−570058.2	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ083514.6−585134	0.0630 (0.0138)	0.882	12.2	083513.35−585138.8	...	...	...	...	
1RXSJ083531.6−090409	0.0557 (0.0157)	0.837	13.4	083531.34−090417.2	...	...	...	...	
1RXSJ083539.1−040508	0.1930 (0.0313)	0.649	8.7	083538.84−040518.1	...	...	...	...	
1RXSJ083545.4−801605	0.1146 (0.0176)	0.513	16.3	083543.65−801557.6	...	...	...	...	
1RXSJ083550.9+063712	0.1184 (0.0215)	0.686	0.0	083551.05+063713.9	GJ 310.1A	Spec. Bin.	F8V	6.51 : 6.00	
...	...	...	...	083551.05+063713.9	GJ 9271B	HiPM*	G5V	7.96 : 7.25	
...	...	...	...	083551.05+063713.9	IRAS 08331+0647	IR	./.	:	
1RXSJ083551.7+295725	0.0632 (0.0161)	0.697	14.7	083552.35+295716.1	...	...	...	...	
1RXSJ083551.7−505808	0.0933 (0.0166)	0.863	0.0	083552.03−505810.7	HD 73340	V*	B8p...	5.660 : 5.782	
1RXSJ083556.9−884748	0.0855 (0.0183)	0.714	14.6	083534.91−884758.5	...	...	...	...	
1RXSJ083623.1−742107	0.1322 (0.0219)	0.702	12.6	083627.64−742116.7	...	...	...	...	
1RXSJ083641.7+532844	0.2544 (0.0332)	0.554	15.8	083642.90+532837.6	SBSS 0833+536	*	./.	:	
...	...	...	...	083642.90+532837.6	V* SW UMa	DN	?p...	10.80 :	
1RXSJ083649.8+744324	0.0530 (0.0126)	0.540	0.0	083648.78+744325.4	HD 71973	Spec. Bin.	A2m	6.590 : 6.310	
1RXSJ083658.3+442612	0.4414 (0.0441)	0.567	15.5	083658.93+442602.3	[VV96] J083658.9+442602	Quasar	./.	:	
1RXSJ083712.1−551739	0.0507 (0.0106)	0.672	11.8	083711.01−551810.6	...	...	...	...	
1RXSJ083728.3+233402	0.1073 (0.0293)	0.891	11.5	083730.17+233341.8	V* RU Cnc	V* (RS CVn)	F9V:+...	10.76 : 10.20	
1RXSJ083737.3+254746	0.0653 (0.0155)	0.508	17.2	083737.05+254750.7	...	...	...	...	
1RXSJ083802.8−073556	0.0503 (0.0147)	0.561	15.8	083802.64−073608.6	...	...	...	...	
1RXSJ083820.6+241025	0.1610 (0.0295)	0.552	13.7	083821.23+241037.0	1RXP J083821.2+241037	Gal.	./.	:	
1RXSJ083821.6+483800	0.5646 (0.0420)	0.699	15.4	083822.02+483802.3	V* EI UMa	DN	CV	14.9 :	
1RXSJ083831.4−355925	0.0924 (0.0162)	0.857	12.7	083830.74−355933.7	...	...	...	...	
1RXSJ083843.1−074110	0.0612 (0.0155)	0.841	12.0	083842.89−074133.1	GSC 05429−00033	*	./.	11.4 : 10.69	
1RXSJ083950.7−121424	0.3706 (0.0377)	0.561	16.0	083950.59−121434.2	[VV96] J083950.6−121434	Quasar	./.	15.78 :	P
1RXSJ084007.4−533744	0.0646 (0.0123)	0.584	11.5	084006.30−533807.4	GSC 08569−02827	*iC	G0	11.0 : 10.3	
1RXSJ084026.2+033316	0.2091 (0.0274)	0.552	15.3	084025.49+033302.2	...	...	...	...	
1RXSJ084106.8−621600	0.0767 (0.0175)	0.839	13.6	084106.10−621606.9	...	...	...	...	
1RXSJ084124.0−532247	0.0712 (0.0129)	0.596	13.5	084125.93−532241.9	Cl* IC 2391 SHJM 3	*iC	K3e	13.63 : 12.63	
1RXSJ084125.1+705342	0.5308 (0.0387)	0.623	16.5	084124.37+705342.2	[VV96] J084124.4+705342	Quasar	./.	:	P
1RXSJ084125.5−573552	0.1438 (0.0198)	0.672	14.2	084125.27−573603.1	...	...	...	...	
1RXSJ084129.4+642456	0.0771 (0.0161)	0.752	14.0	084130.48+642509.7	...	...	...	...	
1RXSJ084136.1−361701	0.0814 (0.0205)	0.696	13.4	084137.23−361716.4	...	...	...	...	
1RXSJ084203.4+401830	0.2172 (0.0239)	0.585	16.6	084203.76+401831.7	KUV 08388+4029	UV	./.	:	
...	...	...	...	084203.76+401831.7	RX J0842.0+4018	X	./.	:	
1RXSJ084219.0−034927	0.2814 (0.0338)	0.612	16.4	084219.11−034931.4	...	...	...	...	
1RXSJ084220.8−391913	0.0575 (0.0129)	0.751	12.2	084218.61−391927.5	...	...	...	...	
1RXSJ084228.0−834516	0.1244 (0.0231)	0.896	12.9	084223.33−834526.7	RX J0842.4−8345	TT	K4	:	P
1RXSJ084235.7−704249	0.0594 (0.0146)	0.721	14.5	084235.01−704248.9	...	...	...	...	
1RXSJ084302.0+030226	0.1026 (0.0238)	0.543	15.5	084302.99+030218.5	...	...	...	...	
1RXSJ084308.3−790439	0.3142 (0.0334)	0.504	0.0	084312.21−790412.3	HD 75747	Ecl. Bin. (Algol)	A7V	6.28 : 6.07	
1RXSJ084411.9−330355	0.1201 (0.0225)	0.780	14.4	084412.48−330356.8	...	...	...	...	
1RXSJ084429.2+201228	0.1017 (0.0285)	0.654	0.0	084427.95+201207.5	...	...	...	...	
1RXSJ084433.5−375738	0.8012 (0.0750)	0.795	13.0	084434.02−375752.0	CD−37 5063B	**	?	:	
...	...	...	...	084434.02−375752.0	HD 74771	**	G8IV/VCN...	9.12 : 8.13	
1RXSJ084445.2+765313	0.2748 (0.0307)	0.817	14.7	084445.36+765309.2	[VV96] J084445.3+765310	Sy1	./.	:	P
1RXSJ084456.2+425826	0.0637 (0.0134)	0.828	13.4	084456.65+425835.8	MCG+07−18−043	Gal.	./.	15.4 :	
1RXSJ084456.9+060416	0.0513 (0.0159)	0.629	12.8	084454.90+060355.4	...	...	...	...	
1RXSJ084507.4−555816	0.0920 (0.0156)	0.877	11.8	084508.31−555804.8	GSC 08573−01902	*	./.	11.6 : 10.5	
1RXSJ084510.3−073158	0.0732 (0.0167)	0.587	15.9	084510.23−073205.3	...	...	...	...	
1RXSJ084539.5−113516	0.0582 (0.0149)	0.514	15.5	084539.87−113504.7	...	...	...	...	
1RXSJ084548.1+292101	0.0617 (0.0186)	0.569	16.1	084548.21+292055.1	...	...	...	...	
1RXSJ084548.9+485241	0.7169 (0.0614)	0.774	12.5	084546.90+485243.0	HD 74389	*	A0	7.54 : 7.47	
1RXSJ084553.0−024101	0.1696 (0.0238)	0.640	15.8	084553.46−024059.9	...	...	...	...	
1RXSJ084553.1−532707	0.1533 (0.0162)	0.775	11.8	084552.72−532728.9	...	...	...	...	
1RXSJ084610.6−420234	0.0701 (0.0152)	0.555	0.0	084615.18−420206.6	Cl* Trumpler 10 STOCK 231	*iC	./.	8.0 : 8.4	
...	...	...	...	084615.18−420206.6	HD 75082	*	B8/B9III	8.40 : 8.41	
1RXSJ084622.3+031318	0.1840 (0.0319)	0.598	16.2	084622.52+031322.5	...	...	...	...	
1RXSJ084628.5−121405	0.4206 (0.0401)	0.642	15.5	084628.54−121410.2	...	...	...	...	
1RXSJ084646.9+062518	1.4760 (0.1114)	0.725	0.0	084646.64+062508.1	* eps Hya C	Spec. Bin.	F5	:	
...	...	...	...	084646.64+062508.1	BD+06 2036B	**	A8IV	5.3 : 4.7	
...	...	...	...	084646.64+062508.1	HD 74874	V* (BY Dra)	G5III	4.06 :	
...	...	...	...	084646.64+062508.1	IRAS 08441+0636	IR	./.	:	
1RXSJ084653.8+252213	0.3522 (0.0378)	0.806	14.8	084654.09+252212.5	[BFE95] 40	Quasar	./.	16.8 :	
1RXSJ084713.3+113349	0.9327 (0.0822)	0.504	17.3	084712.93+113350.1	RGB J0847+115	Gal.	./.	:	P
1RXSJ084719.5−571757	0.1637 (0.0202)	0.710	15.2	084719.34−571755.2	...	...	...	...	
1RXSJ084721.1−170255	0.0788 (0.0224)	0.899	12.1	084721.56−170310.5	HD 75098	**mul.	K0III	7.2 : 6.6	
...	...	...	...	084721.56−170310.5	HD 75099	*	A2V	:	
1RXSJ084742.5+344506	0.5680 (0.0399)	0.887	14.0	084742.46+344504.7	FBS 0844+349	*	./.	:	
...	...	...	...	084742.46+344504.7	[VV96] J084742.5+344505	Quasar	./.	:	
1RXSJ084747.2+774146	0.0980 (0.0209)	0.685	12.7	084802.30+774121.8	HD 73796	*	F0	8.0 : 7.7	
1RXSJ084749.1+661238	0.0513 (0.0136)	0.875	13.0	084751.17+661242.6	HD 74425	*	F8	8.250 : 7.825	
1RXSJ084755.8−785452	0.1191 (0.0135)	0.893	13.9	084756.91−785453.9	GSC 09403−00389	TT	M1	:	P
1RXSJ084855.7−284805	0.0500 (0.0139)	0.696	0.0	084855.74−284800.5	CD−28 6572	**	G0	9.2 : 9.3	
1RXSJ084915.5−153354	0.1192 (0.0244)	0.503	7.8	084915.25−153351.9	HD 75393	*	F7V	7.77 : 7.29	
1RXSJ085028.1−031816	0.1653 (0.0261)	0.622	16.1	085027.96−031816.7	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ085043.1+075205	0.0973 (0.0239)	0.801	0.0	085042.33+075152.3	CCDM J08507+0752AB	**mul.	?	10.43 : 9.06	
...	...	...	...	085042.33+075152.3	GJ 323A	**	K5	11.1 : 9.8	
...	...	...	...	085042.33+075152.3	GJ 323B	**	?	:	
1RXSJ085111.9−073901	0.0988 (0.0190)	0.535	14.4	085110.97−073845.5	...	...	...	...	
1RXSJ085127.5+413510	0.1465 (0.0252)	0.531	16.2	085127.70+413458.4	KUV 08482+4146	Quasar	./.	17.0 :	
1RXSJ085129.2+394856	0.0716 (0.0154)	0.730	14.9	085129.73+394848.9	...	...	...	...	
1RXSJ085152.5+522828	0.1270 (0.0240)	0.707	13.7	085152.68+522833.3	...	...	...	...	
1RXSJ085231.1+390718	0.0861 (0.0156)	0.841	12.3	085232.16+390734.1	...	...	...	...	
1RXSJ085232.8−062254	0.0594 (0.0161)	0.877	12.0	085233.78−062241.2	GSC 04877−00588	*	./.	11.15 : 10.48	
1RXSJ085304.5−591840	0.0743 (0.0162)	0.678	0.0	085302.64−591848.1	GSC 08581−01172	*	./.	11.5 : 10.7	
1RXSJ085343.5+574846	0.4139 (0.0352)	0.707	15.5	085344.03+574841.2	V* BZ UMa	DN	CV	15.3 :	
1RXSJ085358.8+770054	0.1923 (0.0224)	0.628	16.2	085359.51+770054.6	...	...	...	...	
1RXSJ085402.2−305139	0.2660 (0.0276)	0.771	14.4	085402.77−305136.6	...	...	...	...	
1RXSJ085439.9+174111	0.1942 (0.0431)	0.717	14.3	085439.26+174122.6	Mrk 1220	Sy1	./.	16.5 :	P
1RXSJ085442.3−195814	0.0560 (0.0146)	0.614	11.6	085442.05−195847.1	GSC 06021−01580	*	./.	11.8 : 11.2	
1RXSJ085443.8+401912	0.0940 (0.0166)	0.584	16.6	085443.65+401908.0	...	...	...	...	
1RXSJ085506.5−030333	0.2051 (0.0267)	0.572	16.4	085506.86−030336.6	...	...	...	...	
1RXSJ085544.3+465740	0.0573 (0.0156)	0.598	15.6	085543.58+465735.3	...	...	...	...	
1RXSJ085554.9+181122	0.1704 (0.0343)	0.824	12.7	085553.28+181128.8	...	...	...	...	
1RXSJ085613.9−064843	0.0648 (0.0169)	0.536	14.7	085612.98−064850.2	...	...	...	...	
1RXSJ085617.7−013809	0.1277 (0.0219)	0.844	14.4	085617.85−013807.6	PGC 25107	Gal.	./.	15.5 :	
1RXSJ085642.6−150917	0.0827 (0.0179)	0.727	14.9	085642.92−150910.2	...	...	...	...	
1RXSJ085652.5+490430	0.0609 (0.0132)	0.514	14.2	085653.14+490434.1	...	...	...	...	
1RXSJ085738.0+052820	0.0898 (0.0179)	0.781	14.9	085737.80+052821.5	...	...	...	...	
1RXSJ085746.0−540819	0.0549 (0.0128)	0.792	12.6	085745.64−540837.4	...	...	...	...	
1RXSJ085823.0+520533	0.0666 (0.0155)	0.561	15.7	085824.25+520540.8	...	...	...	...	
1RXSJ085855.4+082825	1.5260 (0.1190)	0.521	13.0	085855.11+082841.5	GJ 3522	HiPM*	M3.5	12.57 : 10.89	P
1RXSJ085902.0+484611	0.6451 (0.0446)	0.752	14.5	085902.91+484609.3	1RXS J085902.0+484611	X	S...	:	P
1RXSJ085939.4−191218	0.0796 (0.0176)	0.661	11.2	085939.88−191228.2	HD 77084	*	F5IV/V	6.609 : 6.193	
1RXSJ085954.0−205437	0.0642 (0.0172)	0.621	11.7	085953.21−205427.0	...	...	...	...	
1RXSJ090001.0−065903	0.1016 (0.0212)	0.769	12.8	085958.97−065849.1	...	...	...	...	
1RXSJ090005.0−553822	0.0653 (0.0142)	0.863	11.8	090003.47−553824.8	...	...	...	...	
1RXSJ090012.8+423235	0.0542 (0.0136)	0.638	10.0	090015.96+423146.0	HD 76855	*	G0V	9.76 : 9.24	
1RXSJ090020.1+503143	0.4275 (0.0328)	0.616	15.4	090019.17+503140.9	...	...	...	...	
1RXSJ090053.5+692520	0.0610 (0.0151)	0.582	16.0	090055.10+692519.3	...	...	...	...	
1RXSJ090135.7+494419	0.0763 (0.0177)	0.558	0.0	090137.04+494412.6	HD 77006	*	G5	8.53 : 7.93	
1RXSJ090151.9+103020	0.1303 (0.0225)	0.548	16.2	090151.15+103020.6	...	...	...	...	
1RXSJ090201.0−053723	0.0999 (0.0191)	0.648	12.5	090200.67−053700.5	...	...	...	...	
1RXSJ090201.1−653442	0.0961 (0.0186)	0.722	12.4	090201.10−653504.8	...	...	...	...	
1RXSJ090205.4−580825	0.0772 (0.0184)	0.705	0.0	090203.94−580850.0	GSC 08594−00058	*	./.	11.7 : 11.0	
1RXSJ090215.9−141526	0.0506 (0.0136)	0.508	16.0	090216.83−141530.8	[VV96] J090216.7−141530	Quasar	./.	16.79 : 16.59	P
1RXSJ090217.1−040649	0.0566 (0.0155)	0.669	13.0	090217.32−040655.7	...	...	...	...	
1RXSJ090233.6−065957	0.6009 (0.0466)	0.529	16.1	090233.56−070004.2	1RXS J090233.6−065957	X	S...	:	P
1RXSJ090315.3+420722	0.0747 (0.0172)	0.873	13.8	090315.19+420724.1	...	...	...	...	
1RXSJ090333.7−203554	0.5496 (0.0407)	0.745	10.9	090333.75−203559.5	BD−20 2773	*	./.	11.5 : 10.53	
1RXSJ090347.3+121837	0.0548 (0.0146)	0.882	13.1	090347.69+121827.1	...	...	...	...	
1RXSJ090404.3−143032	0.0760 (0.0163)	0.897	12.5	090404.19−143028.4	...	...	...	...	
1RXSJ090406.8−155512	0.1203 (0.0206)	0.649	13.6	090405.91−155517.0	...	...	...	...	
1RXSJ090435.1+303800	0.0794 (0.0160)	0.701	13.9	090434.87+303736.8	...	...	...	...	
1RXSJ090439.2−410344	0.0777 (0.0137)	0.692	0.0	090438.42−410352.6	CCDM J09046−4104B	**	./.	:	
...	...	...	...	090438.42−410352.6	HD 78020	**	G3V	9.49 : 8.91	
1RXSJ090443.2−551248	0.0500 (0.0120)	0.535	0.0	090444.39−551221.0	CPD−54 2006	*	./.	10.62 : 10.16	
1RXSJ090451.4+230219	0.0524 (0.0142)	0.569	13.9	090452.95+230158.0	...	...	...	...	
1RXSJ090522.2−150302	0.0705 (0.0169)	0.894	11.0	090522.52−150344.5	GSC 06027−00808	*	./.	11.3 : 10.68	
1RXSJ090529.9−491832	0.0867 (0.0149)	0.529	11.7	090529.97−491854.7	GSC 08173−00024	*	./.	11.3 : 10.7	
1RXSJ090553.8−042608	0.0833 (0.0204)	0.568	15.9	090553.61−042611.9	...	...	...	...	
1RXSJ090621.3+165929	0.0516 (0.0150)	0.774	14.1	090621.43+165925.6	1E 0903.5+1711	*	M2Ve	:	P
1RXSJ090654.8+453223	0.0963 (0.0187)	0.563	15.1	090655.39+453234.5	...	...	...	...	
1RXSJ090706.2−271707	0.0616 (0.0149)	0.704	11.9	090705.23−271709.1	GSC 06594−02415	*	./.	11.6 : 10.61	
1RXSJ090722.4+163910	0.1339 (0.0214)	0.502	14.6	090720.55+163906.8	[P78] ACO 744 A	Gal. in Clust.	./.	:	
1RXSJ090723.0+171613	0.1098 (0.0194)	0.619	15.4	090723.55+171616.4	[HB91] 0904+174	Sy1	?	16.62 :	
1RXSJ090801.5+293902	0.2373 (0.0266)	0.785	11.5	090800.09+293914.3	HD 78235	*	G8III	6.309 : 5.427	
1RXSJ090802.1−095928	0.1125 (0.0190)	0.717	15.0	090802.24−095937.3	PGC 25672	Gal. in Clust.	E	15. :	P
...	...	...	...	090802.24−095937.3	[ZHG90] 0905−0947A	Gal. in Clust.	./.	:	
1RXSJ090805.5−082933	0.0850 (0.0171)	0.599	15.2	090805.48−082945.8	...	...	...	...	
1RXSJ090825.8−723132	0.0750 (0.0150)	0.709	14.6	090825.63−723125.0	...	...	...	...	
1RXSJ090848.9+263822	0.0899 (0.0183)	0.820	0.0	090847.33+263744.8	GJ 9286	Spec. Bin.	G5IV−V	6.64 : 5.98	
...	...	...	...	090847.33+263744.8	IRAS 09058+2650	IR	./.	:	
1RXSJ090916.0−123603	0.0932 (0.0192)	0.728	13.9	090915.88−123619.4	...	...	...	...	
1RXSJ090929.2−553825	0.0902 (0.0176)	0.858	12.2	090929.33−553827.3	...	...	...	...	
1RXSJ090939.0+064214	0.1274 (0.0203)	0.740	14.0	090939.42+064208.4	...	...	...	...	
1RXSJ090950.6+184956	0.0847 (0.0177)	0.598	15.8	090950.57+184948.1	...	...	...	...	
1RXSJ090956.8+542907	0.3527 (0.0296)	0.871	11.6	090956.16+542926.0	HD 237786	V* (RS CVn)	G5	10.20 :	P
1RXSJ091006.7−483739	0.0665 (0.0132)	0.842	13.3	091007.94−483743.2	...	...	...	...	
1RXSJ091025.7+670748	0.0586 (0.0142)	0.569	0.0	091023.52+670803.3	GJ 335A	**	F6IV−V	5.3 : 4.9	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	091023.52+670803.3	GJ 335B	V*	K2V	8.2 : 8.4	
...	...	...	...	091023.52+670803.3	HD 78154	**mul.	F6IV	5.29 : 4.80	
...	...	...	...	091023.52+670803.3	IRAS 09060+6720	IR	./.	:	
1RXSJ091037.2+332920	0.1432 (0.0219)	0.569	16.5	091037.03+332924.8	BWE 0907+3341	UV	./.	16. :	
1RXSJ091118.1+624638	0.0633 (0.0145)	0.688	13.2	091116.75+624627.6	...	...	...	...	
1RXSJ091147.5−115134	0.2115 (0.0295)	0.645	15.9	091147.72−115139.6	...	...	...	...	
1RXSJ091149.2−442604	0.0850 (0.0148)	0.747	0.0	091148.71−442559.3	...	...	...	...	
1RXSJ091154.9−381414	0.0846 (0.0146)	0.706	0.0	091154.65−381426.9	TYC 7678 2580 1	*	./.	10.51 : 9.77	
...	...	...	...	091154.65−381426.9	TYC 7678 2580 2	*	./.	11.08 : 10.43	
1RXSJ091212.9−255457	0.1228 (0.0189)	0.858	11.9	091213.71−255502.3	...	...	...	...	
1RXSJ091217.7−021730	0.0955 (0.0182)	0.531	15.0	091219.13−021713.8	...	...	...	...	
1RXSJ091219.0+245033	0.0507 (0.0160)	0.535	15.6	091217.76+245037.9	[BFE95] 48	Active Galaxy Nucleus	./.	16.1 :	
...	...	...	...	091217.76+245037.9	[VV96] J091217.8+245038	Quasar	./.	15.1 : 16.1	
1RXSJ091230.8+155531	0.3017 (0.0310)	0.808	13.4	091231.04+155524.6	[LO95] 0909+161	Rad. Gal.	./.	:	
1RXSJ091234.9−151659	0.1404 (0.0216)	0.726	13.4	091235.80−151701.6	...	...	...	...	
1RXSJ091300.4−210315	0.9330 (0.0677)	0.676	15.5	091300.22−210321.2	RX J0913.0−2103	BL Lac − type object	./.	:	P
1RXSJ091302.0+525942	0.0952 (0.0221)	0.568	15.3	091301.03+525928.9	...	...	...	...	
1RXSJ091308.7+474222	0.0868 (0.0196)	0.741	14.1	091307.76+474230.2	[LO95] 0909+479	Rad. Gal.	./.	:	
...	...	...	...	091307.76+474230.2	[OLK95] 0909+479	Rad. Gal.	./.	:	
1RXSJ091313.3+365815	0.1102 (0.0178)	0.621	16.0	091313.72+365817.3	1RXS J091313.3+365815	Sy1	./.	16.6 :	P
1RXSJ091318.3+552533	0.0515 (0.0133)	0.586	13.8	091315.80+552538.2	...	...	...	...	
1RXSJ091338.2+465921	0.2619 (0.0309)	0.609	0.0	091338.58+465923.6	HD 79107	**mul.	F8	8.0 : 7.5	
1RXSJ091345.4+474208	0.1481 (0.0211)	0.587	13.7	091346.11+474200.4	MCG+08−17−060	Gal.	./.	15.7 :	
1RXSJ091358.6+791114	0.1713 (0.0216)	0.567	16.4	091355.91+791116.1	...	...	...	...	
1RXSJ091413.9+772842	0.0629 (0.0138)	0.781	12.7	091413.32+772823.2	...	...	...	...	
1RXSJ091421.5+013756	0.0517 (0.0160)	0.712	11.9	091419.49+013805.6	GSC 00227−01139	*	./.	11.1 : 10.10	
1RXSJ091431.6−635500	0.0796 (0.0189)	0.861	11.6	091431.31−635511.1	...	...	...	...	
1RXSJ091435.6+063259	0.0654 (0.0155)	0.833	12.2	091436.47+063247.8	...	...	...	...	
1RXSJ091456.7−080058	0.1489 (0.0220)	0.751	14.0	091457.17−080108.8	...	...	...	...	
1RXSJ091503.1+081254	0.0662 (0.0159)	0.501	14.5	091503.44+081219.4	...	...	...	...	
1RXSJ091516.0−551137	0.0551 (0.0148)	0.608	12.1	091514.92−551151.8	...	...	...	...	
1RXSJ091520.4+411922	0.1111 (0.0215)	0.627	15.6	091520.50+411918.9	...	...	...	...	
1RXSJ091527.7−584729	0.0647 (0.0172)	0.611	11.5	091526.49−584726.5	...	...	...	...	
1RXSJ091528.1+784146	0.1134 (0.0173)	0.523	16.4	091526.35+784146.4	1RXS J091528.1+784146	Sy1	./.	17.2 :	P
1RXSJ091552.3+090056	0.1807 (0.0245)	0.746	14.7	091551.78+090050.8	...	...	...	...	
1RXSJ091557.1−591110	0.0877 (0.0217)	0.778	14.6	091557.64−591107.7	...	...	...	...	
1RXSJ091609.6+015320	0.0907 (0.0228)	0.752	14.4	091610.02+015313.7	...	...	...	...	
1RXSJ091632.4+370620	0.0567 (0.0139)	0.559	15.4	091632.43+370637.7	...	...	...	...	
1RXSJ091651.8+523829	0.4278 (0.0337)	0.569	17.1	091651.97+523828.0	RGB J0916+526	BL Lac − type object	./.	:	P
1RXSJ091657.6−194613	0.9598 (0.0710)	0.564	15.5	091657.56−194617.7	...	...	...	...	
1RXSJ091701.0−093710	0.1467 (0.0230)	0.515	9.0	091659.89−093716.9	HD 79993	V*	K0	8.51 : 7.55	
1RXSJ091701.6+190819	0.1019 (0.0187)	0.704	14.1	091702.27+190817.4	...	...	...	...	
1RXSJ091707.4+210058	0.0520 (0.0139)	0.566	15.9	091706.89+210050.9	...	...	...	...	
1RXSJ091719.2+233910	0.0841 (0.0174)	0.595	0.0	091719.24+233910.5	BD+24 2068B	**	?	:	
...	...	...	...	091719.24+233910.5	HD 79872	**	F5	7.7 : 7.2	
1RXSJ091729.5−020442	0.0582 (0.0147)	0.689	14.1	091728.92−020452.4	...	...	...	...	
1RXSJ091744.5+461229	0.6899 (0.0489)	0.871	13.4	091745.30+461225.5	BPS BS 16926−0068	*	./.	:	
1RXSJ091755.4−032311	0.0572 (0.0146)	0.591	8.3	091755.30−032311.8	HD 80133	*	K0	8.63 : 7.77	
1RXSJ091828.6−315233	0.0663 (0.0129)	0.807	12.5	091826.84−315239.6	...	...	...	...	
1RXSJ091850.2+364814	0.2099 (0.0238)	0.503	0.0	091850.67+364810.4	BD+37 1965B	**	A4V	:	
...	...	...	...	091850.67+364810.4	HD 80081	**	A3V	3.88 : 3.82	
...	...	...	...	091850.67+364810.4	IRAS 09157+3700	IR	./.	:	
1RXSJ091901.0+461059	0.0813 (0.0188)	0.814	13.9	091901.54+461056.7	BPS BS 16926−0069	*	./.	:	
1RXSJ091907.0−353822	0.2558 (0.0232)	0.727	15.3	091906.89−353827.1	...	...	...	...	
1RXSJ091921.9−773847	0.4784 (0.0483)	0.626	0.0	091924.28−773845.7	** HJ 4214B	TT	G5	:	
...	...	...	...	091924.28−773845.7	HD 81485	**	G3V	8.99 : 8.33	
1RXSJ091935.3+753948	0.1422 (0.0191)	0.629	16.1	091936.06+753944.2	...	...	...	...	
1RXSJ091944.9−063223	0.0605 (0.0171)	0.542	16.7	091945.31−063225.4	PMN J0919−0632	Rad.	./.	:	
1RXSJ091954.9+552120	0.2144 (0.0291)	0.549	14.9	091955.38+552136.6	QSO 0916+556	Sy1	./.	16.0 :	
1RXSJ092001.3+664707	0.0713 (0.0159)	0.564	8.5	092001.46+664705.7	HD 79871	*	G0	9.0 : 8.5	
1RXSJ092007.4−062022	0.0903 (0.0225)	0.847	13.0	092007.13−062024.5	...	...	...	...	
1RXSJ092015.3+860254	0.1283 (0.0135)	0.691	15.6	092016.99+860300.9	...	...	...	...	
1RXSJ092021.4−093621	0.0650 (0.0164)	0.759	0.0	092020.82−093645.2	BD−09 2801C	**	K2V	12.40 : 11.25	
...	...	...	...	092020.82−093645.2	HD 80550	**	F4V	7.34 : 6.95	
1RXSJ092023.1+021351	0.0508 (0.0150)	0.768	14.2	092023.49+021341.2	...	...	...	...	
1RXSJ092030.8+013544	0.0862 (0.0175)	0.616	15.5	092031.14+013537.5	...	...	...	...	
1RXSJ092234.8−631740	1.0600 (0.0843)	0.764	15.0	092234.87−631743.1	1H 0920−629	X−ray Binary	?	16. : 15.3	
1RXSJ092241.4−221909	0.0643 (0.0138)	0.509	13.0	092239.74−221906.6	CTS 86	Gal.	./.	:	
1RXSJ092316.7−022228	0.1249 (0.0212)	0.513	16.1	092317.33−022237.7	...	...	...	...	
1RXSJ092331.5−330716	0.0554 (0.0129)	0.851	13.6	092331.84−330718.9	...	...	...	...	
1RXSJ092344.1−230858	0.0606 (0.0130)	0.721	12.8	092341.29−230901.5	...	...	...	...	
1RXSJ092344.5+715537	0.0529 (0.0135)	0.542	16.6	092344.27+715536.4	...	...	...	...	
1RXSJ092455.2+513444	0.0721 (0.0170)	0.555	0.0	092455.61+513427.3	HD 81025	**mul.	G2III	7.142 : 6.368	
1RXSJ092554.3+400414	0.1788 (0.0225)	0.569	16.8	092554.72+400414.3	FIRST J092554.7+400414	Quasar	./.	:	
1RXSJ092555.0+195408	0.1005 (0.0211)	0.772	14.6	092554.68+195404.7	[VV96] J092554.7+195404	Quasar	./.	16.04 : 15.83	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ092630.4+782603	0.0671 (0.0143)	0.650	0.0	092628.75+782616.1	HD 80388	**	G1V	8.84 : 8.29	
1RXSJ092647.3−645603	0.0522 (0.0144)	0.835	0.0	092644.09−645546.9	HD 82068	*	A3Vn	6.195 : 6.055	
1RXSJ092658.3−163000	0.1887 (0.0231)	0.550	8.7	092658.34−163001.6	HD 81710	*	F5V	9.1 : 8.6	
1RXSJ092703.4+522323	0.1114 (0.0195)	0.569	16.3	092703.21+522316.6	...	...	...	...	
1RXSJ092718.3+230121	0.2286 (0.0252)	0.560	10.7	092718.49+230112.6	NGC 2885	Gal.	S0	:	
...	...	...	...	092718.49+230112.6	[BFE95] 54	Active Galaxy Nucleus	./.	16.0 :	
1RXSJ092748.9+403838	0.1899 (0.0237)	0.619	16.0	092749.10+403831.9	1RXS J092748.9+403838	Quasar	./.	16.7 :	P
...	...	...	...	092749.10+403831.9	KUV 09247+4052	Quasar	./.	:	
1RXSJ092824.5−641503	0.0786 (0.0190)	0.571	14.4	092823.60−641453.8	...	...	...	...	
1RXSJ092829.9−092259	0.0624 (0.0153)	0.789	14.0	092829.52−092258.1	...	...	...	...	
1RXSJ092844.6+222401	0.0751 (0.0159)	0.510	16.4	092843.99+222402.8	[BFE95] 56	Active Galaxy Nucleus	./.	18.5 :	P
1RXSJ092900.3+191718	0.0540 (0.0156)	0.513	8.8	092900.58+191717.3	HD 81899	**	F5	8.64 : 8.20	
1RXSJ093014.2+263032	0.0859 (0.0164)	0.779	14.1	093015.00+263032.0	...	...	...	...	
1RXSJ093017.7+470725	0.4560 (0.0336)	0.559	17.1	093017.70+470721.3	SA 29−656	*	./.	17.8 :	
1RXSJ093023.0+194059	0.1451 (0.0229)	0.833	12.8	093023.56+194046.5	...	...	...	...	
1RXSJ093023.2+125632	0.0873 (0.0177)	0.722	0.0	093023.73+125622.3	HD 82128	*	G0	8.72 : 8.14	
1RXSJ093034.7+464433	0.0528 (0.0128)	0.636	14.2	093033.91+464416.0	...	...	...	...	
1RXSJ093036.5+103603	0.8558 (0.0818)	0.552	8.6	093035.98+103603.0	HD 82159	V*	G5	9.69 : 8.81	P
1RXSJ093059.7−281423	0.1658 (0.0204)	0.549	15.5	093100.46−281431.6	...	...	...	...	
1RXSJ093107.0+030447	0.1472 (0.0229)	0.840	0.0	093106.19+030447.3	HD 82267	*	F8	7.73 : 7.28	
1RXSJ093120.5−740831	0.1356 (0.0335)	0.695	0.0	093123.80−740919.5	HD 83097	*	F5V	9.00 : 8.60	
1RXSJ093121.9+751840	0.0537 (0.0131)	0.639	14.1	093125.85+751855.2	...	...	...	...	
1RXSJ093125.5−734450	0.5387 (0.0532)	0.526	0.0	093124.96−734449.6	HD 83096	**mul.	F0/F2V	7.7 : 7.3	
1RXSJ093147.6−651455	0.1024 (0.0219)	0.631	0.0	093144.74−651452.6	HD 309751	*	G0	10.72 : 10.04	
1RXSJ093243.9+265924	0.7314 (0.0433)	0.718	8.1	093244.09+265927.2	GJ 354.1A	HiPM*	K0V	7.78 : 7.01	P
1RXSJ093300.9−421108	0.0892 (0.0158)	0.568	14.7	093301.95−421048.7	...	...	...	...	
1RXSJ093303.0+385227	0.1598 (0.0233)	0.585	16.4	093302.69+385228.0	KUV 09299+3906	Quasar	./.	:	
1RXSJ093308.2+534754	0.0673 (0.0180)	0.605	15.3	093308.87+534748.8	KUG 0929+540	Gal.	./.	17. :	
1RXSJ093310.2+000316	0.0554 (0.0141)	0.580	15.8	093310.77+000320.0	...	...	...	...	
1RXSJ093318.2−171440	0.2010 (0.0219)	0.579	16.7	093318.15−171440.2	...	...	...	...	
1RXSJ093321.1−701218	0.0858 (0.0153)	0.858	13.7	093319.40−701220.5	...	...	...	...	
1RXSJ093345.7−271351	0.0777 (0.0147)	0.520	13.9	093347.67−271358.7	...	...	...	...	
1RXSJ093348.3+211440	0.0529 (0.0136)	0.636	15.2	093347.71+211436.2	...	...	...	...	
1RXSJ093355.6+141932	0.0598 (0.0138)	0.511	16.3	093355.88+141920.4	...	...	...	...	
1RXSJ093404.9+195623	0.1545 (0.0215)	0.559	16.8	093404.74+195617.8	...	...	...	...	
1RXSJ093427.2+745123	0.1720 (0.0229)	0.742	15.1	093428.51+745120.4	...	...	...	...	
1RXSJ093436.1−002906	0.1402 (0.0196)	0.895	0.0	093436.47−002913.9	HD 82841	V*	K2	9.53 : 8.45	
1RXSJ093450.8+310827	0.0682 (0.0185)	0.629	15.1	093450.82+310823.4	...	...	...	...	
1RXSJ093455.3−780414	0.1116 (0.0167)	0.798	14.4	093456.23−780419.8	...	...	...	...	
1RXSJ093502.0+433108	0.1230 (0.0180)	0.696	15.5	093502.54+433110.6	[VV96] J093502.6+433111	Quasar	./.	16.2 : 16.44	
1RXSJ093504.8+105211	0.0752 (0.0153)	0.802	12.4	093503.65+105219.1	...	...	...	...	
1RXSJ093508.8+481910	0.0611 (0.0136)	0.509	16.8	093509.47+481910.1	[VV96] J093509.4+481910	Quasar	./.	17.33 : 17.17	
1RXSJ093527.4+261714	0.1704 (0.0233)	0.635	16.0	093527.09+261709.7	...	...	...	...	
1RXSJ093544.5+320157	0.0754 (0.0153)	0.584	15.9	093545.06+320159.2	...	...	...	...	
1RXSJ093618.0−092049	0.0748 (0.0142)	0.772	13.4	093619.03−092057.3	...	...	...	...	
1RXSJ093626.3−182106	0.0563 (0.0121)	0.638	11.5	093625.66−182105.5	GSC 06047−01227	*	./.	11.6 : 10.55	
1RXSJ093631.9+282027	0.2706 (0.0262)	0.647	0.0	093631.37+282023.3	HD 83037	**	G	9.86 : 9.28	
1RXSJ093641.0+101413	0.0888 (0.0161)	0.543	15.6	093641.05+101415.7	...	...	...	...	
1RXSJ093642.6+505249	0.0544 (0.0132)	0.887	13.1	093643.15+505249.9	PGC 27350	Gal.	./.	15.5 :	
1RXSJ093657.1−261004	0.0874 (0.0164)	0.753	14.3	093657.79−261010.8	...	...	...	...	
1RXSJ093657.6+120556	0.0919 (0.0163)	0.544	16.5	093658.02+120601.4	...	...	...	...	
1RXSJ093703.2+424835	0.0898 (0.0169)	0.545	16.6	093702.67+424829.9	SA 29−770	*	./.	:	
...	...	...	...	093702.67+424829.9	US 770	Blue object	./.	17.5 :	
1RXSJ093728.4+324556	0.0849 (0.0159)	0.556	16.5	093728.57+324548.4	HS 0934+3259	Quasar	./.	16.9 :	
1RXSJ093732.7+543717	0.0647 (0.0161)	0.526	16.3	093732.83+543707.8	...	...	...	...	
1RXSJ093757.1+730449	0.0621 (0.0134)	0.517	0.0	093757.20+730446.7	HD 82685	**mul.	F2V+...	7.5 : 6.42	
1RXSJ093800.6+081640	0.0977 (0.0248)	0.526	16.1	093801.38+081635.7	...	...	...	...	
1RXSJ093804.7−202000	0.0543 (0.0125)	0.616	15.3	093804.67−201947.8	...	...	...	...	
1RXSJ093834.7+421457	0.0636 (0.0148)	0.544	17.0	093834.59+421456.6	SA 29−792	*	./.	:	
...	...	...	...	093834.59+421456.6	[VV96] J093834.5+421457	Quasar	./.	17.3 : 17.4	
1RXSJ093846.6−215540	0.1009 (0.0155)	0.525	16.5	093846.19−215548.0	...	...	...	...	
1RXSJ093857.8−490347	0.0828 (0.0152)	0.564	11.6	093858.19−490340.6	HD 83719	*	A0V	7.70 : 7.64	
1RXSJ093900.4+253008	0.0615 (0.0138)	0.750	14.6	093900.42+253015.0	...	...	...	...	
1RXSJ093908.8−251543	0.1314 (0.0194)	0.642	15.4	093908.78−251549.7	CTS 87	Gal.	./.	:	
1RXSJ093947.8+752420	0.0696 (0.0150)	0.567	16.5	093947.37+752413.7	...	...	...	...	
1RXSJ094017.8−252754	0.0504 (0.0125)	0.636	15.5	094018.02−252751.6	...	...	...	...	
1RXSJ094021.7+502116	0.0851 (0.0154)	0.583	15.3	094022.73+502106.6	WD 0937+505	WD	DA	16.06 :	P
1RXSJ094033.5+462313	0.1059 (0.0172)	0.521	17.1	094033.75+462315.1	SA 29−822	*	./.	:	
...	...	...	...	094033.75+462315.1	[BFE95] 58	Active Galaxy Nucleus	./.	17.7 :	
...	...	...	...	094033.75+462315.1	[VV96] J094033.7+462315	Quasar	./.	17.7 : 17.7	
1RXSJ094052.5+275924	0.1599 (0.0217)	0.720	13.7	094052.52+275919.4	...	...	...	...	
1RXSJ094108.5−613815	0.1600 (0.0283)	0.889	0.0	094108.46−613819.2	HD 304734	*	K0	11.3 : 10.5	
1RXSJ094110.7−122658	0.1719 (0.0238)	0.691	15.4	094110.77−122701.5	...	...	...	...	
1RXSJ094124.5−332351	0.0735 (0.0138)	0.510	11.4	094124.93−332348.5	HD 84042	*	A0/A1V	6.927 : 6.903	
1RXSJ094135.5+275655	0.0545 (0.0139)	0.823	11.6	094136.32+275721.5	HD 83807	*	F8V	9.00 : 8.46	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ094209.5+334638	0.1325 (0.0193)	0.716	15.6	094209.16+334635.8	...	...	...	...	
1RXSJ094239.3−622857	0.0833 (0.0197)	0.508	11.8	094235.82−622837.1	...	...	...	...	
1RXSJ094240.3−555001	0.0836 (0.0199)	0.500	0.0	094240.48−554953.8	CCDM J09427−5550A	**	G4:V	7.7 : 7.3	
...	...	...	...	094240.48−554953.8	CPD−55 2452B	**	?	:	
...	...	...	...	094240.48−554953.8	HD 84330	**mul.	G4:V+...	7.7 : 7.3	
1RXSJ094334.3+533441	0.0536 (0.0124)	0.512	17.1	094334.22+533440.2	...	...	...	...	
1RXSJ094343.1+345452	0.0577 (0.0139)	0.738	13.0	094342.08+345434.4	...	...	...	...	
1RXSJ094344.9+555724	0.4598 (0.0403)	0.552	8.5	094345.30+555710.3	BD+56 1400B	**	?	14.05 : 12.35	
...	...	...	...	094345.30+555710.3	HD 83950	Ecl. Bin. (W UMa)	F8V:p+...	8.54 : 7.96	
1RXSJ094428.0+360841	0.1979 (0.0241)	0.569	16.8	094427.99+360837.2	[VV96] J094427.8+360837	Quasar	./.	17. : 17.	
1RXSJ094458.6−134707	0.1365 (0.0239)	0.643	14.1	094457.23−134711.9	...	...	...	...	
1RXSJ094541.1+033252	0.1335 (0.0249)	0.784	9.0	094543.40+033242.5	HD 84486	*	F8	8.81 : 8.32	
1RXSJ094553.9+423854	0.1106 (0.0182)	0.721	14.2	094554.39+423839.8	...	...	...	...	
1RXSJ094604.8+395028	0.1237 (0.0182)	0.781	12.9	094605.49+395016.0	HD 84388	*	F2	7.7 : 7.1	
1RXSJ094617.2+025505	0.0639 (0.0157)	0.545	16.5	094616.91+025459.4	...	...	...	...	
1RXSJ094621.0+483818	0.0652 (0.0149)	0.716	14.7	094619.86+483822.5	RX J0946.3+4838	X	./.	14.84 :	
1RXSJ094622.1−271623	0.0675 (0.0125)	0.582	11.3	094621.64−271633.0	HD 84709	*	F3V	7.383 : 7.018	
1RXSJ094644.6−624246	0.0653 (0.0183)	0.769	0.0	094642.45−624234.1	HD 85026	*	A3IV	8.0 : 7.7	
1RXSJ094653.0+132000	0.2727 (0.0303)	0.722	15.1	094652.59+131954.1	...	...	...	...	
1RXSJ094709.2−254056	0.1100 (0.0157)	0.545	17.0	094709.51−254100.1	...	...	...	...	
1RXSJ094720.2+542812	0.0695 (0.0170)	0.806	12.8	094721.81+542825.8	...	...	...	...	
1RXSJ094726.2+211931	0.2023 (0.0239)	0.594	16.5	094726.13+211929.2	...	...	...	...	
1RXSJ094733.2+100522	0.2752 (0.0369)	0.709	14.6	094733.22+100508.5	...	...	...	...	
1RXSJ094838.6+403054	0.2910 (0.0270)	0.857	13.5	094838.43+403043.8	...	...	...	...	
1RXSJ094843.3−262457	0.0809 (0.0134)	0.873	0.0	094842.83−262451.3	HD 85043	**mul.	F3/F5V	7.036 : 6.653	
1RXSJ094843.5−445407	0.1059 (0.0173)	0.538	0.0	094843.22−445407.9	HD 85151	**mul.	F8/G0V	10.0 : 9.3	
1RXSJ094847.5+645353	0.0558 (0.0130)	0.576	12.2	094846.80+645337.4	HD 84558	*	F5	7.508 : 7.121	
1RXSJ094852.9+285346	0.1559 (0.0216)	0.809	14.2	094852.58+285338.6	...	...	...	...	
1RXSJ094918.8−552247	0.0567 (0.0161)	0.661	13.6	094919.75−552241.5	...	...	...	...	
1RXSJ094920.0−223045	0.0712 (0.0135)	0.719	14.3	094920.16−223055.5	...	...	...	...	
1RXSJ094933.0−490432	0.1047 (0.0208)	0.891	10.7	094934.51−490445.7	CD−48 5033	*	?	11.01 : 10.37	
1RXSJ094952.8+390214	0.1080 (0.0174)	0.636	15.4	094952.90+390204.1	[VV96] J094953.0+390204	Quasar	./.	17.1 :	
1RXSJ095007.8−055203	0.1136 (0.0199)	0.561	16.6	095008.08−055208.7	...	...	...	...	
1RXSJ095013.6−104255	0.0527 (0.0127)	0.809	12.3	095015.21−104249.4	...	...	...	...	
1RXSJ095017.9+791400	0.0697 (0.0145)	0.572	16.3	095017.09+791405.2	...	...	...	...	
1RXSJ095031.5+432910	0.0549 (0.0130)	0.569	16.8	095031.60+432908.1	SA 29−1022	*	./.	17.1 :	
1RXSJ095048.4+392652	0.3651 (0.0312)	0.728	15.8	095048.36+392650.6	[VV96] J095048.4+392651	Quasar	./.	:	
1RXSJ095048.5−090657	0.0847 (0.0158)	0.842	14.3	095048.60−090659.3	...	...	...	...	
1RXSJ095101.1−245421	0.0727 (0.0148)	0.832	12.3	095101.89−245403.0	...	...	...	...	
1RXSJ095104.2+192531	0.0672 (0.0149)	0.534	16.5	095103.56+192532.6	...	...	...	...	
1RXSJ095118.1−461133	0.0606 (0.0157)	0.799	0.0	095119.72−461138.0	HD 85563	*	K2III	6.799 : 5.625	
1RXSJ095123.4+220723	0.1453 (0.0240)	0.724	14.5	095122.67+220717.5	...	...	...	...	
1RXSJ095141.9−491551	0.0554 (0.0147)	0.898	12.6	095140.62−491559.2	...	...	...	...	
1RXSJ095154.9−064916	0.2633 (0.0274)	0.854	14.2	095155.07−064921.7	...	...	...	...	
1RXSJ095219.4+322832	0.1423 (0.0216)	0.773	14.2	095220.12+322826.8	...	...	...	...	
1RXSJ095240.0−172913	0.0576 (0.0168)	0.637	11.5	095238.91−172900.4	GSC 06049−01388	*	./.	11.5 : 10.7	
1RXSJ095302.5+380148	0.1408 (0.0199)	0.571	16.8	095302.64+380145.6	...	...	...	...	
1RXSJ095314.2+475520	0.0879 (0.0170)	0.642	15.3	095314.88+475527.8	...	...	...	...	
1RXSJ095314.2−155849	0.0949 (0.0171)	0.738	13.1	095314.45−155840.9	MCG−03−25−027	Gal.	./.	15. :	
1RXSJ095331.5+253939	0.1022 (0.0176)	0.622	14.9	095331.34+253943.1	...	...	...	...	
1RXSJ095340.4+014154	0.1133 (0.0184)	0.549	15.4	095341.36+014202.4	...	...	...	...	
1RXSJ095429.7−160644	0.0741 (0.0154)	0.631	15.1	095429.63−160651.4	[BFE95] 63	Quasar	An...	16.4 :	
1RXSJ095433.6−125711	0.0962 (0.0160)	0.879	12.1	095434.48−125654.7	...	...	...	...	
1RXSJ095442.8+082343	0.0653 (0.0161)	0.744	0.0	095442.93+082328.7	BD+09 2260	**	F8	10.82 : 10.09	
...	...	...	...	095442.93+082328.7	BD+09 2260B	**	?	:	
1RXSJ095458.3−444846	0.0585 (0.0132)	0.662	10.9	095459.47−444857.4	...	...	...	...	
1RXSJ095513.8−212301	0.1267 (0.0173)	0.858	14.4	095513.59−212302.8	...	...	...	...	
1RXSJ095514.8−620316	0.1234 (0.0283)	0.579	12.4	095515.11−620334.2	...	...	...	...	
1RXSJ095539.4+453218	0.1338 (0.0176)	0.568	16.5	095539.83+453217.1	[VV96] J095539.8+453217	Quasar	./.	16.6 : 16.7	
1RXSJ095543.2+352206	0.1046 (0.0189)	0.759	14.2	095543.73+352155.9	...	...	...	...	
1RXSJ095559.6−672136	0.0729 (0.0179)	0.835	11.4	095558.47−672122.7	CD−66 801	*	./.	10.53 : 9.85	
1RXSJ095624.4+564811	0.0720 (0.0151)	0.574	16.1	095623.68+564806.5	...	...	...	...	
1RXSJ095624.5+064803	0.0804 (0.0155)	0.557	16.2	095623.83+064801.9	...	...	...	...	
1RXSJ095645.0−435634	0.0675 (0.0159)	0.872	11.5	095646.66−435623.8	...	...	...	...	
1RXSJ095652.4+411524	0.9488 (0.0549)	0.802	15.1	095652.40+411522.3	[VV96] J095652.3+411521	Quasar	S...	15.05 : 15.32	P
1RXSJ095703.2+563138	0.0632 (0.0136)	0.512	17.0	095702.81+563135.9	...	...	...	...	
1RXSJ095708.1+243319	0.1442 (0.0212)	0.616	15.2	095707.16+243316.1	...	...	...	...	
1RXSJ095717.9−755432	0.1017 (0.0190)	0.553	15.4	095720.70−755426.2	RX J0957.4−7554	X	./.	:	
1RXSJ095737.7−123003	0.0524 (0.0129)	0.789	13.8	095737.60−122951.2	...	...	...	...	
1RXSJ095742.7+201014	0.0689 (0.0192)	0.511	8.2	095743.02+201018.3	HD 86261	*	F8	8.50 : 8.02	
1RXSJ095752.3+852935	0.5437 (0.0291)	0.732	15.1	095755.62+852942.3	...	...	...	...	
1RXSJ095758.2+285345	0.1601 (0.0221)	0.543	17.1	095758.29+285347.2	...	...	...	...	
1RXSJ095758.2+302706	0.0816 (0.0179)	0.511	15.1	095759.20+302708.8	...	...	...	...	
1RXSJ095803.1−322409	0.0579 (0.0149)	0.608	12.6	095804.07−322316.8	...	...	...	...	
1RXSJ095827.3+085051	0.1050 (0.0174)	0.661	10.3	095827.27+085044.5	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ095916.0−073515	0.0756 (0.0157)	0.593	12.8	095914.94−073522.9	...	...	...	...	
1RXSJ095919.3+435033	0.2164 (0.0237)	0.720	15.6	095919.25+435035.7	...	...	...	...	
1RXSJ095932.6+504459	0.1040 (0.0183)	0.511	16.1	095931.69+504449.1	SBSG 0956+510	Gal.	./.	:	
1RXSJ095936.6−260422	0.1316 (0.0199)	0.711	14.6	095937.30−260426.9	...	...	...	...	
1RXSJ095948.0+112926	0.1586 (0.0238)	0.609	14.6	095946.87+112919.3	...	...	...	...	
1RXSJ100014.9−193756	0.0895 (0.0166)	0.844	8.5	100014.19−193810.2	NGC 3091	Gal.	E	12.50 :	
...	...	...	...	100014.19−193810.2	dCAZ94 HCG 42−01	GiG	./.	12.62 :	
1RXSJ100021.9+042001	0.0508 (0.0137)	0.580	15.4	100022.23+042014.6	...	...	...	...	
1RXSJ100033.7+104726	0.1204 (0.0195)	0.564	17.0	100033.84+104723.3	...	...	...	...	
1RXSJ100102.9+594426	0.0510 (0.0129)	0.556	16.0	100102.55+594414.7	...	...	...	...	
1RXSJ100104.1−791314	0.0681 (0.0113)	0.745	14.0	100108.89−791308.2	RX J1001.1−7913	*	K8	:	P
1RXSJ100137.3+353422	0.1667 (0.0227)	0.501	17.5	100137.01+353423.2	KUV 09587+3549	Quasar	./.	17.3 :	
1RXSJ100200.3−080939	0.2299 (0.0253)	0.877	11.9	100200.01−080943.1	[HB91] 0959−079	Sy1	./.	14.64 :	P
1RXSJ100200.7+665131	0.1011 (0.0168)	0.882	14.1	100200.61+665131.7	...	...	...	...	
1RXSJ100202.3−302106	0.2402 (0.0262)	0.738	14.1	100202.92−302116.8	...	...	...	...	
1RXSJ100227.0−710444	0.0577 (0.0126)	0.680	14.9	100227.68−710445.7	...	...	...	...	
1RXSJ100231.6−281433	0.0655 (0.0154)	0.636	15.4	100231.07−281427.6	...	...	...	...	
1RXSJ100232.7−620336	0.1414 (0.0318)	0.593	11.3	100231.40−620329.9	GSC 08947−00153	*	./.	11.5 : 10.6	
1RXSJ100255.5−002441	0.1475 (0.0197)	0.510	16.5	100255.10−002449.5	...	...	...	...	
1RXSJ100307.4−851636	0.0685 (0.0170)	0.552	12.7	100255.41−851624.7	...	...	...	...	
1RXSJ100321.9+020330	0.1470 (0.0204)	0.683	0.0	100321.67+020327.3	BD+02 2282B	**	?	:	
...	...	...	...	100321.67+020327.3	HD 87179	**	F8	9.47 : 8.95	
1RXSJ100355.7−705406	0.0658 (0.0129)	0.807	12.9	100356.10−705353.3	...	...	...	...	
1RXSJ100402.4+285540	0.3928 (0.0325)	0.772	15.0	100402.61+285535.3	[VV96] J100402.6+285536	Quasar	?	16.17 : 15.7	
1RXSJ100421.0+502318	0.6885 (0.0430)	0.763	13.2	100422.14+502322.5	...	...	...	...	
1RXSJ100438.6+151059	0.0991 (0.0185)	0.592	16.3	100438.83+151056.7	...	...	...	...	
1RXSJ100505.4+562426	0.1704 (0.0200)	0.544	16.8	100506.12+562429.0	...	...	...	...	
1RXSJ100508.4+341424	0.1240 (0.0201)	0.531	16.8	100507.95+341424.4	...	...	...	...	
1RXSJ100515.1−774900	0.0515 (0.0123)	0.563	14.4	100520.20−774842.6	...	...	...	...	
1RXSJ100525.7−713724	0.0508 (0.0129)	0.756	14.8	100525.58−713729.3	...	...	...	...	
1RXSJ100532.6−241708	0.0602 (0.0142)	0.757	14.6	100532.74−241716.8	CTS 8	Sy1	./.	17.5 :	
1RXSJ100542.2+433244	0.6636 (0.0387)	0.705	15.8	100541.87+433240.6	FBS 1002+437	Quasar	./.	:	
1RXSJ100610.7−394056	0.3076 (0.0276)	0.895	12.7	100610.73−394101.5	...	...	...	...	
1RXSJ100646.8−491035	0.0572 (0.0150)	0.874	13.2	100647.92−491038.2	...	...	...	...	
1RXSJ100655.6+320057	0.0883 (0.0177)	0.530	15.1	100655.73+320122.5	...	...	...	...	
1RXSJ100656.4−451609	0.0615 (0.0139)	0.881	13.1	100656.80−451602.1	...	...	...	...	
1RXSJ100659.0−635212	0.0963 (0.0231)	0.758	11.9	100655.76−635209.2	GSC 08951−00289	*	./.	12.0 : 11.0	
1RXSJ100659.7+673249	0.1737 (0.0214)	0.721	15.2	100700.79+673247.8	V* CH UMa	DN	CV	15.97 :	
1RXSJ100721.0+730603	0.0621 (0.0145)	0.582	16.0	100721.53+730610.1	...	...	...	...	
1RXSJ100724.1−462138	0.1487 (0.0228)	0.864	12.0	100725.24−462149.2	GSC 08182−01315	*	./.	11.8 : 10.8	
1RXSJ100738.6+062128	0.3479 (0.0300)	0.777	0.0	100738.58+062125.0	CCDM J10076+0621AB	**mul.	G5	9.5 : 8.5	
...	...	...	...	100738.58+062125.0	GSC 00250−00774	*	./.	10.45 : 9.87	
...	...	...	...	100738.58+062125.0	GSC 00250−01420	*	./.	10.73 : 10.03	
1RXSJ100750.6−090437	0.1029 (0.0195)	0.687	13.6	100750.44−090444.3	...	...	...	...	
1RXSJ100802.7−145904	0.2878 (0.0264)	0.817	14.7	100802.89−145906.1	...	...	...	...	
1RXSJ100816.5−031526	0.1539 (0.0208)	0.824	14.4	100816.65−031530.8	...	...	...	...	
1RXSJ100846.9−654844	0.2653 (0.0360)	0.546	0.0	100842.75−654855.5	HD 88323	**	K0III	6.215 : 5.261	
...	...	...	...	100842.75−654855.5	IRAS 10073−6534	IR	./.	:	
1RXSJ100848.8−095442	0.2109 (0.0253)	0.868	13.4	100848.64−095451.7	...	...	...	...	
1RXSJ100908.5+733238	0.1470 (0.0221)	0.572	16.2	100910.20+733234.8	...	...	...	...	
1RXSJ100916.2+353626	0.0528 (0.0137)	0.898	12.7	100917.25+353618.6	...	...	...	...	
1RXSJ100947.3+523442	0.0701 (0.0152)	0.502	16.0	100948.47+523451.5	...	...	...	...	
1RXSJ100955.3+694127	0.0514 (0.0157)	0.541	15.0	100958.34+694123.6	...	...	...	...	
1RXSJ100958.0+470945	0.0739 (0.0137)	0.545	16.3	100958.84+470944.0	53P 44	Rad.	./.	:	
1RXSJ101015.9−311909	0.7689 (0.0491)	0.804	15.0	101016.02−311908.7	...	...	...	...	
1RXSJ101027.9+413242	0.2544 (0.0251)	0.721	15.6	101027.55+413239.1	[VV96] J101027.5+413238	Quasar	./.	16.5 : 16.5	P
1RXSJ101031.1+255959	0.0540 (0.0159)	0.531	16.1	101030.53+255949.5	...	...	...	...	
1RXSJ101137.6−071704	0.0869 (0.0183)	0.570	15.8	101138.31−071708.8	...	...	...	...	
1RXSJ101202.4+301309	0.0712 (0.0153)	0.610	15.1	101202.59+301303.3	...	...	...	...	
1RXSJ101217.2−034442	0.0649 (0.0148)	0.536	10.7	101218.12−034434.0	...	...	...	...	
1RXSJ101221.5−012816	0.0856 (0.0169)	0.780	14.4	101222.05−012815.6	...	...	...	...	
1RXSJ101238.4+101722	0.0946 (0.0173)	0.774	15.0	101238.54+101719.1	...	...	...	...	
1RXSJ101244.4+422959	0.6639 (0.0385)	0.512	17.7	101244.31+422957.3	RX J1012.6+4229	X	./.	:	
...	...	...	...	101244.31+422957.3	[CWH99] J101244.2+422958	BL Lac − type object	./.	:	P
1RXSJ101303.2+355131	1.3780 (0.0573)	0.774	14.7	101303.19+355123.8	KUV 10101+3606	UV	./.	15.2 :	
...	...	...	...	101303.19+355123.8	[VV96] J101303.1+355122	Quasar	S...	16.0 : 15.4	P
1RXSJ101322.5−330139	0.0803 (0.0210)	0.898	0.0	101324.73−330154.2	GJ 385.1	HiPM*	G1V	6.97 : 6.35	
1RXSJ101324.9−654340	0.0712 (0.0210)	0.765	12.2	101321.42−654356.0	WT 250	*	./.	11.5 :	
1RXSJ101325.5+221232	0.1243 (0.0187)	0.567	17.0	101325.44+221229.5	...	...	...	...	
1RXSJ101326.2+061202	0.0617 (0.0153)	0.567	13.0	101324.37+061145.4	...	...	...	...	
1RXSJ101402.5+461954	0.1495 (0.0192)	0.560	16.6	101401.86+461953.7	[VV96] J101401.8+461953	Quasar	./.	17.7 : 17.71	P
1RXSJ101409.8−763628	0.0774 (0.0174)	0.720	15.2	101408.31−763633.5	...	...	...	...	
1RXSJ101415.7+091844	0.0735 (0.0154)	0.513	16.6	101415.15+091839.1	...	...	...	...	
1RXSJ101425.6−813853	0.1047 (0.0183)	0.745	13.5	101420.76−813842.7	...	...	...	...	
1RXSJ101432.0+060649	0.2169 (0.0237)	0.804	14.3	101432.41+060644.1	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ101437.5+440643	0.1296 (0.0191)	0.563	16.5	101437.44+440639.2	...	...	...	...	
1RXSJ101455.6+003349	0.0836 (0.0180)	0.567	15.4	101454.95+003337.5	[VV96] J101454.9+003337	Quasar	./.	16.00 : 16.0	
1RXSJ101458.4+313933	0.1994 (0.0247)	0.572	16.7	101458.11+313931.5	...	...	...	...	
1RXSJ101502.3−165219	0.0681 (0.0144)	0.526	16.0	101503.19−165214.0	[VV96] J101503.2−165215	Quasar	An...	17.3 : 17.3	
1RXSJ101504.3+492604	1.9420 (0.0685)	0.731	15.7	101504.14+492600.7	51P 104	Rad.	./.	:	
...	...	...	...	101504.14+492600.7	GB2 1011+496	Rad.	./.	16.56 :	
...	...	...	...	101504.14+492600.7	JVAS 1011+496	Rad.	./.	:	
...	...	...	...	101504.14+492600.7	QSO 1011+496	BL Lac − type object	B...	16.56 : 16.15	P
1RXSJ101534.8+090448	1.1450 (0.0979)	0.567	16.6	101534.78+090442.3	RX J1015.5+0904	CV Star	Am	:	P
1RXSJ101543.4+712703	0.0705 (0.0163)	0.508	15.9	101546.70+712704.7	...	...	...	...	
1RXSJ101558.9−274827	0.1196 (0.0210)	0.524	16.9	101559.24−274829.0	...	...	...	...	
1RXSJ101627.8−005127	0.0681 (0.0150)	0.695	14.5	101627.29−005139.6	...	...	...	...	
1RXSJ101629.0−315030	0.0883 (0.0179)	0.543	16.7	101629.19−315023.8	...	...	...	...	
1RXSJ101645.9+421024	0.4355 (0.0320)	0.743	14.8	101645.10+421025.6	1RXP J101645.0+421026	Gal.	./.	:	
1RXSJ101651.9+393539	0.1258 (0.0208)	0.781	14.1	101651.47+393529.7	...	...	...	...	
1RXSJ101716.7+051145	0.1012 (0.0172)	0.556	15.9	101716.80+051149.9	...	...	...	...	
1RXSJ101726.0−535427	0.1877 (0.0246)	0.601	15.1	101727.23−535425.6	...	...	...	...	
1RXSJ101731.5+470225	0.1095 (0.0174)	0.508	17.0	101730.98+470225.0	[VV96] J101730.9+470225	Quasar	./.	:	
1RXSJ101737.6+065820	0.0862 (0.0163)	0.899	13.2	101737.92+065815.7	Mrk 720	Sy1	./.	15.0 :	
1RXSJ101835.1−354541	0.0844 (0.0193)	0.897	0.0	101834.94−354555.2	HD 89441	*	G2V	8.23 : 7.63	
1RXSJ101907.1−053703	0.1319 (0.0200)	0.568	16.1	101907.32−053712.8	PGC 82701	Gal. in Clust.	SBab	15. :	
1RXSJ101908.1−644053	0.0675 (0.0183)	0.542	0.0	101905.12−644034.6	HD 89715	**mul.	A1V	5.72 : 5.67	
1RXSJ101933.4−050610	0.1359 (0.0197)	0.871	0.0	101932.34−050622.1	HD 89490	*	K0	7.251 : 6.372	
1RXSJ102006.2+244234	0.0913 (0.0165)	0.548	16.1	102006.01+244224.3	...	...	...	...	
1RXSJ102027.1+530439	0.1189 (0.0170)	0.605	16.0	102026.68+530433.0	...	...	...	...	
1RXSJ102028.9+655559	0.1253 (0.0172)	0.525	16.9	102029.86+655557.1	...	...	...	...	
1RXSJ102032.6−022828	0.0682 (0.0166)	0.808	14.1	102032.13−022822.9	...	...	...	...	
1RXSJ102109.3+654520	0.0629 (0.0124)	0.868	13.4	102109.24+654509.6	...	...	...	...	
1RXSJ102141.4+235546	0.2453 (0.0193)	0.659	13.3	102141.26+235523.0	...	...	...	...	
1RXSJ102147.9+605446	0.3478 (0.0259)	0.500	8.8	102147.96+605446.4	HD 89546	V*	K0	8.406 : 7.411	
1RXSJ102204.4−323324	0.4435 (0.0478)	0.510	10.5	102204.65−323326.9	CD−31 8201	*	K0	11.09 : 10.11	
1RXSJ102219.2−103302	0.0680 (0.0161)	0.875	0.0	102217.99−103215.5	BD−09 3055	*	./.	:	
1RXSJ102225.1−142859	0.0911 (0.0171)	0.685	15.7	102224.85−142857.3	[BFE95] 73	Active Galaxy Nucleus	./.	17.1 :	
1RXSJ102231.6−395011	0.0601 (0.0156)	0.872	13.1	102230.53−395014.7	HD 90018	*	K2IIIp	9.92 : 8.70	
1RXSJ102232.2−103740	0.2253 (0.0258)	0.630	15.4	102232.82−103744.2	PMN J1022−1037	Rad.	./.	:	
...	...	...	...	102232.82−103744.2	[VV96] J102232.7−103745	Quasar	An...	16.25 : 16.11	P
1RXSJ102253.9−414640	0.0541 (0.0154)	0.772	12.9	102256.01−414640.3	...	...	...	...	
1RXSJ102331.5+195143	0.0985 (0.0197)	0.894	12.4	102330.60+195158.2	NGC 3227	Sy1	Sb	13.52 :	P
1RXSJ102332.4+245820	0.0510 (0.0138)	0.557	15.7	102332.96+245832.3	...	...	...	...	
1RXSJ102334.6+443346	0.0928 (0.0172)	0.653	15.7	102335.01+443341.4	...	...	...	...	
1RXSJ102338.5+523356	0.0673 (0.0131)	0.542	15.9	102339.66+523349.8	...	...	...	...	
1RXSJ102340.6+300109	0.0713 (0.0154)	0.690	15.2	102340.29+300109.4	...	...	...	...	
1RXSJ102350.7−271522	0.3325 (0.0305)	0.501	16.6	102350.22−271524.0	...	...	...	...	
1RXSJ102403.1+062954	0.1190 (0.0197)	0.772	13.8	102402.59+062943.6	RX J102402+06297	X	./.	:	
1RXSJ102407.0+273130	0.1302 (0.0198)	0.721	15.1	102406.68+273123.1	...	...	...	...	
1RXSJ102414.7+390236	0.0763 (0.0192)	0.746	14.2	102413.83+390227.4	...	...	...	...	
1RXSJ102424.9+445746	0.0599 (0.0137)	0.528	12.8	102422.29+445743.3	...	...	...	...	
1RXSJ102444.5−302102	0.2008 (0.0278)	0.624	16.0	102444.23−302100.0	...	...	...	...	
1RXSJ102445.5+062455	0.0516 (0.0140)	0.808	14.0	102445.11+062448.6	...	...	...	...	
1RXSJ102521.4−424156	0.1048 (0.0190)	0.882	13.8	102520.97−424154.0	...	...	...	...	
1RXSJ102526.4−491843	0.1497 (0.0270)	0.810	13.9	102526.02−491840.4	...	...	...	...	
1RXSJ102531.2+514039	1.7470 (0.0591)	0.810	14.9	102531.29+514034.7	Mrk 142	Sy1	S...	16.5 : 15.2	P
1RXSJ102603.1−410550	0.0960 (0.0193)	0.834	13.6	102602.16−410553.9	...	...	...	...	
1RXSJ102604.2+080211	0.0679 (0.0160)	0.523	9.4	102604.03+080209.8	HD 90373	**mul.	G0	9.25 : 8.69	
1RXSJ102653.0+550913	0.3726 (0.0279)	0.623	16.3	102652.98+550909.2	...	...	...	...	
1RXSJ102658.5−174905	0.1622 (0.0224)	0.529	16.6	102658.56−174858.8	...	...	...	...	
1RXSJ102700.7+390809	0.1498 (0.0216)	0.554	16.3	102700.02+390804.4	...	...	...	...	
1RXSJ102707.2+060901	0.2999 (0.0311)	0.579	12.6	102708.92+060908.2	...	...	...	...	
1RXSJ102711.2+322342	0.0564 (0.0152)	0.684	14.4	102712.19+322329.6	EUVE J1027+32.2	*	G5V	:	
1RXSJ102730.1−035102	0.0746 (0.0162)	0.597	14.9	102729.94−035059.5	...	...	...	...	
1RXSJ102737.0−202709	0.0923 (0.0183)	0.817	10.3	102737.39−202710.2	BD−19 3018	*	K0	10.63 : 9.90	
1RXSJ102818.7−523350	0.1084 (0.0219)	0.573	0.0	102818.62−523342.5	HD 90885	**	K2/K3III	8.5 :	
...	...	...	...	102818.62−523342.5	HD 90885 B	**	G5	8.5 :	
1RXSJ102824.4+400846	0.0667 (0.0153)	0.618	15.9	102824.35+400846.9	...	...	...	...	
1RXSJ102829.7+070457	0.0524 (0.0138)	0.721	15.1	102829.88+070501.4	...	...	...	...	
1RXSJ102836.6+630255	0.3612 (0.0254)	0.637	15.8	102837.18+630248.5	...	...	...	...	
1RXSJ102838.7−012742	0.0624 (0.0146)	0.884	12.7	102838.75−012744.9	...	...	...	...	
1RXSJ102847.3+391805	0.1005 (0.0185)	0.509	16.9	102847.03+391800.2	1RXP J102847.1+391801	Quasar	./.	:	
1RXSJ102915.4+572402	0.2551 (0.0242)	0.543	15.9	102914.79+572353.3	KUG 1025+576	Gal.	cG	17. : 17.35	
1RXSJ102945.3+450717	0.0914 (0.0179)	0.609	15.3	102945.69+450704.9	WD 1026+453	WD	DA	16.09 :	P
1RXSJ102946.7+401914	0.1471 (0.0205)	0.717	15.7	102946.84+401913.6	...	...	...	...	
1RXSJ103006.2−423332	0.0637 (0.0145)	0.666	13.3	103007.63−423344.5	...	...	...	...	
1RXSJ103024.5+551630	0.2046 (0.0208)	0.544	16.3	103024.97+551622.5	RX J1030.3+5516	X	./.	:	P
1RXSJ103046.3+575744	0.0703 (0.0151)	0.798	12.7	103045.57+575725.3	...	...	...	...	
1RXSJ103058.8+310305	0.4487 (0.0326)	0.557	15.9	103059.10+310256.0	[LO95] 1028+313	Rad.	./.	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	103059.10+310256.0	[OLK95] 1028+313	Rad. Gal.	./.	:	
...	...	...	...	103059.10+310256.0	[OWG93] ACO 1030	Gal. in Clust.	./.	:	
...	...	...	...	103059.10+310256.0	[VV96] J103059.1+310256	Quasar	./.	17.07 :	
1RXSJ103118.6+505341	4.4640 (0.0924)	0.652	16.2	103118.52+505335.9	1ES 1028+51.1	BL Lac − type object	./.	:	
...	...	...	...	103118.52+505335.9	EUVE J1031+50.8	UV	./.	:	
...	...	...	...	103118.52+505335.9	RGB J1031+508	Rad.	./.	:	
1RXSJ103120.9+744201	0.0902 (0.0189)	0.728	14.9	103122.67+744156.9	BWE 1027+7457	Rad.	./.	:	
...	...	...	...	103122.67+744156.9	JVAS 1027+749	Gal.	./.	:	
1RXSJ103123.9+453124	0.0598 (0.0153)	0.796	10.5	103126.60+453200.1	...	...	...	...	
1RXSJ103134.2+284711	0.4146 (0.0321)	0.538	16.1	103134.31+284701.4	QSO 1028+290	Sy1	./.	:	P
1RXSJ103214.3+401607	0.1342 (0.0197)	0.798	13.9	103214.00+401616.5	[MPC97] ACO 1035 1	Gal. in Clust.	./.	:	
...	...	...	...	103214.00+401616.5	[SBM98] ACO 1035 J103213.97+401616.8	Gal. in Clust.	./.	:	
1RXSJ103236.2−281331	0.1602 (0.0241)	0.665	15.5	103236.07−281326.9	...	...	...	...	
1RXSJ103244.5+391331	0.1977 (0.0263)	0.569	16.2	103244.22+391322.7	1RXS J103244.5+391331	Sy1	./.	16.6 :	P
1RXSJ103244.5−444106	0.2005 (0.0282)	0.864	11.8	103244.10−444057.0	HD 296790	*	G5	10.49 : 9.67	
1RXSJ103256.6−270727	0.1862 (0.0260)	0.884	13.7	103257.03−270730.7	CTS 93	Gal.	./.	:	
1RXSJ103313.5+340924	0.0701 (0.0158)	0.731	13.7	103314.52+340919.1	L 1545 −67	*	./.	:	
1RXSJ103341.9−641319	0.0672 (0.0177)	0.615	12.3	103341.87−641345.5	GSC 08964−00073	*	./.	12.67 : 11.75	
1RXSJ103356.7−211108	0.1012 (0.0209)	0.635	16.1	103356.81−211106.3	CTS 94	Gal.	./.	:	
1RXSJ103422.3+605316	0.1054 (0.0156)	0.507	17.1	103421.72+605318.3	...	...	...	...	
1RXSJ103451.2−410330	0.0566 (0.0136)	0.528	16.7	103451.12−410323.2	...	...	...	...	
1RXSJ103543.6−135653	0.0991 (0.0210)	0.608	8.0	103543.73−135722.3	HD 91789	*	F7V	7.89 : 7.45	
1RXSJ103546.1+021559	0.0656 (0.0155)	0.572	15.1	103547.18+021559.9	...	...	...	...	
1RXSJ103557.2−103213	0.0818 (0.0167)	0.773	12.5	103555.70−103203.6	...	...	...	...	
1RXSJ103557.3+285336	0.0523 (0.0136)	0.774	14.3	103557.64+285335.1	...	...	...	...	
1RXSJ103605.9−115458	0.0798 (0.0163)	0.548	15.7	103605.53−115513.5	...	...	...	...	
1RXSJ103614.6−030600	0.1018 (0.0182)	0.581	16.0	103614.79−030605.7	...	...	...	...	
1RXSJ103624.9+460838	0.1697 (0.0235)	0.806	14.3	103625.28+460834.7	GD 123	WD	DA	13.70 : 13.15	P
1RXSJ103645.2+152138	0.2337 (0.0358)	0.739	14.6	103644.50+152141.9	...	...	...	...	
1RXSJ103706.9−501331	0.0813 (0.0204)	0.572	14.7	103706.28−501313.8	...	...	...	...	
1RXSJ103707.2−112634	0.1005 (0.0176)	0.744	13.0	103705.83−112633.3	...	...	...	...	
1RXSJ103715.7−293359	0.0699 (0.0172)	0.593	16.2	103716.06−293402.7	[VV96] J103716.2−293403	Quasar	./.	18. : 18.	P
1RXSJ103733.8−564757	0.0865 (0.0225)	0.894	11.7	103735.33−564755.9	...	...	...	...	
1RXSJ103743.2−054848	0.0629 (0.0160)	0.657	15.0	103743.87−054855.3	...	...	...	...	
1RXSJ103744.9+571159	0.2398 (0.0227)	0.555	16.8	103744.30+571155.8	1RXP J103744.2+571157	BL Lac − type object	./.	:	
...	...	...	...	103744.30+571155.8	BWE 1034+5727	BL Lac − type object	./.	:	
1RXSJ103820.8+141605	0.5043 (0.0552)	0.508	9.6	103820.77+141604.5	HD 92109	Ecl. Bin. (Algol)	G0V	9.60 : 8.98	
1RXSJ103829.7+483149	0.0683 (0.0137)	0.740	14.7	103830.70+483148.9	GJ 3613	*	M3	:	
1RXSJ103858.6+401107	0.0779 (0.0182)	0.623	15.5	103858.44+401058.3	...	...	...	...	
1RXSJ103922.2+484806	0.1830 (0.0207)	0.872	9.7	103923.96+484819.0	HD 92167	*	G0	9.72 : 9.20	
1RXSJ103927.5−753802	0.2716 (0.0367)	0.545	0.0	103931.72−753756.5	HD 92727	**	F7/F8V:	9.9 :	
...	...	...	...	103931.72−753756.5	HD 92727 B	**	K0	9.9 :	
...	...	...	...	103931.72−753756.5	[CAA97] RX J1039.5−7538N	*	G3	:	
...	...	...	...	103931.72−753756.5	[CAA97] RX J1039.5−7538S	*	G1	:	
1RXSJ103944.0−375503	0.4318 (0.0429)	0.503	0.0	103944.28−375513.4	HIC 52190	*	./.	:	
1RXSJ104010.2+560345	0.0556 (0.0126)	0.708	13.6	104011.35+560401.5	...	...	...	...	
1RXSJ104025.6+582750	0.1434 (0.0250)	0.759	12.4	104026.44+582734.8	GSC 03829−00985	*	./.	11.54 : 10.61	
1RXSJ104043.6+330057	0.2486 (0.0261)	0.740	15.4	104043.98+330059.6	[BFE95] 77	Active Galaxy Nucleus	./.	16.5 :	P
1RXSJ104043.7+395706	0.5641 (0.0404)	0.560	15.1	104044.52+395711.1	PGC 93944	Gal.	./.	16.00 :	
1RXSJ104052.8+212102	0.1489 (0.0219)	0.548	17.0	104053.02+212058.7	...	...	...	...	
1RXSJ104111.5+282812	0.2214 (0.0260)	0.559	16.2	104111.97+282805.2	1RXS J104111.5+282812	Quasar	./.	16.8 :	P
1RXSJ104115.4−210124	0.2412 (0.0287)	0.741	10.1	104115.15−210123.9	ESO 568− 21	Gal.	Sb	:	
1RXSJ104120.3+314034	0.1065 (0.0179)	0.751	15.1	104120.49+314039.2	CASG 64	Gal.	./.	16. :	
1RXSJ104147.5+523330	0.0770 (0.0145)	0.544	16.6	104146.79+523328.3	JVAS 1038+528	Rad.	./.	:	
...	...	...	...	104146.79+523328.3	RORF 1038+52B	Rad.	./.	:	
...	...	...	...	104146.79+523328.3	S4 1038+52	Rad.	./.	:	
...	...	...	...	104146.79+523328.3	[VV96] J104146.7+523328	Quasar	./.	:	
1RXSJ104153.0−861633	0.0854 (0.0204)	0.526	15.7	104158.23−861639.7	...	...	...	...	
1RXSJ104253.2+041446	0.0531 (0.0149)	0.542	16.1	104252.96+041441.6	...	...	...	...	
1RXSJ104311.5+490227	0.9300 (0.0435)	0.667	15.4	104311.45+490223.3	SBSS 1040+493	*	./.	:	
1RXSJ104318.7−055350	0.0894 (0.0185)	0.568	16.6	104318.96−055352.3	...	...	...	...	
1RXSJ104333.4+010109	0.0702 (0.0183)	0.779	14.4	104332.90+010108.8	GNB 69	Gal.	SB...	16.76 : 16.12	
1RXSJ104346.6+223006	0.1301 (0.0207)	0.530	15.6	104347.05+222957.9	...	...	...	...	
1RXSJ104421.7−442740	0.0709 (0.0195)	0.683	14.9	104421.67−442730.6	...	...	...	...	
1RXSJ104423.4+805435	0.0708 (0.0124)	0.505	17.2	104423.03+805439.3	CJ1 1039+811	Rad.	./.	:	
...	...	...	...	104423.03+805439.3	[VV96] J104423.1+805439	Quasar	./.	:	
1RXSJ104427.2−433248	0.1456 (0.0233)	0.648	14.7	104427.44−433248.6	...	...	...	...	
1RXSJ104427.6+271813	0.2158 (0.0256)	0.752	14.9	104427.76+271806.4	...	...	...	...	
1RXSJ104446.6+574449	0.1573 (0.0247)	0.733	14.1	104446.37+574433.5	...	...	...	...	
1RXSJ104502.2−650221	0.0799 (0.0189)	0.826	11.8	104459.69−650219.6	2E 1043.2−6446	X	./.	:	
...	...	...	...	104459.69−650219.6	HD 307979	*iC	G0	11.7 : 10.8	
1RXSJ104540.8−203644	0.0813 (0.0174)	0.507	11.1	104541.16−203635.7	BD−19 3095	*	./.	10.89 : 10.22	
1RXSJ104541.2+520242	0.2225 (0.0229)	0.552	16.4	104541.77+520235.5	...	...	...	...	
1RXSJ104610.6+401820	0.0665 (0.0149)	0.744	14.8	104610.06+401815.1	...	...	...	...	
1RXSJ104612.9−511819	0.0735 (0.0188)	0.796	11.9	104609.71−511814.0	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ104616.3+202134	0.2585 (0.0320)	0.639	15.6	104615.97+202128.8	...	...	...	...	
1RXSJ104645.7−492518	2.3400 (0.1420)	0.630	0.0	104646.12−492512.5	HD 93497	**mul.	G5III+...	3.635 : 2.721	
1RXSJ104656.2−154920	0.0601 (0.0142)	0.760	13.6	104657.45−154916.5	...	...	...	...	
1RXSJ104728.2−372159	0.0550 (0.0164)	0.871	12.8	104728.96−372209.0	...	...	...	...	
1RXSJ104755.8−153116	0.0740 (0.0160)	0.787	14.4	104755.99−153114.6	...	...	...	...	
1RXSJ104926.1+245134	0.3333 (0.0313)	0.533	15.6	104925.42+245123.9	...	...	...	...	
1RXSJ104949.5−644613	0.0673 (0.0171)	0.744	12.6	104948.48−644628.7	RX J1049.8−6446	X	./.	:	P
1RXSJ104958.7−695133	0.1143 (0.0197)	0.596	10.2	104956.58−695122.4	GSC 09216−00524	*	./.	10.80 : 10.18	
1RXSJ105006.9+113231	0.1508 (0.0296)	0.616	15.1	105007.74+113228.2	[FS90] Leo 45	GiG	./.	16.0 :	
1RXSJ105016.5+374135	0.1519 (0.0229)	0.526	16.7	105017.18+374135.8	...	...	...	...	
1RXSJ105037.1+801204	0.1847 (0.0199)	0.619	14.6	105035.65+801150.7	HS 1046+8027	Quasar	./.	15.4 :	
1RXSJ105047.2−885952	0.1038 (0.0221)	0.713	14.6	105013.59−885954.9	...	...	...	...	
1RXSJ105053.9+344342	0.0762 (0.0176)	0.542	16.4	105053.79+344338.8	[VV96] J105053.7+344338	Quasar	./.	16.6 : 16.6	P
1RXSJ105057.1+593223	0.1976 (0.0203)	0.851	13.8	105057.26+593214.9	...	...	...	...	
1RXSJ105104.3+625204	0.0935 (0.0145)	0.571	16.5	105104.53+625159.7	...	...	...	...	
1RXSJ105121.3+360728	0.1269 (0.0219)	0.762	15.1	105121.33+360728.1	GJ 3629	*	M3	:	
1RXSJ105124.8+382053	0.0879 (0.0166)	0.582	16.1	105124.51+382047.0	...	...	...	...	
1RXSJ105127.0+183954	0.0645 (0.0176)	0.509	16.6	105126.37+183952.5	...	...	...	...	
1RXSJ105127.6+484156	0.0700 (0.0132)	0.781	14.0	105127.54+484144.5	...	...	...	...	
1RXSJ105138.5+310355	0.0511 (0.0139)	0.716	15.3	105138.94+310357.0	...	...	...	...	
1RXSJ105143.8+335936	0.2161 (0.0263)	0.582	15.8	105143.85+335926.9	FBS 1048+348	*	./.	:	
...	...	...	...	105143.85+335926.9	[VV96] J105143.8+335926	Quasar	./.	:	
1RXSJ105151.0+213739	0.3561 (0.0372)	0.618	14.9	105151.03+213726.4	...	...	...	...	
1RXSJ105152.7−005108	0.0805 (0.0158)	0.529	14.6	105151.46−005117.5	[VV96] J105151.5−005117	Quasar	./.	15.95 : 16.04	
1RXSJ105203.6+003242	0.1865 (0.0237)	0.618	14.4	105204.48+003238.6	GJ 3630	HiPM*	M4	15.4 : 13.85	
1RXSJ105204.9+211205	0.0923 (0.0209)	0.519	16.6	105204.86+211202.1	...	...	...	...	
1RXSJ105223.2−584106	0.1858 (0.0329)	0.624	15.0	105223.75−584115.3	2E 1050.3−5825	X	./.	:	P
1RXSJ105232.8+612523	0.3245 (0.0254)	0.650	16.4	105232.80+612520.7	[VV96] J105232.7+612521	Quasar	./.	16.58 :	
1RXSJ105237.9+240659	0.1210 (0.0264)	0.858	12.3	105236.44+240707.8	GSC 01977−02425	*	./.	11.6 : 11.2	
1RXSJ105251.7−272709	0.1343 (0.0215)	0.512	15.6	105251.02−272717.0	[VV96] J105251.2−272716	Quasar	An..	15.8 : 15.8	
1RXSJ105304.9−203739	0.1445 (0.0236)	0.893	11.4	105304.75−203736.7	GJ 9336	HiPM*	G3/G5V	7.72 : 7.08	
1RXSJ105305.8+381333	0.1115 (0.0185)	0.890	0.0	105305.04+381334.1	...	...	...	...	
1RXSJ105307.8−031424	0.0540 (0.0154)	0.562	16.6	105307.80−031429.7	...	...	...	...	
1RXSJ105319.3+220615	0.0524 (0.0161)	0.812	13.6	105319.92+220621.0	...	...	...	...	
1RXSJ105329.1−200804	0.0704 (0.0176)	0.574	10.8	105329.03−200810.8	...	...	...	...	
1RXSJ105340.7+525310	0.1535 (0.0186)	0.563	16.2	105341.18+525302.3	...	...	...	...	
1RXSJ105344.2+492956	0.1061 (0.0167)	0.508	16.9	105344.14+492956.1	5C 2.16	Rad.	./.	:	
1RXSJ105349.1+165042	0.2509 (0.0321)	0.677	12.8	105350.29+165101.5	PGC 32713	Gal.	./.	15.12 :	
...	...	...	...	105350.29+165101.5	[MPC97] ACO 1126 3	Gal. in Clust.	./.	:	
...	...	...	...	105350.29+165101.5	[QR95] 105110.4+170702	Gal. in Clust.	./.	:	
1RXSJ105355.0+661209	0.1787 (0.0189)	0.599	15.9	105355.73+661202.1	1RXS J105355.0+661209	Sy1	./.	:	P
1RXSJ105421.2−092154	0.2173 (0.0287)	0.854	14.1	105420.84−092156.5	...	...	...	...	
1RXSJ105431.0+694933	0.1017 (0.0162)	0.514	16.1	105430.48+694921.1	EXO 1051.0+7005	Gal.	./.	:	P
1RXSJ105438.4+852143	0.1103 (0.0139)	0.690	8.2	105442.50+852144.3	HD 93212	*	G0	8.53 : 8.03	
1RXSJ105444.4+483145	0.4544 (0.0316)	0.684	15.7	105444.69+483139.1	[VV96] J105444.6+483139	Quasar	./.	15.7 : 15.7	P
1RXSJ105450.1+234530	0.1272 (0.0297)	0.657	0.0	105449.74+234520.5	HD 94498	**mul.	A5	9.19 : 8.91	
1RXSJ105452.4+120446	0.0948 (0.0208)	0.719	14.8	105453.01+120440.2	...	...	...	...	
1RXSJ105506.2+055942	0.1406 (0.0220)	0.732	14.9	105505.58+055941.2	...	...	...	...	
1RXSJ105604.3−265309	0.0550 (0.0151)	0.864	10.9	105602.48−265248.1	RX J1056.1−2653	X	G5V	11.15 : 10.49	
1RXSJ105624.6+601556	0.1802 (0.0189)	0.572	17.0	105624.82+601557.0	...	...	...	...	
1RXSJ105632.3−343404	0.0596 (0.0151)	0.890	12.3	105631.18−343351.5	HD 94853	Ecl. Bin. (Algol)	G1V	9.01 : 8.43	
1RXSJ105632.6+153512	0.0634 (0.0169)	0.880	13.2	105632.72+153501.0	...	...	...	...	
1RXSJ105646.7−231723	0.0501 (0.0145)	0.515	13.6	105648.34−231729.0	...	...	...	...	
1RXSJ105656.9+494111	0.0956 (0.0157)	0.502	17.0	105657.11+494117.7	V* CY UMa	DN	?	17.0 : 11.9	P
1RXSJ105704.6+580445	0.1959 (0.0258)	0.570	15.8	105705.43+580436.7	CGPG 1054.0+5821	Pair of Galaxies	./.	17.6 :	
1RXSJ105710.9+054458	0.0933 (0.0167)	0.752	14.4	105711.55+054456.7	...	...	...	...	
1RXSJ105727.1−403945	0.1756 (0.0251)	0.511	16.6	105727.87−403940.6	PMN J1057−4039	Rad.	./.	:	
1RXSJ105747.5+324707	0.1656 (0.0241)	0.593	16.5	105747.70+324706.5	...	...	...	...	
1RXSJ105750.7−275354	0.1475 (0.0228)	0.671	14.2	105750.76−275411.1	...	...	...	...	
1RXSJ105755.9+191527	0.1076 (0.0226)	0.505	14.6	105755.73+191524.5	...	...	...	...	
1RXSJ105801.2+202937	0.1636 (0.0290)	0.775	12.8	105801.25+202914.4	...	...	...	...	
1RXSJ105807.0+505653	0.0653 (0.0140)	0.651	15.3	105807.63+505701.2	...	...	...	...	
1RXSJ105818.3+195149	0.1351 (0.0261)	0.525	16.9	105817.89+195151.4	[VV96] J105818.0+195151	Quasar	./.	17.51 :	P
1RXSJ105830.1+601602	0.3889 (0.0271)	0.680	16.1	105830.13+601600.4	...	...	...	...	
1RXSJ105837.5+562816	0.4591 (0.0295)	0.815	14.7	105837.74+562811.5	EQ 1055+567	./.	./.	:	
...	...	...	...	105837.74+562811.5	JVAS 1055+567	Rad.	./.	:	
...	...	...	...	105837.74+562811.5	RGB J1058+564	Rad.	./.	:	
...	...	...	...	105837.74+562811.5	RX J1058.5+5628	X	./.	:	
...	...	...	...	105837.74+562811.5	[NBK96] J10586+5628	BL Lac − type object	./.	:	
1RXSJ105916.6+512452	4.1800 (0.0917)	0.545	16.1	105916.40+512443.5	SBSS 1056+517	*	./.	:	
1RXSJ105933.7+231548	0.4717 (0.0489)	0.877	12.5	105933.01+231548.4	...	...	...	...	
1RXSJ105940.2+114210	0.0629 (0.0180)	0.855	12.1	105941.81+114219.4	...	...	...	...	
1RXSJ110009.4+154701	0.0545 (0.0161)	0.528	12.3	110012.33+154637.7	...	...	...	...	
1RXSJ110018.4−073853	0.0558 (0.0135)	0.789	14.5	110018.35−073855.5	...	...	...	...	
1RXSJ110036.4+713758	0.4729 (0.0480)	0.780	14.2	110034.68+713803.9	WD 1057+719	WD	DA	14.95 :	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ110046.1+052307	0.0647 (0.0158)	0.682	15.6	110046.33+052304.5	...	...	...	...	
1RXSJ110101.4+110246	0.1996 (0.0276)	0.861	13.9	110101.79+110249.0	Mrk 728	Sy2	S0a	16.0 :	
1RXSJ110132.2+625459	0.2276 (0.0213)	0.830	0.0	110132.65+625451.0	BD+63 933	*	K0	10.94 : 10.00	
1RXSJ110142.0+722559	0.0510 (0.0145)	0.744	12.8	110137.53+722529.9	...	...	...	...	
1RXSJ110211.4+095345	0.0618 (0.0153)	0.520	0.0	110210.89+095342.9	V* AM Leo	Ecl. Bin. (W UMa)	F8Vn	9.82 : 9.31	
1RXSJ110243.3+554507	0.0665 (0.0126)	0.551	14.8	110243.20+554446.8	...	...	...	...	
1RXSJ110310.2+363911	0.1083 (0.0201)	0.758	14.8	110310.71+363907.4	GJ 3639	*	M3.5	:	
1RXSJ110312.1+414200	0.1166 (0.0215)	0.637	11.7	110311.01+414219.2	MCG+07−23−015	Gal.	./.	15.1 :	
1RXSJ110321.2+133759	0.2201 (0.0298)	0.767	14.2	110321.85+133753.3	...	...	...	...	
1RXSJ110327.8+641742	0.0634 (0.0123)	0.511	16.8	110328.89+641745.3	...	...	...	...	
1RXSJ110331.5−325115	0.1560 (0.0240)	0.571	16.9	110331.55−325116.8	[VV96] J110331.6−325118	Quasar	An...	16.29 :	P
1RXSJ110333.3−083505	0.0699 (0.0157)	0.721	14.1	110332.24−083455.4	...	...	...	...	
1RXSJ110337.7−232931	1.6360 (0.1203)	0.709	16.1	110337.61−232931.4	1A 1059−22	BL Lac − type object	?	:	
1RXSJ110352.0−074145	0.0519 (0.0133)	0.772	8.5	110349.99−074114.8	HD 95900	*	K0	8.33 : 7.40	
1RXSJ110412.4+765859	0.3703 (0.0320)	0.714	15.6	110414.00+765858.0	S5 1100+772	Rad.	./.	:	
...	...	...	...	110414.00+765858.0	[VV96] J110413.8+765858	Quasar	./.	15.70 :	
1RXSJ110416.7−101615	0.1108 (0.0201)	0.586	16.0	110416.71−101607.9	...	...	...	...	
1RXSJ110425.6+450319	1.7710 (0.0688)	0.636	16.3	110425.84+450315.6	V* AN UMa	CV (AM Her type)	CV	15.50 :	P
1RXSJ110427.1+381231	26.5700 (0.2847)	0.887	13.4	110427.59+381233.2	CJ1 1101+384	Rad.	./.	:	
...	...	...	...	110427.59+381233.2	QSO 1101+384	BL Lac − type object	?	14.01 :	P
1RXSJ110441.4−041315	0.8560 (0.0917)	0.624	0.0	110441.47−041315.9	ADS 8048 BC	**mul.	M3V	11.63 : 10.25	
...	...	...	...	110441.47−041315.9	CCDM J11047−0413A	**mul.	G5	7.5 :	
...	...	...	...	110441.47−041315.9	EUVE J1104−04.2	UV	./.	:	
...	...	...	...	110441.47−041315.9	HD 96064	HiPM*	G5	8.41 : 7.64	P
1RXSJ110455.7+433421	0.0881 (0.0183)	0.568	14.7	110456.00+433403.1	...	...	...	...	
1RXSJ110503.4+074535	0.1313 (0.0207)	0.518	17.0	110503.59+074530.9	...	...	...	...	
1RXSJ110534.5+433120	0.1848 (0.0268)	0.619	0.0	110532.12+433128.1	...	...	...	...	
1RXSJ110537.4+585128	0.1761 (0.0190)	0.619	15.9	110537.56+585120.9	...	...	...	...	
1RXSJ110631.8−005245	0.0763 (0.0156)	0.571	15.1	110631.77−005252.3	[VV96] J110631.8−005253	Quasar	./.	16.39 : 16.46	
1RXSJ110649.9+101740	0.0566 (0.0140)	0.569	16.7	110649.81+101738.7	...	...	...	...	
1RXSJ110715.1+162810	0.3488 (0.0375)	0.581	16.1	110715.05+162802.2	[VV96] J110715.1+162803	Quasar	E	15.91 :	P
1RXSJ110745.4−551959	0.0870 (0.0239)	0.812	11.6	110744.12−552023.0	...	...	...	...	
1RXSJ110748.8+710538	0.1188 (0.0169)	0.578	16.0	110747.87+710532.6	...	...	...	...	
1RXSJ110804.1+052216	0.0509 (0.0125)	0.772	14.8	110804.20+052214.4	...	...	...	...	
1RXSJ110842.1+595010	0.1598 (0.0193)	0.556	17.0	110841.61+595007.9	1RXS J110842.1+595010	Sy1	./.	:	P
1RXSJ110908.2−772927	0.0688 (0.0135)	0.552	14.0	110912.16−772912.6	Ass Cha T 2−39	TT	?	12.6 :	P
1RXSJ110912.4+230151	0.0780 (0.0220)	0.692	15.2	110911.98+230149.9	...	...	...	...	
1RXSJ110915.1−735304	0.0911 (0.0243)	0.511	15.5	110916.27−735246.8	...	...	...	...	
1RXSJ110930.4+830542	0.3898 (0.0296)	0.781	0.0	110928.52+830545.7	BD+83 319	**	K2	11.2 : 9.9	
...	...	...	...	110928.52+830545.7	CCDM J11095+8306B	**	?	11.7 :	
1RXSJ110941.7−033915	0.1604 (0.0243)	0.539	13.1	110941.50−033927.6	...	...	...	...	
1RXSJ110943.6+214519	0.1599 (0.0286)	0.684	13.7	110944.41+214532.3	NGC 3551	Gal. in Clust.	E:	14.8 :	
...	...	...	...	110944.41+214532.3	NGC 3555	Gal.	./.	13.60 :	
...	...	...	...	110944.41+214532.3	[BBN91] 110705+220147	Gal.	./.	:	
1RXSJ111003.3+155453	0.0700 (0.0189)	0.893	12.9	111004.03+155446.5	HD 96975	*	F2V	7.85 : 7.49	
1RXSJ111011.4+011333	0.1961 (0.0231)	0.616	15.4	111012.08+011327.9	...	...	...	...	
1RXSJ111027.1−090206	0.0892 (0.0180)	0.652	0.0	111027.98−090139.6	HD 97089	*	F8	8.45 : 7.97	
1RXSJ111028.1−040010	0.0834 (0.0203)	0.776	12.7	111027.58−035938.9	...	...	...	...	
1RXSJ111028.9−373204	0.2778 (0.0315)	0.812	13.0	111028.04−373152.2	GSC 07726−00011	Em. *	M3	13.58 : 12.06	P
1RXSJ111039.6+284316	0.1545 (0.0310)	0.668	12.6	111037.49+284357.8	PGC 33924	Gal.	S0	15.5 :	
...	...	...	...	111037.49+284357.8	[BVC99] 51	Gal. in Clust.	./.	:	
1RXSJ111046.7+295432	0.0593 (0.0171)	0.518	16.7	111046.48+295425.8	...	...	...	...	
1RXSJ111137.2+405031	0.3049 (0.0297)	0.634	13.3	111139.80+405024.5	4C 41.23	Rad.	./.	:	
...	...	...	...	111139.80+405024.5	MCG+07−23−030	Gal.	./.	17. :	
...	...	...	...	111139.80+405024.5	[LO95] 1108+411	Rad.	./.	:	
...	...	...	...	111139.80+405024.5	[OLK95] 1108+411	Rad. Gal.	./.	:	
...	...	...	...	111139.80+405024.5	[OWG93] ACO 1190−A	Gal. in Clust.	./.	:	
...	...	...	...	111139.80+405024.5	[SBM98] ACO 1190 J111139.80+405023.2	Gal. in Clust.	./.	:	
1RXSJ111138.8−761954	0.1255 (0.0229)	0.610	12.9	111146.45−762009.0	...	...	...	...	
1RXSJ111151.8+333213	0.3659 (0.0397)	0.780	14.1	111152.41+333205.8	V* CW UMa	V*	M3.5	:	
1RXSJ111225.8+395045	0.1192 (0.0227)	0.848	13.4	111225.58+395057.0	...	...	...	...	
1RXSJ111233.7−763705	0.0806 (0.0177)	0.858	11.2	111225.83−763704.5	Ass Cha T 2−51	TT	K0	11.2 :	
...	...	...	...	111225.83−763704.5	HJM E 1− 9b	IR	./.	:	
1RXSJ111238.8+240909	0.6086 (0.0538)	0.727	14.9	111239.10+240901.1	WD 1109+244	WD	DA	15.1 :	P
1RXSJ111239.5+454143	0.2486 (0.0280)	0.662	16.2	111239.66+454141.7	[BFE95] 93	Active Galaxy Nucleus	./.	17.8 :	P
1RXSJ111240.6−772221	0.0565 (0.0128)	0.815	10.2	111242.66−772228.1	BRAN 341E	Nebula of unknown nature	./.	:	
...	...	...	...	111242.66−772228.1	CHXR 56	X	./.	:	
1RXSJ111300.1+102518	0.0720 (0.0153)	0.644	15.4	111300.18+102512.7	...	...	...	...	
1RXSJ111325.1−452344	0.1205 (0.0227)	0.648	14.2	111326.30−452342.8	...	...	...	...	
1RXSJ111341.4−644855	0.0687 (0.0146)	0.615	13.6	111342.28−644913.4	...	...	...	...	
1RXSJ111413.2−381126	0.2090 (0.0258)	0.574	14.5	111413.01−381116.5	...	...	...	...	
1RXSJ111428.2+413328	0.1049 (0.0191)	0.831	14.5	111428.45+413327.6	...	...	...	...	
1RXSJ111457.5+511740	0.0631 (0.0157)	0.571	16.3	111458.12+511738.5	[VV98] J111458.3+511740	Quasar	./.	16.5 :	
1RXSJ111510.4+732820	0.1171 (0.0180)	0.677	0.0	111511.91+732830.7	GJ 420A	HiPM*	K5	8.66 : 7.63	
...	...	...	...	111511.91+732830.7	GJ 420B	HiPM*	M0.5	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ111524.4+663158	0.1262 (0.0157)	0.665	15.8	111523.97+663202.0	FBS 1112+668	*	./.	:	
1RXSJ111556.4−083307	0.0528 (0.0143)	0.800	12.2	111558.21−083305.8	...	...	...	...	
1RXSJ111623.1+540014	0.0534 (0.0139)	0.519	14.9	111620.84+540004.8	...	...	...	...	
1RXSJ111705.3−182510	0.1574 (0.0249)	0.678	15.9	111704.99−182512.2	...	...	...	...	
1RXSJ111706.3+201410	4.3380 (0.1167)	0.559	17.1	111706.29+201407.4	RX J1117.0+2014	X	./.	:	
...	...	...	...	111706.29+201407.4	RX J1117.1+2014	X	./.	:	
1RXSJ111709.7+585929	0.0533 (0.0122)	0.582	15.9	111709.77+585920.9	...	...	...	...	
1RXSJ111710.2+652211	0.5456 (0.0317)	0.663	16.2	111710.07+652206.9	1RXS J111710.2+652211	Quasar	S...	16.8 : 16.4	P
1RXSJ111754.9+263413	0.0675 (0.0185)	0.543	16.4	111754.32+263416.6	...	...	...	...	
1RXSJ111803.6+450657	0.2772 (0.0279)	0.817	13.8	111803.27+450647.2	[BFE95] 96	Active Galaxy Nucleus	./.	16.5 :	P
1RXSJ111809.4−175155	0.1000 (0.0203)	0.518	15.5	111810.70−175159.5	[VV96] J111810.9−175200	Quasar	./.	:	
1RXSJ111819.9+134739	0.1086 (0.0212)	0.761	14.4	111820.02+134741.7	...	...	...	...	
1RXSJ111830.0+402557	0.5038 (0.0431)	0.788	14.8	111830.39+402554.7	[VV96] J111830.4+402555	Quasar	S...	16.02 : 16.02	P
1RXSJ111905.0−001238	0.0998 (0.0173)	0.680	15.4	111904.89−001245.8	...	...	...	...	
1RXSJ111908.1+211915	1.0250 (0.0605)	0.779	14.4	111908.68+211918.1	[VV96] J111908.8+211918	Quasar	?	14.91 : 14.80	P
1RXSJ111914.6−194933	0.0555 (0.0154)	0.682	9.7	111914.73−194946.2	HD 98412	Ecl. Bin. (beta Lyr)	F8	9.29 :	
1RXSJ111915.0+482403	0.1227 (0.0203)	0.556	16.6	111915.11+482357.3	...	...	...	...	
1RXSJ111915.9+475111	0.0686 (0.0158)	0.529	15.3	111915.93+475055.0	[BFE95] 97	Active Galaxy Nucleus	./.	17.5 :	P
1RXSJ111923.0−500638	0.2069 (0.0383)	0.542	15.1	111923.36−500637.5	...	...	...	...	
1RXSJ112000.1+392809	0.2220 (0.0306)	0.722	15.4	112000.62+392806.8	CASG 1410	Gal.	./.	:	
1RXSJ112011.6+095105	0.1167 (0.0191)	0.786	14.3	112011.62+095101.6	...	...	...	...	
1RXSJ112046.2−141635	0.0668 (0.0170)	0.874	12.6	112047.28−141640.4	...	...	...	...	
1RXSJ112126.6−202705	0.9136 (0.0571)	0.591	0.0	112126.45−202708.3	GJ 425A	V* (BY Dra)	K4/K5V	9.97 : 8.61	
...	...	...	...	112126.45−202708.3	GJ 425B	HiPM*	M1	:	P
1RXSJ112145.5−495332	0.1155 (0.0328)	0.881	0.0	112144.50−495407.8	HD 98803	*	G6III/IVp	9.67 : 8.77	
1RXSJ112147.3+114420	0.4176 (0.0323)	0.891	14.3	112147.14+114419.0	QSO 1119+120	Sy1	S0a	15.0 : 14.4	P
1RXSJ112150.8+405147	0.1472 (0.0249)	0.825	13.9	112151.24+405147.5	...	...	...	...	
1RXSJ112215.9+671325	0.0710 (0.0139)	0.752	14.6	112215.38+671318.8	CGPG 1119.2+6730	Gal.	./.	17.3 :	
1RXSJ112216.1+391251	0.1821 (0.0295)	0.869	10.9	112216.44+391228.1	BD+39 2437	*	K5	10.81 : 9.74	
1RXSJ112256.2−254538	0.0578 (0.0158)	0.782	12.0	112256.11−254554.6	RX J1122.9−2545	X	K4/K5V	11.7 : 11.0	
1RXSJ112321.1−184646	0.1672 (0.0268)	0.866	10.7	112322.83−184646.4	EC 11208−1830	Object of unknown nature	F1	:	
1RXSJ112321.8−035620	0.0764 (0.0159)	0.524	16.8	112322.28−035618.7	...	...	...	...	
1RXSJ112335.3−760242	0.1258 (0.0221)	0.640	15.0	112338.05−760232.9	RX J1123.6−7602	X	./.	:	P
1RXSJ112355.7+103158	0.1850 (0.0236)	0.564	0.0	112355.37+103146.9	GJ 9359A	*	F2IV	:	
...	...	...	...	112355.37+103146.9	GJ 9359B	*	./.	:	
...	...	...	...	112355.37+103146.9	HD 99028	Spec. Bin.	F4IV	4.35 :	
...	...	...	...	112355.37+103146.9	IRAS 11213+1048	IR	./.	:	
1RXSJ112402.8+042826	0.0798 (0.0155)	0.507	16.7	112403.40+042829.2	...	...	...	...	
1RXSJ112407.9+061256	0.4186 (0.0326)	0.756	12.8	112408.71+061253.9	PGC 35013	Gal.	./.	15.1 :	
1RXSJ112417.9+602029	0.1759 (0.0192)	0.525	17.4	112417.82+602026.7	SBSG 1121+606	Gal.	./.	18. :	
1RXSJ112421.0−581033	0.0663 (0.0194)	0.843	0.0	112425.34−581052.0	HD 99219	*	A1V	7.5 : 7.5	
1RXSJ112439.5+420151	0.0884 (0.0189)	0.674	15.5	112439.18+420145.5	...	...	...	...	
1RXSJ112440.4−613904	0.0758 (0.0220)	0.563	0.0	112439.48−613854.5	HD 99279	HiPM*	K5/M0V	8.48 : 7.22	
1RXSJ112511.7−002437	0.0960 (0.0184)	0.618	15.3	112512.47−002437.2	...	...	...	...	
1RXSJ112523.7−045602	0.0799 (0.0165)	0.843	13.7	112524.22−045607.2	...	...	...	...	
1RXSJ112536.7+542243	0.1013 (0.0200)	0.727	14.2	112536.14+542257.5	EXSS 1122.7+5439	X	./.	:	
...	...	...	...	112536.14+542257.5	QSO 1122+546	Sy1	S	16.0 :	
1RXSJ112540.3+423449	0.0722 (0.0182)	0.812	13.1	112541.70+423451.9	...	...	...	...	
1RXSJ112548.4−441033	0.2422 (0.0457)	0.592	15.6	112547.63−441026.4	...	...	...	...	
1RXSJ112551.6−074219	0.2108 (0.0268)	0.559	16.8	112551.97−074221.1	...	...	...	...	
1RXSJ112558.3−352451	0.0518 (0.0163)	0.818	10.9	112601.60−352500.0	...	...	...	...	
1RXSJ112619.1+183925	0.3441 (0.0326)	0.892	13.6	112619.18+183918.3	...	...	...	...	
1RXSJ112623.5−684040	25.3900 (0.8152)	0.637	15.5	112624.71−684035.9	...	...	...	...	
1RXSJ112716.6+190914	0.1074 (0.0178)	0.761	14.6	112716.29+190920.5	...	...	...	...	
1RXSJ112728.9+634318	0.1133 (0.0170)	0.515	17.2	112728.81+634319.8	...	...	...	...	
1RXSJ112736.7+244926	0.0532 (0.0139)	0.619	15.7	112736.89+244923.7	...	...	...	...	
1RXSJ112755.0−662558	0.1475 (0.0213)	0.829	12.1	112755.45−662604.5	...	...	...	...	
1RXSJ112818.2−131924	0.2065 (0.0279)	0.690	15.5	112818.58−131928.5	[VV96] J112818.5−131929	Quasar	./.	:	
1RXSJ112831.5+583343	0.1095 (0.0166)	0.647	12.3	112831.74+583344.8	APG 299C	Gal.	./.	:	
...	...	...	...	112831.74+583344.8	DA 302	Rad.	./.	:	
...	...	...	...	112831.74+583344.8	SBSG 1125+588	Gal.	./.	:	
...	...	...	...	112831.74+583344.8	SN 1992BU	SN	./.	:	
...	...	...	...	112831.74+583344.8	[GSW83] B	Part of a Galaxy	./.	:	
...	...	...	...	112831.74+583344.8	[GSW83] C−Complex	Part of a Galaxy	./.	:	
...	...	...	...	112831.74+583344.8	[GSW83] e	Part of a Galaxy	./.	:	
...	...	...	...	112831.74+583344.8	[ZGW98] J112830.7+583350	X	./.	:	
1RXSJ112850.7+231036	0.0887 (0.0161)	0.568	16.6	112851.06+231037.2	...	...	...	...	
1RXSJ112903.7+392020	0.0544 (0.0168)	0.899	0.0	112904.13+392018.4	BD+40 2433B	**	?	:	
...	...	...	...	112904.13+392018.4	HD 99787	**	A2V	5.373 : 5.354	
1RXSJ112913.4−172114	0.0978 (0.0189)	0.569	7.8	112914.04−172116.1	...	...	...	...	
1RXSJ112942.3+512055	0.2260 (0.0253)	0.536	17.0	112941.95+512050.6	...	...	...	...	
1RXSJ112946.2−531344	0.2779 (0.0396)	0.634	13.6	112944.03−531400.1	...	...	...	...	
1RXSJ112951.4−214608	0.0665 (0.0171)	0.502	14.0	112951.79−214612.9	...	...	...	...	
1RXSJ112955.1−655542	0.0610 (0.0137)	0.790	14.4	112955.77−655543.1	...	...	...	...	
1RXSJ112956.5+461535	0.0804 (0.0170)	0.755	13.5	112957.58+461528.7	HD 99900	*	A7IV	8.86 : 8.57	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ113005.7−421421	0.2400 (0.0383)	0.520	15.1	113007.03−421441.1	...	...	...	...	
1RXSJ113007.5−144939	0.1181 (0.0213)	0.508	16.1	113007.05−144927.0	[VV96] J113007.0−144927	Quasar	E	17.17 : 16.90	P
1RXSJ113019.4−595912	0.2234 (0.0317)	0.660	15.2	113018.94−595909.8	...	...	...	...	
1RXSJ113030.1+493520	0.0522 (0.0152)	0.558	14.7	113029.14+493458.1	Mrk 1447	Sy	./.	16.0 :	
1RXSJ113043.1+104336	0.0634 (0.0152)	0.571	16.4	113043.12+104329.6	...	...	...	...	
1RXSJ113105.2+685156	1.5790 (0.0467)	0.881	14.4	113104.77+685153.1	EUVE J1131+68.8	Sy	S...	15.27 :	P
1RXSJ113105.4+302737	0.1902 (0.0272)	0.568	15.5	113104.37+302742.1	CASG 111	Gal.	./.	17. :	
1RXSJ113108.9+311409	0.5607 (0.0461)	0.650	15.5	113109.50+311405.7	[VV96] J113109.4+311407	Quasar	./.	:	P
1RXSJ113109.0+263212	0.1400 (0.0215)	0.660	15.8	113109.25+263207.9	[VV96] J113109.0+263209	Quasar	./.	17.0 : 17.0	P
1RXSJ113121.8+432242	0.0539 (0.0147)	0.598	15.5	113122.58+432234.5	1RXP J113122.4+432238	V*	./.	:	
1RXSJ113124.6+134445	0.0544 (0.0136)	0.817	14.0	113124.69+134445.0	...	...	...	...	
1RXSJ113125.6+343212	0.1005 (0.0204)	0.513	17.0	113126.01+343208.9	...	...	...	...	
1RXSJ113129.2+124344	0.0582 (0.0137)	0.751	14.5	113129.82+124348.5	...	...	...	...	
1RXSJ113209.6+161317	0.1701 (0.0282)	0.568	16.5	113209.99+161314.6	...	...	...	...	
1RXSJ113247.0+062626	0.1105 (0.0180)	0.569	16.6	113246.66+062624.4	...	...	...	...	
1RXSJ113249.6+101743	0.1530 (0.0205)	0.804	14.1	113249.29+101747.4	...	...	...	...	
1RXSJ113259.4+102345	0.0727 (0.0153)	0.517	16.9	113259.54+102342.1	[VV96] J113259.5+102343	Quasar	./.	17.60 :	
1RXSJ113301.6−153153	0.1100 (0.0212)	0.645	14.4	113300.29−153151.5	...	...	...	...	
1RXSJ113326.2+032659	0.1937 (0.0242)	0.547	17.1	113326.33+032654.5	...	...	...	...	
1RXSJ113406.3−780029	0.0635 (0.0115)	0.707	14.2	113409.61−780034.7	...	...	...	...	
1RXSJ113417.7+205422	0.0530 (0.0139)	0.597	16.1	113417.58+205424.8	...	...	...	...	
1RXSJ113526.8−284040	0.0897 (0.0168)	0.794	14.3	113526.23−284038.2	CTS 12	Sy1	./.	16. :	
1RXSJ113532.4−132830	0.1189 (0.0252)	0.543	16.7	113532.05−132830.4	[BFE95] 104	Active Galaxy Nucleus	./.	18.2 :	P
1RXSJ113615.5+103444	0.0853 (0.0175)	0.549	15.8	113615.14+103431.0	...	...	...	...	
1RXSJ113630.9+673708	1.9060 (0.0557)	0.571	16.7	113630.11+673704.5	BWE 1133+6753	BL Lac − type object	./.	17.3 :	P
1RXSJ113634.9−222928	0.2125 (0.0325)	0.842	13.7	113635.36−222935.5	CTS 57	Gal.	./.	:	
1RXSJ113635.9+063109	0.0896 (0.0160)	0.546	17.0	113635.96+063113.7	...	...	...	...	
1RXSJ113718.8−755346	0.0705 (0.0175)	0.839	0.0	113715.62−755347.6	HD 101132	*	F1III	5.964 : 5.654	P
1RXSJ113736.2−532158	0.1838 (0.0288)	0.608	0.0	113736.28−532210.2	HD 101082	**mul.	G0V	9.37 : 8.82	
1RXSJ113737.4+103931	0.1131 (0.0196)	0.592	15.8	113738.04+103930.5	...	...	...	...	
1RXSJ113749.9−654556	0.2722 (0.0295)	0.892	11.9	113751.05−654602.0	GSC 08984−03062	*	./.	10.75 : 9.91	
1RXSJ113826.5+395147	0.0937 (0.0241)	0.633	14.2	113826.10+395123.6	...	...	...	...	
1RXSJ113826.8+032210	0.6586 (0.0605)	0.814	14.7	113827.13+032210.4	V* T Leo	DN	?p...	10.00 :	
1RXSJ113849.7+574245	0.5787 (0.0432)	0.751	15.5	113849.58+574243.9	QSO 1136+579	Quasar	S...	16.5 :	P
1RXSJ113949.2−234008	0.0636 (0.0175)	0.545	14.9	113949.87−234016.4	...	...	...	...	
1RXSJ113954.1−632907	0.0632 (0.0173)	0.622	0.0	113949.67−632904.4	...	...	...	...	
1RXSJ113957.9+654753	0.3062 (0.0314)	0.671	15.7	113957.02+654749.5	[VV96] J113957.0+654751	Quasar	./.	16.50 : 16.32	
1RXSJ114003.3+411508	0.0649 (0.0193)	0.735	14.9	114003.41+411503.9	...	...	...	...	
1RXSJ114014.0+244150	0.0654 (0.0136)	0.523	9.2	114013.92+244148.6	NGC 3798	Gal.	SB0	13.9 :	P
1RXSJ114014.8−832117	0.1142 (0.0240)	0.895	12.3	114017.00−832101.1	...	...	...	...	
1RXSJ114023.5+152814	0.4321 (0.0353)	0.510	17.5	114023.48+152809.7	...	...	...	...	
1RXSJ114032.5−200036	0.0673 (0.0168)	0.546	17.1	114032.33−200039.2	...	...	...	...	
1RXSJ114047.7+073106	0.0522 (0.0129)	0.522	16.6	114047.59+073058.4	...	...	...	...	
1RXSJ114106.1+024110	0.1201 (0.0191)	0.582	16.0	114105.70+024117.1	...	...	...	...	
1RXSJ114142.4−023248	0.1454 (0.0251)	0.692	15.7	114142.25−023252.8	...	...	...	...	
1RXSJ114202.6−170054	0.0783 (0.0191)	0.892	13.2	114202.87−170101.2	HD 101694	*	F5V	8.05 : 7.62	
1RXSJ114232.3+250337	0.1450 (0.0205)	0.578	16.3	114231.79+250338.3	1RXS J114232.3+250337	Sy1	./.	17.0 :	P
1RXSJ114247.8−354832	0.0979 (0.0223)	0.755	11.5	114248.16−354857.1	HD 101799	Spec. Bin.	F8V:	9.86 : 9.33	
1RXSJ114250.6−214646	0.1328 (0.0239)	0.521	16.6	114251.16−214642.2	[VV96] J114251.1−214642	Quasar	An...	16.9 : 16.9	
1RXSJ114257.6+774743	0.1489 (0.0263)	0.718	15.8	114257.65+774740.2	...	...	...	...	
1RXSJ114305.9+184348	0.1209 (0.0196)	0.542	16.6	114306.05+184343.5	RX J1143.0+1843	X	./.	:	P
1RXSJ114317.1+112306	0.0718 (0.0158)	0.893	12.9	114317.73+112315.1	...	...	...	...	
1RXSJ114338.6+714125	0.5873 (0.0289)	0.587	16.6	114338.39+714120.0	V* DO Dra	CV (DQ Her type)	CV	12.90 :	
1RXSJ114343.1+674505	0.0827 (0.0129)	0.568	15.9	114343.06+674455.4	[VV96] J114343.2+674456	Quasar	./.	16.5 : 16.5	P
1RXSJ114354.4−361524	0.0808 (0.0202)	0.646	15.4	114353.84−361518.5	...	...	...	...	
1RXSJ114429.9+365314	1.3680 (0.0740)	0.880	13.7	114429.86+365308.8	CASG 855	Gal.	S...	16.5 :	P
...	...	...	...	114429.86+365308.8	KUV 11419+3710	UV	./.	:	
1RXSJ114431.9+230705	0.0550 (0.0134)	0.752	14.1	114432.11+230653.2	...	...	...	...	
1RXSJ114434.7+070520	0.1305 (0.0205)	0.633	16.2	114434.73+070516.6	...	...	...	...	
1RXSJ114443.3+393637	0.0910 (0.0189)	0.707	14.7	114443.19+393638.1	...	...	...	...	
1RXSJ114450.3−223759	0.1009 (0.0198)	0.544	16.8	114450.32−223752.7	...	...	...	...	
1RXSJ114459.7−160325	0.0671 (0.0169)	0.815	13.6	114500.42−160333.2	...	...	...	...	
1RXSJ114509.2+381326	0.1607 (0.0255)	0.544	16.5	114509.87+381329.1	...	...	...	...	
1RXSJ114521.1−042613	0.1220 (0.0286)	0.641	15.3	114521.14−042604.5	V* TW Vir	DN	M2	11.80 :	P
1RXSJ114550.3−552041	0.4562 (0.0431)	0.866	11.9	114551.97−552045.8	CD−54 4320	*	./.	:	
1RXSJ114604.3−081550	0.0803 (0.0182)	0.856	13.4	114603.87−081554.6	IC 734	Gal.	./.	16. :	
1RXSJ114606.1+035959	0.1086 (0.0184)	0.571	16.6	114606.20+035955.4	...	...	...	...	
1RXSJ114608.2+400156	0.1526 (0.0245)	0.790	13.6	114607.64+400152.9	...	...	...	...	
1RXSJ114634.6+001238	0.0912 (0.0197)	0.734	14.6	114635.27+001234.0	WD 1144+004	WD	DO...	:	
1RXSJ114652.8+060921	0.0649 (0.0146)	0.639	14.4	114652.88+060859.4	...	...	...	...	
1RXSJ114706.4+700210	0.0937 (0.0126)	0.673	14.6	114708.47+700201.0	...	...	...	...	
1RXSJ114724.3−495250	0.5350 (0.0739)	0.589	13.1	114724.67−495303.7	HD 102458	*	G3/G5Vp	9.69 : 9.10	
1RXSJ114727.1+494302	0.4138 (0.0402)	0.549	16.8	114726.71+494257.7	...	...	...	...	
1RXSJ114738.0+050119	0.3921 (0.0330)	0.748	14.0	114737.46+050109.5	RE J114735+050109	*	MV:e	12.1 :	P
1RXSJ114741.4+001524	0.1138 (0.0198)	0.786	14.7	114741.75+001524.8	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ114755.3+090235	0.2931 (0.0286)	0.615	16.0	114755.08+090228.7	...	...	...	...	
1RXSJ114758.4+271507	0.1676 (0.0301)	0.637	15.6	114758.58+271459.3	US 2964	Blue object	./.	16.4 :	
1RXSJ114804.5+183042	0.0700 (0.0165)	0.762	13.6	114803.12+183043.4	...	...	...	...	
1RXSJ114818.9+315414	0.0733 (0.0147)	0.570	16.6	114818.88+315410.1	[VV96] J114818.8+315411	Quasar	./.	17.4 : 17.4	P
1RXSJ114824.5+350435	0.0743 (0.0178)	0.869	12.9	114823.91+350421.8	...	...	...	...	
1RXSJ114835.5+074133	0.0850 (0.0169)	0.568	15.0	114835.02+074148.9	...	...	...	...	
1RXSJ114836.6+051612	0.1955 (0.0238)	0.583	16.6	114836.39+051608.8	...	...	...	...	
1RXSJ114856.3−040408	0.1110 (0.0215)	0.711	15.4	114855.89−040409.3	[VV96] J114855.9−040410	Quasar	./.	16.96 : 16.90	P
1RXSJ114913.8−014454	0.1092 (0.0191)	0.513	16.6	114913.93−014453.9	[VV96] J114913.9−014455	Quasar	./.	:	
1RXSJ114918.8−041649	0.3222 (0.0340)	0.787	15.0	114918.67−041651.0	...	...	...	...	
1RXSJ114927.3−785059	0.1006 (0.0139)	0.727	13.5	114932.14−785100.8	GSC 09419−01065	Possible Planetary Nebula	./.	:	
1RXSJ114931.0−161136	0.0724 (0.0171)	0.573	16.5	114930.83−161134.6	...	...	...	...	
1RXSJ114948.0+544819	0.0500 (0.0131)	0.716	12.7	114950.63+544818.0	...	...	...	...	
1RXSJ114954.6+044807	0.0767 (0.0160)	0.512	16.8	114954.99+044813.1	...	...	...	...	
1RXSJ115009.9+345631	0.0942 (0.0182)	0.548	17.0	115009.53+345630.9	[VV96] J115009.5+345631	Quasar	./.	16. : 16.	
1RXSJ115025.3−770448	0.0817 (0.0126)	0.862	12.5	115028.53−770438.4	...	...	...	...	
1RXSJ115026.2+263044	0.0979 (0.0173)	0.582	16.3	115026.00+263038.5	...	...	...	...	
1RXSJ115035.2+415446	0.2372 (0.0342)	0.547	16.7	115034.76+415440.1	CSO 1232	Blue object	./.	:	
1RXSJ115044.2+341107	0.0547 (0.0130)	0.705	14.7	115043.85+341117.1	...	...	...	...	
1RXSJ115044.2−002349	0.0527 (0.0135)	0.543	16.6	115043.86−002354.4	[VV96] J115043.8−002355	Quasar	E	17.77 :	
1RXSJ115057.2+253149	0.1741 (0.0221)	0.759	15.0	115057.14+253149.2	[BFE95] 111	Active Galaxy Nucleus	./.	17.0 :	P
1RXSJ115108.3−131058	0.0686 (0.0179)	0.564	15.8	115108.75−131050.8	...	...	...	...	
1RXSJ115108.8−075527	0.0835 (0.0177)	0.543	16.8	115108.79−075530.1	...	...	...	...	
1RXSJ115120.0+543742	0.0681 (0.0162)	0.673	15.1	115120.46+543732.9	[VV96] J115120.5+543733	Quasar	./.	16.02 : 15.82	
1RXSJ115135.7−161921	0.2456 (0.0316)	0.517	15.5	115136.72−161936.6	...	...	...	...	
1RXSJ115137.3+561341	0.1428 (0.0199)	0.530	16.2	115138.13+561331.4	...	...	...	...	
1RXSJ115156.7+073127	0.2138 (0.0258)	0.835	14.0	115157.21+073130.3	...	...	...	...	
1RXSJ115205.2−033008	0.1445 (0.0237)	0.571	15.7	115205.87−033015.8	...	...	...	...	
1RXSJ115227.1+320957	0.2139 (0.0244)	0.569	16.6	115227.49+320959.6	RX J1152.3+3209	X	./.	:	
...	...	...	...	115227.49+320959.6	US 3095	Blue object	./.	18.8 :	
...	...	...	...	115227.49+320959.6	[VV96] J115227.5+320959	Quasar	./.	18.1 : 18.1	
1RXSJ115238.2−051229	0.1083 (0.0189)	0.565	10.6	115238.16−051225.7	MCG−01−30−041	Gal.	./.	15. :	
1RXSJ115258.0+355449	0.0508 (0.0149)	0.642	15.3	115257.56+355444.8	...	...	...	...	
1RXSJ115324.4+493108	0.3699 (0.0311)	0.670	16.4	115324.49+493108.9	21P 164	Rad.	./.	:	
...	...	...	...	115324.49+493108.9	GB2 1150+497	Rad.	./.	17.40 :	
...	...	...	...	115324.49+493108.9	JVAS 1150+498	Rad.	./.	:	
...	...	...	...	115324.49+493108.9	[VV96] J115324.5+493109	Quasar	./.	:	
1RXSJ115339.3+725156	0.0957 (0.0140)	0.510	16.7	115338.32+725153.9	...	...	...	...	
1RXSJ115404.3+144727	0.0507 (0.0145)	0.513	16.8	115404.46+144719.8	...	...	...	...	
1RXSJ115406.7−295849	0.1137 (0.0267)	0.538	0.0	115405.33−295857.1	HD 103381	*	G6V	9.16 : 8.46	
...	...	...	...	115405.33−295857.1	Ruiz 440−196	*	./.	:	
1RXSJ115437.0−414502	0.1364 (0.0316)	0.512	16.4	115437.65−414510.2	...	...	...	...	
1RXSJ115457.0+613703	0.0898 (0.0168)	0.548	16.2	115456.40+613653.4	...	...	...	...	
1RXSJ115500.7−560546	0.2342 (0.0317)	0.518	0.0	115501.17−560547.4	HD 103493	HiPM*	G3IV/V	7.33 : 6.69	
...	...	...	...	115501.17−560547.4	IRAS 11524−5549	IR	./.	:	
1RXSJ115501.8+782848	0.1726 (0.0250)	0.568	16.9	115501.43+782849.9	...	...	...	...	
1RXSJ115522.3+131051	0.0695 (0.0205)	0.590	15.1	115522.43+131105.2	...	...	...	...	
1RXSJ115527.6−564149	0.8602 (0.0578)	0.802	13.9	115526.98−564153.3	RX J1155.4−5641	*	./.	13.60 :	P
1RXSJ115554.5−525332	0.0664 (0.0197)	0.520	11.9	115557.77−525401.0	...	...	...	...	
1RXSJ115606.7+051414	0.0653 (0.0155)	0.618	15.5	115607.25+051412.3	...	...	...	...	
1RXSJ115619.7−001214	0.0531 (0.0148)	0.608	15.2	115620.04−001219.8	...	...	...	...	
1RXSJ115717.9+621400	0.1205 (0.0170)	0.526	0.0	115717.74+621351.6	HD 103794	*	F5	8.73 : 8.27	
1RXSJ115721.0−193835	0.0755 (0.0147)	0.740	0.0	115721.43−193844.8	HD 103835	**	G5V	10.93 : 10.28	
1RXSJ115746.9+412642	0.1667 (0.0272)	0.542	16.3	115746.12+412637.7	CASG 1485	Gal.	./.	:	
1RXSJ115800.5+140222	0.7581 (0.0550)	0.689	9.2	115801.12+140215.0	HD 103914	V*	G5	8.94 : 8.45	P
1RXSJ115816.6−055611	0.1246 (0.0201)	0.544	16.1	115817.26−055616.5	LCRS B115543.6−053934	Gal.	./.	:	
1RXSJ115822.6−002006	0.1437 (0.0229)	0.806	13.7	115823.32−002011.6	...	...	...	...	
1RXSJ115832.6+005153	0.0685 (0.0166)	0.703	10.7	115833.91+005219.8	HD 104002	*	K2	10.67 : 9.58	
1RXSJ115835.2−774932	0.1332 (0.0151)	0.677	11.0	115835.54−774931.3	HD 104036	*	A7V	6.931 : 6.739	
1RXSJ115841.8+625418	0.0639 (0.0134)	0.510	15.9	115839.96+625427.8	[VV96] J115839.9+625427	Quasar	./.	:	P
1RXSJ115920.5−544015	0.0941 (0.0192)	0.664	13.1	115922.17−544026.7	...	...	...	...	
1RXSJ115931.4+291446	0.0942 (0.0157)	0.568	16.6	115931.83+291444.0	[VV96] J115931.9+291445	Quasar	./.	:	
1RXSJ115943.4−301150	0.3055 (0.0369)	0.631	16.4	115943.35−301152.3	[VV96] J115943.5−301152	Quasar	An...	:	
1RXSJ115948.2−613618	0.1382 (0.0223)	0.612	13.3	115949.95−613624.7	...	...	...	...	
1RXSJ120010.1+793210	0.0888 (0.0151)	0.799	14.1	120011.76+793218.7	...	...	...	...	
1RXSJ120032.5−493023	0.0725 (0.0200)	0.599	15.2	120031.49−493019.0	...	...	...	...	
1RXSJ120036.8−633703	0.0997 (0.0193)	0.887	12.4	120037.08−633708.0	...	...	...	...	
1RXSJ120056.2+261517	0.1338 (0.0203)	0.525	16.6	120056.67+261511.9	[VV96] J120056.7+261513	Quasar	./.	18.1 : 18.1	P
1RXSJ120100.8−462329	0.1608 (0.0288)	0.515	14.5	120058.08−462314.7	...	...	...	...	
1RXSJ120129.5+011129	0.0618 (0.0150)	0.545	15.2	120130.48+011139.7	...	...	...	...	
1RXSJ120145.7−034532	0.0902 (0.0203)	0.741	14.5	120146.01−034540.3	2E 1159.2−0328	Var. WD (ZZ Cet type)	DO	14.87 : 14.87	P
1RXSJ120200.8−785305	0.0990 (0.0143)	0.871	13.2	120203.96−785301.2	RX J1202.1−7853	TT	K7	:	P
1RXSJ120206.1+244302	0.0636 (0.0140)	0.609	14.5	120207.29+244259.1	...	...	...	...	
1RXSJ120216.8+722202	0.0798 (0.0111)	0.864	0.0	120217.62+722152.6	BD+73 543B	**	?	11.00 : 9.89	
1RXSJ120216.9−342515	0.1956 (0.0383)	0.777	14.6	120216.98−342515.4	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ120219.1+283507	0.0891 (0.0167)	0.651	14.0	120220.75+283515.8	...	...	...	...	
1RXSJ120234.1−052801	0.2803 (0.0302)	0.625	16.3	120234.23−052802.3	[VV96] J120234.2−052802	Quasar	./.	:	P
1RXSJ120240.6+263143	0.1137 (0.0185)	0.544	16.9	120240.67+263138.4	RX J1202.6+2631	X	./.	:	P
1RXSJ120259.6−025337	0.0723 (0.0172)	0.876	11.7	120258.01−025330.9	...	...	...	...	
1RXSJ120303.6+603121	0.0839 (0.0178)	0.637	14.7	120303.52+603119.1	JVAS 1200+608	Gal.	./.	:	
...	...	...	...	120303.52+603119.1	RX J1203.0+6031	X	./.	:	
1RXSJ120325.1−280023	0.1105 (0.0215)	0.621	14.0	120324.35−280021.9	...	...	...	...	
1RXSJ120333.4+022939	0.4160 (0.0348)	0.521	15.0	120332.94+022934.7	[HB91] 1200+027	Sy1	./.	16. :	
...	...	...	...	120332.94+022934.7	[HDL96] 41 25	Gal.	./.	:	
1RXSJ120343.3+283602	0.2528 (0.0254)	0.527	17.2	120343.20+283557.7	...	...	...	...	
1RXSJ120347.5+520748	0.3615 (0.0330)	0.673	16.3	120347.71+520749.7	1RXS J120347.5+520748	Quasar	./.	16.9 :	P
1RXSJ120410.1+202057	0.0511 (0.0130)	0.840	13.2	120409.45+202052.1	NGC 4066	Gal.	E	14.4 :	
1RXSJ120423.7+433059	0.0912 (0.0202)	0.653	16.0	120424.04+433057.1	1RXS J120423.7+433059	Quasar	./.	16.5 :	P
...	...	...	...	120424.04+433057.1	WD 1201+437	WD	DC...	16.65 : 16.50	
1RXSJ120425.7+015354	0.9208 (0.0432)	0.692	13.7	120427.00+015346.0	2E 1201.8+0210	Clust.	./.	:	
...	...	...	...	120427.00+015346.0	NGC 4073	Gal.	E	13.8 : 13.21	
1RXSJ120431.7+662003	0.1088 (0.0156)	0.773	13.2	120434.23+662009.6	HD 104860	*	F8	8.47 : 7.93	
1RXSJ120433.7−773138	0.0829 (0.0120)	0.741	14.8	120436.40−773134.9	RX J1204.6−7731	TT	M3	:	P
1RXSJ120441.9+275417	0.5724 (0.0369)	0.701	15.6	120442.12+275411.8	[VV96] J120442.1+275412	Quasar	?+	15.70 :	P
1RXSJ120448.2−640942	0.3466 (0.0418)	0.697	0.0	120448.87−640955.4	HD 104919	*	G1/G2V	10.10 : 9.42	
1RXSJ120511.7+392043	0.4533 (0.0341)	0.571	15.2	120510.39+392048.0	RX J1205.2+3920	X	./.	:	
...	...	...	...	120510.39+392048.0	[CEF95] 120237.6+393730	Gal. in Clust.	./.	:	
1RXSJ120512.3+562347	0.1416 (0.0218)	0.648	11.0	120512.58+562336.3	GSC 03836−00510	*	./.	11.30 : 10.61	
1RXSJ120513.5−533127	0.0623 (0.0164)	0.861	12.6	120512.71−533122.7	...	...	...	...	
1RXSJ120547.8+584828	0.0906 (0.0178)	0.538	16.0	120548.98+584830.5	...	...	...	...	
1RXSJ120613.9−570215	0.1437 (0.0252)	0.837	12.6	120613.56−570217.1	...	...	...	...	
1RXSJ120622.6−131453	0.1302 (0.0213)	0.807	14.0	120621.91−131453.1	StM 164	*	M5.5	13.5 :	
1RXSJ120630.2−074334	0.0677 (0.0189)	0.669	14.1	120629.25−074346.8	...	...	...	...	
1RXSJ120637.0+281043	0.1159 (0.0186)	0.849	10.3	120638.89+281026.5	NAME NGC 4104 GROUP	Group of Galaxies	./.	:	
...	...	...	...	120638.89+281026.5	[L84] MKW 4s−G1	Gal. in Clust.	./.	14.62 : 13.58	
1RXSJ120655.0+501744	0.0736 (0.0159)	0.691	14.7	120655.60+501737.3	MCG+08−22−071	Gal.	./.	17. :	
1RXSJ120656.2+700754	0.4356 (0.0258)	0.808	12.9	120653.97+700747.7	1RXS J120656.2+700754	*	MV:e	:	P
1RXSJ120719.4+241204	0.1962 (0.0234)	0.874	12.9	120719.82+241155.7	Mrk 648	Gal.	?	16.0 :	
1RXSJ120722.4−533838	0.0628 (0.0160)	0.820	11.9	120724.05−533816.0	...	...	...	...	
1RXSJ120802.9+653237	0.0812 (0.0147)	0.568	16.9	120802.74+653238.3	[VV96] J120802.9+653236	Quasar	./.	17.2 : 17.2	P
1RXSJ120803.6+311055	0.0682 (0.0141)	0.839	12.7	120802.36+311105.0	...	...	...	...	
1RXSJ120814.3+641050	0.0732 (0.0141)	0.544	17.1	120814.36+641047.6	...	...	...	...	
1RXSJ120829.9+132752	0.1324 (0.0199)	0.760	14.0	120829.81+132806.2	...	...	...	...	
1RXSJ120900.4−512050	0.0863 (0.0195)	0.811	11.9	120902.33−512040.7	...	...	...	...	
1RXSJ120941.5+091757	0.0953 (0.0252)	0.893	10.9	120942.12+091728.0	HD 105637	*	G5	11.0 : 10.27	
1RXSJ120941.5−585440	0.2333 (0.0285)	0.552	11.2	120941.49−585444.6	...	...	...	...	
1RXSJ120943.7−734435	0.0782 (0.0193)	0.878	12.6	120942.85−734441.5	...	...	...	...	
1RXSJ120954.9+062806	0.1545 (0.0221)	0.742	14.7	120954.62+062813.4	...	...	...	...	
1RXSJ121004.7−463637	0.0713 (0.0177)	0.585	10.3	121004.09−463627.9	IRAS 12074−4619	IR	./.	:	
1RXSJ121008.4−491102	0.1033 (0.0259)	0.865	12.5	121006.61−491050.9	HD 105690	*	G5V	8.84 : 8.16	
1RXSJ121010.3−485538	0.1242 (0.0259)	0.571	12.2	121010.74−485547.6	...	...	...	...	
1RXSJ121022.6−075622	0.0738 (0.0182)	0.602	15.4	121023.24−075614.6	...	...	...	...	
1RXSJ121038.9+315704	0.1050 (0.0263)	0.530	15.7	121037.56+315706.2	[VV96] J121037.7+315707	Quasar	./.	:	P
1RXSJ121045.6+272546	0.0842 (0.0154)	0.515	16.5	121045.64+272536.6	...	...	...	...	
1RXSJ121102.2−540541	0.1074 (0.0190)	0.827	13.5	121102.13−540548.9	...	...	...	...	
1RXSJ121102.9−452535	0.0663 (0.0174)	0.597	0.0	121102.97−452525.2	HD 105852	**mul.	K0III	7.69 : 6.61	
1RXSJ121104.0+700536	0.2847 (0.0211)	0.871	14.3	121104.01+700531.8	...	...	...	...	
1RXSJ121126.1−441702	0.0663 (0.0177)	0.664	0.0	121128.61−441658.3	HD 105919	*	F5V	7.002 : 6.594	
1RXSJ121151.1+395733	0.1147 (0.0188)	0.784	13.1	121152.51+395731.4	...	...	...	...	
1RXSJ121157.1+055800	0.2330 (0.0264)	0.774	14.9	121157.49+055801.2	...	...	...	...	
1RXSJ121205.5+223207	0.0753 (0.0155)	0.870	12.8	121206.47+223157.8	...	...	...	...	
1RXSJ121206.3−655456	0.0867 (0.0250)	0.895	11.6	121208.12−655454.4	...	...	...	...	
1RXSJ121211.5+484859	0.0717 (0.0183)	0.560	14.4	121210.47+484916.9	...	...	...	...	
1RXSJ121241.7−063318	0.0601 (0.0162)	0.510	16.3	121241.46−063309.6	...	...	...	...	
1RXSJ121249.5−491044	0.0588 (0.0167)	0.791	14.1	121250.05−491037.5	...	...	...	...	
1RXSJ121408.0−234516	0.1324 (0.0257)	0.704	15.0	121408.62−234518.8	...	...	...	...	
1RXSJ121413.1−732138	0.0788 (0.0200)	0.643	13.6	121417.53−732133.8	...	...	...	...	
1RXSJ121417.5+003730	0.0983 (0.0203)	0.525	16.5	121418.14+003731.3	...	...	...	...	
1RXSJ121420.7+114912	0.2182 (0.0270)	0.812	0.0	121421.00+114912.0	HD 106400	Ecl. Bin. (W UMa)	K0V+...	10.03 : 9.33	P
1RXSJ121454.5−553406	0.0860 (0.0201)	0.638	12.1	121457.38−553429.9	GSC 08637−02519	*	./.	11.7 : 11.2	
1RXSJ121500.4+050051	0.2414 (0.0264)	0.583	16.5	121500.76+050051.5	...	...	...	...	
1RXSJ121510.9+073205	0.3650 (0.0319)	0.582	17.0	121510.97+073204.7	RX J1215.1+0732	X	./.	:	
...	...	...	...	121510.97+073204.7	[A97b] 2−1	BL Lac − type object	./.	:	
...	...	...	...	121510.97+073204.7	[R97] NGC 4235 1	X	./.	:	
1RXSJ121515.3+874154	0.1247 (0.0127)	0.637	11.3	121523.44+874157.9	HD 107192	*	F2V	6.572 : 6.275	
1RXSJ121518.6−632517	0.3854 (0.0630)	0.640	0.0	121518.56−632530.3	HD 106506	*	F8/G0V:	9.02 : 8.46	
1RXSJ121527.9−394843	0.3753 (0.0656)	0.561	12.1	121530.84−394842.2	...	...	...	...	
1RXSJ121529.1−623209	0.0648 (0.0185)	0.720	0.0	121528.27−623220.6	HD 106538	**mul.	F8/G0V	9.3 : 8.7	
1RXSJ121539.5+523910	0.2734 (0.0299)	0.891	13.8	121538.87+523908.8	p. StKM 2− 809	*	./.	:	
1RXSJ121546.9−862503	0.1245 (0.0277)	0.802	11.7	121553.44−862528.8	GSC 09516−01122	*	./.	11.5 : 10.7	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ121549.3+544227	0.0902 (0.0186)	0.529	16.3	121549.43+544224.1	[VV96] J121549.4+544225	Quasar	./.	16.5 : 16.5	
1RXSJ121606.4+092915	0.1134 (0.0196)	0.691	15.2	121606.19+092910.1	RX J1216.0+0929	X	./.	:	P
1RXSJ121616.0+505346	0.0918 (0.0199)	0.693	14.9	121615.41+505336.1	...	...	...	...	
1RXSJ121627.9−500829	0.3620 (0.0338)	0.886	9.7	121627.98−500835.9	HD 106725	**mul.	G3V	9.99 : 9.35	
1RXSJ121628.8−070911	0.2243 (0.0283)	0.769	15.2	121628.66−070912.7	...	...	...	...	
1RXSJ121629.2+084258	0.0655 (0.0149)	0.518	16.3	121629.92+084253.4	...	...	...	...	
1RXSJ121645.2−775339	0.0563 (0.0104)	0.710	15.0	121646.06−775333.1	...	...	...	...	
1RXSJ121658.8+310905	0.0506 (0.0136)	0.599	14.5	121658.86+310925.3	GJ 3719	*	M3.5	:	
1RXSJ121715.7+080947	0.2483 (0.0266)	0.567	16.4	121716.10+080942.3	[VV96] J121716.1+080941	Quasar	./.	:	
1RXSJ121727.2−803511	0.0527 (0.0142)	0.866	13.1	121726.78−803506.8	HD 106772	*	G2III/IV	9.39 : 8.54	
1RXSJ121741.9−501418	0.0663 (0.0175)	0.706	13.1	121741.02−501357.0	...	...	...	...	
1RXSJ121752.1+300705	2.7790 (0.0846)	0.871	14.4	121752.07+300700.6	...	...	...	...	
1RXSJ121754.7+583936	0.2134 (0.0246)	0.864	14.1	121754.99+583935.6	Mrk 202	Gal.	cG	15.6 :	
1RXSJ121755.5−515625	0.0516 (0.0131)	0.742	14.0	121754.00−515628.2	...	...	...	...	
1RXSJ121814.7−205028	0.1222 (0.0228)	0.866	0.0	121813.67−205025.4	HD 106991	*	G1/G2V	7.91 : 7.33	
1RXSJ121822.4+385051	0.1323 (0.0204)	0.551	16.4	121822.72+385043.5	...	...	...	...	
1RXSJ121827.0+294853	4.7100 (0.1132)	0.541	10.2	121826.54+294848.1	NGC 4253	Sy1	S...	13.7 :	P
1RXSJ121854.9−615834	0.0678 (0.0179)	0.651	15.1	121854.59−615834.9	...	...	...	...	
1RXSJ121856.2+015938	0.0746 (0.0199)	0.722	12.3	121858.02+015951.2	...	...	...	...	
1RXSJ121902.7−630910	0.3228 (0.0705)	0.857	0.0	121907.16−630953.8	...	...	...	...	
1RXSJ121905.3+210633	0.1185 (0.0185)	0.799	14.7	121905.28+210632.6	...	...	...	...	
1RXSJ121924.1+054935	0.0864 (0.0167)	0.540	12.3	121923.24+054930.1	NGC 4261	Gal.	E...	10.4 :	
1RXSJ121935.2−135740	0.1660 (0.0447)	0.532	15.2	121935.02−135715.1	CTS 97	Quasar	An...	16.3 :	
1RXSJ121943.0−740400	0.0664 (0.0151)	0.858	13.6	121943.91−740357.0	RX J1219.7−7403	TT	K8	:	P
1RXSJ121958.0+194154	0.0951 (0.0176)	0.531	17.1	121958.15+194154.6	...	...	...	...	
1RXSJ121958.6−185356	0.1327 (0.0240)	0.734	11.3	121958.58−185359.5	BD−18 3370	*	./.	12.0 : 11.2	
1RXSJ122000.0−501823	0.0534 (0.0141)	0.634	13.4	121959.42−501840.1	...	...	...	...	
1RXSJ122011.9+020342	0.3108 (0.0365)	0.751	15.5	122011.86+020342.3	PMN J1220+0203	Rad.	./.	:	
...	...	...	...	122011.86+020342.3	[VV96] J122011.9+020342	Quasar	./.	16.55 :	P
1RXSJ122027.0+122656	0.0893 (0.0206)	0.892	12.5	122028.03+122705.2	...	...	...	...	
1RXSJ122032.2−650405	0.1430 (0.0309)	0.703	14.2	122031.38−650400.3	...	...	...	...	
1RXSJ122034.9+421919	0.0835 (0.0165)	0.718	14.0	122036.19+421919.2	BPS BS 16920−0044	*	./.	:	
1RXSJ122050.8−645724	0.0941 (0.0265)	0.657	0.0	122049.14−645737.4	HD 107357	*	G5III	8.95 : 7.99	
1RXSJ122057.8+813558	0.0612 (0.0115)	0.848	14.2	122058.09+813601.8	...	...	...	...	
1RXSJ122107.9−711642	0.1368 (0.0275)	0.840	12.4	122105.17−711649.5	...	...	...	...	
1RXSJ122118.8+063547	0.0518 (0.0133)	0.891	13.2	122118.13+063549.7	...	...	...	...	
1RXSJ122121.7+301041	1.5630 (0.0769)	0.733	15.5	122121.93+301037.2	QSO 1218+304	BL Lac − type object	?	17.15 : 16.50	P
1RXSJ122131.1+281402	0.1451 (0.0203)	0.765	14.4	122131.70+281358.4	QSO 1219+285	BL Lac − type object	?	17.11 :	P
1RXSJ122144.4+751848	0.8642 (0.0452)	0.569	15.9	122144.13+751838.7	QSO 1219+7535	Sy1	./.	:	
1RXSJ122147.1+015637	0.0843 (0.0194)	0.835	14.1	122146.66+015635.8	...	...	...	...	
1RXSJ122201.1−573750	0.1164 (0.0217)	0.530	13.8	122201.55−573756.5	...	...	...	...	
1RXSJ122212.3+213747	0.1098 (0.0174)	0.541	16.7	122212.47+213739.8	...	...	...	...	
1RXSJ122224.1−713655	0.0689 (0.0195)	0.705	14.7	122222.48−713704.4	...	...	...	...	
1RXSJ122257.4−581123	0.0927 (0.0191)	0.660	13.8	122257.51−581136.1	...	...	...	...	
1RXSJ122313.3+540906	0.1976 (0.0244)	0.697	16.0	122313.23+540906.7	RX J1223.1+5409	X	./.	:	
1RXSJ122315.0−554023	0.1239 (0.0220)	0.697	15.1	122314.41−554015.7	...	...	...	...	
1RXSJ122339.0−460618	0.1041 (0.0208)	0.769	14.7	122339.02−460620.2	...	...	...	...	
1RXSJ122349.4+072652	0.0876 (0.0177)	0.628	15.7	122349.65+072658.1	...	...	...	...	
1RXSJ122352.7−281205	0.3964 (0.0486)	0.510	15.6	122351.53−281203.0	...	...	...	...	
1RXSJ122421.0−544343	0.1934 (0.0280)	0.638	0.0	122420.64−544353.0	...	...	...	...	
1RXSJ122424.2+243618	0.1738 (0.0213)	0.542	16.9	122424.19+243623.5	QSO 1221+24	BL Lac − type object	./.	:	P
1RXSJ122452.5−520014	0.0572 (0.0151)	0.533	11.9	122454.95−520015.6	HD 108016	*	F6/F7V	10.31 : 9.82	
1RXSJ122456.5−485431	0.0870 (0.0173)	0.892	12.5	122456.52−485427.0	...	...	...	...	
1RXSJ122512.5+321354	0.1793 (0.0201)	0.744	14.6	122513.09+321401.4	RX J1225.1+3213	X	./.	:	P
1RXSJ122523.1+042128	0.2098 (0.0271)	0.674	15.2	122522.87+042118.9	PGC 40503	Gal.	./.	16.93 :	
1RXSJ122527.1−041857	0.4706 (0.0475)	0.520	15.2	122527.19−041857.3	...	...	...	...	
1RXSJ122532.4−722809	0.1522 (0.0284)	0.751	13.2	122533.85−722748.1	...	...	...	...	
1RXSJ122539.9+245833	0.1448 (0.0205)	0.553	16.6	122539.53+245835.9	[VV96] J122539.5+245836	Quasar	?	:	P
1RXSJ122540.1−001646	0.0983 (0.0241)	0.815	13.4	122540.81−001657.1	HD 108189	*	G5	8.50 : 7.74	
1RXSJ122542.3+205503	0.3285 (0.0288)	0.618	16.1	122541.95+205503.6	RX J1225.7+2055	Quasar	./.	16.5 :	P
1RXSJ122600.6+333129	0.0536 (0.0128)	0.525	10.3	122557.75+333140.4	NGC 4401	Gal.	./.	:	
1RXSJ122608.4−042856	0.0964 (0.0168)	0.843	13.0	122608.28−042851.2	HD 108240	V*	F5	8.09 : 7.68	
1RXSJ122623.7+372657	0.1401 (0.0195)	0.609	16.0	122623.32+372702.0	...	...	...	...	
1RXSJ122623.9+324431	0.3691 (0.0308)	0.570	16.8	122624.22+324429.7	...	...	...	...	
1RXSJ122634.8−630554	2.4680 (0.1574)	0.831	0.0	122635.94−630556.6	HD 108248	Spec. Bin.	B0.5IV	1.32 : 1.4	
...	...	...	...	122635.94−630556.6	HD 108248 J	**mul.	B1	0.56 : 0.81	
...	...	...	...	122635.94−630556.6	HD 108249	**	B1V	2.3 : 2.09	
...	...	...	...	122635.94−630556.6	IRAS 12237−6249	IR	./.	:	
1RXSJ122643.6+581342	0.0650 (0.0135)	0.546	16.8	122643.28+581337.0	...	...	...	...	
1RXSJ122745.1+084147	0.3326 (0.0313)	0.691	15.8	122744.84+084150.4	2E 1225.2+0858	Gal.	./.	:	
1RXSJ122758.8−485343	0.3393 (0.0317)	0.544	17.3	122758.77−485342.8	...	...	...	...	
1RXSJ122804.2+444736	0.1300 (0.0216)	0.700	0.0	122804.44+444739.4	HD 108574	**	F5	7.92 : 7.40	
...	...	...	...	122804.44+444739.4	HD 108575	**	K	8.60 : 7.97	
1RXSJ122810.3−552306	0.0540 (0.0169)	0.527	14.7	122809.06−552253.8	...	...	...	...	
1RXSJ122812.5+254944	0.0602 (0.0148)	0.518	16.4	122812.77+254935.0	RX J1228.2+2549	X	./.	:	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ122815.7−413924	0.0752 (0.0175)	0.614	0.0	122814.85−413933.0	HD 108526	*	F7V	9.61 : 9.03	
1RXSJ122829.5−273342	0.1074 (0.0273)	0.804	13.9	122829.54−273353.1	...	...	...	...	
1RXSJ122835.4−494822	0.0556 (0.0153)	0.687	13.3	122835.85−494802.0	...	...	...	...	
1RXSJ122859.5+272527	0.0734 (0.0149)	0.593	15.5	122900.31+272522.3	NGP9 F322−1519644	GiG	./.	:	
1RXSJ122903.4+414348	0.1460 (0.0204)	0.722	14.7	122903.64+414358.6	...	...	...	...	
1RXSJ122927.1+225944	0.0923 (0.0160)	0.697	15.2	122927.66+225947.7	GJ 3730	*	M4	:	
1RXSJ122929.1+451342	0.2273 (0.0245)	0.675	16.0	122928.99+451338.6	[VV96] J122928.9+451339	Quasar	./.	16.1 : 16.3	
1RXSJ122952.5−163055	0.0565 (0.0181)	0.895	0.0	122951.95−163053.5	HD 108767	V*	B9.5V	2.90 :	
1RXSJ123001.3+335908	0.1390 (0.0191)	0.543	16.6	123001.02+335901.4	CSO 897	Blue object	./.	:	
1RXSJ123004.7−132334	0.6201 (0.0499)	0.629	0.0	123004.86−132333.3	GJ 469.2B	**	?	:	
...	...	...	...	123004.86−132333.3	GJ 9409A	HiPM*	G1/G2V	6.91 : 6.35	P
1RXSJ123014.2+251805	0.2481 (0.0248)	0.581	16.8	123014.10+251806.9	BWE 1227+2535	BL Lac − type object	./.	15.6 :	
...	...	...	...	123014.10+251806.9	GSC 01989−02067	BL Lac − type object	?	:	
1RXSJ123055.5+315207	0.1030 (0.0162)	0.660	15.2	123055.84+315217.0	LP 321−300	*	./.	:	
1RXSJ123100.9+312522	0.1986 (0.0220)	0.738	0.0	123100.74+312525.8	HD 108944	*	F8	7.82 : 7.34	
1RXSJ123122.1+050314	0.0677 (0.0162)	0.516	8.3	123122.39+050309.1	HD 108986	*	F2	8.06 : 7.75	
1RXSJ123124.8−165351	0.2151 (0.0333)	0.621	16.0	123124.88−165349.8	EC 12288−1637	Quasar	An...	16.78 :	
1RXSJ123132.5+641420	0.2778 (0.0276)	0.545	16.6	123131.35+641418.0	QSO 1229+6430	BL Lac − type object	./.	:	P
1RXSJ123137.5+704417	1.0720 (0.0398)	0.751	15.3	123136.58+704414.4	...	...	...	...	
1RXSJ123139.1−455837	0.0715 (0.0174)	0.537	14.1	123138.15−455859.2	...	...	...	...	
1RXSJ123154.6+323248	0.1275 (0.0174)	0.673	15.2	123155.17+323240.6	CASG 181	Gal.	./.	16. :	
1RXSJ123156.4+353011	0.0748 (0.0157)	0.701	15.1	123156.01+353015.4	CSO 900	Blue object	./.	:	
1RXSJ123201.8−784837	0.0599 (0.0136)	0.595	15.0	123156.37−784832.4	RX J1231.9−7848	TT	M1	:	P
1RXSJ123205.6+841719	0.0609 (0.0129)	0.846	13.4	123203.86+841719.5	...	...	...	...	
1RXSJ123212.3−421745	0.5510 (0.0410)	0.781	14.3	123212.01−421750.6	...	...	...	...	
1RXSJ123213.8−765029	0.0533 (0.0104)	0.572	16.3	123214.85−765030.4	RX J1232.3−7650	X	./.	:	P
1RXSJ123226.3+202333	0.1275 (0.0201)	0.835	14.2	123226.20+202326.6	GJ 3734	X	M3Ve	14.46 : 12.90	
1RXSJ123235.8+060315	0.1243 (0.0209)	0.569	16.5	123235.85+060310.3	...	...	...	...	
1RXSJ123238.7−645654	0.1099 (0.0260)	0.638	12.5	123242.69−645652.0	...	...	...	...	
1RXSJ123251.2+324042	0.0921 (0.0156)	0.557	16.4	123250.79+324049.2	CSO 149	Blue object	./.	:	
1RXSJ123321.4+571831	0.0537 (0.0134)	0.774	14.1	123321.25+571819.6	...	...	...	...	
1RXSJ123324.0+341005	0.0523 (0.0124)	0.594	0.0	123324.50+340945.2	HD 109280	**mul.	G2V	9.18 : 8.51	
1RXSJ123325.8+093119	0.2071 (0.0268)	0.619	16.2	123325.78+093123.5	[VV96] J123325.8+093123	Quasar	./.	:	
1RXSJ123332.4−571345	0.0849 (0.0204)	0.621	13.9	123333.91−571406.7	...	...	...	...	
1RXSJ123341.6+310103	0.4978 (0.0348)	0.684	16.3	123341.68+310102.9	...	...	...	...	
1RXSJ123415.2+481306	0.0690 (0.0152)	0.604	15.7	123416.07+481307.0	...	...	...	...	
1RXSJ123447.8−211125	0.0952 (0.0211)	0.616	11.9	123447.80−211125.5	...	...	...	...	
1RXSJ123458.9−594931	0.1493 (0.0302)	0.897	12.8	123457.88−594938.4	...	...	...	...	
1RXSJ123504.4−413629	0.1191 (0.0201)	0.808	14.2	123504.33−413638.1	...	...	...	...	
1RXSJ123533.9+243915	0.0608 (0.0141)	0.751	14.9	123533.75+243918.8	...	...	...	...	
1RXSJ123542.6−181112	0.1910 (0.0499)	0.688	11.3	123542.83−181134.3	BD−17 3659	*	./.	11.3 : 10.55	
1RXSJ123545.1−411558	0.0623 (0.0150)	0.616	15.1	123546.28−411552.5	...	...	...	...	
1RXSJ123551.6+275555	0.0664 (0.0144)	0.717	14.0	123551.94+275557.3	...	...	...	...	
1RXSJ123557.7+582125	0.1699 (0.0216)	0.591	16.5	123557.79+582122.5	[BFE95] 126	Active Galaxy Nucleus	./.	18.2 :	P
1RXSJ123604.3+264136	0.0525 (0.0131)	0.555	16.7	123604.03+264136.1	...	...	...	...	
1RXSJ123620.3−504238	0.0596 (0.0173)	0.507	12.2	123617.76−504241.9	...	...	...	...	
1RXSJ123641.7−335438	0.2229 (0.0324)	0.733	11.5	123641.34−335531.8	...	...	...	...	
1RXSJ123657.4−541217	0.1062 (0.0205)	0.874	12.0	123658.99−541217.7	GSC 08646−00166	*	./.	11.28 : 10.44	
1RXSJ123658.1−421544	0.0541 (0.0153)	0.724	14.0	123657.25−421546.1	...	...	...	...	
1RXSJ123705.7−363608	0.0682 (0.0167)	0.661	14.5	123705.78−363602.2	...	...	...	...	
1RXSJ123707.8+074028	0.0979 (0.0184)	0.536	16.8	123707.44+074024.6	...	...	...	...	
1RXSJ123739.2+625843	0.2549 (0.0239)	0.511	17.6	123739.06+625843.1	QSO 1235+632	BL Lac − type object	./.	:	P
1RXSJ123739.5−514308	0.0655 (0.0167)	0.765	13.0	123737.45−514311.1	...	...	...	...	
1RXSJ123740.0+345055	0.0503 (0.0122)	0.806	13.6	123741.09+345057.9	...	...	...	...	
1RXSJ123743.0−540436	0.0624 (0.0162)	0.527	16.2	123742.90−540431.8	...	...	...	...	
1RXSJ123808.6−091418	0.1419 (0.0257)	0.817	14.0	123808.38−091411.7	HE 1235−0857	Quasar	./.	17.8 :	
1RXSJ123816.5−384243	0.5173 (0.0425)	0.557	17.0	123816.43−384245.7	RX J1238.2−3842	X	./.	:	
1RXSJ123816.6−344032	0.0797 (0.0227)	0.883	12.0	123817.14−344028.8	...	...	...	...	
1RXSJ123847.1−511250	0.0611 (0.0169)	0.585	0.0	123849.09−511256.1	HD 109908	*	G0V	8.92 : 8.36	
1RXSJ123919.9−533812	0.0722 (0.0172)	0.662	13.7	123921.04−533758.2	...	...	...	...	
1RXSJ123923.8−724349	0.0501 (0.0148)	0.590	11.6	123923.63−724404.2	...	...	...	...	
1RXSJ123942.4+342453	0.1030 (0.0171)	0.557	16.8	123942.57+342456.2	...	...	...	...	
1RXSJ123945.6−341153	0.1195 (0.0191)	0.536	13.6	123947.48−341111.8	...	...	...	...	
1RXSJ123953.7+551134	0.1484 (0.0241)	0.851	12.9	123952.56+551121.9	GSC 03844−00317	*	./.	:	
1RXSJ124022.9−492412	0.0682 (0.0184)	0.900	0.0	124021.99−492402.4	HD 110143	*	G2V	7.604 : 7.034	
1RXSJ124027.2−230925	0.0830 (0.0213)	0.817	13.3	124028.30−230926.7	HE 1237−2252	Quasar	./.	17.29 :	
1RXSJ124033.3−565529	0.0579 (0.0156)	0.575	16.1	124033.95−565530.2	...	...	...	...	
1RXSJ124126.3−574955	0.6142 (0.0444)	0.558	14.1	124125.66−575003.6	WKK98 1263	Sy2	Sa	17.4 :	
1RXSJ124129.4+372206	0.3907 (0.0296)	0.728	15.7	124129.44+372202.2	...	...	...	...	
1RXSJ124139.7−012706	2.0390 (0.1211)	0.501	0.0	124139.83−012657.6	GJ 482A	V*	F0V	4.01 : 3.65	P
...	...	...	...	124139.83−012657.6	GJ 482B	HiPM*	F0V	3.9 : 3.56	
...	...	...	...	124139.83−012657.6	IRAS 12390−0110	IR	./.	:	
1RXSJ124147.5+564506	0.1561 (0.0241)	0.722	14.9	124146.74+564513.6	...	...	...	...	
1RXSJ124211.3+331703	0.8588 (0.0423)	0.728	15.0	124210.62+331702.7	...	...	...	...	
1RXSJ124219.3−494609	0.0622 (0.0170)	0.659	13.0	124218.38−494614.4	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ124223.0+194709	0.1013 (0.0176)	0.501	16.2	124223.36+194721.0	...	...	...	...	
1RXSJ124238.5+152925	0.1550 (0.0348)	0.572	15.9	124238.48+152934.6	LBQS 1240+1546	Emission−line galaxy	./.	16.0 :	
1RXSJ124308.9−370603	0.0577 (0.0153)	0.538	15.5	124307.82−370551.5	...	...	...	...	
1RXSJ124312.5+362743	1.2970 (0.0517)	0.676	16.2	124312.74+362744.4	BWE 1240+3644	BL Lac − type object	B...	15.7 :	P
...	...	...	...	124312.74+362744.4	RX J1243.1+3627	X	./.	:	
1RXSJ124314.1+342756	0.0517 (0.0127)	0.703	15.4	124314.19+342758.2	...	...	...	...	
1RXSJ124335.8−783402	0.0590 (0.0133)	0.789	14.3	124336.98−783408.0	RX J1243.6−7834	TT	M0	:	P
1RXSJ124342.0+091712	0.1358 (0.0218)	0.593	16.1	124341.77+091707.3	LBQS 1241+0933	Quasar	./.	:	
1RXSJ124350.5−394615	0.2051 (0.0278)	0.819	10.2	124351.82−394615.8	CCDM J12439−3946AB	**mul.	K1	10.79 : 10.04	
1RXSJ124359.0+035540	0.1091 (0.0320)	0.512	9.3	124359.01+035557.7	HD 110704	**mul.	F5	9.3 : 8.3	
1RXSJ124402.9+852653	0.1018 (0.0128)	0.855	9.4	124409.01+852654.8	BD+86 184	**	G5	9.46 : 8.84	
1RXSJ124428.7−054528	0.0652 (0.0161)	0.723	14.6	124428.83−054531.7	...	...	...	...	
1RXSJ124458.6+173257	0.1224 (0.0223)	0.529	16.8	124458.83+173259.6	[VV96] J124458.8+173256	Quasar	./.	:	P
1RXSJ124547.1−541104	0.0844 (0.0193)	0.822	11.6	124549.01−541057.3	...	...	...	...	
1RXSJ124553.7−550702	0.0590 (0.0156)	0.510	15.4	124552.13−550714.4	...	...	...	...	
1RXSJ124633.3+453421	0.0763 (0.0148)	0.529	17.2	124633.61+453421.4	...	...	...	...	
1RXSJ124635.2+022155	1.3010 (0.0910)	0.554	14.8	124635.23+022209.3	LBQS 1244+0238	Sy	S...	16.15 :	P
1RXSJ124706.0+362854	0.0521 (0.0124)	0.844	12.9	124705.26+362841.7	GSC 02533−00809	*	G8III:	13.3 :	
1RXSJ124711.7+293912	0.2622 (0.0257)	0.512	17.3	124711.89+293910.6	...	...	...	...	
1RXSJ124721.8+181436	0.1916 (0.0225)	0.899	12.0	124722.52+181443.6	...	...	...	...	
1RXSJ124735.6−035010	0.2204 (0.0268)	0.573	16.1	124735.06−035007.9	EQS B1245−0333	Quasar	./.	16.5 :	
...	...	...	...	124735.06−035007.9	[VV96] J124735.0−035009	Quasar	./.	:	
1RXSJ124749.3−225508	0.0549 (0.0164)	0.747	13.4	124747.88−225451.3	...	...	...	...	
1RXSJ124757.9−445735	0.0639 (0.0162)	0.660	12.0	124755.68−445735.2	CD−44 8232	*	./.	11.6 : 10.50	
1RXSJ124813.8+181648	0.1085 (0.0190)	0.835	11.8	124815.16+181653.2	GSC 01452−00779	*	./.	12.1 : 11.2	
1RXSJ124818.9+582031	0.5157 (0.0406)	0.780	15.2	124818.81+582028.7	JVAS 1246+586	Rad.	./.	:	
...	...	...	...	124818.81+582028.7	[HMI96] 1246+5836	Rad.	./.	:	
1RXSJ124822.4−272550	0.1040 (0.0215)	0.544	15.5	124821.08−272550.2	CTS 13	Sy1	An...	16.5 :	
1RXSJ124834.3+493358	0.2931 (0.0291)	0.894	14.0	124833.96+493354.7	StM 174	*	M5e	13.5 :	
1RXSJ124853.8+342433	0.0796 (0.0146)	0.515	17.0	124853.90+342429.3	[VV96] J124853.9+342429	Quasar	./.	18.19 :	P
1RXSJ124911.1−114914	0.0722 (0.0191)	0.693	14.5	124910.39−114925.1	...	...	...	...	
1RXSJ124923.9+444450	0.0720 (0.0146)	0.504	17.2	124923.53+444450.2	RGB J1249+447B	Rad.	./.	:	
...	...	...	...	124923.53+444450.2	[VV96] J124923.5+444449	Quasar	./.	:	P
1RXSJ124931.6+523046	0.2825 (0.0291)	0.597	16.0	124931.76+523039.0	...	...	...	...	
1RXSJ124934.8−213706	0.0938 (0.0210)	0.718	13.8	124934.50−213721.0	...	...	...	...	
1RXSJ124936.1−203701	0.0919 (0.0212)	0.713	14.1	124936.05−203720.1	...	...	...	...	
1RXSJ124938.6+464729	0.2923 (0.0279)	0.568	16.8	124938.43+464725.0	[BFE95] 135	Active Galaxy Nucleus	./.	17.6 :	
1RXSJ125002.2−731321	0.1487 (0.0189)	0.708	15.5	125002.46−731315.7	...	...	...	...	
1RXSJ125005.7+263118	0.0942 (0.0170)	0.728	14.8	125005.70+263108.2	[VV96] J125005.7+263107	Quasar	./.	15.53 : 15.6	
1RXSJ125005.9−165454	0.4838 (0.0424)	0.582	16.6	125005.58−165453.3	...	...	...	...	
1RXSJ125007.3−404738	0.0719 (0.0170)	0.614	15.3	125006.61−404732.8	...	...	...	...	
1RXSJ125032.9−211638	0.1021 (0.0218)	0.724	0.0	125033.20−211632.7	...	...	...	...	
1RXSJ125042.5−024929	0.0686 (0.0164)	0.854	14.2	125042.42−024931.7	LCRS B124808.1−023312	Gal.	./.	15.7 :	
1RXSJ125051.3−515655	0.0597 (0.0166)	0.764	12.8	125051.55−515635.0	...	...	...	...	
1RXSJ125100.7+302549	0.0904 (0.0163)	0.532	16.6	125100.33+302541.8	[VV96] J125100.3+302542	Quasar	./.	16.2 :	
1RXSJ125101.2+660333	0.4676 (0.0343)	0.549	16.6	125100.47+660326.7	[VV96] J125100.5+660326	Quasar	./.	16.1 : 16.1	P
1RXSJ125107.1−525306	0.1443 (0.0246)	0.609	14.5	125105.61−525311.9	...	...	...	...	
1RXSJ125144.2−512809	0.1459 (0.0246)	0.510	17.0	125144.02−512805.5	...	...	...	...	
1RXSJ125155.8−122440	0.1048 (0.0221)	0.678	15.3	125155.95−122437.8	...	...	...	...	
1RXSJ125213.3+290900	0.1417 (0.0204)	0.849	13.7	125212.80+290907.4	BPS BS 16032−0052	*	./.	:	
1RXSJ125214.6−555344	0.0706 (0.0166)	0.878	13.4	125214.75−555337.6	...	...	...	...	
1RXSJ125223.7+645143	0.1130 (0.0165)	0.557	16.8	125223.79+645137.8	[BSF97] J125223.81+645138.0	Quasar	./.	:	P
1RXSJ125224.7−551813	0.0573 (0.0144)	0.587	13.5	125225.17−551813.3	...	...	...	...	
1RXSJ125243.9−283621	0.0891 (0.0220)	0.671	13.4	125242.94−283628.3	...	...	...	...	
1RXSJ125253.5−152445	0.0684 (0.0183)	0.637	9.3	125252.69−152447.3	NGC 4756	Gal. in Clust.	E/dG	13. :	P
1RXSJ125336.5+224742	0.0758 (0.0151)	0.593	15.8	125336.18+224735.3	RX J1253.6+2247	X	./.	15.0 : 16.5	P
1RXSJ125341.2−393200	0.5338 (0.0422)	0.544	17.3	125341.25−393159.6	...	...	...	...	
1RXSJ125347.3+032620	0.1866 (0.0422)	0.740	14.5	125347.00+032630.5	[HDL96] 43 53	Gal.	./.	15.7 :	
1RXSJ125409.5+255530	0.1316 (0.0201)	0.546	16.7	125409.17+255524.8	...	...	...	...	
1RXSJ125422.2−290034	0.3225 (0.0355)	0.826	9.9	125422.26−290047.1	ESO 443− 4	Gal.	S0	:	
...	...	...	...	125422.26−290047.1	PKS 1251−287	Rad.	./.	:	
...	...	...	...	125422.26−290047.1	Sch96 A3528N G1	Gal.	./.	:	
...	...	...	...	125422.26−290047.1	[ODC88] 19	Clust.	./.	:	
...	...	...	...	125422.26−290047.1	[RHP98] 17	Gal.	./.	:	
1RXSJ125422.6+793618	0.0690 (0.0128)	0.509	16.3	125423.06+793613.3	...	...	...	...	
1RXSJ125430.7−460735	0.0914 (0.0242)	0.803	10.1	125431.39−460736.7	CD−45 8100	*	G0	10.15 : 9.69	
1RXSJ125438.5+114105	0.0625 (0.0141)	0.608	16.1	125438.25+114106.2	[VV96] J125438.2+114106	Quasar	./.	16.99 :	P
1RXSJ125445.9−152556	0.1141 (0.0237)	0.531	14.5	125444.32−152548.4	...	...	...	...	
1RXSJ125456.3−265653	0.6357 (0.0568)	0.874	12.8	125456.33−265703.6	...	...	...	...	
1RXSJ125509.5−464506	0.0996 (0.0235)	0.697	14.3	125508.85−464507.4	...	...	...	...	
1RXSJ125520.0+353913	0.1112 (0.0165)	0.518	17.0	125520.38+353910.5	2E 1252.9+3555	X	./.	:	
...	...	...	...	125520.38+353910.5	QSO 1252+359	Quasar	./.	18.00 :	
1RXSJ125520.2+014417	0.3839 (0.0601)	0.600	15.8	125519.71+014412.4	EQS B1252+0200	Quasar	./.	15.4 :	
...	...	...	...	125519.71+014412.4	[VV96] J125519.7+014413	Quasar	./.	:	
1RXSJ125527.6−071524	0.1191 (0.0243)	0.547	16.3	125527.03−071520.5	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ125534.7−301934	0.1752 (0.0272)	0.560	13.6	125531.53−301907.5	...	...	...	...	
1RXSJ125549.3−513337	0.0603 (0.0170)	0.879	13.2	125548.46−513337.8	...	...	...	...	
1RXSJ125558.6+075659	0.1598 (0.0342)	0.858	12.6	125559.28+075711.8	...	...	...	...	
1RXSJ125600.6+381856	0.0763 (0.0147)	0.900	0.0	125600.60+381852.9	HD 112412	HiPM*	F1	5.94 : 5.60	
1RXSJ125610.9−412219	0.0593 (0.0158)	0.822	11.6	125612.31−412219.6	...	...	...	...	
1RXSJ125611.2−054719	2.0050 (0.1227)	0.764	15.5	125611.17−054721.3	[VV96] J125611.1−054721	Quasar	./.	18.01 :	P
1RXSJ125615.9−114618	0.0672 (0.0185)	0.512	12.9	125615.05−114550.8	...	...	...	...	
1RXSJ125626.2+540433	0.3345 (0.0267)	0.582	14.3	125627.09+540421.2	CCDM J12563+5405C	**	?	:	
1RXSJ125631.1−512459	0.0904 (0.0191)	0.794	12.1	125632.55−512502.6	HD 112332	*	F7V	9.60 : 9.09	
1RXSJ125706.4−443537	0.2114 (0.0426)	0.696	13.0	125706.41−443520.1	...	...	...	...	
1RXSJ125706.7+015046	0.0924 (0.0278)	0.544	16.3	125706.48+015039.7	EQS B1254+0206	Quasar	./.	17.3 :	
1RXSJ125731.7+354313	0.0563 (0.0132)	0.686	14.6	125732.67+354320.3	...	...	...	...	
1RXSJ125734.2+091637	0.2155 (0.0402)	0.619	15.0	125734.99+091627.0	...	...	...	...	
1RXSJ125748.3−235058	0.1031 (0.0260)	0.534	15.2	125748.02−235044.2	CTS 19	Sy1	./.	17.5 :	
1RXSJ125811.1−281110	0.0610 (0.0159)	0.668	13.3	125812.98−281103.6	...	...	...	...	
1RXSJ125834.7+381642	0.3895 (0.0296)	0.545	12.1	125835.31+381652.0	BD+39 2587	**	G6V	10.11 : 9.27	
1RXSJ125840.9−014533	1.2900 (0.0701)	0.510	16.2	125841.52−014541.2	...	...	...	...	
1RXSJ125851.2+752814	0.0856 (0.0151)	0.842	0.0	125847.33+752821.0	HD 113049	*	K0III	7.029 : 6.006	
1RXSJ125851.4+235532	0.4299 (0.0318)	0.745	15.3	125851.46+235526.9	KUG 1256+241	Gal.	S	17. :	
1RXSJ125919.9−512710	0.1048 (0.0210)	0.687	14.2	125920.00−512704.7	...	...	...	...	
1RXSJ125924.5−051435	0.1668 (0.0275)	0.531	15.9	125924.30−051449.4	...	...	...	...	
1RXSJ125933.6−520942	0.0600 (0.0156)	0.876	10.3	125933.06−521015.6	HD 112729	*	F5V	10.29 : 9.82	
1RXSJ125948.7+342325	0.0529 (0.0147)	0.539	16.8	125948.78+342322.6	[VV96] J125948.9+342322	Quasar	./.	17.05 :	P
1RXSJ125958.1+833555	0.0586 (0.0113)	0.752	14.7	125954.62+833600.7	...	...	...	...	
1RXSJ130011.3−540146	0.0790 (0.0176)	0.580	14.0	130009.84−540153.7	HD 112821	*	F8IV/V	10.38 : 9.88	
1RXSJ130021.2+613919	0.2022 (0.0215)	0.681	13.4	130020.07+613917.5	MCG+00−19−011	Gal.	./.	16.14 :	
...	...	...	...	130020.07+613917.5	Mrk 236	Sy1	SB	17.0 :	
1RXSJ130023.2+085617	0.1563 (0.0284)	0.553	16.1	130022.52+085621.7	...	...	...	...	
1RXSJ130032.9−333016	0.1266 (0.0252)	0.882	0.0	130032.66−333019.0	HD 112935	*	F0V	6.366 : 6.020	
1RXSJ130042.7+562210	0.2258 (0.0221)	0.536	0.0	130043.58+562158.8	HD 113139	**mul.	F2V	5.29 : 4.93	
...	...	...	...	130043.58+562158.8	IRAS 12585+5638	IR	./.	:	
...	...	...	...	130043.58+562158.8	NSV 6058	V*	G6V	:	
1RXSJ130058.0−491205	0.2015 (0.0285)	0.888	13.4	130057.65−491212.2	...	...	...	...	
1RXSJ130107.3−590149	0.0960 (0.0255)	0.569	14.5	130108.61−590153.5	...	...	...	...	
1RXSJ130113.3−354315	0.1546 (0.0255)	0.573	16.5	130113.45−354312.4	...	...	...	...	
1RXSJ130153.7−530446	0.0819 (0.0191)	0.883	11.3	130150.74−530458.0	GSC 08648−00446	*	./.	11.9 : 11.1	
1RXSJ130154.8+320551	0.2465 (0.0347)	0.635	16.0	130154.80+320549.1	AB 91	Sy	./.	17.47 : 16.89	
1RXSJ130158.9+274708	0.1243 (0.0195)	0.772	13.3	130200.14+274658.1	PGC 44947	Starburst Galaxy	S0/Sp	15.4 :	
1RXSJ130205.2+122212	0.1467 (0.0307)	0.657	13.9	130206.62+122226.2	1E 1259.5+1238	*	M3Ve	:	
...	...	...	...	130206.62+122226.2	EXO 1259+126	*	M3Ve	:	
1RXSJ130227.5−520050	0.0796 (0.0179)	0.865	14.1	130227.00−520050.7	...	...	...	...	
1RXSJ130237.2−545933	0.1592 (0.0373)	0.740	0.0	130237.55−545936.8	HD 113180	*	F6/F7	10.84 : 10.20	
1RXSJ130254.6+294915	0.1656 (0.0207)	0.510	17.5	130254.40+294915.1	A2 370	Blue object	./.	18.0 :	
1RXSJ130258.8+162423	0.2883 (0.0342)	0.773	15.1	130258.81+162427.9	Mrk 783	Sy1	./.	16.0 :	P
1RXSJ130321.7−134131	0.2446 (0.0330)	0.844	13.9	130322.24−134133.7	CTS 20	Sy1	./.	16.5 :	
1RXSJ130343.6−241506	0.3215 (0.0416)	0.668	13.4	130342.52−241442.9	[AEF92] ACO 1664 1	Gal. in Clust.	./.	:	
1RXSJ130345.9+263308	0.0605 (0.0149)	0.543	16.7	130346.01+263313.8	A2 390	Blue object	./.	18.1 :	
1RXSJ130346.7+191635	0.4846 (0.0319)	0.563	15.0	130346.58+191617.1	IC 4130	Gal. in Clust.	./.	17. :	
...	...	...	...	130346.58+191617.1	[LO95] 1301+195	Rad.	./.	:	
...	...	...	...	130346.58+191617.1	[OLK95] 1301+195	Rad. Gal.	./.	:	
...	...	...	...	130346.58+191617.1	[OWG93] ACO 1668	Gal. in Clust.	./.	:	
...	...	...	...	130346.58+191617.1	[SBM98] ACO 1668 J130346.62+191615.6	Gal. in Clust.	./.	:	
1RXSJ130350.5−395035	0.1348 (0.0214)	0.744	15.5	130350.47−395033.2	RX J130350.1−395027	X	./.	:	P
1RXSJ130358.7+534745	0.0589 (0.0135)	0.575	14.6	130359.50+534730.0	MCG+09−21−096	Gal.	./.	17. :	
1RXSJ130401.4−285000	0.0758 (0.0173)	0.554	16.4	130401.40−285001.6	...	...	...	...	
1RXSJ130417.2+020539	0.6851 (0.0511)	0.582	16.7	130416.99+020537.3	1RXS J130417.2+020539	Quasar	S...	:	P
1RXSJ130417.8−085448	0.0568 (0.0163)	0.585	15.9	130418.28−085452.4	MRC 1301−086	Gal.	E	:	P
1RXSJ130434.7+184747	0.1405 (0.0180)	0.640	16.0	130435.03+184749.0	...	...	...	...	
1RXSJ130510.0−033208	0.1962 (0.0293)	0.626	15.6	130510.01−033209.6	...	...	...	...	
1RXSJ130510.8−152048	0.0813 (0.0193)	0.543	16.5	130510.37−152050.2	[VV96] J130510.4−152049	Quasar	./.	17.5 : 17.5	
1RXSJ130529.6−405616	0.0620 (0.0172)	0.807	12.8	130530.32−405625.7	[CCD97] EUVE J1305−409 1	Object of unknown nature	./.	:	
1RXSJ130533.2−103315	0.3563 (0.0372)	0.830	14.5	130533.00−103319.3	PMN J1305−1033	Rad.	./.	:	
...	...	...	...	130533.00−103319.3	[VV96] J130533.0−103320	Quasar	./.	15.04 : 14.92	P
1RXSJ130542.1−374035	0.0766 (0.0198)	0.849	10.2	130542.99−374105.5	ESO 382− 7	Gal.	S0	15.5 :	
...	...	...	...	130542.99−374105.5	[S96b] ACO S721 9	Gal. in Clust.	S0	:	
1RXSJ130550.2−530419	0.0648 (0.0169)	0.867	12.6	130550.92−530418.7	...	...	...	...	
1RXSJ130601.3+580323	0.1312 (0.0185)	0.568	16.5	130601.85+580319.8	QSO 1303+583	Quasar	./.	17.30 : 16.80	
1RXSJ130604.3+453406	0.1148 (0.0170)	0.569	16.7	130604.50+453405.8	...	...	...	...	
1RXSJ130622.6+210857	0.0594 (0.0129)	0.504	0.0	130621.28+210912.6	HD 113848	**mul.	F4V	6.374 : 6.018	
1RXSJ130653.6−460925	0.0757 (0.0184)	0.745	12.0	130650.32−460955.7	...	...	...	...	
1RXSJ130703.4−121307	0.0908 (0.0203)	0.568	16.3	130703.85−121311.9	[VV96] J130703.9−121313	Quasar	./.	:	
1RXSJ130708.4+342414	0.2331 (0.0262)	0.542	16.4	130708.79+342421.8	QSO 1304+346	Sy1	./.	17.38 :	P
1RXSJ130710.9+394540	0.0842 (0.0148)	0.714	14.9	130711.54+394533.4	...	...	...	...	
1RXSJ130715.4−760255	0.1183 (0.0154)	0.564	16.1	130715.53−760245.6	PMN J1307−7602	Rad.	./.	:	
1RXSJ130730.1+092211	0.1199 (0.0228)	0.560	16.7	130730.01+092205.2	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ130746.4+450104	0.0734 (0.0141)	0.568	13.9	130748.00+450044.3	...	...	...	...	
1RXSJ130749.7+350147	0.2149 (0.0242)	0.568	16.3	130749.62+350140.3	[VV96] J130749.7+350140	Quasar	./.	18.29 :	
1RXSJ130800.6+535953	0.0588 (0.0142)	0.899	13.1	130801.42+535956.4	...	...	...	...	
1RXSJ130803.0+035124	0.4569 (0.0421)	0.596	15.8	130803.04+035114.8	...	...	...	...	
1RXSJ130806.8−651831	0.1715 (0.0358)	0.792	0.0	130807.06−651827.0	CCDM J13081−6518A	**mul.	?	5.49 : 5.51	
...	...	...	...	130807.06−651827.0	CCDM J13081−6518AB	**mul.	WC	7.5 : 5.9	
...	...	...	...	130807.06−651827.0	CD−64 699B	**	?	7.5 : 7.5	
...	...	...	...	130807.06−651827.0	HD 113904	WR *	B0Ia+...	5.58 : 5.69	
...	...	...	...	130807.06−651827.0	IRAS 13048−6502	IR	./.	:	
1RXSJ130818.7+034439	0.2407 (0.0317)	0.613	16.2	130818.89+034437.5	...	...	...	...	
1RXSJ130829.7+300536	0.1074 (0.0175)	0.619	16.2	130829.67+300539.2	[VV96] J130829.7+300540	Quasar	./.	17.59 : 17.17	
1RXSJ130830.6+182813	0.0560 (0.0134)	0.750	13.5	130830.44+182831.3	...	...	...	...	
1RXSJ130843.8+190431	0.2053 (0.0229)	0.520	16.7	130843.89+190440.0	...	...	...	...	
1RXSJ130947.1+081949	0.6142 (0.0430)	0.763	15.5	130946.98+081948.4	[VV96] J130947.0+081949	Quasar	S...	:	P
1RXSJ131012.4−115746	0.1022 (0.0222)	0.721	15.7	131012.43−115747.1	...	...	...	...	
1RXSJ131032.4−040934	0.1503 (0.0292)	0.865	0.0	131032.20−040932.6	BD−03 3419	*	K0	10.64 : 9.91	
1RXSJ131104.3−212158	0.1182 (0.0218)	0.891	10.0	131105.51−212226.6	HD 114483	*	K0/K1III	10.47 : 9.35	
1RXSJ131129.6−425254	0.0642 (0.0167)	0.697	14.4	131129.08−425241.1	...	...	...	...	
1RXSJ131132.9−063627	0.0614 (0.0174)	0.556	16.3	131132.44−063630.4	...	...	...	...	
1RXSJ131140.0+053715	0.1048 (0.0226)	0.882	12.3	131141.24+053701.7	GSC 00305−00880	*	./.	11.6 : 10.9	
1RXSJ131201.0+134040	0.0556 (0.0167)	0.530	15.6	131159.83+134039.9	...	...	...	...	
1RXSJ131218.0+351524	0.1417 (0.0189)	0.697	15.7	131217.76+351521.1	FBS 1309+355	*	./.	:	
...	...	...	...	131217.76+351521.1	[VV96] J131217.7+351523	Quasar	./.	15.45 : 15.60	
1RXSJ131228.6+014227	0.0764 (0.0191)	0.595	14.5	131227.47+014215.5	...	...	...	...	
1RXSJ131231.3−322847	0.1125 (0.0215)	0.722	15.5	131230.95−322846.3	...	...	...	...	
1RXSJ131253.3+082341	0.2442 (0.0287)	0.581	9.2	131253.45+082338.0	HD 114813	*	G5	9.30 : 8.54	
1RXSJ131259.1+262825	0.4183 (0.0393)	0.886	13.1	131259.60+262824.2	[BFE95] 144	Sy1	./.	16.8 :	P
1RXSJ131305.9−110731	0.3530 (0.0397)	0.772	14.0	131305.80−110742.6	QSO 1310−108	Sy	./.	15.55 :	P
1RXSJ131306.0+012809	0.0898 (0.0205)	0.684	14.8	131305.81+012756.3	...	...	...	...	
1RXSJ131306.7−453740	0.0803 (0.0194)	0.853	11.9	131307.16−453743.3	...	...	...	...	
1RXSJ131317.1−325909	2.1590 (0.1180)	0.692	16.0	131317.14−325911.8	1RXS J131317.1−325909	X	Am	:	P
1RXSJ131317.3+075043	0.1440 (0.0237)	0.549	16.8	131317.52+075040.5	...	...	...	...	
1RXSJ131334.0+725914	0.1640 (0.0187)	0.586	16.0	131332.17+725910.9	...	...	...	...	
1RXSJ131349.6+365357	0.1024 (0.0161)	0.568	16.2	131348.99+365358.1	...	...	...	...	
1RXSJ131359.4−190147	0.1324 (0.0236)	0.582	12.6	131401.27−190157.0	...	...	...	...	
1RXSJ131422.6+342941	0.6498 (0.0383)	0.684	16.2	131422.71+342938.6	CSO 961	./.	./.	:	
1RXSJ131432.5+122706	0.1342 (0.0230)	0.557	15.8	131432.69+122718.3	...	...	...	...	
1RXSJ131439.7−121628	0.0753 (0.0207)	0.629	15.4	131440.15−121635.9	[VV96] J131440.2−121636	Quasar	./.	:	
1RXSJ131443.5+234823	0.1419 (0.0170)	0.581	16.4	131443.81+234827.0	RX J1314.6+2348	X	./.	:	P
1RXSJ131451.5+421819	0.2643 (0.0239)	0.722	15.4	131451.54+421819.3	...	...	...	...	
1RXSJ131453.0−354313	0.1403 (0.0327)	0.731	14.2	131452.47−354322.0	...	...	...	...	
1RXSJ131503.3−423649	0.6704 (0.0484)	0.730	15.8	131503.39−423649.4	...	...	...	...	
1RXSJ131509.0−125921	0.0959 (0.0227)	0.644	15.3	131509.33−125920.8	[BFE95] 145	Active Galaxy Nucleus	./.	18.5 :	P
1RXSJ131555.1+212508	0.3388 (0.0327)	0.543	15.9	131555.16+212521.6	...	...	...	...	
1RXSJ131622.7+784209	0.0622 (0.0127)	0.520	16.8	131622.99+784202.9	...	...	...	...	
1RXSJ131643.3−084912	0.0667 (0.0205)	0.558	15.1	131641.93−084911.7	...	...	...	...	
1RXSJ131650.9+170048	0.1428 (0.0268)	0.583	0.0	131651.57+170059.8	GJ 505A	HiPM*	K2V	7.46 : 6.52	
1RXSJ131651.8−715537	0.0781 (0.0134)	0.555	14.7	131654.32−715527.4	...	...	...	...	
1RXSJ131747.3−445707	0.0727 (0.0184)	0.856	12.6	131746.92−445653.0	...	...	...	...	
1RXSJ131750.4+601047	0.1974 (0.0211)	0.570	16.5	131750.32+601040.9	...	...	...	...	
1RXSJ131754.9−531758	0.1596 (0.0371)	0.869	11.5	131756.98−531756.4	GSC 08649−00251	*	./.	11.1 : 10.36	
1RXSJ131800.1+553321	0.0597 (0.0130)	0.609	13.5	131800.15+553310.8	...	...	...	...	
1RXSJ131823.5+334745	0.2344 (0.0255)	0.544	16.5	131823.79+334737.5	...	...	...	...	
1RXSJ131836.2−104418	0.1967 (0.0346)	0.618	16.1	131836.31−104417.3	HE 1315−1028	Quasar	./.	16.75 :	
1RXSJ131851.8+332654	0.0714 (0.0152)	0.728	9.7	131851.92+332618.8	GJ 3776	Elliptical variable Star	K1V	9.30 : 8.18	
1RXSJ131905.8+310854	0.1128 (0.0180)	0.887	12.8	131905.97+310852.7	PGC 46428	Gal.	S...	15.6 :	
...	...	...	...	131905.97+310852.7	[DFO95] 433	Gal. in Clust.	./.	:	
1RXSJ131958.6−683125	0.0551 (0.0154)	0.706	13.8	131957.04−683112.2	...	...	...	...	
1RXSJ132016.3+174550	0.3701 (0.0379)	0.832	12.5	132015.76+174559.9	HD 115955	Ecl. Bin. (beta Lyr)	F5	7.1 : 7.0	P
1RXSJ132025.1+690018	0.3282 (0.0244)	0.602	16.2	132024.67+690011.8	[BFE95] 146	Active Galaxy Nucleus	./.	17.4 :	
1RXSJ132032.3−701451	0.1536 (0.0188)	0.526	15.6	132032.12−701444.5	...	...	...	...	
1RXSJ132041.5+283814	0.0798 (0.0161)	0.558	16.2	132041.00+283820.9	1E 1318.3+2854	Active Galaxy Nucleus	./.	:	
...	...	...	...	132041.00+283820.9	[BCF91] 1191	Blue object	./.	18.15 : 17.25	
1RXSJ132042.4+601526	0.3033 (0.0253)	0.674	16.1	132042.79+601525.8	[HB91] 1318+605	Sy	./.	16.5 :	
1RXSJ132046.7+070130	0.7584 (0.0541)	0.785	10.2	132047.23+070129.5	...	...	...	...	
1RXSJ132124.3+391702	0.0586 (0.0119)	0.883	13.9	132124.33+391659.5	...	...	...	...	
1RXSJ132132.2+385250	1.3160 (0.0501)	0.500	8.4	132132.32+385247.7	HD 116204	V* (RS CVn)	G8III	8.506 : 7.337	
1RXSJ132135.0+163741	0.0597 (0.0169)	0.739	13.9	132135.61+163756.0	...	...	...	...	
1RXSJ132135.2−001306	0.1277 (0.0244)	0.664	16.0	132135.34−001305.7	IRAS 13190+0002	IR	./.	:	
1RXSJ132137.0−442133	0.0622 (0.0172)	0.527	14.2	132137.31−442151.3	...	...	...	...	
1RXSJ132155.8−105208	0.1343 (0.0296)	0.598	15.3	132156.54−105207.4	...	...	...	...	
1RXSJ132204.7−450312	0.0706 (0.0181)	0.877	11.7	132204.53−450322.9	HD 116099	*	G1/G2	10.65 : 10.02	P
1RXSJ132248.5+545526	0.2293 (0.0236)	0.737	15.3	132249.24+545528.4	H 1320+551	Quasar	./.	15.6 :	
1RXSJ132254.2+081011	0.0827 (0.0222)	0.530	11.0	132255.37+080941.5	Mrk 1347	Sy1	S	15.4 :	
1RXSJ132323.8+392548	0.0952 (0.0153)	0.588	0.0	132324.62+392546.7	HD 116494	*	K0III	8.19 : 7.50	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ132325.0+343058	0.2020 (0.0219)	0.636	16.3	132325.25+343059.6	[BFE95] 148	Active Galaxy Nucleus	./.	16.4 :	
...	...	...	...	132325.25+343059.6	[VV96] J132325.2+343101	Quasar	./.	:	
1RXSJ132333.0+111817	0.1270 (0.0246)	0.662	15.2	132333.16+111821.7	...	...	...	...	
1RXSJ132340.3−012751	0.4012 (0.0401)	0.601	16.6	132340.32−012749.4	...	...	...	...	
1RXSJ132349.9+654148	0.6683 (0.0373)	0.751	15.6	132349.53+654148.0	FBS 1322+659	*	./.	:	
...	...	...	...	132349.53+654148.0	[VV96] J132349.6+654148	Quasar	S...	16.01 : 15.84	P
1RXSJ132359.6+242527	0.0758 (0.0183)	0.543	16.1	132359.37+242537.6	...	...	...	...	
1RXSJ132400.2+573918	0.1841 (0.0187)	0.633	16.0	132400.90+573916.3	[BSF97] J132400.92+573916.4	BL Lac − type object	./.	:	P
1RXSJ132434.9+475802	0.0936 (0.0149)	0.618	16.2	132435.44+475801.2	...	...	...	...	
1RXSJ132435.3−555719	0.1220 (0.0302)	0.837	13.6	132435.18−555724.2	HD 116402	*	G3:w...	10.16 : 9.53	
1RXSJ132508.8+573617	0.0578 (0.0126)	0.526	14.8	132511.17+573601.4	MCG+10−19−068	Gal.	./.	16. :	
...	...	...	...	132511.17+573601.4	[SBM98] ACO 1738 J132511.11+573601.4	Gal. in Clust.	./.	:	
...	...	...	...	132511.17+573601.4	[SGH83] ACO 1738 G1	Gal. in Clust.	./.	:	
1RXSJ132528.4−361603	0.1023 (0.0205)	0.539	0.0	132529.42−361556.5	HD 116645	*	G3/G5V	9.77 : 9.07	
1RXSJ132544.5−510547	0.1514 (0.0421)	0.889	10.7	132546.41−510550.1	CD−50 7760	*	G5	10.97 : 10.24	
1RXSJ132552.3+113720	0.0717 (0.0181)	0.587	15.7	132552.16+113710.1	...	...	...	...	
1RXSJ132602.2+601206	0.0907 (0.0138)	0.568	16.5	132602.37+601200.0	...	...	...	...	
1RXSJ132617.4+001329	0.3038 (0.0348)	0.563	15.6	132617.64+001317.4	...	...	...	...	
1RXSJ132632.2+792850	0.1210 (0.0159)	0.660	16.0	132632.42+792851.7	EXO 1326.1+7944	Active Galaxy Nucleus	./.	:	P
1RXSJ132644.6+790600	0.0689 (0.0128)	0.572	16.7	132645.25+790559.8	...	...	...	...	
1RXSJ132654.4+453250	0.1423 (0.0174)	0.877	13.8	132654.12+453254.7	...	...	...	...	
1RXSJ132704.0+443513	0.1761 (0.0188)	0.512	16.8	132704.15+443504.9	...	...	...	...	
1RXSJ132719.4−311042	0.0989 (0.0214)	0.536	16.0	132719.20−311053.2	...	...	...	...	
1RXSJ132747.0+474549	0.0521 (0.0124)	0.503	0.0	132745.36+474546.7	GSC 03460−02494	*	./.	10.37 : 9.99	
...	...	...	...	132745.36+474546.7	HD 117174 B	**	K0	10.3 : 9.8	
1RXSJ132758.9−313027	2.5370 (0.0734)	0.882	9.5	132757.64−313001.6	...	...	...	...	
1RXSJ132806.6−271959	0.1025 (0.0215)	0.596	11.5	132810.02−271954.9	[D80] ACO 1736 49	Gal. in Clust.	Sc	15. :	
...	...	...	...	132810.02−271954.9	[S96b] ACO 1736 74	Gal. in Clust.	S	:	
1RXSJ132819.9+070455	0.1717 (0.0272)	0.547	16.7	132820.26+070449.6	...	...	...	...	
1RXSJ132820.3+240927	0.3146 (0.0337)	0.542	17.2	132820.42+240927.4	1RXS J132820.3+240927	Sy1	./.	17.9 :	P
1RXSJ132828.5+051424	0.0757 (0.0181)	0.807	13.2	132829.11+051437.8	...	...	...	...	
1RXSJ132908.3+295018	0.2622 (0.0240)	0.548	16.3	132908.83+295024.3	[BFE95] 149	Sy	./.	17.9 :	
...	...	...	...	132908.83+295024.3	[SMB88] 4140	Gal.	E...	17.266 :	
1RXSJ132910.3+092227	0.0541 (0.0164)	0.648	15.2	132910.20+092216.0	...	...	...	...	
1RXSJ132923.9−142206	0.1222 (0.0351)	0.772	14.1	132923.73−142210.2	...	...	...	...	
1RXSJ132928.0−053132	0.2062 (0.0331)	0.669	15.3	132928.62−053135.9	[VV96] J132928.6−053136	Quasar	./.	:	
1RXSJ132943.8+315338	0.1417 (0.0178)	0.640	16.3	132943.62+315336.8	...	...	...	...	
1RXSJ132955.5+182034	0.0994 (0.0176)	0.515	16.3	132954.88+182041.9	...	...	...	...	
1RXSJ133008.2+024816	0.0602 (0.0178)	0.601	15.4	133008.05+024809.2	...	...	...	...	
1RXSJ133051.0+412905	0.2985 (0.0249)	0.518	16.9	133051.25+412858.0	...	...	...	...	
1RXSJ133118.6−545832	0.2223 (0.0370)	0.760	13.8	133119.53−545833.2	V* BV Cen	DN	G5:V	10.50 :	P
1RXSJ133146.9+291631	0.4101 (0.0322)	0.771	13.5	133147.49+291643.8	...	...	...	...	
1RXSJ133209.8+842412	0.1266 (0.0162)	0.673	15.9	133211.83+842415.4	...	...	...	...	
1RXSJ133218.1−265632	0.0526 (0.0148)	0.547	16.6	133218.04−265639.5	...	...	...	...	
1RXSJ133230.8+502436	0.1495 (0.0200)	0.585	15.0	133228.89+502440.7	...	...	...	...	
1RXSJ133236.5+541855	0.0848 (0.0153)	0.845	13.3	133236.04+541900.8	...	...	...	...	
1RXSJ133238.5−102838	0.4975 (0.0503)	0.813	12.8	133239.16−102852.7	HE 1330−1013	Sy1	./.	15.82 :	
...	...	...	...	133239.16−102852.7	[MSD96] 13300−1013	Gal.	SBb	:	
1RXSJ133240.3+284747	0.1427 (0.0222)	0.886	12.5	133240.90+284800.0	GSC 02003−00590	*	./.	11.6 : 10.9	
1RXSJ133300.8+451810	0.1110 (0.0154)	0.621	16.2	133300.84+451808.8	...	...	...	...	
1RXSJ133311.9−082630	0.1351 (0.0227)	0.507	0.0	133311.31−082636.1	HD 117860	HiPM*	G0	7.8 : 7.21	P
1RXSJ133318.7+230110	0.0951 (0.0186)	0.595	0.0	133319.04+230050.9	BD+23 2584	**	G5	10.9 : 10.0	
1RXSJ133337.1−313948	0.6418 (0.0513)	0.547	9.9	133334.68−314020.8	ESO 444− 72	Gal. in Clust.	S...	:	
1RXSJ133420.0−524032	0.2507 (0.0451)	0.510	9.8	133420.39−524036.5	HD 117884	*	G1V	9.92 : 9.29	
1RXSJ133427.1+695628	0.0660 (0.0120)	0.749	14.4	133426.09+695628.1	...	...	...	...	
1RXSJ133434.3+575019	0.1258 (0.0177)	0.568	16.1	133435.37+575015.6	...	...	...	...	
1RXSJ133451.1+374616	0.1492 (0.0190)	0.618	15.3	133451.97+374621.3	CLS 73	*	M	:	
...	...	...	...	133451.97+374621.3	[MJM98] 1	*	M	:	
1RXSJ133456.8−295516	0.0850 (0.0201)	0.604	0.0	133457.44−295523.9	HD 118072	V*	G1/G2V	9.0 : 7.7	
1RXSJ133519.6+501504	0.0921 (0.0155)	0.586	16.5	133519.23+501505.6	...	...	...	...	
1RXSJ133530.6−295031	0.2840 (0.0334)	0.618	16.1	133530.19−295027.4	RX J133530−29505	X	./.	:	
1RXSJ133533.2−621114	0.0900 (0.0227)	0.716	12.0	133532.08−621112.0	...	...	...	...	
1RXSJ133552.9+544454	0.0882 (0.0161)	0.542	16.5	133552.00+544450.1	...	...	...	...	
1RXSJ133602.2+233824	0.0721 (0.0169)	0.545	16.9	133602.11+233822.7	...	...	...	...	
1RXSJ133605.8+591224	0.7186 (0.0371)	0.668	14.3	133608.34+591223.1	MCG+10−19−096	Gal. in Clust.	./.	16. :	
1RXSJ133608.2+755041	0.1622 (0.0160)	0.734	15.0	133609.81+755035.0	...	...	...	...	
1RXSJ133701.0+181027	0.2550 (0.0287)	0.572	16.9	133700.85+181029.9	...	...	...	...	
1RXSJ133730.7−412034	0.0696 (0.0198)	0.816	10.3	133727.62−412048.8	...	...	...	...	
1RXSJ133739.8−090229	0.0688 (0.0188)	0.587	15.9	133739.59−090228.1	HE 1335−0847	Quasar	./.	16.80 :	
1RXSJ133747.4−350354	0.1371 (0.0250)	0.531	0.0	133747.86−350351.5	HD 118465	**mul.	G3V	7.93 : 7.32	
1RXSJ133823.4−361354	0.1728 (0.0276)	0.673	15.6	133822.99−361359.6	...	...	...	...	
1RXSJ133826.6+321252	0.0734 (0.0142)	0.536	16.2	133826.87+321252.8	[SMB88] 6842	Gal.	E...	17.509 :	
1RXSJ133844.8−443120	0.0631 (0.0192)	0.685	11.3	133842.84−443058.6	HD 118588	*	A1V	7.5 : 7.5	
1RXSJ133849.3+385110	0.0548 (0.0121)	0.528	11.6	133851.87+385047.9	BD+39 2666	*	G5	10.62 : 9.74	
1RXSJ133855.3−363432	0.0824 (0.0199)	0.684	0.0	133856.36−363448.2	CD−35 8875	*	./.	11.04 : 10.13	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ133902.3−214123	0.0924 (0.0186)	0.546	14.6	133902.03−214126.6	...	...	...	...	
1RXSJ133908.5+115855	0.1332 (0.0226)	0.639	16.2	133908.54+115854.2	...	...	...	...	
1RXSJ133910.9−212650	0.1296 (0.0217)	0.854	14.2	133910.94−212652.7	...	...	...	...	
1RXSJ133928.3+403229	0.3488 (0.0276)	0.513	17.5	133928.52+403229.9	...	...	...	...	
1RXSJ133929.4+292055	0.0581 (0.0154)	0.713	12.8	133931.52+292127.8	PGC 48293	Gal.	E...	15.7 :	
...	...	...	...	133931.52+292127.8	[KRN93] 417	Gal.	./.	:	
1RXSJ133941.3+223318	0.0789 (0.0162)	0.834	12.1	133941.62+223336.7	...	...	...	...	
1RXSJ133954.7+591214	0.1255 (0.0164)	0.534	14.6	133956.96+591209.5	...	...	...	...	
1RXSJ134013.9−454214	0.2153 (0.0406)	0.830	0.0	134014.51−454235.6	HD 118829	**mul.	F8	8.85 : 8.41	
1RXSJ134025.6−463323	0.2460 (0.0520)	0.554	12.5	134025.59−463351.2	...	...	...	...	
1RXSJ134038.1+403639	0.2551 (0.0238)	0.552	17.0	134038.23+403640.7	...	...	...	...	
1RXSJ134040.2+195708	0.1008 (0.0196)	0.574	0.0	134040.73+195717.1	BD+20 2858B	**	A2	:	
...	...	...	...	134040.73+195717.1	HD 119055	**	A1V	5.774 : 5.753	
1RXSJ134054.2−352113	0.0713 (0.0183)	0.565	16.6	134054.24−352111.0	...	...	...	...	
1RXSJ134058.6+055943	0.2150 (0.0305)	0.562	16.4	134058.70+055947.4	...	...	...	...	
1RXSJ134112.5−143836	0.3151 (0.0355)	0.829	13.6	134112.89−143840.2	CTS 23	Sy1	./.	16. :	
...	...	...	...	134112.89−143840.2	PGC 84044	Gal.	./.	15.64 :	
...	...	...	...	134112.89−143840.2	[BFE95] 154	Active Galaxy Nucleus	./.	15.6 :	
1RXSJ134121.6+781546	0.0595 (0.0120)	0.763	14.4	134120.89+781541.8	MCG+13−10−011	Gal.	./.	17. :	
1RXSJ134124.2−520520	0.1097 (0.0278)	0.811	12.2	134125.85−520534.7	...	...	...	...	
1RXSJ134147.3+581510	0.0697 (0.0137)	0.677	14.4	134145.89+581522.6	...	...	...	...	
1RXSJ134152.6+262230	0.6787 (0.0450)	0.510	12.4	134150.38+262213.3	EQ 1339+266 B	Gal.	./.	:	
...	...	...	...	134150.38+262213.3	KOS 133930.8+263716	Gal.	E...	:	
...	...	...	...	134150.38+262213.3	KOSS 133930.8+263716	Gal.	./.	:	
...	...	...	...	134150.38+262213.3	PGC 48495	Gal.	./.	:	
...	...	...	...	134150.38+262213.3	UGC 8669	Gal.	./.	15.3 :	
...	...	...	...	134150.38+262213.3	[LO95] 1339+266B	Rad.	./.	:	
...	...	...	...	134150.38+262213.3	[OHF95] ACO 1775 234	Gal. in Clust.	./.	:	
...	...	...	...	134150.38+262213.3	[OLK95] 1339+266B	Rad. Gal.	./.	:	
...	...	...	...	134150.38+262213.3	[OWG93] ACO 1775−B	Gal. in Clust.	./.	:	
...	...	...	...	134150.38+262213.3	[PCD91] 1339+266 1	Gal.	./.	:	
1RXSJ134203.6−543419	0.4257 (0.1032)	0.540	0.0	134203.12−543449.5	CCDM J13420−5435B	**	./.	13.0 :	
1RXSJ134206.3+021343	0.2754 (0.0374)	0.548	13.1	134209.67+021338.1	Shk 357 −1	*	./.	:	
...	...	...	...	134209.67+021338.1	Shk 357 −3	Gal.	./.	:	
...	...	...	...	134209.67+021338.1	[SBM98] ACO 1773 J134209.72+021337.3	Gal. in Clust.	./.	:	
1RXSJ134206.3+050522	0.0654 (0.0172)	0.550	16.5	134206.59+050523.8	[VV96] J134206.6+050523	Quasar	./.	:	P
1RXSJ134208.0+343904	0.0558 (0.0113)	0.542	16.9	134208.21+343906.7	...	...	...	...	
1RXSJ134210.9+564219	0.1217 (0.0168)	0.700	14.9	134210.11+564210.6	NPM1G +56.0161	Gal.	./.	:	
1RXSJ134233.8+191338	0.2999 (0.0324)	0.535	15.6	134234.25+191339.2	[HB91] 1340+194	Sy1	./.	16.5 :	
1RXSJ134243.6+464233	0.0642 (0.0130)	0.529	16.5	134243.62+464224.1	...	...	...	...	
1RXSJ134253.8−262732	0.1252 (0.0244)	0.527	17.0	134253.89−262733.6	...	...	...	...	
1RXSJ134259.6+284407	0.0883 (0.0190)	0.569	16.1	134300.19+284407.6	QSO 1340+2859	Quasar	./.	17.54 : 17.07	P
1RXSJ134301.5+360954	0.1034 (0.0148)	0.673	15.3	134300.80+360956.5	1RXP J134300.7+360957	Gal.	./.	:	
...	...	...	...	134300.80+360956.5	[A97c] J134300.7+360956	Gal.	./.	:	
...	...	...	...	134300.80+360956.5	[R97] NGC 5273 2	X	./.	:	
1RXSJ134323.1+150916	0.0731 (0.0172)	0.564	16.9	134323.27+150916.4	...	...	...	...	
1RXSJ134344.5+650454	0.0584 (0.0137)	0.867	13.1	134346.09+650446.3	...	...	...	...	
1RXSJ134345.5−395045	0.0667 (0.0186)	0.566	14.3	134343.09−395032.2	...	...	...	...	
1RXSJ134350.8+503016	0.0998 (0.0172)	0.774	14.3	134350.97+503006.3	...	...	...	...	
1RXSJ134352.7+803544	0.0503 (0.0097)	0.875	13.2	134352.84+803549.8	...	...	...	...	
1RXSJ134356.7+253845	0.5037 (0.0365)	0.793	15.0	134356.72+253847.6	QSO 1341+258	Sy1	S...	:	P
1RXSJ134401.4−092440	0.0539 (0.0149)	0.610	12.9	134400.66−092415.3	...	...	...	...	
1RXSJ134419.3+512625	0.0782 (0.0149)	0.736	14.4	134419.64+512625.0	...	...	...	...	
1RXSJ134420.1+663720	0.0994 (0.0146)	0.729	15.4	134420.84+663717.8	...	...	...	...	
1RXSJ134427.3−592902	0.1085 (0.0250)	0.780	11.7	134428.70−592853.9	HD 119384	*	G8/K0	10.71 : 9.50	
1RXSJ134453.1+000525	0.1166 (0.0224)	0.564	16.1	134452.91+000520.7	...	...	...	...	
1RXSJ134540.6+792332	0.0659 (0.0118)	0.582	14.5	134536.59+792345.6	...	...	...	...	
1RXSJ134548.5+114454	0.4929 (0.0434)	0.521	16.2	134548.53+114443.8	1RXP J134548.5+114445	Quasar	./.	:	
1RXSJ134607.3+732037	0.0979 (0.0267)	0.600	13.3	134611.09+732054.6	...	...	...	...	
1RXSJ134607.5+293814	0.2613 (0.0284)	0.655	14.7	134608.10+293810.6	Mrk 69	Sy1	./.	16.5 :	
1RXSJ134613.4−163300	0.0952 (0.0194)	0.544	14.6	134612.79−163239.3	...	...	...	...	
1RXSJ134651.1−624843	0.0622 (0.0178)	0.784	12.3	134651.09−624839.9	...	...	...	...	
1RXSJ134726.1+384607	0.0833 (0.0138)	0.544	16.9	134726.15+384603.5	...	...	...	...	
1RXSJ134736.9−063806	0.2349 (0.0307)	0.546	17.2	134736.94−063810.0	...	...	...	...	
1RXSJ134738.9+474303	0.1065 (0.0157)	0.739	15.2	134738.22+474302.0	...	...	...	...	
1RXSJ134743.3+212741	0.1589 (0.0262)	0.508	0.0	134742.40+212737.5	BD+22 2632	*	M0	13.09 : 11.58	
1RXSJ134748.0−490158	0.1498 (0.0308)	0.654	11.3	134750.61−490205.4	GSC 08270−02015	*	./.	11.6 : 10.6	
1RXSJ134749.3+582104	0.1291 (0.0187)	0.539	16.8	134749.84+582109.5	[VV96] J134750.0+582107	Quasar	./.	16.7 : 16.7	P
1RXSJ134749.8+404537	0.1172 (0.0167)	0.525	17.0	134750.00+404537.1	...	...	...	...	
1RXSJ134751.3+283639	0.0928 (0.0183)	0.743	14.9	134751.56+283631.9	MITG J1347+2836	Rad.	./.	:	
...	...	...	...	134751.56+283631.9	[BSF97] J134751.58+283629.8	Rad.	./.	:	
1RXSJ134820.8+500342	0.1715 (0.0209)	0.512	17.2	134821.02+500337.1	[VV96] J134820.7+500335	Quasar	./.	18.3 : 18.3	P
1RXSJ134845.6+451812	0.1426 (0.0167)	0.571	16.8	134845.48+451809.5	[VV96] J134845.4+451810	Quasar	./.	18.1 : 18.1	P
1RXSJ134852.6+263541	3.7730 (0.0939)	0.889	13.6	134852.51+263534.5	4C 26.42	Rad. Gal.	cG/dG	15.5 :	
...	...	...	...	134852.51+263534.5	ACO 1795	Clust.	?	16.00 : 14.30	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
...	...	...	...	134852.51+263534.5	[HO93] 5− 201	Gal. in Clust.	./.	:	
...	...	...	...	134852.51+263534.5	[OR76] 1346+268	Rad.	./.	:	
...	...	...	...	134852.51+263534.5	[OWG93] ACO 1795−A	Gal. in Clust.	./.	:	
1RXSJ134903.6+265845	0.1274 (0.0200)	0.668	0.0	134904.05+265844.1	GJ 528	HiPM*	K2	8.16 : 7.04	
...	...	...	...	134904.05+265844.1	GJ 528A	**	K4V	8.7 : 7.6	
...	...	...	...	134904.05+265844.1	GJ 528B	**	K6	:	
1RXSJ134912.3−754943	0.1592 (0.0241)	0.634	0.0	134912.92−754947.5	CD−75 652	TT	K0	10.21 : 9.61	
1RXSJ134931.6+275955	0.0567 (0.0155)	0.628	14.7	134931.60+280001.6	[KK90] 271	Gal. in Clust.	./.	:	
1RXSJ134948.2−010619	0.0549 (0.0140)	0.570	16.3	134948.40−010621.6	[VV96] J134948.4−010622	Quasar	./.	:	
1RXSJ134951.0−131338	0.1381 (0.0216)	0.727	14.5	134951.87−131337.6	EC 13471−1258	Object of unknown nature	DAm+...	16.17 : 14.80	
1RXSJ134952.7+020446	0.1861 (0.0246)	0.891	14.0	134952.84+020445.0	PGC 49078	Sy1	./.	17.03 : 16.14	
1RXSJ135012.1+181303	0.1258 (0.0217)	0.559	16.8	135012.27+181259.0	...	...	...	...	
1RXSJ135022.2+094007	0.3598 (0.0346)	0.526	16.6	135022.12+094010.6	PMN J1350+0940	Rad. Gal.	./.	16.0 : 15.0	
1RXSJ135023.3+211641	0.1283 (0.0225)	0.642	0.0	135023.50+211635.8	HD 120651	**	G0	7.753 : 6.828	
1RXSJ135035.8−163441	0.0858 (0.0176)	0.556	16.2	135036.16−163449.5	...	...	...	...	
1RXSJ135042.2−334312	0.1435 (0.0265)	0.747	14.9	135042.58−334312.0	...	...	...	...	
1RXSJ135045.7+233146	0.1141 (0.0206)	0.517	17.2	135045.67+233144.4	RX J1350.7+2331	X	./.	:	P
1RXSJ135054.9+052214	0.0761 (0.0176)	0.799	14.3	135054.53+052209.0	...	...	...	...	
1RXSJ135143.8+242420	0.0926 (0.0176)	0.692	15.7	135143.91+242422.1	...	...	...	...	
1RXSJ135152.9+124713	0.1232 (0.0252)	0.892	13.5	135152.63+124707.7	RX J1351.8+1247	*	./.	:	
1RXSJ135205.7+425227	0.0532 (0.0113)	0.772	13.3	135205.85+425208.7	...	...	...	...	
1RXSJ135222.0−382533	0.1647 (0.0356)	0.712	13.9	135220.52−382534.1	...	...	...	...	
1RXSJ135225.8+383503	0.0620 (0.0120)	0.568	16.4	135225.30+383507.8	...	...	...	...	
1RXSJ135230.9+104324	0.0916 (0.0215)	0.705	14.8	135230.72+104312.6	...	...	...	...	
1RXSJ135237.3−161025	0.0686 (0.0171)	0.787	0.0	135237.33−161012.9	HD 120900	**mul.	G3/G5V	9.5 : 8.8	
1RXSJ135253.1−282927	0.1212 (0.0254)	0.542	11.8	135253.38−282921.8	NGC 5328	Gal.	Es...	14. :	
1RXSJ135259.5−441330	0.1873 (0.0299)	0.667	15.3	135259.72−441326.2	QSO 1349−439	Sy1	./.	:	P
1RXSJ135328.2+560102	0.2639 (0.0349)	0.569	16.6	135328.06+560057.0	[NBK96] J13534+5601	BL Lac − type object	./.	:	P
1RXSJ135336.2+263148	0.2272 (0.0248)	0.560	17.0	135335.93+263147.2	[CCH92] 1351.3+2646	Possible Quasar	./.	17.1 :	
...	...	...	...	135335.93+263147.2	[VV96] J135336.0+263148	Quasar	./.	17.15 : 17.18	
1RXSJ135337.0+773708	0.1570 (0.0178)	0.880	14.1	135335.69+773709.1	...	...	...	...	
1RXSJ135341.7+431059	0.0578 (0.0115)	0.569	16.3	135341.74+431052.3	RX J1353.6+4310	Quasar	./.	:	P
1RXSJ135347.2+354323	0.1412 (0.0213)	0.578	16.1	135346.98+354326.5	Case A−F 1027	*	./.	18. :	
1RXSJ135349.2−065545	0.0784 (0.0191)	0.585	16.3	135349.42−065545.8	...	...	...	...	
1RXSJ135405.7+232549	0.1171 (0.0220)	0.729	14.4	135406.44+232549.4	QSO 1351+236	Sy	./.	15.5 :	
1RXSJ135425.7−081034	0.1262 (0.0216)	0.813	13.2	135426.42−081043.1	StKM 1−1106	*	K7	:	
1RXSJ135436.0+180523	0.3348 (0.0334)	0.698	15.4	135435.68+180517.5	[VV96] J135435.6+180518	Quasar	./.	15.71 : 15.87	P
1RXSJ135439.3−421501	0.3062 (0.0365)	0.831	14.3	135439.47−421456.8	...	...	...	...	
1RXSJ135441.4−730337	0.0991 (0.0149)	0.727	13.2	135441.84−730323.9	...	...	...	...	
1RXSJ135447.1−104100	0.1595 (0.0235)	0.531	16.6	135446.52−104102.6	[RLM94] 1352−104 2	Rad.	./.	:	
...	...	...	...	135446.52−104102.6	[RLM94] 1352−104 3	Rad.	./.	:	
...	...	...	...	135446.52−104102.6	[VV96] J135446.5−104101	Quasar	./.	:	P
1RXSJ135458.4−080328	0.6329 (0.0432)	0.548	0.0	135458.55−080331.8	CCDM J13549−0804AB	**mul.	F8	6.72 : 6.19	
...	...	...	...	135458.55−080331.8	HD 121325	**	F8V+...	8.3 : 7.6	
...	...	...	...	135458.55−080331.8	HD 121325 B	**	G1	:	
1RXSJ135515.9+561244	0.5459 (0.0600)	0.634	16.1	135516.56+561244.8	[BFE95] 162	Sy	./.	17.1 :	
1RXSJ135553.3+383427	0.1721 (0.0200)	0.735	15.5	135553.54+383428.6	Mrk 464	Sy1	cG	16.5 :	
1RXSJ135606.8+413613	0.0843 (0.0145)	0.627	15.8	135607.39+413615.4	RX J1356.0+4136	Quasar	./.	:	P
1RXSJ135625.3+251527	0.1672 (0.0222)	0.692	15.7	135625.55+251523.6	1RXP J135625.5+251524	Quasar	./.	:	
1RXSJ135633.0+210351	0.1310 (0.0202)	0.690	15.5	135632.80+210352.4	[VV96] J135632.8+210351	Quasar	./.	15.85 : 17.07	
1RXSJ135637.2−193129	0.0942 (0.0194)	0.738	12.2	135636.66−193145.9	ESO 578− 9	Gal.	S	:	
1RXSJ135703.6+191915	0.1005 (0.0182)	0.544	15.8	135704.44+191907.3	[CLW98] 1354+1933 +00012+00075	Gal.	./.	:	
...	...	...	...	135704.44+191907.3	[LBT95] 1354+1933 81	Gal.	./.	:	
...	...	...	...	135704.44+191907.3	[VV96] J135704.5+191906	Quasar	E	16.20 :	P
1RXSJ135705.6+444006	0.0960 (0.0153)	0.660	15.5	135705.51+444002.8	...	...	...	...	
1RXSJ135734.0−125433	0.1152 (0.0197)	0.570	14.8	135733.19−125417.9	...	...	...	...	
1RXSJ135738.7+012813	0.1501 (0.0234)	0.527	17.3	135738.71+012813.5	...	...	...	...	
1RXSJ135749.1−443153	0.0922 (0.0261)	0.728	12.6	135751.10−443148.1	...	...	...	...	
1RXSJ135820.9+134343	0.0685 (0.0173)	0.545	16.6	135820.47+134345.8	...	...	...	...	
1RXSJ135825.7−223628	0.0868 (0.0195)	0.867	13.6	135826.03−223626.5	...	...	...	...	
1RXSJ135847.2+282108	0.0616 (0.0140)	0.568	14.4	135847.62+282048.9	...	...	...	...	
1RXSJ135903.5+621245	0.1184 (0.0136)	0.568	16.9	135903.62+621241.3	...	...	...	...	
1RXSJ135911.0−441830	0.0983 (0.0250)	0.750	14.1	135911.53−441818.3	...	...	...	...	
1RXSJ135911.4−195006	0.1946 (0.0273)	0.609	14.3	135912.17−194955.4	...	...	...	...	
1RXSJ135915.9+275824	0.5646 (0.0381)	0.861	12.3	135915.10+275834.6	MCG+05−33−033	Gal.	./.	15.7 :	
...	...	...	...	135915.10+275834.6	[MPC97] ACO 1831 1	Gal. in Clust.	./.	:	
1RXSJ135916.0+744701	0.0748 (0.0180)	0.582	13.5	135918.13+744633.9	...	...	...	...	
1RXSJ135951.6−052254	0.0621 (0.0165)	0.811	13.2	135952.61−052256.3	V* HZ Vir	Flare *	G:	13.08 : 12.04	
1RXSJ135954.4+141448	0.1205 (0.0244)	0.774	12.7	135953.88+141425.3	...	...	...	...	
1RXSJ140031.3+040450	0.1145 (0.0201)	0.587	15.5	140031.97+040457.8	[VV96] J140031.9+040458	Quasar	./.	:	P
1RXSJ140102.1+025249	0.7130 (0.0458)	0.546	16.8	140102.05+025242.8	[AEF92] ACO 1835 1	Gal. in Clust.	./.	19.3 :	
1RXSJ140107.0+104843	0.0787 (0.0171)	0.648	15.6	140107.20+104838.7	...	...	...	...	
1RXSJ140137.0−110735	0.3620 (0.0285)	0.647	14.1	140136.37−110743.6	[PL95] ACO 1837 G1	Gal. in Clust.	./.	:	
1RXSJ140150.7−294147	0.0624 (0.0179)	0.713	14.5	140150.21−294150.6	...	...	...	...	
1RXSJ140156.1−640556	0.0714 (0.0162)	0.761	11.7	140154.65−640501.6	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ140209.7−035459	0.1106 (0.0201)	0.890	13.7	140209.99−035459.2	...	...	...	...	
1RXSJ140221.8−095455	0.0804 (0.0175)	0.548	16.7	140221.92−095450.0	...	...	...	...	
1RXSJ140225.2+573921	0.0677 (0.0136)	0.541	16.8	140224.58+573922.5	[BFE95] 163	Active Galaxy Nucleus	./.	18.6 :	P
1RXSJ140226.8+054103	0.2113 (0.0290)	0.721	14.1	140226.30+054052.2	...	...	...	...	
1RXSJ140231.6−622010	0.0780 (0.0170)	0.637	11.7	140228.66−622006.9	...	...	...	...	
1RXSJ140232.5+462033	0.0827 (0.0178)	0.615	0.0	140232.77+462027.5	GJ 537	HiPM*	M1	10.59 : 9.15	
1RXSJ140234.4+215956	0.3339 (0.0294)	0.649	16.1	140234.46+215951.5	1RXS J140234.4+215956	Sy1	./.	16.7 :	P
1RXSJ140251.1−240622	0.0569 (0.0175)	0.852	12.6	140250.04−240638.4	...	...	...	...	
1RXSJ140301.1−314057	0.0891 (0.0212)	0.508	0.0	140301.60−314104.5	HD 122510	**mul.	F8V	6.66 : 6.18	
1RXSJ140302.3+332004	0.2569 (0.0237)	0.693	16.2	140302.31+332003.6	...	...	...	...	
1RXSJ140314.5+280110	0.0527 (0.0140)	0.627	13.7	140313.40+280115.8	...	...	...	...	
1RXSJ140329.8+135105	0.0814 (0.0198)	0.690	12.4	140327.62+135055.4	...	...	...	...	
1RXSJ140329.8−084018	0.1713 (0.0245)	0.529	15.9	140328.98−084023.9	HE 1400−0826	Quasar	./.	16.5 :	
1RXSJ140344.2+024235	0.0779 (0.0175)	0.779	0.0	140343.17+024238.9	NSV 6533	V*	K0	10.7 :	
1RXSJ140410.4+093746	0.0640 (0.0148)	0.602	16.3	140410.59+093745.5	[VV96] J140410.6+093746	Quasar	./.	:	P
1RXSJ140427.9+242537	0.0593 (0.0140)	0.584	15.8	140428.56+242541.7	...	...	...	...	
1RXSJ140429.5+172352	0.1401 (0.0217)	0.568	16.3	140429.48+172358.9	...	...	...	...	
1RXSJ140431.4+213424	0.0674 (0.0148)	0.569	16.1	140431.44+213415.5	...	...	...	...	
1RXSJ140516.3+255536	0.6496 (0.0397)	0.741	15.6	140516.20+255534.1	[VV96] J140516.2+255534	Quasar	S...	:	P
1RXSJ140519.6+020008	0.2653 (0.0290)	0.568	16.9	140519.38+020005.6	...	...	...	...	
1RXSJ140527.5+505553	0.0589 (0.0128)	0.604	13.2	140528.68+505601.7	...	...	...	...	
1RXSJ140538.7−180414	0.3734 (0.0363)	0.576	8.7	140538.47−180418.2	HD 123037	**	F8+...	8.76 : 8.18	
1RXSJ140543.6+405115	0.1673 (0.0207)	0.685	14.6	140544.39+405116.6	PGC 50277	Gal.	./.	15.7 :	
1RXSJ140545.0+272523	0.2578 (0.0261)	0.547	16.7	140545.15+272515.9	...	...	...	...	
1RXSJ140546.5−133336	0.0804 (0.0190)	0.504	14.5	140547.59−133331.7	...	...	...	...	
1RXSJ140604.5−075834	0.1189 (0.0232)	0.730	15.1	140604.70−075829.3	...	...	...	...	
1RXSJ140606.2−181031	0.0714 (0.0173)	0.563	11.6	140606.50−181036.8	...	...	...	...	
1RXSJ140614.5−260827	0.0743 (0.0181)	0.547	16.7	140614.22−260831.6	...	...	...	...	
1RXSJ140616.0−213127	0.0768 (0.0183)	0.571	16.0	140615.39−213129.8	...	...	...	...	
1RXSJ140622.2+222350	0.4538 (0.0356)	0.727	15.5	140621.89+222346.6	[VV96] J140621.9+222347	Quasar	./.	15.82 : 15.82	P
1RXSJ140657.7−423325	0.0929 (0.0252)	0.520	11.0	140701.22−423300.7	HD 123141	*	G1V	10.64 : 9.99	
1RXSJ140702.8+291625	0.0505 (0.0132)	0.874	11.8	140702.85+291609.6	BD+29 2495	*	F7IV	10.05 : 9.53	
1RXSJ140717.5+630742	0.0500 (0.0096)	0.658	14.7	140719.59+630735.9	...	...	...	...	
1RXSJ140728.4−270055	1.1940 (0.0594)	0.757	12.9	140729.72−270104.8	IC 4374	Gal.	S...	13.5 :	P
1RXSJ140734.8−541618	0.0569 (0.0145)	0.759	0.0	140733.51−541550.1	HD 123166	V*	G6III	9.23 : 8.20	
1RXSJ140808.3+430315	0.0535 (0.0097)	0.718	15.7	140808.18+430316.8	CBS 166	*	./.	17. :	
1RXSJ140824.0−155928	0.1139 (0.0203)	0.663	15.6	140824.51−155928.2	[VV96] J140824.6−155928	Quasar	./.	16.5 : 16.5	
1RXSJ140827.9+240934	0.2539 (0.0258)	0.519	16.1	140827.83+240924.8	...	...	...	...	
1RXSJ140849.5+344823	0.0666 (0.0129)	0.555	16.3	140849.94+344816.0	...	...	...	...	
1RXSJ140909.1−052336	0.1850 (0.0246)	0.577	16.8	140909.07−052338.5	...	...	...	...	
1RXSJ140924.1+261827	0.1693 (0.0213)	0.745	15.1	140923.88+261821.0	[VV96] J140923.9+261821	Quasar	./.	15.73 : 15.74	P
1RXSJ141004.3+081809	0.0641 (0.0171)	0.509	16.1	141004.06+081756.7	...	...	...	...	
1RXSJ141030.6−424650	0.3949 (0.0364)	0.730	12.1	141028.91−424655.5	ESO 271− 20	Gal.	S	15.5 :	P
1RXSJ141052.9+091023	0.1034 (0.0195)	0.518	16.5	141053.44+091027.0	...	...	...	...	
1RXSJ141100.4+075134	0.0974 (0.0211)	0.819	13.6	141059.72+075140.0	RX J1410.9+0751	*	./.	:	
1RXSJ141117.0+194438	0.2539 (0.0317)	0.528	17.0	141116.71+194440.0	...	...	...	...	
1RXSJ141137.0+263653	0.1881 (0.0220)	0.546	17.0	141136.87+263648.9	...	...	...	...	
1RXSJ141149.7+524908	0.0663 (0.0122)	0.703	14.8	141149.45+524900.4	RX J1411.7+5249	X	./.	:	P
1RXSJ141220.6−014205	0.0692 (0.0151)	0.532	16.3	141221.00−014214.2	...	...	...	...	
1RXSJ141249.8−162950	0.0679 (0.0175)	0.774	14.1	141248.99−162951.9	...	...	...	...	
1RXSJ141309.9+284613	0.0801 (0.0152)	0.535	17.0	141310.17+284611.8	...	...	...	...	
1RXSJ141331.4+264456	0.0930 (0.0160)	0.689	14.3	141331.17+264514.8	...	...	...	...	
1RXSJ141336.8+702954	0.6344 (0.0404)	0.798	15.0	141336.72+702950.3	1RXS J141336.8+702954	X	S...	:	P
1RXSJ141350.1+461926	0.1599 (0.0166)	0.778	12.7	141351.96+461930.1	HD 124694	*	G0	7.670 : 7.188	P
1RXSJ141357.3+711751	0.1032 (0.0272)	0.551	12.4	141409.29+711731.5	...	...	...	...	
1RXSJ141358.3+764456	0.1743 (0.0155)	0.619	16.7	141358.47+764455.3	...	...	...	...	
1RXSJ141417.5+264441	0.0612 (0.0134)	0.789	11.9	141415.22+264452.2	Mrk 670	Sy2	./.	15.5 :	
1RXSJ141424.9+465355	0.0942 (0.0166)	0.525	16.8	141424.93+465348.6	...	...	...	...	
1RXSJ141540.3−755837	0.0956 (0.0195)	0.522	11.8	141536.49−755841.8	HD 124017	*	K1/K2III:	10.26 : 9.02	P
1RXSJ141605.3−691756	0.0610 (0.0130)	0.853	11.7	141605.78−691736.3	HD 124329	*	G3/G5III:	10.69 : 10.13	
1RXSJ141611.2−371544	0.0567 (0.0163)	0.567	16.4	141611.01−371538.0	...	...	...	...	
1RXSJ141628.4+124215	0.1551 (0.0228)	0.529	16.9	141628.66+124213.8	EF B1414+1255	Rad.	./.	:	
...	...	...	...	141628.66+124213.8	[BSF97] J141628.66+124213.7	Quasar	./.	:	
1RXSJ141632.9−072529	0.1272 (0.0219)	0.751	14.8	141633.17−072536.8	...	...	...	...	
1RXSJ141633.3+200716	0.2146 (0.0257)	0.722	0.0	141633.06+200715.5	BD+20 2954B	**	?	:	
...	...	...	...	141633.06+200715.5	HD 125040	**	F8V	6.74 : 6.25	
1RXSJ141655.8−252400	0.1104 (0.0248)	0.545	15.2	141655.79−252413.6	[VV96] J141655.9−252414	Quasar	An...	15.5 : 15.5	
1RXSJ141657.6−535603	0.0851 (0.0178)	0.879	11.0	141658.42−535548.0	HD 124746	*	F8/G0V	10.11 : 9.52	
1RXSJ141700.1+562601	0.2217 (0.0213)	0.701	15.9	141700.26+562559.2	[VV96] J141700.3+562559	Quasar	./.	:	P
1RXSJ141700.5+445556	0.4981 (0.0267)	0.580	14.9	141700.84+445606.5	[VV96] J141700.8+445606	Quasar	?+	15.74 : 15.74	
1RXSJ141709.5+500009	0.0693 (0.0125)	0.861	13.9	141708.92+500005.9	...	...	...	...	
1RXSJ141722.1+452544	0.0896 (0.0125)	0.707	15.7	141721.90+452547.1	...	...	...	...	
1RXSJ141722.7+132333	0.0624 (0.0158)	0.532	16.8	141722.82+132331.0	...	...	...	...	
1RXSJ141731.4+023359	0.0578 (0.0145)	0.584	14.0	141730.29+023347.0	...	...	...	...	
1RXSJ141755.1+431152	0.2013 (0.0219)	0.559	16.8	141755.53+431155.9	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ141756.8+254329	1.7080 (0.0603)	0.546	17.0	141756.67+254325.4	2E 1415.0+2557	X	./.	:	
...	...	...	...	141756.67+254325.4	QSO 1415+259	BL Lac − type object	./.	:	
1RXSJ141759.6+250817	4.9540 (0.1052)	0.744	9.3	141759.57+250813.0	NGC 5548	Sy1	S...	13.1 :	P
...	...	...	...	141759.57+250813.0	SN 1984Z	SN	./.	:	
1RXSJ141802.6+800710	0.0566 (0.0107)	0.853	13.3	141759.15+800701.9	...	...	...	...	
1RXSJ141817.0−211048	0.1423 (0.0253)	0.630	13.1	141819.41−211112.1	...	...	...	...	
1RXSJ141850.4−565904	0.1151 (0.0203)	0.831	11.4	141851.63−565852.0	HD 125036	*	F5IV	9.07 : 8.65	
1RXSJ141852.3−482735	0.0725 (0.0188)	0.833	11.8	141853.30−482730.8	...	...	...	...	
1RXSJ141901.8+773229	0.1139 (0.0141)	0.511	17.2	141900.37+773229.1	...	...	...	...	
1RXSJ141901.9+280942	0.0811 (0.0142)	0.677	16.0	141901.87+280941.5	...	...	...	...	
1RXSJ141902.1+645149	0.0532 (0.0104)	0.569	15.4	141904.10+645146.1	...	...	...	...	
1RXSJ141902.8−710946	0.0899 (0.0139)	0.518	11.5	141902.65−710939.2	...	...	...	...	
1RXSJ141903.8−131036	0.3072 (0.0330)	0.605	15.9	141903.80−131044.8	[VV96] J141903.8−131045	Quasar	?+...	:	P
1RXSJ141913.3−163420	0.3409 (0.0355)	0.777	0.0	141913.20−163424.5	HD 125358	**	K0V	10.24 : 9.42	
1RXSJ141916.7+130021	0.2016 (0.0327)	0.764	0.0	141916.28+130015.4	GJ 3841	**	F5IV	5.764 : 5.400	
1RXSJ141920.3−232158	0.0831 (0.0189)	0.875	12.2	141921.09−232213.1	HD 125340	*	G6IV	10.06 : 8.95	
...	...	...	...	141921.09−232213.1	RX J1419.3−2322	TT	K0	:	
1RXSJ141937.1+703843	0.0875 (0.0165)	0.593	15.5	141938.03+703832.0	...	...	...	...	
1RXSJ141946.4+542324	0.1036 (0.0151)	0.747	14.7	141946.58+542315.0	CJ1 1418+546	Rad.	./.	:	
...	...	...	...	141946.58+542315.0	QSO 1418+546	BL Lac − type object	./.	15.5 :	
1RXSJ141950.3−192811	0.3637 (0.0371)	0.628	12.0	141950.44−192802.3	...	...	...	...	
1RXSJ141950.5+194422	0.1296 (0.0176)	0.628	15.7	141950.07+194415.7	...	...	...	...	
1RXSJ141956.4+373917	0.0872 (0.0158)	0.564	16.5	141956.70+373912.7	[VV96] J141956.6+373912	Quasar	./.	:	
1RXSJ142003.2+470711	0.0794 (0.0151)	0.826	13.5	142004.31+470717.0	1RXP J142004.2+470718	Gal.	./.	:	
...	...	...	...	142004.31+470717.0	CASG 404	Gal.	./.	:	
1RXSJ142004.8+390309	0.1593 (0.0182)	0.825	13.6	142004.79+390258.3	GJ 3842	*	M2.5	13.82 : 12.31	
1RXSJ142005.9−092308	0.1543 (0.0239)	0.671	15.6	142006.29−092313.2	HE 1417−0909	Quasar	./.	17.0 :	
1RXSJ142013.0−534001	0.0567 (0.0155)	0.741	12.5	142012.08−533953.6	...	...	...	...	
1RXSJ142021.0+083505	0.2455 (0.0288)	0.692	0.0	142020.83+083456.6	HD 125608	**mul.	G5	8.27 : 7.29	
1RXSJ142042.4−521938	0.0685 (0.0174)	0.830	11.3	142042.34−521932.2	HD 125400	*	F5V	7.8 : 7.4	
1RXSJ142049.4+604930	0.0510 (0.0112)	0.683	15.6	142050.17+604931.0	...	...	...	...	
1RXSJ142107.1+253818	0.0899 (0.0175)	0.662	15.5	142107.57+253821.0	QSO 1418+258	Quasar	./.	15.4 : 15.8	
1RXSJ142129.8+474719	1.0840 (0.0560)	0.796	14.6	142129.76+474725.0	CASG 912	Gal.	./.	15. :	
...	...	...	...	142129.76+474725.0	QSO 1419+480	Active Galaxy Nucleus	./.	:	
...	...	...	...	142129.76+474725.0	[BFE95] 171	Active Galaxy Nucleus	./.	15.3 :	
1RXSJ142131.7+240846	0.3895 (0.0365)	0.685	16.0	142131.45+240844.9	...	...	...	...	
1RXSJ142136.4+493305	0.3269 (0.0246)	0.851	13.9	142135.83+493304.6	MCG+08−26−021	Gal.	./.	16. :	
...	...	...	...	142135.83+493304.6	RX J1421.6+4932	X	./.	:	
...	...	...	...	142135.83+493304.6	[CEF95] 141947.3+494644	Gal. in Clust.	./.	:	
1RXSJ142143.5−465220	0.1123 (0.0227)	0.863	11.9	142143.79−465208.2	...	...	...	...	
1RXSJ142152.7−641658	0.0665 (0.0153)	0.617	0.0	142154.68−641705.4	** RST 695	**mul.	./.	:	
...	...	...	...	142154.68−641705.4	HD 125432	**mul.	K0III	9.05 : 8.05	
1RXSJ142158.3+293736	0.0592 (0.0128)	0.892	10.2	142159.60+293801.9	...	...	...	...	
1RXSJ142223.1−690507	0.0549 (0.0132)	0.852	0.0	142216.92−690507.0	HD 125389	*	F5V	7.7 : 7.4	
1RXSJ142236.5−582748	0.3351 (0.0359)	0.877	0.0	142237.55−582741.4	HD 125628	**	G8III+...	5.755 : 4.923	
...	...	...	...	142237.55−582741.4	HD 125628 B	**	?	7.41 : 7.00	
...	...	...	...	142237.55−582741.4	IRAS 14190−5813	IR	./.	:	
1RXSJ142241.4−462753	0.0787 (0.0201)	0.668	12.3	142243.65−462805.3	...	...	...	...	
1RXSJ142246.5+630740	0.1314 (0.0181)	0.567	16.5	142245.78+630739.0	...	...	...	...	
1RXSJ142309.0+261518	0.1123 (0.0198)	0.573	10.9	142310.30+261556.7	...	...	...	...	
1RXSJ142309.8−091710	0.1390 (0.0232)	0.544	16.2	142310.32−091703.6	HE 1420−0903	Quasar	./.	17.8 :	
1RXSJ142313.4+505537	0.3742 (0.0239)	0.588	16.1	142314.23+505538.2	JVAS 1421+511	Gal.	./.	:	
...	...	...	...	142314.23+505538.2	RX J1423.1+5055	X	./.	:	
...	...	...	...	142314.23+505538.2	[BFE95] 173	Active Galaxy Nucleus	./.	16.7 :	
...	...	...	...	142314.23+505538.2	[VV96] J142314.3+505539	Quasar	./.	16. : 16.7	
1RXSJ142338.4−724827	0.0945 (0.0188)	0.775	9.7	142339.47−724829.3	HD 125485	*	G3/G5V	9.84 : 9.18	
1RXSJ142342.3−151550	0.0694 (0.0172)	0.774	14.5	142342.10−151554.4	...	...	...	...	
1RXSJ142347.5−593506	0.1133 (0.0210)	0.719	0.0	142347.42−593525.9	...	...	...	...	
1RXSJ142404.3−002656	0.5760 (0.0443)	0.688	15.5	142403.81−002657.9	[VV96] J142403.8−002658	Quasar	./.	:	P
1RXSJ142406.5+111448	0.2113 (0.0264)	0.897	0.0	142405.76+111449.1	ADS 9251 AB	**mul.	?	6.7 : 6.28	
...	...	...	...	142405.76+111449.1	HD 126246	**	G0V	7.9 : 6.7	
...	...	...	...	142405.76+111449.1	HD 126246 B	**	G5	8.4 : 7.50	
1RXSJ142414.5+552206	0.0725 (0.0118)	0.781	14.2	142414.49+552216.7	...	...	...	...	
1RXSJ142424.8+251427	0.0819 (0.0172)	0.508	16.8	142424.34+251428.5	...	...	...	...	
1RXSJ142425.2+595254	0.1725 (0.0182)	0.633	15.5	142424.22+595300.5	...	...	...	...	
1RXSJ142432.5−025727	0.0855 (0.0195)	0.837	13.2	142432.01−025714.1	...	...	...	...	
1RXSJ142446.7+023953	0.0549 (0.0160)	0.791	13.8	142447.44+023952.3	...	...	...	...	
1RXSJ142455.3+421413	0.1033 (0.0175)	0.629	15.9	142455.53+421407.8	CSO 448	Quasar	./.	16. :	
1RXSJ142522.8+080322	0.2215 (0.0258)	0.562	16.4	142522.38+080327.4	...	...	...	...	
1RXSJ142613.2+195531	0.1405 (0.0200)	0.715	15.5	142613.32+195524.9	2E 1423.0+2008	X	./.	:	
...	...	...	...	142613.32+195524.9	[VV96] J142613.4+195525	Quasar	./.	:	
1RXSJ142630.6+390348	0.3619 (0.0268)	0.727	15.6	142630.70+390343.5	...	...	...	...	
1RXSJ142631.4−642703	0.0904 (0.0184)	0.647	12.5	142633.06−642650.0	...	...	...	...	
1RXSJ142647.1−632557	0.0558 (0.0141)	0.688	14.3	142646.93−632552.5	...	...	...	...	
1RXSJ142700.5+234803	0.3435 (0.0324)	0.776	15.1	142700.39+234800.1	GJ 3848	BL Lac − type object	DC...	:	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ142717.4+531837	0.0803 (0.0140)	0.844	13.0	142719.04+531832.9	HD 127029	*	G0	8.52 : 7.99	
1RXSJ142725.3+194954	0.7684 (0.0417)	0.829	14.7	142725.04+194952.6	[VV96] J142725.0+194952	Quasar	S...	15.5 : 15.27	P
1RXSJ142809.6−441438	0.1454 (0.0253)	0.720	11.5	142809.26−441417.0	HD 126670	*	G6/G8III/IV	10.51 : 9.81	
1RXSJ142817.6−421958	0.2235 (0.0477)	0.854	10.5	142819.31−421933.2	CD−41 8792	*	./.	11.1 : 10.34	
1RXSJ142832.6+424028	4.2030 (0.0911)	0.543	16.6	142832.63+424021.0	3A 1422+425	BL Lac − type object	B...	16.95 : 16.45	P
...	...	...	...	142832.63+424021.0	RGB J1428+426	Rad.	./.	:	
1RXSJ142906.7+011708	1.0140 (0.0847)	0.886	14.1	142906.54+011705.8	[VV96] J142906.6+011706	Sy1	./.	15.0 : 14.87	
1RXSJ142924.3+451826	0.2891 (0.0257)	0.554	16.1	142925.08+451832.0	...	...	...	...	
1RXSJ142930.7+250530	0.1119 (0.0190)	0.513	17.0	142930.33+250529.7	KUV 14273+2519	Quasar	./.	:	
1RXSJ142945.0+591447	0.0512 (0.0117)	0.766	14.5	142944.79+591444.7	...	...	...	...	
1RXSJ143039.0+493534	0.1217 (0.0137)	0.587	16.5	143039.30+493538.7	[BFE95] 177	Active Galaxy Nucleus	./.	17.1 :	
...	...	...	...	143039.30+493538.7	[VV96] J143039.2+493538	Quasar	./.	17. : 17.1	
1RXSJ143106.2+253815	0.2579 (0.0256)	0.540	15.5	143106.72+253801.3	[HO98] ACO 1927 201	Gal. in Clust.	./.	:	
...	...	...	...	143106.72+253801.3	[SBM98] ACO 1927 J143106.69+253800.9	Gal. in Clust.	./.	:	
1RXSJ143124.0+392501	0.1292 (0.0160)	0.546	17.0	143123.51+392501.6	...	...	...	...	
1RXSJ143127.9+275129	0.1387 (0.0200)	0.765	14.7	143128.16+275122.3	...	...	...	...	
1RXSJ143139.0+300642	0.0519 (0.0142)	0.526	16.3	143138.53+300650.7	CASG 1235	Gal.	./.	:	
1RXSJ143150.2−311340	0.1010 (0.0221)	0.795	12.9	143150.45−311321.7	...	...	...	...	
1RXSJ143156.1+153841	0.1019 (0.0208)	0.689	15.2	143156.23+153833.6	...	...	...	...	
1RXSJ143157.4+370635	0.1400 (0.0181)	0.761	14.8	143157.09+370628.9	GD 336	WD	DA	15.09 : 15.26	
...	...	...	...	143157.09+370628.9	WD 1429+37	WD	DA	15.08 : 15.26	
1RXSJ143207.9+313504	0.0796 (0.0153)	0.691	13.2	143209.04+313504.9	MCG+05−34−066	Gal.	./.	15.5 :	
1RXSJ143223.4+400533	0.0709 (0.0131)	0.507	17.1	143223.69+400534.1	...	...	...	...	
1RXSJ143251.9−441952	0.1010 (0.0207)	0.534	13.8	143252.93−441917.9	...	...	...	...	
1RXSJ143258.0+033940	0.0975 (0.0205)	0.770	13.1	143257.65+033933.0	HD 127743	*	F2	7.81 : 7.40	
1RXSJ143330.9−110008	0.0937 (0.0256)	0.645	14.7	143330.83−110020.2	...	...	...	...	
1RXSJ143443.1+172158	0.0884 (0.0160)	0.613	15.8	143442.92+172156.4	...	...	...	...	
1RXSJ143500.0−703028	0.0585 (0.0138)	0.874	12.1	143459.16−703020.2	...	...	...	...	
1RXSJ143509.6+494814	0.0992 (0.0117)	0.556	16.4	143510.33+494819.4	CSO 670	Sy1	./.	17. :	
...	...	...	...	143510.33+494819.4	[BFE95] 179	Active Galaxy Nucleus	./.	18.0 :	
1RXSJ143526.9−054935	0.0783 (0.0200)	0.773	9.6	143528.41−054957.5	...	...	...	...	
1RXSJ143547.9−524100	0.1572 (0.0243)	0.787	11.5	143547.91−524056.5	CPD−52 7333	*	G5	9.95 : 9.10	
1RXSJ143649.6−161344	0.5625 (0.0529)	0.821	14.8	143649.63−161341.0	[VV96] J143649.8−161341	Quasar	An...	:	P
1RXSJ143711.9−033121	0.1099 (0.0206)	0.882	13.8	143711.81−033126.5	BD−02 3865	*	./.	11.8 : 10.8	
1RXSJ143712.2+443723	0.0599 (0.0141)	0.552	8.9	143711.73+443713.7	HD 128730	*	F5	8.99 : 8.54	
1RXSJ143729.6+412842	0.0820 (0.0136)	0.706	15.3	143729.89+412835.4	...	...	...	...	
1RXSJ143735.1+374035	0.0666 (0.0140)	0.747	12.9	143734.72+374051.1	...	...	...	...	
1RXSJ143748.0−014707	0.0660 (0.0171)	0.737	15.1	143748.29−014710.8	[VV96] J143748.2−014710	Quasar	./.	:	
1RXSJ143750.9−545708	0.2197 (0.0300)	0.523	11.9	143751.80−545646.2	...	...	...	...	
1RXSJ143759.2−851730	0.0802 (0.0217)	0.723	12.3	143809.94−851736.9	HD 125957	*	F7/F8V	9.13 : 8.65	
1RXSJ143801.9−493147	0.0915 (0.0192)	0.657	13.9	143803.54−493201.8	...	...	...	...	
1RXSJ143803.9−450150	0.0667 (0.0168)	0.690	15.1	143803.07−450145.6	IRAS 14347−4448	IR	./.	:	
1RXSJ143808.2−432214	0.0657 (0.0174)	0.515	13.1	143808.68−432200.2	...	...	...	...	
1RXSJ143816.0−065823	0.1684 (0.0299)	0.711	15.0	143816.16−065820.6	[VV96] J143816.2−065820	Quasar	./.	15.54 : 16.01	P
1RXSJ143819.9−422002	0.0525 (0.0160)	0.787	11.5	143822.71−421933.9	...	...	...	...	
1RXSJ143839.8−025724	0.0532 (0.0146)	0.721	15.1	143839.97−025722.4	RX J1438.7−0257	*	./.	:	
1RXSJ143840.4+691049	0.1037 (0.0130)	0.528	16.5	143840.76+691039.8	[BFE95] 180	Active Galaxy Nucleus	./.	17.8 :	P
1RXSJ143845.1−040319	0.0891 (0.0179)	0.548	17.0	143844.98−040318.2	...	...	...	...	
1RXSJ143926.1−421331	0.0580 (0.0165)	0.570	16.7	143925.98−421332.5	...	...	...	...	
1RXSJ143935.6−530022	0.0696 (0.0163)	0.612	15.2	143934.56−530024.0	...	...	...	...	
1RXSJ143940.5+205318	0.0758 (0.0141)	0.568	16.8	143940.64+205315.3	...	...	...	...	
1RXSJ143945.9−394234	0.0630 (0.0168)	0.617	13.6	143944.14−394242.2	...	...	...	...	
1RXSJ143946.6−264147	0.1709 (0.0261)	0.540	0.0	143946.95−264151.8	CCDM J14397−2643CD	**mul.	K5V	10.89 : 9.87	P
1RXSJ143958.3+104945	0.0692 (0.0168)	0.572	10.9	143958.42+104943.1	BD+11 2702	*	G5	10.95 : 10.12	
1RXSJ144006.0+750539	0.4596 (0.0245)	0.756	15.1	144005.99+750532.7	FBS 1440+753	*	./.	:	
1RXSJ144011.6+615633	0.1834 (0.0284)	0.501	16.4	144012.80+615633.2	[VV96] J144012.8+615633	Quasar	./.	16.4 : 16.4	P
1RXSJ144031.9−161251	0.0981 (0.0198)	0.667	0.0	144031.10−161233.4	HD 128987	*	G6V	7.92 : 7.24	
1RXSJ144034.4+242255	0.1616 (0.0229)	0.650	16.1	144034.34+242250.4	...	...	...	...	
1RXSJ144039.3+032814	0.3397 (0.0364)	0.623	14.6	144038.93+032811.0	...	...	...	...	
1RXSJ144106.6−435717	0.1442 (0.0258)	0.513	14.1	144106.48−435742.1	...	...	...	...	
1RXSJ144111.3−021225	0.1509 (0.0231)	0.584	15.4	144111.54−021234.7	...	...	...	...	
1RXSJ144117.3+345054	0.1818 (0.0218)	0.568	16.8	144117.58+345053.5	CSO 489	Quasar	./.	16. :	
1RXSJ144120.4−500127	0.0657 (0.0172)	0.583	12.9	144119.47−500119.9	...	...	...	...	
1RXSJ144202.4+433708	0.1671 (0.0205)	0.602	16.4	144202.84+433709.0	...	...	...	...	
1RXSJ144207.7+352632	5.7830 (0.0957)	0.781	13.8	144207.48+352623.1	[VV96] J144207.5+352623	Sy1	S...	:	P
1RXSJ144208.1+384412	0.0646 (0.0146)	0.544	16.8	144207.70+384411.6	CSO 496	Blue object	./.	17. :	
1RXSJ144218.9+221820	0.3174 (0.0297)	0.586	15.4	144219.38+221811.7	EF B1440+2230	Rad.	./.	:	
...	...	...	...	144219.38+221811.7	UGC 9480	Gal.	SB0a	14.8 :	
1RXSJ144240.3+262330	0.0662 (0.0138)	0.584	16.1	144240.78+262333.2	...	...	...	...	
1RXSJ144244.4−741835	0.3865 (0.0375)	0.844	0.0	144242.58−741841.5	HD 128575	V*	G3/G5V	9.05 : 8.46	
1RXSJ144248.5+120042	0.8728 (0.0768)	0.619	16.3	144248.22+120040.5	BWE 1440+1213	BL Lac − type object	B...	:	P
1RXSJ144302.8+520141	0.3324 (0.0193)	0.516	17.4	144302.76+520137.6	3C 303	Rad. Gal.	./.	17.01 :	
...	...	...	...	144302.76+520137.6	RGB J1443+520B	Rad.	./.	:	
1RXSJ144312.8+442757	0.0767 (0.0146)	0.567	10.1	144312.73+442745.8	HD 129799	*	G5	9.98 : 9.23	
1RXSJ144315.1−652908	0.0817 (0.0163)	0.510	16.3	144315.07−652907.4	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ144334.3−484618	0.0727 (0.0166)	0.651	14.5	144334.01−484604.9	...	...	...	...	
1RXSJ144337.4−041422	0.0621 (0.0163)	0.743	13.8	144338.37−041432.8	...	...	...	...	
1RXSJ144357.0−390847	0.5127 (0.0423)	0.644	15.1	144357.20−390840.3	...	...	...	...	
1RXSJ144417.2−113709	0.1072 (0.0210)	0.895	8.6	144417.03−113701.2	HD 129679	*	G0	8.96 : 8.41	
1RXSJ144421.5−714905	0.1430 (0.0245)	0.645	14.1	144425.39−714854.4	...	...	...	...	
1RXSJ144427.6−042410	0.0662 (0.0166)	0.729	15.1	144427.77−042403.5	...	...	...	...	
1RXSJ144434.3+134312	0.1387 (0.0236)	0.530	16.6	144433.81+134307.5	...	...	...	...	
1RXSJ144503.5−420909	0.0546 (0.0153)	0.815	11.3	144504.65−420843.1	HD 129670	*	G0V	9.85 : 9.32	
1RXSJ144509.9+305000	0.2588 (0.0227)	0.507	17.4	144510.13+304957.2	...	...	...	...	
1RXSJ144516.1+003918	0.0539 (0.0157)	0.542	14.8	144515.96+003851.8	...	...	...	...	
1RXSJ144518.9−664207	0.0928 (0.0167)	0.642	15.3	144519.34−664205.6	...	...	...	...	
1RXSJ144600.4−252656	0.1520 (0.0378)	0.699	0.0	144600.57−252640.0	CCDM J14460−2527AB	**mul.	F1...	5.2 : 7.2	
...	...	...	...	144600.57−252640.0	GJ 561.1A	**	F0V+...	5.29 : 4.94	
...	...	...	...	144600.57−252640.0	GJ 561.1B	**	F9V	7.7 : 7.20	
...	...	...	...	144600.57−252640.0	IRAS 14430−2513	IR	./.	:	
1RXSJ144602.4+632929	0.1211 (0.0194)	0.840	10.3	144605.73+632921.7	BD+64 1026	*	F8	10.18 : 9.67	
1RXSJ144619.9−505600	0.0700 (0.0163)	0.856	12.2	144620.24−505544.0	...	...	...	...	
1RXSJ144623.2−230621	0.0647 (0.0170)	0.845	11.3	144624.61−230600.2	GSC 06746−00513	*	./.	11.5 : 10.6	
1RXSJ144645.8+403510	0.3423 (0.0250)	0.774	15.0	144645.94+403505.8	[VV96] J144646.0+403506	Quasar	?+	15.95 : 15.74	
1RXSJ144701.1+114536	0.2605 (0.0320)	0.814	14.0	144700.88+114535.9	...	...	...	...	
1RXSJ144713.2+570205	0.1167 (0.0140)	0.690	15.4	144713.10+570157.0	RX J1447.2+5701	*	./.	:	
1RXSJ144724.7−362852	0.0675 (0.0182)	0.544	14.6	144724.35−362851.8	...	...	...	...	
1RXSJ144732.7+345507	0.2571 (0.0246)	0.669	12.5	144731.50+345503.6	...	...	...	...	
1RXSJ144739.2−083331	0.2535 (0.0317)	0.583	15.6	144738.57−083325.6	...	...	...	...	
1RXSJ144750.9−361906	0.0685 (0.0183)	0.886	11.6	144749.66−361925.6	...	...	...	...	
1RXSJ144800.0−144953	0.0521 (0.0147)	0.639	16.0	144759.80−144950.7	...	...	...	...	
1RXSJ144801.0+360833	0.5974 (0.0393)	0.592	16.5	144800.57+360831.2	RX J1447.9+3608	X	B...	:	P
1RXSJ144809.7−364712	0.3132 (0.0350)	0.812	0.0	144809.76−364702.0	CD−36 9642B	**	?	:	
...	...	...	...	144809.76−364702.0	HD 130260	**	K3/K4V	11.0 : 9.92	
1RXSJ144819.1+443238	0.0821 (0.0137)	0.616	16.1	144819.40+443232.6	...	...	...	...	
1RXSJ144824.4−221702	0.0590 (0.0175)	0.556	16.6	144824.76−221701.9	...	...	...	...	
1RXSJ144824.7−504553	0.0522 (0.0146)	0.694	0.0	144823.97−504549.6	HD 130166	**mul.	G2w...	9.88 : 9.37	
1RXSJ144855.7+571039	0.0746 (0.0121)	0.541	17.4	144855.62+571038.9	...	...	...	...	
1RXSJ144925.7−395042	0.0590 (0.0166)	0.539	13.1	144926.70−395044.3	...	...	...	...	
1RXSJ144943.1+230212	0.0521 (0.0132)	0.894	12.3	144942.83+230157.2	GJ 9496	*	F6IV	:	
...	...	...	...	144942.83+230157.2	HD 130818	V*	F6III−IV	7.535 : 7.125	
1RXSJ145016.2−542711	0.0696 (0.0167)	0.628	15.3	145017.35−542714.4	...	...	...	...	
1RXSJ145017.6−242558	0.3610 (0.0720)	0.694	12.4	145018.47−242540.9	HD 130693	*	G6V	8.92 : 8.21	
1RXSJ145054.0−071423	0.1259 (0.0215)	0.814	13.7	145054.04−071412.6	...	...	...	...	
1RXSJ145108.5+270933	0.7833 (0.0405)	0.845	14.0	145108.80+270926.6	[VV96] J145108.8+270927	Quasar	S...	15.01 : 15.01	P
1RXSJ145109.1+292633	0.1368 (0.0179)	0.771	14.8	145109.34+292626.5	...	...	...	...	
1RXSJ145123.1+190606	2.4400 (0.1834)	0.713	0.0	145122.99+190608.0	GJ 566	**mul.	G8V	5.31 : 4.55	P
...	...	...	...	145122.99+190608.0	GJ 566A	**	G8V	5.4 : 4.7	
...	...	...	...	145122.99+190608.0	GJ 566B	**	K4V	8.14 : 6.97	
...	...	...	...	145122.99+190608.0	IRAS 14490+1918	IR	./.	:	
1RXSJ145132.4−554041	0.2362 (0.0269)	0.507	16.5	145133.15−554039.0	...	...	...	...	
1RXSJ145307.6+255438	0.1609 (0.0194)	0.581	16.2	145307.93+255433.3	...	...	...	...	
1RXSJ145311.0−731121	0.1825 (0.0263)	0.684	0.0	145313.54−731124.6	HD 130458	**mul.	G5III	6.42 : 5.60	
1RXSJ145326.2+572235	0.0651 (0.0119)	0.634	16.1	145325.99+572235.5	...	...	...	...	
1RXSJ145339.1−263529	0.1599 (0.0414)	0.542	14.6	145339.54−263551.4	...	...	...	...	
1RXSJ145353.5+322454	0.0697 (0.0123)	0.521	9.1	145353.44+322447.5	HD 131650	*	K0	9.08 : 7.95	
1RXSJ145424.9−340833	0.1730 (0.0268)	0.879	0.0	145425.17−340836.2	HD 131399	**mul.	A1V	7.164 : 7.070	
1RXSJ145426.9+401810	0.0649 (0.0127)	0.547	17.1	145427.16+401814.1	...	...	...	...	
1RXSJ145427.2−374738	0.2759 (0.0314)	0.577	16.5	145427.42−374733.2	[VV96] J145427.3−374733	Quasar	./.	16.78 : 16.69	P
1RXSJ145429.2+160610	0.4894 (0.0385)	0.849	12.5	145428.29+160610.3	GJ 569A	*	M2	:	
...	...	...	...	145428.29+160610.3	GJ 569B	*	M8.5	:	
1RXSJ145431.4+183834	0.4948 (0.0389)	0.896	13.6	145431.49+183832.7	NGC 5778	Gal. in Clust.	E:	15.6 :	
...	...	...	...	145431.49+183832.7	[LO95] 1452+188	Rad.	./.	:	
...	...	...	...	145431.49+183832.7	[OLK95] 1452+188	Rad. Gal.	./.	:	
1RXSJ145438.9−044521	0.0586 (0.0151)	0.526	16.1	145438.95−044517.3	...	...	...	...	
1RXSJ145454.1−362602	0.3476 (0.0352)	0.786	0.0	145454.07−362554.2	CD−35 9890B	**	?	:	
...	...	...	...	145454.07−362554.2	HD 131461	**	A0/A1V	7.3 : 7.23	
1RXSJ145459.1−112302	0.1181 (0.0200)	0.673	14.6	145458.15−112301.9	...	...	...	...	
1RXSJ145526.5−512916	0.1484 (0.0220)	0.899	10.9	145526.77−512901.0	GSC 08292−02095	*	./.	11.07 : 10.65	
1RXSJ145538.7−052246	0.0656 (0.0162)	0.568	16.4	145539.04−052247.7	...	...	...	...	
1RXSJ145540.4−591320	0.1131 (0.0180)	0.545	11.3	145539.67−591307.3	GSC 08693−00036	*	./.	11.4 : 10.6	
1RXSJ145559.0+492158	0.0678 (0.0115)	0.515	16.9	145559.50+492152.6	...	...	...	...	
1RXSJ145603.4+504824	1.4530 (0.0491)	0.567	17.2	145603.61+504826.2	...	...	...	...	
1RXSJ145608.6+275008	0.0831 (0.0145)	0.607	16.3	145608.64+275008.4	HS 1453+2802	Quasar	./.	16.2 :	
1RXSJ145613.0−382628	0.2103 (0.0290)	0.509	13.8	145615.60−382659.9	...	...	...	...	
1RXSJ145613.6−385121	0.1756 (0.0247)	0.828	13.2	145614.08−385118.8	HD 131675	*	G5V	9.80 : 9.15	
1RXSJ145631.0−343804	0.1093 (0.0214)	0.513	11.6	145630.83−343752.4	CD−34 10047C	**	?	:	
...	...	...	...	145630.83−343752.4	HD 131751	**mul.	F8V	7.85 : 7.33	
1RXSJ145744.3−414140	0.0509 (0.0151)	0.796	13.8	145745.02−414139.5	...	...	...	...	
1RXSJ145800.6+210953	0.1149 (0.0209)	0.556	16.2	145759.92+210955.6	1E 1455.7+2121	Active Galaxy Nucleus	./.	16.61 :	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ145803.3−390938	0.1474 (0.0251)	0.617	14.2	145803.75−390935.2	...	...	...	...	
1RXSJ145810.5−462448	0.0543 (0.0148)	0.560	13.4	145808.43−462442.8	...	...	...	...	
1RXSJ145837.5−391507	0.0838 (0.0188)	0.717	13.8	145837.48−391502.5	...	...	...	...	
1RXSJ145843.1+213614	0.2915 (0.0304)	0.686	15.7	145842.74+213610.1	...	...	...	...	
1RXSJ145907.7+714014	0.0742 (0.0123)	0.569	16.4	145907.60+714019.9	[A96] 3C 309.1 4	X	./.	:	
...	...	...	...	145907.60+714019.9	[VV96] J145907.6+714020	Quasar	./.	17.24 :	
1RXSJ145928.8−181034	0.2535 (0.0550)	0.556	15.2	145928.76−181044.9	PMN J1459−1810	Rad.	./.	:	
1RXSJ145949.9+531906	0.1020 (0.0120)	0.616	16.4	145949.63+531909.2	[VV96] J145949.5+531909	Quasar	./.	17.5 : 17.5	P
1RXSJ145958.6+333704	0.1220 (0.0167)	0.543	16.9	145958.45+333701.8	CSO 547	Quasar	./.	16. :	
...	...	...	...	145958.45+333701.8	EF B1457+3348	Rad.	./.	:	
...	...	...	...	145958.45+333701.8	RX J1459.9+3336	X	./.	:	
1RXSJ150019.4+335152	0.0563 (0.0117)	0.866	12.7	150018.86+335207.0	...	...	...	...	
1RXSJ150036.9−430834	0.0605 (0.0160)	0.753	12.0	150037.67−430833.3	RX J1500.6−4309	X	K3	:	
1RXSJ150101.7+223812	0.3406 (0.0330)	0.626	16.1	150101.84+223806.3	...	...	...	...	
1RXSJ150124.1+302638	0.0650 (0.0123)	0.555	16.5	150124.22+302633.3	...	...	...	...	
1RXSJ150139.6−403815	0.1248 (0.0243)	0.502	12.4	150137.45−403815.8	...	...	...	...	
1RXSJ150202.3+091116	0.0797 (0.0183)	0.502	8.9	150202.13+091113.3	HD 133033	*	F8	8.79 : 8.26	
1RXSJ150204.3+064521	0.4719 (0.0498)	0.625	16.1	150204.11+064516.0	1RXS J150204.3+064521	Sy1	./.	:	P
1RXSJ150206.0−120206	0.1115 (0.0256)	0.598	13.1	150207.48−120149.7	...	...	...	...	
1RXSJ150209.2+661220	18.2400 (0.1182)	0.819	15.0	150209.69+661218.9	FBS 1501+664	*	./.	:	
...	...	...	...	150209.69+661218.9	PG 1501+664	UV	./.	15.90 :	
1RXSJ150242.4+395206	0.1476 (0.0170)	0.674	16.0	150242.41+395208.7	CSO 554	Blue object	./.	16. :	
1RXSJ150258.2+502924	0.0551 (0.0104)	0.546	16.3	150257.99+502914.6	...	...	...	...	
1RXSJ150317.5+681011	0.0829 (0.0102)	0.652	15.6	150316.37+681006.2	[BFE95] 191	Active Galaxy Nucleus	./.	17.4 :	P
1RXSJ150332.0+295026	0.2965 (0.0252)	0.671	16.1	150332.09+295023.9	CASG 1280	Gal.	./.	17.52 : 16.56	
1RXSJ150348.3+473924	3.4140 (0.0760)	0.738	0.0	150347.81+473915.6	GJ 575	Ecl. Bin. (W UMa)	G0Vnvar	5.41 :	
...	...	...	...	150347.81+473915.6	GJ 575A	HiPM*	G1	5.9 : 5.3	
...	...	...	...	150347.81+473915.6	GJ 575B	Spec. Bin.	G2	:	P
1RXSJ150406.7+485856	0.0843 (0.0114)	0.685	15.9	150407.15+485855.0	...	...	...	...	
1RXSJ150407.0−485134	0.0618 (0.0149)	0.642	15.1	150406.95−485126.1	...	...	...	...	
1RXSJ150407.4−024820	0.9470 (0.0720)	0.570	16.6	150407.50−024816.5	...	...	...	...	
1RXSJ150413.1+685610	0.2460 (0.0164)	0.691	16.1	150412.76+685613.0	[VV96] J150412.8+685614	Quasar	./.	:	
1RXSJ150443.2+383633	0.0961 (0.0138)	0.825	12.9	150443.52+383617.0	HD 133725	*	F8	7.953 : 7.498	
1RXSJ150506.3−470305	0.3230 (0.0313)	0.517	0.0	150507.11−470304.3	CCDM J15051−4703AB	**mul.	B5	3.75 : 3.89	
...	...	...	...	150507.11−470304.3	HD 133242	**	B5V	4.58 : 3.896	
...	...	...	...	150507.11−470304.3	HD 133243	**	B5IV	4.68 : 4.82	
1RXSJ150506.8+435002	0.0688 (0.0129)	0.577	16.4	150507.30+435004.7	...	...	...	...	
1RXSJ150518.6−410430	0.2343 (0.0295)	0.804	0.0	150519.16−410402.1	HD 133340	**	G8III	6.143 : 5.141	
...	...	...	...	150519.16−410402.1	IRAS 15020−4052	IR	./.	:	
1RXSJ150549.2+640248	0.1034 (0.0126)	0.731	0.0	150550.07+640249.0	GJ 577	*	G5	9.05 : 8.41	
1RXSJ150611.3+021654	0.1660 (0.0232)	0.553	15.8	150610.52+021650.3	...	...	...	...	
1RXSJ150649.2+341305	0.0561 (0.0124)	0.751	14.9	150648.89+341306.9	...	...	...	...	
1RXSJ150710.7+235647	0.0506 (0.0138)	0.515	16.7	150711.13+235653.3	[VV96] J150711.0+235654	Quasar	?	:	
1RXSJ150724.6+433356	0.0987 (0.0162)	0.624	14.9	150723.48+433351.3	...	...	...	...	
1RXSJ150733.8+091325	0.1905 (0.0372)	0.501	0.0	150733.07+091333.5	BD+09 3000A	**	G5	8.15 : 7.47	
...	...	...	...	150733.07+091333.5	BD+09 3000B	**	G5	8.15 : 7.47	
...	...	...	...	150733.07+091333.5	HD 134066	**mul.	G5	7.40 : 6.72	
1RXSJ150752.3+515116	0.0925 (0.0128)	0.582	16.4	150752.55+515111.1	...	...	...	...	
1RXSJ150754.5−473038	0.0752 (0.0161)	0.769	12.4	150754.22−473028.4	...	...	...	...	
1RXSJ150756.4+495850	0.0702 (0.0104)	0.511	17.2	150756.11+495849.9	...	...	...	...	
1RXSJ150757.2+303049	0.0634 (0.0138)	0.606	15.5	150757.69+303039.7	...	...	...	...	
1RXSJ150759.9−433642	0.0884 (0.0175)	0.551	0.0	150800.55−433624.8	CD−43 9640	*	./.	10.74 : 9.82	
1RXSJ150804.2−424449	0.1946 (0.0259)	0.601	14.3	150804.48−424444.7	...	...	...	...	
1RXSJ150804.8−333746	0.0567 (0.0153)	0.864	13.0	150805.12−333755.0	RX J1508.0−3338	X	K6	:	
1RXSJ150818.8−401730	0.0767 (0.0178)	0.635	14.8	150818.18−401725.9	...	...	...	...	
1RXSJ150853.0+493412	0.1459 (0.0154)	0.759	14.2	150853.97+493405.4	BPS BS 16083−0138	*	./.	:	
...	...	...	...	150853.97+493405.4	StM 217	*	M6e	13.5 :	
1RXSJ150853.6−430334	0.0524 (0.0155)	0.523	11.1	150854.71−430313.6	...	...	...	...	
1RXSJ150907.2+590422	0.1156 (0.0139)	0.831	14.3	150907.38+590428.8	RX J1509.0+5904	*	M7	:	
1RXSJ150914.0+175713	0.0844 (0.0181)	0.545	15.9	150913.77+175710.4	IRAS 15069+1808	Sy1	./.	:	P
1RXSJ150932.8−431604	0.0962 (0.0186)	0.686	14.3	150933.79−431559.6	...	...	...	...	
1RXSJ150934.3−334845	0.0730 (0.0170)	0.863	11.5	150933.62−334830.2	CD−33 10348	*	./.	10.89 : 10.32	
1RXSJ150950.2+415540	0.1126 (0.0156)	0.572	16.6	150949.72+415538.7	CSO 565	Blue object	./.	17. :	
1RXSJ150957.2−022554	0.1097 (0.0202)	0.608	15.3	150957.86−022602.4	...	...	...	...	
1RXSJ151023.8+005715	0.0530 (0.0153)	0.859	12.8	151024.32+005658.9	...	...	...	...	
1RXSJ151035.7+170157	0.0692 (0.0176)	0.568	15.7	151035.05+170206.7	...	...	...	...	
1RXSJ151050.8+635231	0.0966 (0.0122)	0.530	0.0	151049.79+635226.0	HD 135262	V*	G0	9.05 : 8.36	
1RXSJ151056.3+054431	3.2730 (0.0955)	0.724	14.1	151056.10+054441.5	IC 1101	Rad. Gal.	E/S0	15.4 :	
...	...	...	...	151056.10+054441.5	Slee ACO 2029 2	Rad.	./.	:	
...	...	...	...	151056.10+054441.5	[LO95] 1508+059	Rad.	./.	:	
...	...	...	...	151056.10+054441.5	[OHF95] ACO 2029 201	Gal. in Clust.	./.	:	
...	...	...	...	151056.10+054441.5	[OLK95] 1508+059	Rad. Gal.	./.	:	
...	...	...	...	151056.10+054441.5	[OWB92] ACO 2029	Rad. Gal.	./.	:	
1RXSJ151059.6−392655	0.0824 (0.0188)	0.700	0.0	151058.17−392649.7	...	...	...	...	
1RXSJ151104.7−325137	0.0994 (0.0189)	0.826	12.9	151104.57−325129.7	RX J1511.0−3252	X	K6	:	
...	...	...	...	151104.57−325129.7	[KWS97] TTS 12	TT	K6	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ151105.3+525128	0.0739 (0.0119)	0.697	15.2	151105.97+525126.9	...	...	...	...	
1RXSJ151108.3+045111	0.1539 (0.0229)	0.547	16.8	151108.29+045116.8	...	...	...	...	
1RXSJ151137.5−355040	0.0747 (0.0174)	0.766	14.0	151136.97−355041.5	RX J1511.6−3551	X	K5	:	
1RXSJ151142.4+210108	0.1080 (0.0208)	0.673	14.7	151143.40+210104.2	...	...	...	...	
1RXSJ151150.4+615134	0.6595 (0.0292)	0.633	0.0	151150.09+615141.2	V* BW Dra	Ecl. Bin. (W UMa)	B0	9.39 : 8.74	
1RXSJ151202.3−043240	0.0762 (0.0236)	0.729	13.6	151203.61−043229.6	...	...	...	...	
1RXSJ151244.6−311702	0.0575 (0.0150)	0.830	12.3	151244.52−311647.8	...	...	...	...	
1RXSJ151247.4+104156	0.0655 (0.0167)	0.795	13.4	151247.25+104210.9	HD 135061	*	K2	7.793 : 6.505	
1RXSJ151259.7−472658	0.0537 (0.0143)	0.640	15.2	151259.35−472652.4	...	...	...	...	
1RXSJ151304.2+304205	0.0948 (0.0178)	0.557	16.7	151304.57+304204.3	...	...	...	...	
1RXSJ151344.1+075359	0.0948 (0.0214)	0.774	14.0	151344.24+075411.6	...	...	...	...	
1RXSJ151354.6−590815	0.4211 (0.0272)	0.594	13.7	151355.29−590751.2	...	...	...	...	
1RXSJ151401.9−650529	0.1851 (0.0291)	0.636	14.6	151401.06−650541.2	V* EK TrA	DN	?	11.90 :	
1RXSJ151414.2+111127	0.0699 (0.0186)	0.701	14.5	151414.55+111120.8	...	...	...	...	
1RXSJ151420.8+424445	0.1343 (0.0194)	0.663	15.9	151420.53+424445.6	CASG 665	Gal.	./.	:	
...	...	...	...	151420.53+424445.6	RX J1514.3+4244	Sy	./.	:	
1RXSJ151443.1+365059	0.2548 (0.0217)	0.598	15.9	151443.05+365050.5	[VV96] J151443.0+365050	Quasar	./.	:	
1RXSJ151446.3−422020	0.0538 (0.0148)	0.769	12.0	151447.54−422014.9	[KWS97] TTS 18	TT	K1	:	
1RXSJ151447.0+351348	0.0811 (0.0140)	0.616	15.8	151446.87+351348.7	...	...	...	...	
1RXSJ151448.8−772249	0.1055 (0.0241)	0.799	14.2	151450.24−772246.0	...	...	...	...	
1RXSJ151511.3+035051	0.0522 (0.0142)	0.686	15.4	151511.11+035054.9	GNZ 26	Gal.	./.	16.25 :	
1RXSJ151544.5−072539	0.1508 (0.0324)	0.540	14.3	151544.16−072509.3	...	...	...	...	
1RXSJ151601.5+020055	0.1434 (0.0230)	0.601	16.0	151601.37+020100.7	GNZ 95	Gal.	./.	16.92 :	
1RXSJ151607.0−095027	0.0760 (0.0171)	0.740	12.2	151607.42−095000.8	...	...	...	...	
1RXSJ151607.5−385208	0.1075 (0.0206)	0.844	11.2	151608.05−385231.2	HD 135392	**mul.	G0V	9.97 : 9.38	
1RXSJ151611.8+150429	0.3210 (0.0443)	0.529	16.5	151611.53+150437.6	...	...	...	...	
1RXSJ151633.2−585529	0.1644 (0.0203)	0.818	13.3	151632.31−585523.1	2E 1512.5−5844	X	./.	:	P
1RXSJ151634.5+205847	0.0934 (0.0196)	0.582	15.9	151634.47+205837.9	1RXP J151634.3+205839	Gal.	./.	:	
1RXSJ151639.8+001454	0.0786 (0.0190)	0.749	14.3	151640.22+001502.4	4C 00.56	Rad. Gal.	./.	:	P
...	...	...	...	151640.22+001502.4	GNZ 25	Gal.	./.	16.25 :	
1RXSJ151641.6−272346	0.0523 (0.0131)	0.555	14.9	151640.75−272341.7	...	...	...	...	
1RXSJ151648.5−130243	0.0593 (0.0154)	0.570	12.6	151648.54−130220.9	HD 135681	Ecl. Bin. (beta Lyr)	A3IV	7.45 : 7.25	
1RXSJ151659.2−382648	0.0647 (0.0163)	0.892	0.0	151659.36−382651.4	HD 135549	*	F3V	7.235 : 6.876	
1RXSJ151710.7−343424	0.0681 (0.0156)	0.539	0.0	151710.47−343421.3	CD−34 10292B	TT	?	:	
1RXSJ151720.9−190103	0.3541 (0.0323)	0.855	9.9	151721.22−190058.9	HD 135743	*	G3/G5V	10.20 : 9.40	
1RXSJ151727.1+221748	0.0854 (0.0186)	0.531	8.4	151727.91+221754.3	HD 135991	*	G0	8.35 : 7.84	
1RXSJ151747.3+652522	1.1380 (0.0358)	0.597	17.0	151747.63+652523.3	[BSF97] J151746.19+652525.9	BL Lac − type object	./.	:	
...	...	...	...	151747.63+652523.3	[BSF97] J151747.58+652523.3	Rad.	./.	:	
1RXSJ151759.6−000826	0.1250 (0.0271)	0.873	13.1	151759.42−000813.7	BPS CS 22890−0025	*	./.	:	
1RXSJ151801.0+835134	0.1902 (0.0164)	0.681	8.0	151757.37+835133.6	HD 138818	V* (irregular)	F0	8.04 : 7.76	
1RXSJ151824.6+203423	0.1343 (0.0248)	0.652	11.9	151824.52+203422.7	HD 136138	*	G8II−III...	6.651 : 5.694	
1RXSJ151837.9+404506	0.0599 (0.0141)	0.685	14.8	151838.91+404500.1	RX J1518.5+4045	Quasar	./.	:	
1RXSJ151841.8+102534	0.0862 (0.0200)	0.585	0.0	151841.93+102539.6	CCDM J15187+1026A	**mul.	?	6.8 : 6.4	
...	...	...	...	151841.93+102539.6	HD 136160	**	F8V	7.62 : 7.13	
1RXSJ151848.4−602952	0.0649 (0.0149)	0.777	0.0	151849.13−602946.8	HD 135591	**	O8IIIp	5.330 : 5.433	
...	...	...	...	151849.13−602946.8	HD 135591 B	**	?	:	
1RXSJ151917.7−294331	0.0552 (0.0142)	0.784	13.7	151918.08−294320.1	[D98] 87	X	M0V	:	
1RXSJ151921.7+590823	0.3708 (0.0217)	0.842	14.8	151921.68+590823.8	1ES 1518+59.3	Sy1	./.	16.0 :	
1RXSJ151934.1−284634	0.0890 (0.0180)	0.823	0.0	151934.55−284621.6	GSC 06774−00723	*	./.	11.4 : 10.7	
1RXSJ151956.7+283434	0.0628 (0.0151)	0.759	14.9	151956.68+283436.0	Mrk 849	Sy1	./.	17.0 :	
1RXSJ152001.1−362649	0.0654 (0.0159)	0.636	15.0	152001.92−362644.1	RX J1520.0−3626	X	M2.5	:	P
1RXSJ152012.2−382159	0.1533 (0.0229)	0.814	0.0	152013.72−382214.0	CD−37 10147B	**	?	11.3 : 10.06	
1RXSJ152022.3−303737	0.1025 (0.0195)	0.898	11.9	152024.18−303731.8	CD−30 12142	*	./.	:	
1RXSJ152040.8−571007	61.7100 (1.6030)	0.542	16.1	152039.65−571003.8	...	...	...	...	
1RXSJ152048.3+722459	0.0770 (0.0121)	0.548	16.4	152047.67+722505.7	7C 1520+7235	Rad.	./.	:	
...	...	...	...	152047.67+722505.7	[BSF97] J152047.63+722505.5	Rad.	./.	:	
...	...	...	...	152047.67+722505.7	[VV96] J152047.6+722506	Quasar	./.	:	
1RXSJ152053.7+484006	0.4013 (0.0342)	0.568	13.0	152052.24+483938.6	MCG+08−28−020	Gal.	./.	15. :	
1RXSJ152109.4+303548	0.7975 (0.0192)	0.567	12.7	152111.32+303502.0	...	...	...	...	
1RXSJ152114.8+222743	0.2050 (0.0286)	0.673	15.6	152114.26+222743.9	[VV96] J152114.3+222744	Quasar	./.	16.09 : 16.09	P
1RXSJ152130.3−381314	0.1194 (0.0194)	0.584	0.0	152130.52−381310.0	CD−37 10171B	**	?	:	
...	...	...	...	152130.52−381310.0	HD 136347	**	A0sp...	6.480 : 6.538	
1RXSJ152136.7+242852	0.0847 (0.0192)	0.569	16.2	152136.32+242853.9	[VV96] J152136.3+242853	Quasar	?	17.10 : 16.57	
1RXSJ152139.7+665319	0.0542 (0.0073)	0.510	17.0	152138.82+665314.5	...	...	...	...	
1RXSJ152141.4−294242	0.0504 (0.0135)	0.729	14.8	152142.02−294236.3	...	...	...	...	
1RXSJ152146.6+522215	0.1680 (0.0158)	0.618	15.0	152146.59+522203.3	WD 1520+525	WD	DO	15.56 : 16.6	
1RXSJ152150.4−251431	0.0869 (0.0174)	0.574	14.8	152150.81−251410.9	...	...	...	...	
1RXSJ152151.0+074221	1.6400 (0.0709)	0.593	14.4	152151.89+074231.8	EXSS 1519.4+0753	X	./.	:	
...	...	...	...	152151.89+074231.8	NGC 5920	Gal. in Clust.	S0	15.5 :	
1RXSJ152215.1−372257	0.0712 (0.0163)	0.659	15.3	152215.40−372249.1	...	...	...	...	
1RXSJ152217.3+164833	0.4559 (0.0429)	0.685	16.0	152217.37+164828.4	...	...	...	...	
1RXSJ152228.1+551615	0.1030 (0.0130)	0.713	0.0	152228.36+551620.0	HD 238454	**mul.	G0	9.90 : 9.24	
1RXSJ152228.1−064438	0.1527 (0.0214)	0.734	14.8	152228.71−064440.6	[VV96] J152228.8−064441	Quasar	./.	14.9 : 14.60	P
1RXSJ152242.9+504019	0.1044 (0.0153)	0.787	13.8	152243.39+504029.9	StM 231	*	M5...	13.5 :	
1RXSJ152255.8+660445	0.2611 (0.0170)	0.556	16.0	152256.69+660442.2	HS 1522+6615	WD	./.	16.4 :	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ152310.8+305323	0.0569 (0.0154)	0.554	14.5	152310.46+305346.6	...	...	...	...	
1RXSJ152313.1−603855	0.1412 (0.0237)	0.601	0.0	152310.50−603925.8	HD 136359	*	F7V	6.092 : 5.658	
1RXSJ152345.5+322821	0.3014 (0.0309)	0.615	16.3	152345.10+322822.0	...	...	...	...	
1RXSJ152346.0+633930	0.3775 (0.0224)	0.584	16.5	152345.91+633924.1	RGB J1523+636	Rad.	./.	:	
...	...	...	...	152345.91+633924.1	RX J1523.6+6339	X	./.	:	
1RXSJ152346.8−004434	0.3249 (0.0363)	0.874	12.4	152346.17−004424.3	BPS BS 16559−0084	*	./.	:	
...	...	...	...	152346.17−004424.3	RBS 1497	X	./.	:	P
1RXSJ152353.3+560920	0.1880 (0.0160)	0.625	13.0	152353.43+560933.9	...	...	...	...	
1RXSJ152402.1−320958	0.0792 (0.0167)	0.821	13.2	152403.07−320950.4	...	...	...	...	
1RXSJ152412.7−315427	0.4506 (0.0350)	0.787	14.5	152412.91−315422.7	...	...	...	...	
1RXSJ152428.6+303234	0.0622 (0.0158)	0.586	14.4	152428.70+303241.3	...	...	...	...	
1RXSJ152431.4+372057	0.1947 (0.0252)	0.571	0.0	152430.91+372052.7	GJ 3904B	**mul.	G1V	7.09 : 6.50	
1RXSJ152451.4−100606	0.3105 (0.0296)	0.737	15.3	152451.45−100559.7	1RXS J152451.4−100606	Sy1	./.	:	P
...	...	...	...	152451.45−100559.7	[VV96] J152451.4−100559	Quasar	./.	:	
1RXSJ152536.3−353744	0.0854 (0.0171)	0.762	14.1	152536.69−353731.6	...	...	...	...	
1RXSJ152558.6+181423	0.2102 (0.0289)	0.709	15.3	152558.52+181416.1	...	...	...	...	
1RXSJ152610.9−643841	0.0846 (0.0167)	0.832	13.0	152610.80−643832.3	...	...	...	...	
1RXSJ152625.4−363910	0.0920 (0.0194)	0.598	14.9	152625.81−363857.2	[KWS97] TTS 38	TT	M2.5	:	P
1RXSJ152651.4−372203	0.0580 (0.0159)	0.705	14.5	152652.62−372205.5	...	...	...	...	
1RXSJ152652.5+460935	0.0556 (0.0101)	0.818	0.0	152653.03+460932.5	CCDM J15269+4610AB	**mul.	G0	10.4 : 9.7	
...	...	...	...	152653.03+460932.5	GSC 03482−00575	*	./.	10.89 : 10.31	
1RXSJ152658.9−353951	0.0542 (0.0141)	0.612	13.8	152658.32−353929.9	...	...	...	...	
1RXSJ152727.2+154108	0.1350 (0.0224)	0.544	16.2	152727.39+154100.5	[VV96] J152727.4+154100	Quasar	./.	:	P
1RXSJ152807.3−101035	0.0759 (0.0159)	0.893	12.0	152808.25−101031.6	...	...	...	...	
1RXSJ152840.3+282529	0.2310 (0.0280)	0.662	16.1	152840.60+282530.2	[VV96] J152840.7+282529	Quasar	./.	:	P
1RXSJ152843.6−311740	0.1872 (0.0245)	0.507	0.0	152844.01−311740.6	HD 137727	**mul.	K0	9.6 : 8.9	P
1RXSJ152850.8−223219	0.1139 (0.0195)	0.763	14.5	152850.97−223212.1	...	...	...	...	
1RXSJ152902.2−061253	0.0980 (0.0175)	0.545	15.2	152901.99−061232.7	...	...	...	...	
1RXSJ152907.5+561604	0.7422 (0.0304)	0.743	15.7	152907.47+561607.2	[VV96] J152907.4+561607	Quasar	S...	15.8 : 15.8	P
1RXSJ152918.4+802658	0.7847 (0.0310)	0.811	0.0	152923.59+802701.0	HD 139813	HiPM*	G5	8.10 : 7.31	
1RXSJ152919.0−373721	0.0500 (0.0142)	0.666	14.8	152919.07−373719.9	...	...	...	...	
1RXSJ152927.7−285039	0.2220 (0.0254)	0.681	12.3	152926.91−285052.4	HD 137876	Ecl. Bin. (beta Lyr)	K0IV:+...	9.39 : 8.70	
1RXSJ152944.2+483623	0.0873 (0.0140)	0.523	10.0	152942.87+483613.2	BD+49 2392	*	G0	10.13 : 9.52	
1RXSJ152945.7−362845	0.0629 (0.0151)	0.765	12.8	152947.30−362837.3	...	...	...	...	
1RXSJ152949.3−452300	0.0652 (0.0159)	0.633	13.3	152948.91−452245.5	RX J1529.8−4523	X	K6	:	
1RXSJ152957.2−313544	0.0605 (0.0157)	0.850	12.9	152956.64−313544.2	...	...	...	...	
1RXSJ152957.7−130042	0.1056 (0.0194)	0.586	15.8	152958.30−130039.3	EC 15272−1250	Object of unknown nature	An...	16.01 : 15.73	
1RXSJ153012.4−402557	0.0637 (0.0159)	0.589	15.7	153012.16−402557.0	...	...	...	...	
1RXSJ153015.9−423157	0.0649 (0.0157)	0.626	13.6	153016.71−423218.4	...	...	...	...	
1RXSJ153033.7−800932	0.1000 (0.0277)	0.595	0.0	153035.70−800925.0	HD 136476	**mul.	G0/G1	10.72 : 10.12	
1RXSJ153033.8+263900	0.1074 (0.0274)	0.567	15.7	153033.08+263905.4	...	...	...	...	
1RXSJ153049.4+202601	0.2562 (0.0308)	0.657	16.0	153049.53+202605.0	...	...	...	...	
1RXSJ153100.2−184801	0.2464 (0.0325)	0.708	11.5	153100.10−184759.6	...	...	...	...	
1RXSJ153105.7−403441	0.3600 (0.0334)	0.819	0.0	153105.68−403435.1	CD−40 9686	*	G5	10.53 : 9.72	
1RXSJ153118.2+375522	0.1056 (0.0193)	0.557	16.6	153118.65+375517.9	...	...	...	...	
1RXSJ153119.0−223201	0.0505 (0.0137)	0.727	14.0	153117.96−223156.4	GSC 06764−01841	*	F	:	
1RXSJ153121.8−333002	0.0933 (0.0184)	0.706	12.0	153121.96−332939.1	...	...	...	...	
1RXSJ153124.8−471112	0.1478 (0.0219)	0.523	15.4	153125.07−471110.8	...	...	...	...	
1RXSJ153133.1−360221	0.0556 (0.0142)	0.808	12.9	153134.13−360228.4	...	...	...	...	
1RXSJ153140.9+201927	0.2291 (0.0299)	0.637	16.0	153141.27+201929.7	RBS 1507	Sy1	./.	:	P
1RXSJ153146.0+594326	0.0708 (0.0096)	0.772	13.1	153146.14+594311.8	HD 138868	*	F8	8.40 : 7.93	
1RXSJ153201.5+455758	0.0721 (0.0118)	0.689	14.2	153202.72+455803.6	...	...	...	...	
1RXSJ153202.3+301631	0.3721 (0.0350)	0.739	15.6	153202.22+301629.1	RX J1531.9+3016	X	./.	:	P
1RXSJ153210.0+585434	0.0561 (0.0086)	0.593	13.4	153209.72+585418.4	...	...	...	...	
1RXSJ153243.3−530419	0.0563 (0.0142)	0.895	13.0	153244.22−530420.8	...	...	...	...	
1RXSJ153250.6−541037	0.2334 (0.0259)	0.519	14.2	153251.71−541048.8	...	...	...	...	
1RXSJ153310.0−242917	0.0701 (0.0140)	0.564	0.0	153309.53−242925.2	CCDM J15332−2429AB	**mul.	A4	8.2 : 7.5	
...	...	...	...	153309.53−242925.2	CCDM J15332−2429BC	**mul.	A3	7.43 : 7.06	
...	...	...	...	153309.53−242925.2	HD 138488	**	A4V+...	7.27 : 6.97	
1RXSJ153345.9+690037	0.3425 (0.0171)	0.680	15.7	153344.78+690033.8	...	...	...	...	
1RXSJ153350.2+635440	0.0909 (0.0115)	0.692	0.0	153351.27+635429.0	HD 139319	Ecl. Bin. (Algol)	A5	7.70 : 7.43	
1RXSJ153350.6+251021	0.0572 (0.0166)	0.601	16.1	153350.58+251021.1	...	...	...	...	
1RXSJ153359.8−443306	0.1009 (0.0188)	0.829	12.1	153359.22−443253.2	...	...	...	...	
1RXSJ153408.2−391620	0.1209 (0.0199)	0.863	0.0	153407.35−391617.3	GSC 07836−01509	TT	K1	11.4 : 10.5	
1RXSJ153419.9−085436	0.0581 (0.0156)	0.686	13.1	153422.18−085420.1	NPM1G −08.0501	Gal.	./.	:	
1RXSJ153423.2−330018	0.0568 (0.0154)	0.512	14.5	153423.15−330008.3	[KWS97] TTS 49	TT	K8	:	P
1RXSJ153446.3+423543	0.0567 (0.0112)	0.628	15.7	153446.65+423537.1	...	...	...	...	
1RXSJ153511.5+384344	0.0625 (0.0146)	0.878	12.8	153511.37+384359.1	...	...	...	...	
1RXSJ153545.2−772439	0.4850 (0.0538)	0.564	16.7	153545.45−772443.5	[CCD97] EUVE J1535−774 1	Object of unknown nature	./.	:	
1RXSJ153548.6−295904	0.0582 (0.0149)	0.577	15.8	153548.58−295854.4	RX J1535.8−2959	**mul.	./.	:	P
1RXSJ153556.8+543753	0.0871 (0.0104)	0.641	10.8	153557.22+543750.5	HD 139493	V*	A2V	5.820 : 5.772	P
1RXSJ153600.5+483715	0.0518 (0.0090)	0.513	17.1	153600.36+483709.7	[VV96] J153600.2+483710	Quasar	./.	16.8 : 16.8	P
1RXSJ153704.2+374830	0.1734 (0.0232)	0.782	14.7	153703.98+374827.1	...	...	...	...	
1RXSJ153706.0−400929	0.3072 (0.0310)	0.835	11.7	153704.70−400921.2	HD 138995	*	G5V	10.08 : 9.37	
1RXSJ153718.8+084355	0.0885 (0.0156)	0.504	15.8	153719.14+084409.8	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ153723.0−163551	0.0547 (0.0138)	0.782	13.0	153722.41−163544.7	NGC 5959	Gal.	./.	14. :	
1RXSJ153801.6+113441	0.0620 (0.0158)	0.857	12.3	153800.98+113457.5	...	...	...	...	
1RXSJ153802.4−380736	0.0707 (0.0160)	0.825	13.3	153802.70−380722.8	...	...	...	...	
1RXSJ153813.2+361458	0.1019 (0.0188)	0.686	0.0	153812.95+361448.3	HD 139691	**mul.	F5	8.6 : 6.9	
1RXSJ153825.9−195452	0.0507 (0.0138)	0.759	12.2	153825.96−195443.0	HD 139364	HiPM*	F3V	6.9 : 6.8	
1RXSJ153830.6+444042	0.0852 (0.0131)	0.568	16.8	153830.82+444039.0	...	...	...	...	
1RXSJ153910.3−264633	0.0689 (0.0163)	0.623	13.2	153906.99−264631.5	...	...	...	...	
1RXSJ153934.7−833535	0.6485 (0.0563)	0.745	14.0	153934.23−833522.7	...	...	...	...	
1RXSJ153937.4+214706	0.7438 (0.0289)	0.863	10.4	153939.04+214657.6	UGC 9958	Gal. in Clust.	E/S0	15.0 :	
...	...	...	...	153939.04+214657.6	[OH92] 201	Gal. in Clust.	./.	:	
...	...	...	...	153939.04+214657.6	[WCB96] ACO 2107 A	Gal. in Clust.	./.	:	
1RXSJ153941.8+504259	0.3200 (0.0221)	0.592	16.6	153941.51+504255.6	...	...	...	...	
1RXSJ153944.2+275113	0.0834 (0.0203)	0.678	14.5	153943.86+275058.6	...	...	...	...	
1RXSJ153950.3+304305	0.4363 (0.0481)	0.664	14.8	153950.84+304304.2	[RK88] ACO 2110 b	Gal. in Clust.	./.	:	
1RXSJ154016.4+815504	0.4885 (0.0254)	0.670	16.4	154015.98+815504.8	1ES 1544+82.0	BL Lac − type object	./.	:	P
1RXSJ154049.5+144739	0.0713 (0.0175)	0.636	15.6	154049.50+144746.0	QSO 1538+149	BL Lac − type object	./.	16.02 :	P
1RXSJ154111.3+295125	0.0512 (0.0161)	0.891	12.2	154111.48+295123.4	HD 140156	*	G0	9.33 : 8.77	
1RXSJ154137.3+182753	0.1620 (0.0287)	0.760	14.0	154137.50+182805.7	...	...	...	...	
1RXSJ154212.7+653701	0.0682 (0.0101)	0.627	15.9	154213.78+653659.3	...	...	...	...	
1RXSJ154220.5+593655	0.0684 (0.0085)	0.637	16.1	154220.90+593652.0	RX J1542.3+5936	*	./.	:	
1RXSJ154224.0−141106	0.0721 (0.0146)	0.512	16.5	154223.99−141105.6	...	...	...	...	
1RXSJ154236.8+581153	0.2228 (0.0167)	0.785	14.3	154237.04+581145.2	...	...	...	...	
1RXSJ154240.9−404411	0.0974 (0.0186)	0.761	14.5	154241.66−404409.8	RX J1542.6−4044	X	M3	:	P
1RXSJ154256.6+612957	0.0576 (0.0097)	0.542	16.9	154256.95+612955.3	RX J1542.8+6129	X	./.	:	P
...	...	...	...	154256.95+612955.3	[SSD98] B1542+6139	Rad.	./.	:	
1RXSJ154306.5−392035	0.0751 (0.0168)	0.539	13.7	154306.27−392019.3	...	...	...	...	
1RXSJ154312.0−375521	0.0665 (0.0158)	0.735	12.9	154311.00−375506.1	HD 140076	Ecl. Bin. (beta Lyr)	F3V	9.14 : 8.69	
1RXSJ154330.1−515052	0.0794 (0.0172)	0.891	0.0	154330.18−515047.4	HD 139966 B	Ecl. Bin. (Algol)	F0	10.8 : 10.2	
1RXSJ154340.5+112810	0.0730 (0.0133)	0.540	16.3	154340.75+112801.6	...	...	...	...	
1RXSJ154348.4+255234	0.0579 (0.0154)	0.532	15.9	154349.05+255223.9	...	...	...	...	
1RXSJ154348.9+401343	0.1543 (0.0219)	0.636	14.0	154350.55+401341.3	...	...	...	...	
1RXSJ154352.0−330633	0.1591 (0.0227)	0.627	16.1	154351.67−330629.7	...	...	...	...	
1RXSJ154356.8+222008	0.1263 (0.0210)	0.581	0.0	154357.93+222023.2	HD 140629	V*	F8	8.75 : 8.15	
1RXSJ154402.1+023055	0.1290 (0.0180)	0.675	11.6	154401.98+023059.7	GJ 596.1A	**	G2.5V	6.525 : 5.879	
...	...	...	...	154401.98+023059.7	GJ 9527A	*	G5V:	:	
...	...	...	...	154401.98+023059.7	GJ 9527B	*	./.	:	
...	...	...	...	154401.98+023059.7	IRAS 15415+0240	IR	./.	:	
1RXSJ154421.1−320946	0.0587 (0.0150)	0.743	14.8	154421.56−320951.5	...	...	...	...	
1RXSJ154421.3−414925	0.1035 (0.0196)	0.532	0.0	154422.69−414908.4	CD−41 10245A	**	A0V+...	5.94 :	
...	...	...	...	154422.69−414908.4	CD−41 10245B	**	B	7.7 : 8.1	
...	...	...	...	154422.69−414908.4	HD 140285	**mul.	A0V+...	5.93 : 5.93	
1RXSJ154426.3−201637	0.3186 (0.0276)	0.815	14.2	154425.99−201634.4	...	...	...	...	
1RXSJ154427.9+274320	0.0601 (0.0162)	0.559	16.1	154427.26+274324.1	...	...	...	...	
1RXSJ154430.3+282754	0.1074 (0.0220)	0.593	16.0	154430.52+282756.9	Ton 801	Blue object	./.	16.4 :	
1RXSJ154436.3−352212	0.0598 (0.0148)	0.708	13.2	154435.33−352149.0	...	...	...	...	
1RXSJ154447.0−381154	0.1557 (0.0256)	0.868	12.2	154447.19−381140.1	...	...	...	...	
1RXSJ154514.1+784434	0.0904 (0.0111)	0.616	16.3	154513.53+784438.8	...	...	...	...	
1RXSJ154519.2−443138	0.1099 (0.0176)	0.516	14.9	154519.07−443135.9	...	...	...	...	
1RXSJ154530.7+484614	0.1085 (0.0132)	0.629	15.9	154530.25+484608.9	[VV96] J154530.2+484610	Quasar	./.	:	
1RXSJ154543.7−463244	0.2002 (0.0250)	0.838	0.0	154542.66−463233.5	HD 327427	*	G0	10.76 : 10.05	
1RXSJ154547.5−302100	1.0570 (0.0959)	0.617	11.8	154547.69−302053.8	HD 140637	Semi−Reg. Pulsating *	K2V	10.41 : 9.37	P
1RXSJ154552.7−422227	0.4132 (0.0332)	0.567	11.4	154552.15−422216.7	CD−41 10274	*	./.	:	
...	...	...	...	154552.15−422216.7	GSC 07845−01174	TT	K1	11.5 : 10.6	
1RXSJ154554.4−051558	0.0888 (0.0176)	0.545	15.5	154554.89−051544.2	...	...	...	...	
1RXSJ154604.6+081912	0.0897 (0.0159)	0.555	16.8	154604.26+081913.6	...	...	...	...	
1RXSJ154631.5−521656	0.0759 (0.0188)	0.622	0.0	154629.81−521729.0	CPD−51 8536	*	./.	11.6 : 11.1	
1RXSJ154642.2+260049	0.0962 (0.0180)	0.869	11.7	154639.70+260052.3	GSC 02036−01270	*	./.	11.5 : 10.8	
1RXSJ154651.5−491922	0.1776 (0.0248)	0.891	11.8	154651.89−491904.9	HD 329929	*	G0	11.1 : 10.20	
1RXSJ154656.8+515845	0.1498 (0.0149)	0.746	0.0	154656.90+515844.5	HD 141473	**mul.	F8	8.86 : 8.40	
1RXSJ154712.0+150912	0.2573 (0.0248)	0.796	10.8	154711.36+150930.2	...	...	...	...	
1RXSJ154732.3+102446	0.2161 (0.0229)	0.676	15.9	154732.18+102451.2	...	...	...	...	
1RXSJ154754.4−623409	23.5500 (1.1390)	0.620	15.1	154754.73−623403.1	4U 1543−62	Low Mass X−ray Binary	?	:	P
1RXSJ154802.9+042131	0.1373 (0.0183)	0.774	14.2	154802.86+042141.8	RX J1548.0+0421	*	./.	:	
1RXSJ154809.4+013419	0.1868 (0.0224)	0.879	13.0	154810.03+013427.0	...	...	...	...	
1RXSJ154814.6+450040	0.1123 (0.0181)	0.552	15.7	154814.77+450027.8	...	...	...	...	
1RXSJ154831.5+372259	0.1740 (0.0317)	0.603	15.9	154832.05+372255.5	...	...	...	...	
1RXSJ154835.4−534003	0.0640 (0.0163)	0.879	0.0	154833.98−533938.9	...	...	...	...	
1RXSJ154849.7−225107	0.7307 (0.0599)	0.724	15.3	154850.12−225102.9	...	...	...	...	
1RXSJ154855.0+085102	0.0848 (0.0159)	0.790	12.4	154855.83+085044.7	NPM1G +08.0423	Gal.	./.	15.4 :	
1RXSJ154855.7−602206	0.0616 (0.0144)	0.833	0.0	154856.59−602203.4	HD 140826	*	F5V	7.025 : 6.657	
1RXSJ154912.0−492944	0.0958 (0.0197)	0.877	0.0	154912.26−492954.5	CD−49 10025	*	?	9.37 : 8.90	
1RXSJ154931.4−345827	0.0752 (0.0161)	0.624	14.9	154930.62−345817.5	RX J1549.5−3458	X	M2	:	P
1RXSJ154931.7+711026	0.0516 (0.0078)	0.734	15.4	154931.23+711026.5	...	...	...	...	
1RXSJ154951.5+265135	0.0608 (0.0140)	0.543	16.1	154951.87+265145.9	...	...	...	...	
1RXSJ155007.4−022229	0.4828 (0.0353)	0.766	11.9	155007.57−022208.9	AG−02 955	*	K2	11.1 : 9.98	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ155007.9−452531	0.0753 (0.0170)	0.577	15.8	155008.82−452527.3	...	...	...	...	
1RXSJ155019.9+343712	0.0849 (0.0191)	0.752	14.4	155019.12+343718.8	LP 274−10	*	./.	:	
...	...	...	...	155019.12+343718.8	LP 274−11	*	./.	:	
1RXSJ155023.8+281125	0.0706 (0.0153)	0.730	15.0	155024.03+281116.9	...	...	...	...	
1RXSJ155026.6+014853	0.0515 (0.0124)	0.638	0.0	155026.06+014908.3	HD 141715	*	G2V	8.90 : 8.32	
1RXSJ155044.3−595852	0.0805 (0.0170)	0.844	11.5	155046.46−595850.9	...	...	...	...	
1RXSJ155048.3+400151	0.0852 (0.0179)	0.570	16.3	155048.30+400145.1	...	...	...	...	
1RXSJ155107.1−240225	0.0720 (0.0145)	0.744	14.7	155106.65−240219.2	RX J155107.1−240225	X	./.	:	
1RXSJ155132.8−324109	0.0536 (0.0152)	0.856	0.0	155132.10−324109.8	HD 141698	*	K1III	7.991 : 7.010	
1RXSJ155234.0−015421	0.0522 (0.0136)	0.876	13.1	155234.17−015424.0	HD 142072	*	G5V	8.49 : 7.85	
1RXSJ155305.9+445749	0.1033 (0.0177)	0.556	15.5	155305.10+445740.1	...	...	...	...	
1RXSJ155319.4+041501	0.1125 (0.0165)	0.570	0.0	155320.00+041511.5	HD 142229	*	G5	8.66 : 8.08	
1RXSJ155321.0−192405	0.1186 (0.0178)	0.791	10.0	155320.91−192352.6	HD 142113	*	F8V	9.99 : 9.33	
1RXSJ155348.8−573812	0.0635 (0.0153)	0.622	12.7	155348.51−573811.1	...	...	...	...	
1RXSJ155405.2−292032	0.0614 (0.0158)	0.645	13.2	155403.59−292015.2	RX J1554.0−2920	**mul.	./.	:	P
1RXSJ155412.7+272143	0.1127 (0.0211)	0.571	15.9	155412.40+272151.2	...	...	...	...	
1RXSJ155417.9+323848	0.0949 (0.0191)	0.673	14.9	155417.44+323837.5	CASG 1329	Gal.	./.	:	
1RXSJ155430.9+295637	0.0682 (0.0153)	0.884	12.4	155431.40+295652.9	...	...	...	...	
1RXSJ155434.5+101411	0.0646 (0.0130)	0.547	15.8	155434.74+101423.5	...	...	...	...	
1RXSJ155442.6−075142	0.0829 (0.0215)	0.513	12.7	155445.07−075204.6	...	...	...	...	
1RXSJ155444.6+082202	0.0763 (0.0159)	0.569	15.1	155444.60+082221.5	[VV96] J155444.5+082221	Quasar	./.	16.02 : 16.02	
1RXSJ155453.7−382746	0.0821 (0.0168)	0.607	14.7	155452.89−382756.1	...	...	...	...	
1RXSJ155504.4+134328	0.0912 (0.0148)	0.532	16.4	155504.81+134336.2	...	...	...	...	
1RXSJ155508.9−231859	0.0525 (0.0127)	0.585	15.8	155508.54−231850.9	...	...	...	...	
1RXSJ155532.2+351207	0.1555 (0.0253)	0.582	14.9	155532.72+351155.0	...	...	...	...	
1RXSJ155539.4−093848	0.1012 (0.0180)	0.636	16.0	155539.69−093846.2	...	...	...	...	
1RXSJ155542.1−102012	0.0969 (0.0168)	0.635	15.0	155542.02−101959.4	...	...	...	...	
1RXSJ155543.2+111114	1.5130 (0.1363)	0.714	14.5	155543.04+111124.6	QSO 1553+113	BL Lac − type object	./.	14.83 :	
1RXSJ155549.2−251212	0.0653 (0.0149)	0.810	0.0	155548.81−251224.0	HD 142506	*	G3V	11.2 : 10.3	
1RXSJ155557.2−684432	0.0938 (0.0258)	0.730	12.9	155559.90−684427.2	...	...	...	...	
1RXSJ155603.0−364357	0.1614 (0.0214)	0.768	13.1	155602.53−364347.0	RX J1556.0−3643	X	K6	:	P
1RXSJ155625.4+090311	0.1156 (0.0168)	0.900	12.5	155625.96+090319.2	Mrk 863	Gal.	./.	15.5 :	
1RXSJ155642.8−424233	0.0828 (0.0171)	0.824	12.5	155644.05−424229.1	...	...	...	...	
1RXSJ155643.0+294838	0.4569 (0.0343)	0.720	14.9	155642.85+294847.4	CASG 1331	Sy	./.	16.16 : 15.50	
1RXSJ155659.2+373822	0.1285 (0.0233)	0.672	14.9	155658.59+373812.4	...	...	...	...	
1RXSJ155702.5−195037	0.0552 (0.0132)	0.671	12.2	155702.34−195041.8	GSC 06195−00768	*	K7	12.7 :	
1RXSJ155734.0−483457	0.2792 (0.0300)	0.653	13.3	155733.09−483509.0	...	...	...	...	
1RXSJ155754.0+601017	0.1469 (0.0125)	0.863	12.6	155755.34+601024.9	StKM 1−1295	*	K5	:	
1RXSJ155810.5+492709	0.2190 (0.0269)	0.882	13.5	155809.98+492716.2	...	...	...	...	
1RXSJ155814.7−402937	0.0670 (0.0176)	0.645	13.6	155814.77−402917.4	...	...	...	...	
1RXSJ155818.7+255118	0.1692 (0.0181)	0.671	15.7	155818.78+255124.7	Mrk 864	Gal.	E	16.5 :	
1RXSJ155820.3−183725	0.0652 (0.0136)	0.759	10.6	155820.57−183724.9	GSC 06191−00274	*	G3	10.9 :	
...	...	...	...	155820.57−183724.9	HD 142987	*	G5	11.0 : 10.1	
1RXSJ155846.9+235153	0.1291 (0.0165)	0.692	12.2	155844.44+235132.7	GSC 02034−01341	*	K4	11.8 : 10.6	
1RXSJ155850.5−643229	0.0948 (0.0209)	0.780	14.6	155850.32−643229.6	PMN J1558−6432	Rad.	./.	:	
1RXSJ155858.3−733726	0.0961 (0.0240)	0.661	14.5	155856.84−733713.1	...	...	...	...	
1RXSJ155859.9−364611	0.0580 (0.0148)	0.615	15.2	155859.86−364620.2	...	...	...	...	
1RXSJ155902.4−184425	0.0735 (0.0150)	0.887	12.9	155902.08−184413.9	GSC 06191−00019	*	K6	13.0 :	
1RXSJ155946.9−355114	0.0561 (0.0145)	0.879	0.0	155947.76−355043.6	HD 143098	*	G5V	8.31 : 7.66	
1RXSJ155958.3−382352	0.1093 (0.0205)	0.781	0.0	155958.26−382431.7	HD 143099	**	F5V	9.72 : 9.28	
1RXSJ160031.5−202711	0.0831 (0.0178)	0.520	14.3	160031.35−202704.8	...	...	...	...	
1RXSJ160031.6−360525	0.1224 (0.0215)	0.554	0.0	160031.86−360518.0	HD 143215	**	G1V+...	9.22 : 8.71	
...	...	...	...	160031.86−360518.0	HD 143215 B	**	F8	8.8 :	
1RXSJ160057.2+285634	0.0510 (0.0113)	0.568	8.9	160056.71+285653.2	HD 143705	*	G0V	8.55 : 7.96	
1RXSJ160108.0−325455	0.1933 (0.0252)	0.819	9.9	160107.93−325451.8	HD 143358	*	G1/G2V	10.11 : 9.52	
1RXSJ160125.6+535431	0.2193 (0.0190)	0.743	12.8	160128.45+535414.8	MCG+09−26−046	Gal.	./.	16. :	
1RXSJ160147.6−754507	0.7379 (0.0719)	0.581	12.8	160150.79−754506.3	...	...	...	...	
1RXSJ160149.2−402610	0.0993 (0.0208)	0.886	13.2	160149.46−402618.9	[KWS97] TTS 94	TT	K7	:	P
1RXSJ160158.7−720235	0.2113 (0.0351)	0.742	14.8	160157.61−720235.5	...	...	...	...	
1RXSJ160159.1−361317	0.0756 (0.0175)	0.637	12.8	160159.22−361255.1	...	...	...	...	
1RXSJ160159.3−465422	0.0583 (0.0138)	0.854	13.3	160158.43−465413.8	HD 143362	*	F5V	8.88 : 8.45	
1RXSJ160200.7−222133	0.0636 (0.0154)	0.665	14.8	160200.39−222123.7	...	...	...	...	
1RXSJ160209.4+261936	0.0970 (0.0133)	0.514	14.2	160208.95+261945.6	IC 1166	Sy1	./.	16.0 :	P
...	...	...	...	160208.95+261945.6	Mrk 867S	Gal.	./.	:	
1RXSJ160210.2−484028	0.0805 (0.0173)	0.678	13.4	160212.46−484034.1	...	...	...	...	
1RXSJ160215.3+155805	0.4850 (0.0337)	0.740	10.9	160217.02+155829.1	UGC 10143 A	Gal.	./.	:	
...	...	...	...	160217.02+155829.1	VV 159a	Gal. in Clust.	./.	:	
...	...	...	...	160217.02+155829.1	[LO95] 1559+161	Rad.	./.	:	
...	...	...	...	160217.02+155829.1	[OLK95] 1559+161	Rad. Gal.	./.	:	
1RXSJ160254.9−202242	0.1305 (0.0211)	0.546	13.2	160253.96−202247.9	...	...	...	...	
1RXSJ160301.7−180614	0.0504 (0.0133)	0.878	12.4	160302.69−180604.7	GSC 06204−00812	*	K4	12.8 :	
1RXSJ160311.6−234020	0.0817 (0.0155)	0.560	15.1	160311.26−234018.9	...	...	...	...	
1RXSJ160311.8−323936	0.0723 (0.0167)	0.688	14.2	160311.86−323920.2	...	...	...	...	
1RXSJ160328.2−093502	0.1135 (0.0170)	0.657	15.3	160328.11−093512.6	...	...	...	...	
1RXSJ160413.7+233132	0.0516 (0.0109)	0.552	16.7	160413.81+233137.9	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ160421.5−213030	0.0679 (0.0150)	0.896	13.2	160421.66−213028.3	IRAS 16014−2122	IR	./.	:	
1RXSJ160426.8−112709	0.0852 (0.0156)	0.661	0.0	160426.76−112659.4	GJ 9541B	**	K2V	8.81 : 7.97	
1RXSJ160438.6−621535	0.0623 (0.0163)	0.678	14.7	160438.71−621536.4	...	...	...	...	
1RXSJ160446.5−193031	0.0586 (0.0142)	0.730	11.8	160447.75−193022.8	NTTS 160153−1922	TT	K2	:	
1RXSJ160450.1+553234	0.0891 (0.0117)	0.729	13.9	160449.13+553247.7	...	...	...	...	
1RXSJ160454.8+681341	0.0705 (0.0069)	0.528	17.2	160454.50+681336.4	...	...	...	...	
1RXSJ160458.2−385656	0.0752 (0.0177)	0.603	0.0	160457.07−385715.7	HD 143978	TT	G0V	9.67 : 9.18	
1RXSJ160544.2−061740	0.0704 (0.0141)	0.807	0.0	160544.53−061728.1	HD 144362	**mul.	F2IV	7.01 : 6.53	
1RXSJ160546.1−395032	0.1121 (0.0199)	0.511	0.0	160546.09−395035.9	HD 144118	**mul.	A5V	8.09 : 7.90	
1RXSJ160550.6−343917	0.1242 (0.0219)	0.696	12.6	160552.10−343933.0	...	...	...	...	
1RXSJ160551.9−611142	0.1250 (0.0210)	0.717	14.9	160551.06−611144.6	...	...	...	...	
1RXSJ160556.7−373742	0.0813 (0.0197)	0.505	15.0	160556.08−373747.0	...	...	...	...	
1RXSJ160610.3−380215	0.3199 (0.0336)	0.618	0.0	160609.40−380218.0	HD 144225	**mul.	F3V	8.55 : 8.12	
1RXSJ160610.4+083534	0.0808 (0.0155)	0.539	9.0	160610.54+083540.4	HD 144565	*	G0	8.89 : 8.36	
1RXSJ160612.4−203655	0.0587 (0.0143)	0.648	14.5	160612.57−203646.9	...	...	...	...	
1RXSJ160633.4−203636	0.0732 (0.0154)	0.512	14.5	160631.75−203622.2	GSC 06208−00834	*	K6	15.0 :	
1RXSJ160637.2+074917	0.1621 (0.0206)	0.872	11.8	160638.71+074923.3	BD+08 3136	*	K0	11.1 : 10.17	
1RXSJ160703.4−191138	0.1273 (0.0183)	0.705	15.1	160703.94−191133.3	...	...	...	...	
1RXSJ160703.4−203634	0.0842 (0.0160)	0.560	14.0	160703.62−203625.4	...	...	...	...	
1RXSJ160713.5+483329	0.1328 (0.0191)	0.820	11.6	160715.42+483335.0	BD+48 2363	*	F8	11.30 : 10.69	
1RXSJ160714.4+340123	0.2683 (0.0229)	0.737	12.6	160713.63+340136.0	GSC 02576−00992	*	./.	11.8 : 10.8	
1RXSJ160740.7+254106	0.2219 (0.0193)	0.720	14.9	160740.18+254112.6	...	...	...	...	
1RXSJ160741.9−283949	0.0849 (0.0171)	0.888	13.2	160741.48−283943.0	...	...	...	...	
1RXSJ160744.2−432251	0.0539 (0.0136)	0.804	13.6	160745.31−432245.1	...	...	...	...	
1RXSJ160759.3−385736	0.0691 (0.0155)	0.780	13.5	160759.98−385750.5	...	...	...	...	
1RXSJ160806.6+424059	0.1217 (0.0225)	0.804	14.8	160806.69+424058.0	1RXP J160806.6+424059	Gal.	./.	:	
1RXSJ160811.4−190455	0.1274 (0.0193)	0.626	11.7	160810.88−190449.5	...	...	...	...	
1RXSJ160820.9+601827	0.1222 (0.0103)	0.638	16.3	160820.54+601828.2	RX J1608.3+6018	X	./.	:	
...	...	...	...	160820.54+601828.2	[BSF97] J160820.55+601828.2	Quasar	./.	:	
1RXSJ160835.6−191206	0.0733 (0.0152)	0.844	12.1	160834.39−191156.0	GSC 06209−01215	*	K5	12.5 :	
1RXSJ160925.6+113415	0.0868 (0.0166)	0.688	12.9	160926.94+113422.6	HD 145229	*	G0	8.00 : 7.46	
1RXSJ160932.9−323839	0.0556 (0.0163)	0.562	0.0	160932.35−323855.7	HD 144927	**	K1III	6.98 : 6.19	
...	...	...	...	160932.35−323855.7	HD 144928	**	F6/F7V:	7.5 : 7.5	
...	...	...	...	160932.35−323855.7	IRAS 16063−3231	IR	./.	:	
1RXSJ160937.7+530237	0.0752 (0.0143)	0.819	13.5	160937.00+530228.4	...	...	...	...	
1RXSJ160939.9−220044	0.0550 (0.0135)	0.697	15.2	160939.72−220046.3	...	...	...	...	
1RXSJ160941.7−221803	0.0578 (0.0136)	0.838	13.5	160941.00−221759.2	GSC 06213−00194	*	M0	13.8 :	
1RXSJ161008.0+035222	0.3575 (0.0428)	0.518	15.8	161007.50+035233.2	...	...	...	...	
1RXSJ161012.4−322624	0.0813 (0.0196)	0.884	12.5	161011.73−322635.8	...	...	...	...	
1RXSJ161032.1+632004	0.0521 (0.0078)	0.547	16.9	161032.94+632006.1	...	...	...	...	
1RXSJ161040.5+020626	0.1056 (0.0168)	0.621	13.7	161040.67+020639.9	NPM1G +02.0438	Gal.	./.	15.4 :	
1RXSJ161041.6−210130	0.0577 (0.0172)	0.565	13.0	161042.04−210131.7	GSC 06213−01459	*	K5	13.4 :	
1RXSJ161047.7+330329	0.2349 (0.0197)	0.721	15.2	161047.75+330337.3	[BFE95] 207	Active Galaxy Nucleus	./.	16.7 :	P
1RXSJ161105.5−214409	0.0504 (0.0148)	0.614	15.7	161105.68−214403.2	...	...	...	...	
1RXSJ161115.3−372734	0.1320 (0.0191)	0.612	11.5	161115.10−372740.4	HD 145211	*	F3V	9.37 : 8.94	
1RXSJ161143.3+494649	0.1132 (0.0174)	0.545	16.9	161143.58+494644.0	...	...	...	...	
1RXSJ161151.0+694420	0.0596 (0.0081)	0.695	15.8	161150.48+694416.3	...	...	...	...	
1RXSJ161216.4−282500	0.1874 (0.0275)	0.632	0.0	161216.35−282500.9	HD 145483	V*	B9Vvar	5.68 :	
1RXSJ161217.2−422236	0.0549 (0.0148)	0.515	0.0	161216.68−422234.7	CD−42 11100B	**	?	:	
...	...	...	...	161216.68−422234.7	HD 145357	**	A5V	8.45 : 8.20	
1RXSJ161240.2+582256	0.0933 (0.0102)	0.564	17.1	161240.39+582255.5	QSO 1611+585B	Quasar	./.	16.98 : 16.32	
1RXSJ161240.6−185926	0.1686 (0.0306)	0.585	12.3	161240.50−185928.0	BD−18 4244	*	./.	:	
...	...	...	...	161240.50−185928.0	V* V1002 Sco	V* (Orion)	K0	11.5 : 11.0	
1RXSJ161250.6−582450	0.0893 (0.0175)	0.843	11.1	161250.32−582439.6	V* CM Nor	Ecl. Bin. (Algol)	?	11.90 :	
1RXSJ161303.8−225745	0.0781 (0.0152)	0.856	12.2	161302.74−225744.6	GSC 06793−00797	*	K4	12.6 :	
1RXSJ161306.3−541059	0.1085 (0.0201)	0.727	12.2	161307.72−541054.4	...	...	...	...	
1RXSJ161311.7−454842	0.1082 (0.0197)	0.617	16.3	161311.96−454840.9	HD 145486	*	F3V	8.91 : 8.54	
1RXSJ161329.9−231122	0.0842 (0.0164)	0.881	12.5	161329.30−231107.3	GSC 06793−00569	*	K1	12.5 :	
1RXSJ161345.5−242522	0.0767 (0.0166)	0.502	0.0	161345.51−242519.4	HD 145792	V* (alpha2 CVn)	B6IV	6.428 : 6.420	
1RXSJ161357.0+654313	0.8643 (0.0266)	0.894	14.4	161357.21+654310.6	[VV96] J161357.2+654309	Sy1	S...	16.03 : 15.49	P
1RXSJ161413.0+260412	0.4272 (0.0273)	0.608	15.3	161413.18+260416.2	[VV96] J161413.2+260416	Quasar	?	16.06 :	
1RXSJ161414.2+433817	0.0757 (0.0170)	0.561	15.5	161413.46+433812.8	...	...	...	...	
1RXSJ161418.7−083335	0.2398 (0.0260)	0.731	13.5	161419.15−083324.5	RE J161419−083257	WD	DA	:	P
1RXSJ161439.8−252501	0.0523 (0.0156)	0.638	15.0	161438.87−252459.3	...	...	...	...	
1RXSJ161441.0+335125	9.4870 (0.1146)	0.622	0.0	161440.60+335127.8	GJ 615.2B	HiPM*	G1V	7.3 : 6.66	
...	...	...	...	161440.60+335127.8	HD 146361 J	V* (RS CVn)	G0	6.15 : 5.64	
...	...	...	...	161440.60+335127.8	HIC 79607	*	./.	:	
...	...	...	...	161440.60+335127.8	IRAS 16127+3359	IR	./.	:	
1RXSJ161516.2−283712	0.3457 (0.0365)	0.525	15.8	161516.48−283705.5	...	...	...	...	
1RXSJ161519.2−093618	0.4362 (0.0324)	0.754	15.3	161519.08−093613.3	...	...	...	...	
1RXSJ161532.3−002735	0.1464 (0.0207)	0.718	15.5	161532.27−002730.1	...	...	...	...	
1RXSJ161534.0−224218	0.0600 (0.0146)	0.662	13.3	161534.62−224242.2	V* VV Sco	TT	?	12.00 :	
1RXSJ161534.3−252929	0.0700 (0.0163)	0.536	13.9	161535.87−252900.4	...	...	...	...	
1RXSJ161537.0+594556	0.0970 (0.0085)	0.548	16.8	161537.71+594552.0	...	...	...	...	
1RXSJ161616.1−264300	0.0642 (0.0178)	0.641	12.5	161614.24−264314.4	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ161623.2−250331	0.1029 (0.0199)	0.895	0.0	161622.94−250346.7	HD 146266	**	A1V	8.66 : 8.39	
1RXSJ161642.9+041228	0.0724 (0.0139)	0.647	14.2	161642.77+041228.3	IRAS 16142+0419	IR	./.	:	
1RXSJ161659.0+230742	0.1171 (0.0154)	0.544	15.5	161658.70+230755.4	[BFE95] 210	Active Galaxy Nucleus	./.	17.0 :	P
1RXSJ161659.4+643846	0.1470 (0.0115)	0.544	16.6	161658.31+643842.1	HS 1616+6445	Quasar	./.	:	
1RXSJ161700.0−313639	0.1550 (0.0252)	0.543	15.6	161659.14−313635.8	...	...	...	...	
1RXSJ161705.1+551615	0.9165 (0.0315)	0.833	11.8	161705.00+551629.4	...	...	...	...	
1RXSJ161711.8−393420	0.0666 (0.0168)	0.785	0.0	161712.06−393402.1	HD 146288	*	G5	11.3 : 10.4	
1RXSJ161715.3−680455	0.0885 (0.0236)	0.822	12.3	161715.42−680456.2	...	...	...	...	
1RXSJ161724.5+085408	0.1138 (0.0173)	0.523	15.6	161723.66+085415.1	...	...	...	...	
1RXSJ161734.3+073358	0.0570 (0.0132)	0.853	12.2	161734.31+073416.1	...	...	...	...	
1RXSJ161741.2−510455	17.8600 (0.3378)	0.611	15.6	161740.53−510455.1	...	...	...	...	
1RXSJ161745.7+060343	0.5825 (0.0521)	0.752	14.3	161745.64+060353.7	...	...	...	...	
1RXSJ161801.6+670405	0.0896 (0.0083)	0.557	16.1	161800.78+670356.2	...	...	...	...	
1RXSJ161801.9+775230	0.1039 (0.0110)	0.569	16.4	161759.90+775234.5	...	...	...	...	
1RXSJ161802.8+412330	0.0595 (0.0123)	0.636	14.2	161800.45+412332.1	...	...	...	...	
1RXSJ161804.9−222418	0.0668 (0.0168)	0.891	11.5	161804.81−222438.7	GSC 06214−02006	*	./.	11.8 : 10.5	
...	...	...	...	161804.81−222438.7	PPM 732703	*	./.	:	
1RXSJ161809.2+361951	0.8506 (0.0342)	0.774	14.6	161809.39+361958.1	1RXS J161809.2+361951	X	S...	:	P
1RXSJ161839.0−383927	0.1616 (0.0247)	0.744	11.5	161838.59−383910.8	HD 146610	*	F7V	9.58 : 9.02	
1RXSJ161849.1+442507	0.1182 (0.0186)	0.544	16.4	161849.27+442517.1	...	...	...	...	
1RXSJ161852.4+631025	0.0587 (0.0072)	0.521	17.2	161851.90+631023.7	...	...	...	...	
1RXSJ161852.4−235001	0.0795 (0.0182)	0.634	11.3	161851.15−235030.0	CD−23 12841	*	./.	11.5 : 10.7	
1RXSJ161915.7−553023	0.6115 (0.0463)	0.809	10.5	161915.80−553018.9	HD 146464	V*	K2V	10.28 : 9.32	
1RXSJ161932.9−305400	0.0678 (0.0161)	0.628	0.0	161931.54−305406.7	HD 146835	**	G1/G2	7.57 : 7.03	
...	...	...	...	161931.54−305406.7	IDS 16132−3040 AB	**mul.	?	5.78 : 5.30	
1RXSJ161933.6−280736	0.1887 (0.0209)	0.877	13.2	161933.36−280739.0	...	...	...	...	
1RXSJ161939.9+765515	0.0944 (0.0109)	0.865	13.9	161939.57+765521.4	...	...	...	...	
1RXSJ161951.4−215431	0.0633 (0.0168)	0.818	12.6	161950.71−215435.7	...	...	...	...	
1RXSJ161951.7+405834	0.5107 (0.0288)	0.709	12.5	161951.32+405847.8	PGC 57847	Gal.	S	16. :	P
1RXSJ162011.5+172413	0.1682 (0.0192)	0.554	15.3	162011.27+172427.6	[VV96] J162011.3+172428	Quasar	./.	15.5 : 15.39	P
1RXSJ162022.5+173616	0.0614 (0.0127)	0.598	15.4	162021.82+173624.0	[VV96] J162021.8+173623	Quasar	./.	16.53 :	
1RXSJ162032.0+295321	0.3337 (0.0240)	0.521	15.1	162031.16+295328.5	[SBM98] ACO 2175 J162031.16+295327.8	Gal. in Clust.	./.	:	
1RXSJ162032.2+442249	0.0667 (0.0140)	0.544	16.6	162032.92+442249.4	...	...	...	...	
1RXSJ162045.7−234753	0.0506 (0.0127)	0.752	13.1	162045.97−234820.1	GSC 06794−00480	*	K3	13.4 :	
1RXSJ162107.6−253448	0.1048 (0.0184)	0.759	0.0	162109.84−253533.2	CD−25 11485B	**	B8V	8.78 : 8.48	
1RXSJ162117.0+715323	0.0518 (0.0068)	0.599	15.9	162118.64+715327.4	...	...	...	...	
1RXSJ162131.3−651604	0.0633 (0.0194)	0.614	14.6	162131.13−651556.9	...	...	...	...	
1RXSJ162131.9−715241	0.1006 (0.0268)	0.852	0.0	162137.45−715226.0	HD 146310	*	A0V	6.726 : 6.703	
1RXSJ162146.7+640531	0.0894 (0.0094)	0.526	16.8	162147.31+640525.0	...	...	...	...	
1RXSJ162147.0−225306	0.1452 (0.0209)	0.738	14.9	162147.26−225309.2	...	...	...	...	
1RXSJ162200.9+225009	0.1854 (0.0199)	0.854	13.2	162201.35+225018.7	BPS BS 16542−0001	*	./.	:	
...	...	...	...	162201.35+225018.7	RX J1622.0+2250	X	M	:	
1RXSJ162202.3−441626	0.0722 (0.0176)	0.597	15.1	162202.01−441636.0	...	...	...	...	
1RXSJ162216.3+183207	0.0728 (0.0132)	0.548	0.0	162216.14+183213.8	BD+18 3167	**	K0	11.4 : 10.2	
1RXSJ162302.0+375506	0.0867 (0.0141)	0.804	12.9	162303.13+375520.0	NGC 6137	Rad. Gal.	E	14.1 :	P
1RXSJ162307.8+390926	0.0521 (0.0101)	0.585	16.2	162307.68+390932.6	JVAS 1621+392	Rad.	./.	:	
...	...	...	...	162307.68+390932.6	[VV96] J162307.7+390933	Quasar	./.	16.8 : 17.5	
1RXSJ162308.8−230046	0.0544 (0.0123)	0.751	13.1	162307.82−230059.5	GSC 06794−00537	*	K2	12.7 :	
1RXSJ162321.0+614919	0.0592 (0.0073)	0.674	15.3	162321.99+614912.8	...	...	...	...	
1RXSJ162335.4+210320	0.1393 (0.0180)	0.530	9.0	162335.56+210325.6	HD 147866	Semi−Reg. Pulsating *	K0	9.20 : 8.10	
1RXSJ162341.2−330620	0.0584 (0.0145)	0.881	13.4	162340.81−330615.5	...	...	...	...	
1RXSJ162348.2+402948	0.0909 (0.0127)	0.605	15.6	162348.21+402958.9	...	...	...	...	
1RXSJ162354.8−331230	0.0739 (0.0168)	0.822	0.0	162357.02−331237.8	...	...	...	...	
1RXSJ162357.9+182449	0.0545 (0.0130)	0.747	14.6	162358.11+182459.0	...	...	...	...	
1RXSJ162409.7+260421	0.2618 (0.0220)	0.834	13.2	162409.29+260431.8	...	...	...	...	
1RXSJ162422.4+195913	0.1685 (0.0197)	0.555	14.7	162422.98+195926.1	...	...	...	...	
1RXSJ162439.7+323916	0.1114 (0.0143)	0.508	17.4	162439.96+323918.7	...	...	...	...	
1RXSJ162456.7+755457	0.5409 (0.0242)	0.850	14.7	162456.55+755455.8	1RXS J162456.7+755457	X	B...	:	P
1RXSJ162501.2+390924	0.0768 (0.0112)	0.532	16.9	162501.75+390926.7	V* V844 Her	V*	./.	:	
1RXSJ162529.3+852943	0.3070 (0.0173)	0.853	14.5	162526.06+852941.6	CGPG 1636.0+8536	Sy1	./.	16.3 :	
1RXSJ162535.1−232611	0.0683 (0.0141)	0.567	0.0	162535.05−232646.7	* rho Oph	*Neb.	BIV+...	4.85 : 4.63	
...	...	...	...	162535.05−232646.7	HD 147933	**	B2/B3V	5.26 : 5.02	
...	...	...	...	162535.05−232646.7	HD 147934	**	B2V	5.26 : 5.92	
1RXSJ162539.3−614843	0.0850 (0.0219)	0.708	13.2	162538.67−614835.4	...	...	...	...	
1RXSJ162552.9+434654	0.0865 (0.0127)	0.829	14.3	162553.26+434652.2	...	...	...	...	
1RXSJ162607.6+335902	0.1225 (0.0158)	0.569	15.2	162607.23+335915.4	[VV96] J162607.2+335913	Quasar	./.	16.5 : 16.5	P
1RXSJ162608.7−291044	0.0559 (0.0154)	0.553	13.9	162607.57−291053.1	...	...	...	...	
1RXSJ162613.6−590658	0.0797 (0.0200)	0.650	11.8	162612.10−590724.9	...	...	...	...	
1RXSJ162635.3−331520	0.0914 (0.0190)	0.785	11.8	162635.94−331448.7	GSC 07348−00952	*	./.	11.5 : 11.2	
1RXSJ162658.5+552837	0.1638 (0.0171)	0.547	16.2	162659.02+552829.8	[CEF95] 162554.6+553506	Gal. in Clust.	./.	:	
1RXSJ162708.1−233915	0.0758 (0.0149)	0.708	14.1	162709.27−233905.4	EM* StHA 129	Em. *	./.	:	
1RXSJ162714.4−520932	0.0919 (0.0185)	0.576	11.7	162714.36−520930.6	...	...	...	...	
1RXSJ162726.1−454251	0.0640 (0.0167)	0.716	11.5	162727.96−454240.1	GSC 08312−02664	*	./.	11.5 : 11.1	
1RXSJ162736.6+354140	0.0916 (0.0134)	0.721	15.1	162737.27+354143.4	...	...	...	...	
1RXSJ162750.9+473628	0.1195 (0.0160)	0.512	17.1	162750.56+473623.5	[VV96] J162750.5+473623	Quasar	./.	18.1 : 17.34	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ162756.2+552239	0.5952 (0.0290)	0.584	16.2	162756.12+552231.7	[VV96] J162756.2+552232	Quasar	S...	:	P
1RXSJ162801.2−640312	0.0786 (0.0228)	0.560	0.0	162757.41−640312.0	CPD−63 3923B	**	?	10.6 : 9.7	
1RXSJ162808.2+634924	0.1078 (0.0087)	0.593	16.7	162808.11+634925.3	...	...	...	...	
1RXSJ162819.4+660556	0.1175 (0.0099)	0.535	17.4	162819.61+660553.8	...	...	...	...	
1RXSJ162824.1+740105	0.0652 (0.0077)	0.540	10.0	162821.88+740054.1	BD+74 668	*	K0	10.07 : 9.46	
1RXSJ162834.8−261854	0.0782 (0.0160)	0.733	15.0	162835.17−261900.1	...	...	...	...	
1RXSJ162848.1−415241	0.1193 (0.0203)	0.636	15.5	162847.27−415238.6	...	...	...	...	
1RXSJ162848.5−030410	0.1612 (0.0187)	0.664	16.0	162848.36−030407.8	...	...	...	...	
1RXSJ162852.9+182450	0.0515 (0.0127)	0.505	0.0	162852.88+182447.2	HD 148653	HiPM*	K2V	7.86 : 7.02	
1RXSJ162905.4−314539	0.0718 (0.0174)	0.827	12.8	162905.87−314524.7	...	...	...	...	
1RXSJ162907.9+051403	0.1620 (0.0210)	0.833	12.2	162907.57+051423.0	StKM 1−1343	*	M0:	12.67 : 11.26	
1RXSJ162934.4−521821	0.2916 (0.0326)	0.835	11.6	162932.99−521818.4	GSC 08324−00603	*	./.	11.9 : 11.0	
1RXSJ162947.0+074431	0.1089 (0.0182)	0.774	12.9	162946.64+074456.1	HD 148710	Semi−Reg. Pulsating *	K0	8.01 : 6.88	
1RXSJ162950.1−272834	0.0887 (0.0176)	0.883	11.5	162949.94−272850.2	...	...	...	...	
1RXSJ163111.3+404800	0.2815 (0.0206)	0.575	16.7	163111.28+404805.0	[VV96] J163111.3+404806	Quasar	./.	17.0 :	
1RXSJ163116.3+095545	0.0936 (0.0170)	0.570	15.5	163116.05+095557.9	...	...	...	...	
1RXSJ163117.7−243033	0.1242 (0.0205)	0.733	0.0	163120.13−243004.9	IRAS 16283−2423	IR	M	9.5 : 8.76	
...	...	...	...	163120.13−243004.9	NTTS 162819−2423S	TT	G8+...	:	
...	...	...	...	163120.13−243004.9	ROXs 43A	*	./.	:	
...	...	...	...	163120.13−243004.9	ROXs 43B	*	./.	:	
1RXSJ163124.1+295253	0.1578 (0.0189)	0.557	16.0	163124.44+295301.7	[VV96] J163124.4+295301	Quasar	?	16.5 : 16.49	P
1RXSJ163125.2−000016	0.0590 (0.0138)	0.864	12.8	163124.48−000003.7	...	...	...	...	
1RXSJ163135.2+191639	0.0968 (0.0170)	0.747	0.0	163134.46+191638.8	BD+19 3113	**	K0	11.07 : 10.31	
...	...	...	...	163134.46+191638.8	BD+19 3113B	**	K0	11.23 : 10.45	
1RXSJ163139.2−290759	0.1226 (0.0206)	0.870	13.4	163139.33−290749.9	...	...	...	...	
1RXSJ163140.1+583801	0.1758 (0.0138)	0.734	15.3	163140.24+583757.6	...	...	...	...	
1RXSJ163143.7−350521	0.0891 (0.0168)	0.754	12.4	163142.05−350517.4	GSC 07353−02640	*	./.	11.3 : 10.7	
1RXSJ163202.9−253016	0.0518 (0.0133)	0.710	13.3	163201.64−253025.8	DoAr 50	Em. *	./.	:	
1RXSJ163212.8−244013	0.0786 (0.0158)	0.636	14.5	163211.81−244021.8	...	...	...	...	
1RXSJ163252.1+031431	0.1762 (0.0216)	0.582	9.9	163252.87+031455.3	GJ 9566	*	K1V:	9.72 : 8.85	
1RXSJ163255.2−103346	0.0513 (0.0104)	0.543	12.2	163255.65−103346.3	HD 149108	**	A5	7.100 : 6.851	
1RXSJ163302.3+234915	0.0856 (0.0152)	0.519	15.7	163302.66+234928.5	HS 1630+2355	Quasar	./.	15.7 :	
1RXSJ163323.3+471848	0.1865 (0.0171)	0.526	15.5	163323.56+471859.8	BWE 1631+4725	Sy	./.	:	
...	...	...	...	163323.56+471859.8	[BFE95] 219	Active Galaxy Nucleus	./.	16.9 :	
1RXSJ163329.7−785341	0.5855 (0.0566)	0.857	0.0	163327.09−785349.8	GJ 9563	*	G9III	4.777 : 3.872	
1RXSJ163415.8+263634	0.0812 (0.0144)	0.775	14.6	163415.42+263637.7	2E 1632.2+2642	X	./.	:	P
1RXSJ163509.5+343956	0.0556 (0.0115)	0.585	16.0	163509.21+344003.7	...	...	...	...	
1RXSJ163512.8−284552	0.0917 (0.0189)	0.644	14.5	163511.88−284552.2	...	...	...	...	
1RXSJ163523.2+545304	0.1228 (0.0150)	0.676	16.0	163523.23+545300.5	...	...	...	...	
1RXSJ163527.5+350046	0.1689 (0.0191)	0.568	14.2	163526.91+350104.3	GJ 3966	*	M4	:	
1RXSJ163607.8−354353	0.1152 (0.0203)	0.513	17.4	163607.73−354351.1	...	...	...	...	
1RXSJ163628.4+030902	0.0758 (0.0139)	0.598	12.6	163629.36+030820.6	...	...	...	...	
1RXSJ163649.3+263144	0.1383 (0.0201)	0.651	0.0	163648.95+263156.5	HD 149931	**	F5	8.37 : 7.95	P
1RXSJ163654.2−270759	0.0533 (0.0144)	0.652	11.3	163652.94−270818.5	HD 149598	*	G5	11.0 : 10.15	
1RXSJ163732.3−053018	0.2680 (0.0234)	0.759	0.0	163732.42−053011.6	CCDM J16375−0530B	**	./.	:	
1RXSJ163746.3+114941	0.1501 (0.0208)	0.546	16.5	163746.50+114949.4	QSO 1635+119	Quasar	./.	:	P
1RXSJ163813.1+572028	0.1158 (0.0131)	0.579	16.6	163813.47+572024.0	7C 1637+5726	Rad.	./.	:	
...	...	...	...	163813.47+572024.0	JVAS 1637+574	Rad.	./.	:	
...	...	...	...	163813.47+572024.0	[VV96] J163813.3+572024	Quasar	./.	:	
1RXSJ163821.8+402359	0.0651 (0.0127)	0.559	14.3	163822.21+402340.9	...	...	...	...	
1RXSJ163825.8+350006	0.4235 (0.0302)	0.812	13.8	163826.45+350011.7	FBS 1636+351	*	./.	:	
...	...	...	...	163826.45+350011.7	WD 1636+351	WD	DA	14.65 : 14.91	
1RXSJ163830.7−572820	0.3986 (0.0415)	0.533	0.0	163830.98−572811.4	HD 149499	V*	K0V	9.36 : 8.66	
...	...	...	...	163830.98−572811.4	HD 149499 B	WD	DO	:	
1RXSJ163845.7−141553	0.1225 (0.0179)	0.511	17.1	163845.31−141550.3	MRC 1635−141	Rad. Gal.	./.	:	P
1RXSJ163850.1−273510	0.0561 (0.0147)	0.732	11.5	163849.52−273529.0	...	...	...	...	
1RXSJ163854.7−235528	0.0648 (0.0154)	0.697	14.8	163854.80−235534.5	...	...	...	...	
1RXSJ163928.9−382428	0.0535 (0.0148)	0.893	11.8	163928.04−382422.1	...	...	...	...	
1RXSJ163930.1+224344	0.2428 (0.0231)	0.719	0.0	163929.33+224359.6	CCDM J16395+2244AB	**mul.	F8	10.59 : 9.99	
1RXSJ163931.4−475019	0.0538 (0.0165)	0.575	12.7	163935.90−475035.3	...	...	...	...	
1RXSJ163938.0−354100	0.0922 (0.0184)	0.839	12.5	163937.05−354040.9	...	...	...	...	
1RXSJ163943.2−565928	0.2778 (0.0334)	0.632	0.0	163944.71−565939.8	HD 149730	Ecl. Bin. (Algol)	B9IV/V	6.74 :	P
1RXSJ164006.3+004227	0.0579 (0.0117)	0.579	15.3	164005.41+004226.8	GJ 3967	*	M4	:	
1RXSJ164053.9−602629	0.0878 (0.0247)	0.525	0.0	164050.63−602645.8	HD 149837	**mul.	F2III−IV	6.660 : 6.223	
1RXSJ164103.9−370510	0.0692 (0.0163)	0.824	12.8	164103.53−370502.9	...	...	...	...	
1RXSJ164109.6−401610	0.0627 (0.0164)	0.862	12.8	164108.42−401607.7	...	...	...	...	
1RXSJ164118.2+313553	0.1278 (0.0185)	0.660	0.0	164117.48+313606.8	GJ 635A	Spec. Bin.	G0IV	3.46 : 2.81	
...	...	...	...	164117.48+313606.8	GJ 635B	**	G7V	6.24 : 5.49	
1RXSJ164122.3−200033	0.1758 (0.0239)	0.506	14.7	164122.49−200034.7	...	...	...	...	
1RXSJ164135.3+305222	0.1316 (0.0191)	0.896	12.4	164134.92+305233.2	HD 150710	*	F5	7.561 : 7.085	
1RXSJ164137.5+265449	0.1124 (0.0200)	0.822	0.0	164136.70+265500.8	HD 150682	Spec. Bin.	F2III	6.290 : 5.928	
1RXSJ164154.2+151753	0.1484 (0.0231)	0.517	14.9	164154.20+151755.2	...	...	...	...	
1RXSJ164224.3+444511	0.1893 (0.0175)	0.553	17.2	164224.32+444510.2	...	...	...	...	
1RXSJ164224.5−400329	0.0983 (0.0197)	0.539	0.0	164224.00−400329.7	HD 150372	*	G0	10.28 : 9.56	
1RXSJ164238.9+272621	0.1859 (0.0239)	0.506	15.8	164238.66+272637.5	...	...	...	...	
1RXSJ164251.3−542955	0.1929 (0.0327)	0.553	13.0	164251.43−543011.7	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ164259.4−513342	0.0731 (0.0195)	0.647	0.0	164255.39−513342.8	GSC 08338−03475	*	./.	11.3 : 10.9	
1RXSJ164302.3−175418	0.0758 (0.0166)	0.507	13.2	164301.33−175426.5	...	...	...	...	
1RXSJ164308.2+773042	0.0666 (0.0087)	0.628	0.0	164306.16+773046.0	CCDM J16432+7731C	**	?	:	
...	...	...	...	164306.16+773046.0	HD 152303	HiPM*	F4V	6.39 : 5.99	
...	...	...	...	164306.16+773046.0	IRAS 16453+7736	IR	./.	:	
1RXSJ164330.0−313345	0.0676 (0.0174)	0.817	12.0	164330.31−313326.9	CD−31 13159	*	./.	11.6 : 10.4	
1RXSJ164345.2+340236	0.0525 (0.0121)	0.717	15.2	164345.71+340239.9	...	...	...	...	
1RXSJ164352.2−233040	0.1643 (0.0225)	0.900	11.4	164352.00−233052.3	CD−23 12902	*	./.	9.9 :	
1RXSJ164410.3+233058	0.0805 (0.0133)	0.535	0.0	164410.58+233102.9	HD 151070	**mul.	F5III	7.49 : 7.03	
1RXSJ164458.4+013951	0.0782 (0.0153)	0.712	13.1	164500.78+013935.3	...	...	...	...	
1RXSJ164527.9−250319	0.0626 (0.0159)	0.717	11.8	164526.14−250316.4	CD−24 12809	TT	./.	11.7 : 10.9	
1RXSJ164529.6−390929	0.1779 (0.0269)	0.888	10.9	164530.56−390939.1	...	...	...	...	
1RXSJ164547.8−453642	2.3110 (0.1039)	0.770	12.5	164546.26−453653.5	...	...	...	...	
1RXSJ164549.4+034251	0.0962 (0.0160)	0.542	13.7	164550.77+034306.5	...	...	...	...	
1RXSJ164550.2+792129	0.0810 (0.0098)	0.568	16.9	164549.66+792128.6	...	...	...	...	
1RXSJ164610.3−112405	0.1929 (0.0223)	0.582	16.8	164610.39−112404.2	H 1643−113	Quasar	./.	17.4 : 14.6	
...	...	...	...	164610.39−112404.2	[DML87] 423	IR	./.	:	
1RXSJ164613.2+693956	0.1023 (0.0076)	0.569	16.6	164612.22+693959.4	...	...	...	...	
1RXSJ164625.8+392922	0.3960 (0.0280)	0.531	15.4	164626.07+392932.4	[CCH92] 1644.7+3934	Possible Quasar	./.	16.0 :	
1RXSJ164641.9−602310	0.2514 (0.0421)	0.618	11.5	164637.59−602243.3	GSC 09038−01275	*	./.	11.7 : 11.2	
1RXSJ164713.0−151430	0.0835 (0.0155)	0.817	13.0	164713.61−151426.2	...	...	...	...	
1RXSJ164724.3−391859	0.0796 (0.0190)	0.782	13.9	164724.50−391848.2	...	...	...	...	
1RXSJ164732.3+251931	0.1121 (0.0144)	0.693	12.8	164732.57+251942.1	...	...	...	...	
1RXSJ164735.4+495001	0.0969 (0.0107)	0.637	16.1	164734.94+495000.6	EF B1646+4955	Rad.	./.	:	
...	...	...	...	164734.94+495000.6	JVAS 1646+499	Gal.	./.	:	
...	...	...	...	164734.94+495000.6	RX J1647.5+4950	X	./.	:	
1RXSJ164801.1+295650	0.2633 (0.0252)	0.767	14.6	164800.79+295657.5	[BFE95] 222	Active Galaxy Nucleus	./.	16.4 :	P
1RXSJ164804.0+452237	0.1162 (0.0150)	0.740	15.1	164804.41+452241.9	RX J1648.0+4522	*	./.	:	
1RXSJ164815.5−303511	0.1490 (0.0233)	0.776	13.2	164815.30−303504.5	...	...	...	...	
1RXSJ164821.6+145717	0.0983 (0.0211)	0.767	14.5	164821.88+145716.0	...	...	...	...	
1RXSJ164843.5+800506	0.0613 (0.0085)	0.605	15.7	164844.87+800458.3	...	...	...	...	
1RXSJ164916.4+532635	0.0568 (0.0102)	0.881	9.6	164922.42+532619.5	HD 234352	*	K0	9.77 : 9.17	
1RXSJ164954.9+472632	0.0746 (0.0116)	0.780	13.4	164955.35+472644.9	...	...	...	...	
1RXSJ164955.5+325232	0.1022 (0.0169)	0.816	13.0	164956.81+325236.7	...	...	...	...	
1RXSJ165002.7+592949	0.0535 (0.0089)	0.615	15.9	165003.65+592951.5	...	...	...	...	
1RXSJ165008.0+370130	0.1154 (0.0194)	0.556	14.8	165008.37+370112.2	WD 1648+371	WD	DA	:	P
1RXSJ165014.5−113107	0.0506 (0.0131)	0.532	14.7	165012.60−113115.2	...	...	...	...	
1RXSJ165016.0−432659	0.0529 (0.0157)	0.668	12.9	165015.74−432704.5	...	...	...	...	
1RXSJ165020.4+403723	0.0938 (0.0159)	0.763	15.0	165020.12+403722.6	WD 1648+407	WD	DA:	:	P
1RXSJ165029.0−280811	0.0558 (0.0158)	0.529	13.0	165030.51−280756.8	...	...	...	...	
1RXSJ165057.5+222653	0.0627 (0.0107)	0.605	15.5	165057.83+222647.8	...	...	...	...	
1RXSJ165103.4+261753	0.0633 (0.0115)	0.739	14.8	165103.18+261747.3	...	...	...	...	
1RXSJ165110.5+355500	0.0629 (0.0135)	0.609	16.1	165110.24+355459.1	...	...	...	...	
1RXSJ165129.2+025537	0.3837 (0.0291)	0.735	10.9	165129.19+025540.6	HD 152140	*	K5	10.19 : 9.13	
1RXSJ165141.2+721824	0.1195 (0.0084)	0.567	16.8	165139.97+721824.8	...	...	...	...	
1RXSJ165148.5+284006	0.1848 (0.0186)	0.526	0.0	165150.10+283958.7	HD 152380	**mul.	F6V	7.11 : 6.65	
1RXSJ165211.2−335929	0.1310 (0.0237)	0.856	13.1	165210.91−335932.6	...	...	...	...	
1RXSJ165212.4+202148	0.0863 (0.0119)	0.558	14.5	165211.65+202156.1	...	...	...	...	
1RXSJ165217.0+444922	0.2091 (0.0161)	0.559	15.6	165217.19+444924.8	...	...	...	...	
1RXSJ165240.0+441632	0.4894 (0.0290)	0.625	16.3	165240.10+441637.6	[BFE95] 224	Sy1	./.	16.9 :	P
1RXSJ165254.0−323903	0.0590 (0.0171)	0.597	13.0	165254.73−323847.8	...	...	...	...	
1RXSJ165358.1+441042	0.1699 (0.0190)	0.670	14.5	165359.20+441055.8	...	...	...	...	
1RXSJ165401.6+091259	0.0620 (0.0128)	0.744	14.6	165401.64+091309.2	...	...	...	...	
1RXSJ165407.6+392539	0.0953 (0.0158)	0.672	14.7	165408.17+392533.4	2E 1652.4+3930	Sy1	./.	16.7 :	P
1RXSJ165408.0−042030	0.1610 (0.0203)	0.656	8.4	165408.21−042020.0	HD 152555	*	G0	8.38 : 7.84	
1RXSJ165418.1+074207	0.0906 (0.0153)	0.560	16.9	165418.18+074204.6	...	...	...	...	
1RXSJ165424.6−433758	0.1541 (0.0252)	0.852	11.1	165423.12−433817.0	IRAS 16507−4333	IR	./.	:	
1RXSJ165443.5−191620	0.0586 (0.0149)	0.545	15.6	165443.75−191630.8	...	...	...	...	
1RXSJ165445.3+423237	0.0566 (0.0121)	0.752	14.7	165444.91+423230.3	...	...	...	...	
1RXSJ165511.2−400144	0.0759 (0.0183)	0.874	12.9	165511.21−400139.9	...	...	...	...	
1RXSJ165551.7+214559	0.2312 (0.0195)	0.732	15.6	165551.38+214601.5	...	...	...	...	
1RXSJ165554.1+571830	0.0635 (0.0103)	0.513	14.7	165555.09+571825.1	...	...	...	...	
1RXSJ165605.6−520345	0.6586 (0.0523)	0.682	14.6	165605.64−520340.6	...	...	...	...	
1RXSJ165611.4−561127	0.0733 (0.0187)	0.532	14.6	165611.78−561143.5	...	...	...	...	
1RXSJ165621.8+391637	0.0622 (0.0148)	0.882	12.3	165621.15+391631.0	MCG+07−35−008	Gal.	./.	16. :	
1RXSJ165649.0−390552	1.9110 (0.0898)	0.618	0.0	165648.52−390537.2	GJ 2123A	V*	M3Ve	12.69 : 11.18	
...	...	...	...	165648.52−390537.2	GJ 2123B	V*	M4Ve	:	
1RXSJ165650.0−423906	0.1183 (0.0214)	0.559	14.4	165649.96−423845.7	...	...	...	...	
1RXSJ165731.1+443521	0.0570 (0.0116)	0.525	16.9	165730.65+443521.1	...	...	...	...	
1RXSJ165749.6+352022	18.8100 (0.1383)	0.693	14.3	165749.83+352032.9	BPS BS 16552−0071	*	./.	:	
...	...	...	...	165749.83+352032.9	V* HZ Her	Low Mass X−ray Binary	DA	13.00 :	P
1RXSJ165752.6+472200	0.0766 (0.0118)	0.853	0.0	165753.72+472200.3	GJ 649.1A	HiPM*	K3V	8.81 : 7.83	
...	...	...	...	165753.72+472200.3	GJ 649.1B	**	?	12.66 : 11.19	
1RXSJ165757.6+382329	0.1250 (0.0165)	0.561	17.1	165757.50+382328.1	...	...	...	...	
1RXSJ165759.5+480658	0.0579 (0.0109)	0.552	16.6	165759.07+480653.3	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ165812.0+252018	0.0592 (0.0108)	0.605	0.0	165811.79+252016.8	BD+25 3174B	**	?	:	
...	...	...	...	165811.79+252016.8	HD 153373	**	F0	8.70 : 8.45	
1RXSJ165819.2+333411	0.0616 (0.0109)	0.664	0.0	165820.66+333353.3	...	...	...	...	
1RXSJ165821.1+073307	0.0710 (0.0137)	0.678	15.1	165820.45+073308.6	...	...	...	...	
1RXSJ165833.5+051521	0.1189 (0.0170)	0.640	16.1	165833.48+051516.4	[VV96] J165833.5+051516	Quasar	./.	16.91 : 16.48	P
1RXSJ165851.0+341852	0.1488 (0.0156)	0.735	15.5	165851.08+341854.8	FBS 1657+344	*	./.	:	
...	...	...	...	165851.08+341854.8	WD 1657+343	WD	DA	16.12 :	
1RXSJ165929.6+424559	0.3735 (0.0276)	0.655	15.9	165929.80+424605.6	IRAS F16579+4250	Peculiar Star	./.	:	
...	...	...	...	165929.80+424605.6	[VV96] J165929.9+424603	Quasar	./.	17.0 : 17.0	
1RXSJ165942.9+155734	0.0745 (0.0154)	0.882	12.9	165942.51+155745.6	...	...	...	...	
1RXSJ165945.3+323651	0.2132 (0.0175)	0.690	14.2	165943.98+323655.1	ACO 2241	Clust.	./.	15.60 :	
...	...	...	...	165943.98+323655.1	PGC 59392	Gal.	./.	16.37 :	
...	...	...	...	165943.98+323655.1	[LO95] 1657+326	Rad.	./.	:	
1RXSJ165948.2+440059	0.1846 (0.0213)	0.851	14.3	165948.55+440059.6	...	...	...	...	
1RXSJ165948.7+365755	0.0850 (0.0123)	0.639	15.0	165947.76+365748.5	...	...	...	...	
1RXSJ170013.6+151424	0.1130 (0.0239)	0.564	12.4	170016.19+151409.4	GSC 01522−00764	*	./.	11.7 : 11.2	
1RXSJ170024.7−724041	0.3030 (0.0451)	0.541	16.4	170025.37−724045.1	...	...	...	...	
1RXSJ170033.1+355309	0.1087 (0.0125)	0.568	15.2	170033.28+355256.4	...	...	...	...	
1RXSJ170034.7−273807	0.1052 (0.0315)	0.819	0.0	170034.98−273804.4	CD−27 11363	Em. *	K0V:e	9.7 :	
1RXSJ170045.9+291925	0.0984 (0.0125)	0.652	15.0	170046.81+291926.5	...	...	...	...	
1RXSJ170220.8−555537	0.2158 (0.0354)	0.652	0.0	170219.56−555542.0	CD−55 7001	**	G2	10.33 : 9.66	
1RXSJ170231.2+324722	0.5596 (0.0278)	0.740	15.7	170231.06+324719.8	[VV96] J170231.0+324717	Quasar	S...	15.9 : 15.9	P
1RXSJ170234.0−324725	0.0520 (0.0158)	0.633	13.8	170233.45−324711.1	...	...	...	...	
1RXSJ170242.5+340336	1.0080 (0.0358)	0.879	12.7	170242.50+340337.6	...	...	...	...	
1RXSJ170302.7+191036	0.0749 (0.0125)	0.569	16.3	170302.88+191034.3	...	...	...	...	
1RXSJ170320.4+373731	0.2045 (0.0164)	0.688	15.6	170320.17+373724.6	...	...	...	...	
1RXSJ170328.3+360400	0.0520 (0.0095)	0.883	12.4	170327.80+360420.0	MCG+06−37−023	Gal.	./.	15. :	
1RXSJ170328.3+614114	0.1809 (0.0113)	0.740	15.3	170328.98+614110.3	...	...	...	...	
1RXSJ170330.5+454040	0.9137 (0.0381)	0.806	14.4	170330.38+454047.4	IRAS F17020+4544	Gal.	./.	:	
...	...	...	...	170330.38+454047.4	PGC 97541	Sy1	./.	16.0 :	
1RXSJ170333.2−323644	0.1992 (0.0297)	0.632	0.0	170333.24−323650.7	HD 153888	**mul.	G0V	9.50 : 8.85	
1RXSJ170336.3−204720	0.2256 (0.0274)	0.682	15.5	170336.00−204720.0	1RXS J170336.3−204720	X	X−ray source	:	P
...	...	...	...	170336.00−204720.0	...	...	...	...	
1RXSJ170352.9+321147	0.2188 (0.0189)	0.879	12.9	170352.13+321142.3	...	...	...	...	
1RXSJ170413.9+042509	0.0517 (0.0120)	0.671	14.3	170413.83+042507.8	...	...	...	...	
1RXSJ170419.7−402012	0.2226 (0.0274)	0.526	11.3	170417.91−401950.0	HD 322763	*	A3	11.12 : 10.33	P
1RXSJ170425.2+333145	0.0787 (0.0119)	0.516	16.9	170425.12+333146.0	...	...	...	...	
1RXSJ170431.9−512430	0.0581 (0.0181)	0.612	13.1	170434.15−512404.0	...	...	...	...	
1RXSJ170447.7+713817	0.0988 (0.0071)	0.638	16.4	170446.99+713817.6	RGB J1704+716	Rad.	./.	:	
...	...	...	...	170446.99+713817.6	[NBK96] J17048+7138	BL Lac − type object	./.	:	P
1RXSJ170450.9+222257	0.0511 (0.0105)	0.827	13.4	170451.49+222248.4	...	...	...	...	
1RXSJ170500.2−013225	0.1188 (0.0171)	0.746	15.3	170500.37−013228.6	...	...	...	...	
1RXSJ170535.1+334011	0.1775 (0.0171)	0.773	15.2	170534.96+334012.1	...	...	...	...	
1RXSJ170541.8−674211	0.1342 (0.0326)	0.560	12.6	170542.65−674242.0	...	...	...	...	
1RXSJ170600.8−252031	0.2590 (0.0404)	0.506	10.5	170601.17−252031.2	CD−25 11942	*	K0	10.67 : 9.84	
1RXSJ170603.2+685736	0.1125 (0.0068)	0.691	15.8	170602.16+685736.5	HS 1706+6901	Quasar	./.	:	
1RXSJ170620.6−122928	0.0761 (0.0168)	0.777	0.0	170620.83−122929.5	HD 154496	*	K2/K3	10.66 : 9.74	
1RXSJ170631.6−064645	0.1298 (0.0189)	0.568	16.4	170631.59−064638.7	...	...	...	...	
1RXSJ170711.9+170346	0.1848 (0.0211)	0.547	11.2	170712.16+170412.6	BD+17 3169	*	./.	:	
1RXSJ170803.1+041232	0.0541 (0.0125)	0.596	15.0	170803.76+041245.6	...	...	...	...	
1RXSJ170809.1−693607	0.1161 (0.0303)	0.742	13.8	170809.07−693616.8	...	...	...	...	
1RXSJ170838.8−130517	0.0817 (0.0171)	0.662	15.7	170839.04−130520.8	...	...	...	...	
1RXSJ170849.0−400910	0.5489 (0.0428)	0.684	15.7	170849.38−400913.7	RX J170849.0−400910	X	./.	:	P
1RXSJ170849.1−110433	0.0769 (0.0159)	0.570	15.5	170850.01−110425.9	...	...	...	...	
1RXSJ170850.3+061110	0.0738 (0.0140)	0.566	14.6	170850.72+061114.2	...	...	...	...	
1RXSJ170854.2+044243	0.0673 (0.0140)	0.846	13.0	170854.80+044235.3	...	...	...	...	
1RXSJ170858.7+215306	0.0958 (0.0138)	0.536	17.3	170858.47+215305.6	...	...	...	...	
1RXSJ170914.7−523400	0.0856 (0.0233)	0.776	13.0	170914.38−523406.2	...	...	...	...	
1RXSJ170939.0+630638	0.1133 (0.0078)	0.594	16.7	170938.95+630634.9	...	...	...	...	
1RXSJ170955.0+675139	0.0679 (0.0047)	0.567	17.0	170954.33+675137.0	...	...	...	...	
1RXSJ171011.0+542932	0.0529 (0.0083)	0.726	0.0	171010.51+542939.7	GJ 659A	**	K0	10.00 : 8.80	
...	...	...	...	171010.51+542939.7	IRAS 17091+5433	IR	./.	:	
1RXSJ171013.2+334410	0.1389 (0.0157)	0.642	15.6	171013.49+334403.0	[VV96] J171013.4+334400	Quasar	./.	16.4 : 16.4	P
1RXSJ171033.6+572518	0.0720 (0.0080)	0.622	16.0	171032.97+572522.8	...	...	...	...	
1RXSJ171039.4−210812	0.2117 (0.0272)	0.722	12.0	171038.40−210811.9	...	...	...	...	
1RXSJ171052.9−180238	0.0954 (0.0193)	0.516	12.1	171052.59−180235.0	...	...	...	...	
1RXSJ171100.5+394128	0.1668 (0.0155)	0.784	13.5	171101.30+394125.8	...	...	...	...	
1RXSJ171106.8−465742	0.0609 (0.0169)	0.519	15.7	171107.41−465736.2	...	...	...	...	
1RXSJ171117.2+124537	0.0784 (0.0146)	0.645	15.4	171117.73+124542.8	...	...	...	...	
1RXSJ171119.1−271317	0.0724 (0.0185)	0.871	13.6	171118.78−271310.0	...	...	...	...	
1RXSJ171127.2+664532	0.2351 (0.0102)	0.698	16.1	171127.32+664529.9	...	...	...	...	
1RXSJ171131.6−363449	0.0698 (0.0181)	0.829	13.5	171132.33−363440.4	...	...	...	...	
1RXSJ171146.7+051735	0.0723 (0.0140)	0.608	15.9	171146.51+051732.6	...	...	...	...	
1RXSJ171159.0−253102	0.1068 (0.0205)	0.597	14.2	171158.54−253057.9	...	...	...	...	
1RXSJ171209.5−231005	0.4246 (0.0393)	0.657	11.4	171208.77−230949.1	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ171236.3−241445	0.6348 (0.0448)	0.760	14.9	171236.45−241445.2	...	...	...	...	
1RXSJ171237.1−373834	0.3443 (0.0308)	0.689	14.3	171237.53−373839.5	...	...	...	...	
1RXSJ171300.3−583552	0.1529 (0.0338)	0.621	0.0	171259.22−583548.3	HD 155099	Spec. Bin.	F0/F2V	7.23 : 6.85	
1RXSJ171301.7+735608	0.0576 (0.0069)	0.716	15.2	171259.76+735606.6	...	...	...	...	
1RXSJ171304.5+352335	0.9864 (0.0373)	0.709	16.3	171304.49+352333.8	1RXS J171304.5+352335	X	B...	:	P
1RXSJ171310.7+390324	0.0559 (0.0099)	0.616	16.1	171310.33+390328.4	...	...	...	...	
1RXSJ171311.2−183422	0.5002 (0.0416)	0.826	11.0	171311.44−183422.7	BD−18 4452	*	M1III	13.8 : 12.0	
...	...	...	...	171311.44−183422.7	BPM 78795	*	M0	10.9 : 11.4	
1RXSJ171322.8+325631	0.1718 (0.0169)	0.616	16.4	171322.63+325628.0	RX J1713.3+3256	X	./.	:	P
1RXSJ171351.7+183606	0.0581 (0.0116)	0.570	16.0	171351.78+183616.6	...	...	...	...	
1RXSJ171405.2−202747	0.4367 (0.0378)	0.526	16.7	171405.43−202753.8	...	...	...	...	
1RXSJ171410.8+575826	0.1447 (0.0101)	0.562	15.3	171411.56+575834.2	IRAS F17133+5802	Gal.	./.	:	
1RXSJ171419.3−340243	0.2937 (0.0278)	0.868	14.1	171419.15−340237.8	...	...	...	...	
1RXSJ171431.7−273116	0.0877 (0.0193)	0.807	13.6	171432.57−273108.8	...	...	...	...	
1RXSJ171439.3+142320	0.2932 (0.0350)	0.802	0.0	171439.18+142323.6	HD 156014	Semi−Reg. Pulsating *	M5Ib−II	4.92 :	
...	...	...	...	171439.18+142323.6	HD 156014 J	**mul.	M5	4.51 : 3.06	
...	...	...	...	171439.18+142323.6	HD 156015	Spec. Bin.	G5III+...	7.1 : 5.39	
1RXSJ171442.1+644202	0.0741 (0.0052)	0.570	16.4	171441.90+644155.3	HS 1714+6445	Quasar	./.	:	
1RXSJ171502.7+442959	0.1068 (0.0120)	0.525	16.6	171503.14+442952.1	[VV96] J171503.3+442952	Quasar	./.	16.8 : 16.8	P
1RXSJ171527.0+132821	0.0710 (0.0134)	0.552	14.7	171525.03+132833.0	...	...	...	...	
1RXSJ171601.3+311215	0.2789 (0.0215)	0.759	14.8	171601.92+311214.0	[VV96] J171602.1+311213	Quasar	./.	16.0 : 16.0	P
1RXSJ171610.6−105340	0.1569 (0.0213)	0.879	12.0	171610.77−105329.4	...	...	...	...	
1RXSJ171701.1−453009	0.0667 (0.0180)	0.527	12.7	171701.90−453018.3	...	...	...	...	
1RXSJ171712.6−811501	0.1204 (0.0260)	0.771	14.3	171711.65−811509.7	...	...	...	...	
1RXSJ171718.9+422652	0.1950 (0.0165)	0.814	14.0	171719.16+422658.0	EF B1715+4230	Clust.	./.	:	
...	...	...	...	171719.16+422658.0	RX J1717.2+4226	X	./.	:	
1RXSJ171734.5+102502	0.8495 (0.0865)	0.548	9.4	171734.57+102500.5	HD 156498	V*	G5	9.15 : 8.47	P
1RXSJ171755.8+261147	0.0582 (0.0115)	0.539	17.0	171756.07+261148.3	...	...	...	...	
1RXSJ171757.8−332837	0.0524 (0.0147)	0.771	0.0	171757.63−332813.8	GSC 07366−01141	*	./.	11.1 : 10.7	
1RXSJ171807.5+250610	0.2718 (0.0224)	0.644	12.2	171808.58+250608.3	BD+25 3238	*	M0	11.8 : 10.8	
...	...	...	...	171808.58+250608.3	StKM 1−1458	*	K5	:	
1RXSJ171810.9+563955	0.3014 (0.0159)	0.577	15.8	171811.94+563956.0	...	...	...	...	
1RXSJ171821.4+780118	0.1268 (0.0102)	0.719	13.9	171816.65+780106.3	MCG+13−12−022	Gal.	./.	15.7 :	
1RXSJ171850.0−732527	0.1844 (0.0375)	0.879	11.9	171847.48−732513.8	CD−73 1282	*	./.	10.66 : 9.79	
1RXSJ171851.3−473753	0.0966 (0.0220)	0.893	10.6	171851.51−473740.7	...	...	...	...	
1RXSJ171856.8−345928	0.2057 (0.0288)	0.837	0.0	171857.20−345924.0	CCDM J17190−3459AC	**mul.	./.	6.1 : 9.9	
...	...	...	...	171857.20−345924.0	GJ 667	V*	K3V+...	6.95 :	
...	...	...	...	171857.20−345924.0	IRAS 17156−3456	IR	./.	:	
1RXSJ171902.3+593713	0.0601 (0.0069)	0.548	17.1	171902.31+593715.9	...	...	...	...	
1RXSJ171915.3+485842	0.0565 (0.0079)	0.768	11.8	171914.57+485849.6	APG 102B	Sy	Sb	14.81 :	
...	...	...	...	171914.57+485849.6	MCG+08−31−041	Gal.	./.	15.5 :	
1RXSJ171929.7−542157	0.1208 (0.0295)	0.680	0.0	171928.86−542148.7	HD 156240	**	A8IV	8.8 : 8.6	
1RXSJ171935.6−410054	0.4208 (0.0397)	0.555	15.2	171935.90−410053.7	...	...	...	...	
1RXSJ171937.9+480409	0.1206 (0.0119)	0.804	14.7	171938.26+480412.3	[VV96] J171938.4+480413	Quasar	./.	15.33 : 14.60	P
1RXSJ171941.3−461530	0.1339 (0.0266)	0.668	13.6	171942.12−461526.0	NAME wack 3672	*	./.	11.4 :	P
1RXSJ171953.1−174543	0.1029 (0.0201)	0.527	0.0	171953.18−174523.8	BD−17 4773C	**	?	:	
...	...	...	...	171953.18−174523.8	HD 156717	**	A0V	6.06 : 6.04	
1RXSJ171959.4+241202	0.0864 (0.0139)	0.685	15.4	171959.70+241207.9	...	...	...	...	
1RXSJ172001.6+354110	0.1814 (0.0165)	0.862	9.7	172000.19+354112.2	BD+35 2953	*	F8	9.68 : 9.15	
1RXSJ172027.0−395405	0.1670 (0.0255)	0.866	0.0	172027.74−395400.8	...	...	...	...	
1RXSJ172033.2−391908	0.0837 (0.0200)	0.678	13.5	172032.88−391918.7	...	...	...	...	
1RXSJ172054.7−272040	0.4152 (0.0396)	0.689	0.0	172054.67−272039.7	HD 156848	**	F7/F8IV+...	8.4 : 7.4	
1RXSJ172106.9−372639	0.2105 (0.0280)	0.675	13.0	172108.19−372703.5	...	...	...	...	
1RXSJ172109.9+354212	0.0608 (0.0101)	0.519	17.1	172109.51+354216.2	CJ1 1719+357	Rad.	./.	:	
...	...	...	...	172109.51+354216.2	JVAS 1719+357	Rad.	./.	:	
...	...	...	...	172109.51+354216.2	[VV96] J172109.6+354216	Quasar	./.	17.5 :	
1RXSJ172125.7−263013	0.0599 (0.0156)	0.761	11.8	172125.92−262959.2	HD 156955	*	A2V	7.62 : 7.52	
1RXSJ172135.0−215234	0.0621 (0.0161)	0.525	16.1	172134.96−215227.6	...	...	...	...	
1RXSJ172147.6−272746	0.0507 (0.0139)	0.841	13.1	172148.23−272748.9	...	...	...	...	
1RXSJ172155.6−201049	0.0772 (0.0171)	0.842	12.6	172156.32−201049.5	...	...	...	...	
1RXSJ172156.7+433951	0.0613 (0.0098)	0.527	16.9	172156.60+433947.6	...	...	...	...	
1RXSJ172223.2+202741	0.0769 (0.0135)	0.560	16.9	172223.19+202737.9	...	...	...	...	
1RXSJ172224.4+150810	0.1593 (0.0185)	0.533	12.9	172225.18+150810.7	HD 157393	*	F8	8.18 : 7.74	
1RXSJ172231.6−190422	0.0527 (0.0141)	0.879	13.4	172231.51−190419.4	...	...	...	...	
1RXSJ172241.0+243625	0.1330 (0.0160)	0.634	15.9	172241.26+243619.4	[VV96] J172241.3+243619	Quasar	?	16.82 :	P
1RXSJ172244.6−582829	0.1144 (0.0323)	0.709	0.0	172246.74−582821.5	CPD−58 7086B	**	G8V	:	
...	...	...	...	172246.74−582821.5	HD 156751	**	A7II/III	7.041 : 6.834	
1RXSJ172253.6−302728	0.0634 (0.0167)	0.866	11.7	172254.91−302718.4	...	...	...	...	
1RXSJ172256.1+092206	0.0755 (0.0150)	0.513	0.0	172256.07+092153.8	HD 157443	*	K0	8.72 : 7.82	
1RXSJ172313.9+292322	0.0580 (0.0119)	0.561	15.5	172313.19+292309.2	...	...	...	...	
1RXSJ172316.2−424624	0.0595 (0.0171)	0.735	13.4	172315.11−424602.1	...	...	...	...	
1RXSJ172320.5+341756	1.0160 (0.0369)	0.774	15.3	172320.81+341757.9	[VV96] J172320.8+341759	Quasar	./.	:	
1RXSJ172323.3+363010	0.2172 (0.0172)	0.780	15.1	172323.19+363010.3	[DML87] 442	Sy1	./.	16.0 :	
1RXSJ172331.3+340012	0.0596 (0.0101)	0.690	13.4	172330.02+340013.8	[VV96] J172330.6+340019	Quasar	./.	19.6 : 18.0	
1RXSJ172352.4+130557	0.0712 (0.0131)	0.608	9.0	172352.98+130554.2	HD 157637	*	G5	8.73 : 8.04	
1RXSJ172425.4+493831	0.0727 (0.0090)	0.651	0.0	172425.28+493837.3	V* V878 Her	V*	F8	10.06 : 9.54	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ172436.7−315259	0.1032 (0.0201)	0.821	12.9	172436.45−315248.4	...	...	...	...	
1RXSJ172442.6−212641	0.0935 (0.0189)	0.818	0.0	172442.04−212629.3	HD 157527	**mul.	K0III	6.760 : 5.837	
1RXSJ172443.3−450041	0.0734 (0.0211)	0.856	0.0	172443.09−450029.7	HD 157316	*	F3V	7.019 : 6.656	
1RXSJ172504.4+115218	0.8704 (0.0738)	0.580	15.5	172504.35+115215.4	BWE 1722+1155	BL Lac − type object	./.	16.29 : 15.77	P
1RXSJ172509.8−063407	0.0921 (0.0182)	0.725	14.0	172509.22−063353.2	...	...	...	...	
1RXSJ172520.6+525508	0.1043 (0.0094)	0.751	15.0	172520.32+525501.5	...	...	...	...	
1RXSJ172609.3+743103	0.2601 (0.0118)	0.779	15.2	172608.22+743103.9	[BFE95] 235	Sy	./.	16.9 :	
1RXSJ172614.5+140427	0.0687 (0.0129)	0.883	13.3	172614.45+140433.3	...	...	...	...	
1RXSJ172615.6−031131	0.0684 (0.0152)	0.570	16.1	172615.35−031126.0	...	...	...	...	
1RXSJ172642.8+583726	1.2470 (0.0278)	0.550	15.1	172643.31+583731.5	LB 335	WD	DA	15.36 : 15.45	P
1RXSJ172653.3−181921	0.0567 (0.0159)	0.892	12.3	172653.32−181923.1	...	...	...	...	
1RXSJ172712.1+632244	0.0818 (0.0070)	0.618	16.4	172711.79+632241.9	...	...	...	...	
1RXSJ172728.8+132601	0.2743 (0.0236)	0.630	16.3	172729.06+132602.8	...	...	...	...	
1RXSJ172738.9−360015	0.1034 (0.0211)	0.608	15.3	172737.85−360012.6	EUVE J1727−35.9	WD	DA	:	
1RXSJ172757.3−401614	0.0733 (0.0189)	0.774	13.0	172756.55−401628.2	...	...	...	...	
1RXSJ172818.3+501310	1.9590 (0.0412)	0.781	15.3	172818.63+501310.6	QSO 1727+502	BL Lac − type object	./.	16.63 :	P
1RXSJ172819.3−141600	0.2983 (0.0317)	0.781	14.4	172819.79−141555.6	IRAS 17254−1413	Quasar	./.	14.69 :	
...	...	...	...	172819.79−141555.6	RX J1728.3−1416	X	./.	:	P
1RXSJ172839.6−245257	0.0574 (0.0160)	0.778	13.7	172840.34−245248.6	...	...	...	...	
1RXSJ172855.5−324339	0.0602 (0.0169)	0.823	0.0	172855.63−324355.7	GSC 07379−00279	*	./.	11.3 : 10.26	
1RXSJ172858.1−374809	0.0580 (0.0166)	0.849	10.4	172855.80−374750.2	HD 158089	*	F8	10.35 : 9.76	
1RXSJ173000.2−184006	0.0711 (0.0167)	0.661	15.3	173000.59−184012.3	...	...	...	...	
1RXSJ173003.5+330111	0.0509 (0.0100)	0.570	16.2	173003.86+330105.0	[VV96] J173003.8+330102	Quasar	./.	16.5 : 16.5	P
1RXSJ173008.0+624744	0.0597 (0.0057)	0.568	15.4	173008.39+624754.9	...	...	...	...	
1RXSJ173021.5−055933	0.5816 (0.0411)	0.571	16.5	173021.93−055932.1	...	...	...	...	
1RXSJ173030.1+742244	0.0702 (0.0071)	0.543	11.8	173036.66+742234.0	NGC 6414	Gal.	./.	15.6 :	
1RXSJ173033.5+444352	0.1012 (0.0113)	0.618	16.5	173033.39+444352.5	...	...	...	...	
1RXSJ173034.7+173103	0.0525 (0.0124)	0.724	12.0	173035.49+173108.9	HD 158806	*	F6IV	7.7 : 6.86	
1RXSJ173103.3+500737	0.0528 (0.0082)	0.569	16.6	173103.70+500735.5	[VV96] J173103.7+500735	Quasar	./.	:	P
1RXSJ173113.6+144259	0.1740 (0.0208)	0.697	14.5	173113.38+144256.0	...	...	...	...	
1RXSJ173123.2+143358	0.1903 (0.0230)	0.587	15.8	173122.72+143355.2	...	...	...	...	
1RXSJ173140.1+225239	0.1156 (0.0158)	0.731	14.0	173139.38+225232.5	...	...	...	...	
1RXSJ173151.2−063920	0.0738 (0.0165)	0.721	14.4	173152.02−063913.0	...	...	...	...	
1RXSJ173206.2−395232	0.1004 (0.0215)	0.619	13.0	173206.03−395224.7	...	...	...	...	
1RXSJ173216.5+484754	0.0503 (0.0077)	0.866	13.8	173216.03+484750.8	...	...	...	...	
1RXSJ173223.9−185036	0.1656 (0.0242)	0.711	10.7	173223.85−185025.8	GSC 06243−00170	*	./.	11.4 : 10.4	
1RXSJ173226.5+505050	0.0671 (0.0086)	0.680	15.8	173226.73+505048.9	...	...	...	...	
1RXSJ173336.7+204847	0.0501 (0.0106)	0.850	11.8	173336.72+204859.9	GSC 01550−00229	*	./.	11.18 : 10.30	
1RXSJ173353.5+165515	0.0901 (0.0141)	0.709	15.5	173353.53+165519.4	...	...	...	...	
1RXSJ173355.8+080953	0.2039 (0.0225)	0.722	0.0	173356.06+080957.8	HD 159356	Ecl. Bin. (beta Lyr)	G	9.11 : 8.56	
1RXSJ173416.0+134343	0.1305 (0.0179)	0.644	15.4	173416.39+134351.5	...	...	...	...	
1RXSJ173451.2+784419	0.1074 (0.0081)	0.858	14.3	173451.95+784414.6	...	...	...	...	
1RXSJ173458.8+615227	0.3452 (0.0117)	0.636	0.0	173459.26+615233.0	HD 160269	HiPM*	G0Va	5.84 : 5.23	
...	...	...	...	173459.26+615233.0	IRAS 17344+6154	IR	./.	:	
1RXSJ173519.6+315827	0.0521 (0.0102)	0.567	16.4	173519.11+315829.2	...	...	...	...	
1RXSJ173519.9+035616	0.0539 (0.0136)	0.513	0.0	173520.13+035621.1	HD 159562	**mul.	G5	9.22 : 8.30	
1RXSJ173524.4−353957	0.1417 (0.0238)	0.513	14.5	173522.94−353959.7	...	...	...	...	
1RXSJ173648.5−642910	0.1032 (0.0309)	0.880	11.9	173650.36−642906.6	GSC 09061−03875	*	./.	10.45 : 9.84	
1RXSJ173658.9+485931	0.0990 (0.0101)	0.708	15.0	173659.26+485939.3	...	...	...	...	
1RXSJ173751.2−600408	0.1482 (0.0338)	0.694	14.7	173752.19−600413.1	...	...	...	...	
1RXSJ173839.8−441730	0.2461 (0.0387)	0.788	0.0	173840.36−441742.9	GSC 07896−03812	*	./.	11.4 : 10.5	
1RXSJ173905.2−392615	0.0688 (0.0197)	0.584	12.6	173905.30−392613.2	...	...	...	...	
1RXSJ173933.4−291001	0.0520 (0.0147)	0.781	11.5	173931.24−290953.7	HD 316072	*	K0	11.2 : 9.97	
1RXSJ174014.8+585411	0.0520 (0.0056)	0.732	15.5	174014.63+585416.2	...	...	...	...	
1RXSJ174023.7+084059	0.0519 (0.0129)	0.664	15.2	174024.38+084055.7	...	...	...	...	
1RXSJ174024.6−285706	0.0536 (0.0159)	0.512	14.3	174023.92−285651.0	...	...	...	...	
1RXSJ174025.8+514942	0.2344 (0.0137)	0.807	15.1	174025.65+514942.5	1E 1739+51.8	Sy1	./.	15.2 :	P
1RXSJ174027.6+161637	0.0556 (0.0108)	0.541	14.9	174027.33+161654.2	...	...	...	...	
1RXSJ174054.2−121613	0.0778 (0.0171)	0.682	12.7	174055.48−121626.9	...	...	...	...	
1RXSJ174103.8+221229	0.0578 (0.0108)	0.823	13.6	174103.91+221237.2	...	...	...	...	
1RXSJ174128.1+034848	0.8405 (0.0651)	0.785	14.9	174128.12+034851.8	IRAS 17389+0350	IR	./.	:	
...	...	...	...	174128.12+034851.8	RX J1741.4+0348	Sy1	./.	:	P
1RXSJ174158.7+155657	0.0879 (0.0131)	0.573	0.0	174158.71+155707.0	HD 160910	**	F4Vw	5.899 : 5.549	
1RXSJ174207.1+182720	0.2140 (0.0209)	0.579	16.8	174206.96+182721.2	QSO 1739+184	Quasar	./.	17.87 : 17.50	P
1RXSJ174208.8+510103	0.0736 (0.0083)	0.798	14.8	174209.25+510105.2	...	...	...	...	
1RXSJ174220.8−273736	0.1648 (0.0234)	0.790	12.1	174220.62−273718.6	...	...	...	...	
1RXSJ174224.2+432929	0.0980 (0.0103)	0.735	15.3	174224.28+432924.2	...	...	...	...	
1RXSJ174248.6+390027	0.1874 (0.0156)	0.531	14.3	174249.72+390038.8	...	...	...	...	
1RXSJ174251.1+584105	0.0522 (0.0059)	0.564	9.2	174251.36+584111.1	HD 161582	*	K0	9.08 : 8.34	
1RXSJ174312.7−411911	0.1031 (0.0254)	0.888	8.8	174314.45−411922.2	HD 160685	**mul.	K2/K3III:+...	9.05 : 8.53	
1RXSJ174314.2+463526	0.0573 (0.0081)	0.543	17.1	174314.22+463530.6	...	...	...	...	
1RXSJ174355.9+275249	0.0788 (0.0119)	0.557	16.6	174356.41+275250.2	[VV96] J174356.4+275250	Quasar	./.	:	P
1RXSJ174357.3+193505	0.3205 (0.0335)	0.691	15.2	174357.87+193509.8	OHIO T 169	Rad.	./.	:	
...	...	...	...	174357.87+193509.8	RX J1743.8+1935	X	./.	:	
...	...	...	...	174357.87+193509.8	[LBH86] 1741+196	Rad. Gal.	./.	:	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ174406.9+440434	0.0705 (0.0096)	0.547	9.1	174407.62+440451.3	HD 161570	*	G5	9.13 : 8.22	
1RXSJ174414.3+325925	0.7492 (0.0315)	0.616	16.2	174414.50+325929.4	PGC 60777	Gal.	./.	15.02 :	
...	...	...	...	174414.50+325929.4	RX J1744.1+3259	X	./.	:	
...	...	...	...	174414.50+325929.4	[A86] 1742+330A	Rad.	./.	:	
...	...	...	...	174414.50+325929.4	[D71] 1742+33	Rad.	./.	:	
1RXSJ174427.2+313938	0.1196 (0.0136)	0.524	8.8	174427.94+313938.3	HD 161478	*	F8	8.70 : 8.23	
1RXSJ174450.4−501410	0.1093 (0.0308)	0.864	12.2	174450.07−501427.7	...	...	...	...	
1RXSJ174538.1+290823	0.5308 (0.0281)	0.682	14.9	174538.28+290822.3	...	...	...	...	
1RXSJ174554.2+604211	0.0959 (0.0068)	0.734	15.7	174553.97+604210.4	EUVE J1745+60.7	WD	./.	:	
1RXSJ174559.6−370055	0.1035 (0.0220)	0.688	11.8	174600.16−370123.0	...	...	...	...	
1RXSJ174604.8+312058	0.0846 (0.0115)	0.873	13.6	174605.30+312103.6	...	...	...	...	
1RXSJ174614.9−703902	1.0770 (0.0936)	0.588	16.0	174613.78−703856.9	...	...	...	...	
1RXSJ174624.9+222851	0.0846 (0.0131)	0.892	12.5	174625.33+222900.2	...	...	...	...	
1RXSJ174626.9−414249	0.1384 (0.0294)	0.708	14.1	174627.06−414247.2	...	...	...	...	
1RXSJ174627.2−271103	0.0670 (0.0172)	0.894	10.8	174627.65−271120.8	...	...	...	...	
1RXSJ174629.8−084240	0.0680 (0.0173)	0.619	14.3	174629.47−084217.1	...	...	...	...	
1RXSJ174638.7+411047	0.1020 (0.0107)	0.593	16.7	174638.83+411046.6	...	...	...	...	
1RXSJ174653.4+024933	0.0683 (0.0155)	0.554	10.4	174654.77+024946.8	BD+02 3399	*	K0	10.47 : 9.63	
1RXSJ174700.3+683626	0.2131 (0.0060)	0.518	12.1	174659.75+683636.2	QSO 1747+684	Sy1	./.	:	
1RXSJ174741.0−135445	0.0552 (0.0166)	0.554	15.3	174741.54−135435.5	...	...	...	...	
1RXSJ174745.8+521355	0.0551 (0.0066)	0.753	12.9	174746.99+521340.1	...	...	...	...	
1RXSJ174815.0+582333	0.0678 (0.0059)	0.716	15.9	174815.35+582335.1	...	...	...	...	
1RXSJ174815.7+494156	0.0643 (0.0083)	0.542	15.4	174814.86+494138.5	...	...	...	...	
1RXSJ174832.9+700551	0.0608 (0.0039)	0.742	15.8	174832.90+700550.7	7C 1749+7006	Rad.	./.	:	
...	...	...	...	174832.90+700550.7	JVAS 1749+701	Rad.	./.	:	
...	...	...	...	174832.90+700550.7	QSO 1749+7006	BL Lac − type object	./.	:	
...	...	...	...	174832.90+700550.7	VLA −NEP J1748.5+7005	Rad.	./.	:	
1RXSJ174833.2−530638	0.7499 (0.0783)	0.535	0.0	174833.73−530643.5	HD 161460	*	G8/K0III	9.84 : 8.99	
1RXSJ174839.6+530240	0.1038 (0.0088)	0.685	16.2	174839.58+530242.8	HS 1747+5303	Quasar	./.	16.4 :	
1RXSJ175046.5−311632	1.1790 (0.0900)	0.509	17.2	175046.96−311630.1	ESO 455− 49	Globular Cluster	./.	:	
1RXSJ175058.0−203402	0.0782 (0.0209)	0.859	14.0	175057.76−203404.2	...	...	...	...	
1RXSJ175116.3+504537	0.3847 (0.0161)	0.806	15.1	175116.63+504538.9	[VV96] J175116.7+504537	Quasar	./.	:	
1RXSJ175117.5−420433	0.1250 (0.0310)	0.528	14.3	175117.60−420439.9	...	...	...	...	
1RXSJ175131.2+471315	0.0747 (0.0092)	0.545	16.6	175131.65+471322.6	RX J1751.4+4713	Quasar	./.	:	P
1RXSJ175135.0−485454	0.1190 (0.0312)	0.614	13.7	175134.18−485454.8	...	...	...	...	
1RXSJ175140.9+281855	0.0964 (0.0135)	0.780	14.4	175141.45+281900.2	...	...	...	...	
1RXSJ175149.9+071450	0.1256 (0.0250)	0.624	14.8	175150.63+071444.9	...	...	...	...	
1RXSJ175202.2+563628	0.0790 (0.0066)	0.745	14.8	175203.20+563625.5	...	...	...	...	
1RXSJ175234.2+014235	0.2596 (0.0282)	0.649	8.6	175234.14+014235.8	HD 162754	*	G5	8.55 : 7.77	
1RXSJ175242.3+232724	0.1241 (0.0145)	0.876	0.0	175242.74+232729.0	BD+23 3201	**	./.	10.0 :	
1RXSJ175302.5+410141	0.0593 (0.0098)	0.655	14.7	175303.57+410151.8	...	...	...	...	
1RXSJ175411.9+192508	0.0562 (0.0131)	0.728	14.1	175411.19+192521.9	...	...	...	...	
1RXSJ175505.8+651951	0.0948 (0.0030)	0.798	15.1	175505.60+651954.8	VLA −NEP J1755.1+6519	Rad.	./.	:	
1RXSJ175511.2+335102	0.0612 (0.0106)	0.540	16.9	175511.26+335059.7	RX J1755.1+3351	Quasar	./.	:	P
1RXSJ175545.5+675242	0.0507 (0.0027)	0.512	14.8	175547.93+675227.1	...	...	...	...	
1RXSJ175548.3+623641	0.0659 (0.0042)	0.569	13.7	175548.48+623644.9	7C 1755+6237	Rad.	./.	:	
...	...	...	...	175548.48+623644.9	NGC 6521	Gal. in Clust.	E	14.3 :	
...	...	...	...	175548.48+623644.9	RX J1755.8+6236	Clust.	./.	:	
1RXSJ175615.5+552217	0.5795 (0.0165)	0.544	17.5	175615.89+552218.2	RX J1756.1+5522	X	./.	:	
1RXSJ175617.9−583320	0.1330 (0.0368)	0.721	12.3	175620.02−583306.0	...	...	...	...	
1RXSJ175630.5−244816	0.0917 (0.0199)	0.866	13.9	175630.29−244812.2	...	...	...	...	
1RXSJ175634.8−215937	0.1769 (0.0278)	0.710	13.4	175634.89−215916.4	...	...	...	...	
1RXSJ175652.3+411509	0.1005 (0.0111)	0.530	9.2	175651.77+411506.9	BD+41 2934	**	F5	9.31 : 8.86	
...	...	...	...	175651.77+411506.9	BD+41 2934B	**	?	:	
1RXSJ175705.2+455134	0.0506 (0.0094)	0.506	0.0	175704.93+455121.8	HD 164059	**mul.	F5	7.3 : 6.7	
1RXSJ175706.9+535130	0.1188 (0.0089)	0.595	15.6	175706.73+535137.4	[CEF95] 175604.4+535151	Gal. in Clust.	./.	13.4 :	
1RXSJ175733.7−573952	0.5214 (0.0631)	0.529	0.0	175731.82−573947.7	HD 163029	**mul.	K0V	8.9 : 8.1	
1RXSJ175740.2+565508	0.0585 (0.0054)	0.512	17.6	175740.21+565508.4	...	...	...	...	
1RXSJ175747.8+194650	0.3342 (0.0264)	0.659	15.6	175747.84+194657.3	...	...	...	...	
1RXSJ175806.3−222216	0.0613 (0.0165)	0.812	14.1	175806.16−222223.0	...	...	...	...	
1RXSJ175832.1−374303	0.1034 (0.0298)	0.577	14.2	175831.47−374302.5	...	...	...	...	
1RXSJ175835.4−405917	0.2648 (0.0459)	0.531	13.0	175836.40−405926.3	...	...	...	...	
1RXSJ175855.2+015447	0.0657 (0.0155)	0.741	0.0	175855.52+015506.3	BD+01 3549	*	K2	10.75 : 9.75	
1RXSJ175905.1−133320	0.1673 (0.0275)	0.666	13.6	175904.23−133321.1	...	...	...	...	
1RXSJ175953.7+104402	0.0917 (0.0213)	0.835	12.1	175954.57+104420.1	...	...	...	...	
1RXSJ180028.2+691322	0.0563 (0.0034)	0.737	11.3	180030.65+691347.6	BD+69 963	*	F5	10.21 : 9.83	
1RXSJ180035.0+081013	0.7946 (0.0680)	0.721	15.1	180035.57+081012.3	V* V2301 Oph	Nova−like Star	./.	:	
1RXSJ180043.6+782806	0.0669 (0.0073)	0.644	15.5	180045.70+782804.2	QSO 1803+78	BL Lac − type object	./.	16.4 :	
...	...	...	...	180045.70+782804.2	[DML87] 749	IR	./.	:	
...	...	...	...	180045.70+782804.2	[PW82] 1803+78	Rad.	./.	:	
1RXSJ180055.0+423955	0.2430 (0.0167)	0.716	16.0	180055.15+423957.1	...	...	...	...	
1RXSJ180057.5+541030	0.0556 (0.0063)	0.519	16.7	180058.45+541028.1	...	...	...	...	
1RXSJ180108.7−250444	17.7800 (1.0290)	0.686	0.0	180107.92−250454.3	...	...	...	...	
1RXSJ180130.0+213531	0.1143 (0.0161)	0.708	0.0	180129.96+213543.1	ADS 10993 AB	**mul.	G5	4.66 : 4.28	
...	...	...	...	180129.96+213543.1	HD 164668	**	G5III	6.13 : 5.18	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	180129.96+213543.1	HD 164669	**	A5IIIn	5.08 : 4.96	
...	...	...	...	180129.96+213543.1	IRAS 17593+2135	IR	./.	:	
1RXSJ180132.1+440419	0.0624 (0.0081)	0.518	17.1	180132.42+440420.6	CJ1 1800+440	Rad.	./.	:	
...	...	...	...	180132.42+440420.6	JVAS 1800+440	Rad.	./.	:	
...	...	...	...	180132.42+440420.6	[VV96] J180132.4+440422	Quasar	./.	16.8 : 16.8	
1RXSJ180142.3+275759	0.0552 (0.0103)	0.734	15.1	180142.38+275802.4	...	...	...	...	
1RXSJ180206.7+180438	2.5090 (0.1638)	0.670	15.3	180206.53+180442.0	EUVE J1802+18.0	UV	./.	:	
...	...	...	...	180206.53+180442.0	V* V884 Her	CV (AM Her type)	./.	15. :	P
1RXSJ180208.6+183043	0.1170 (0.0181)	0.826	13.1	180207.51+183043.1	...	...	...	...	
1RXSJ180228.6−523643	0.2584 (0.0500)	0.587	13.8	180228.54−523642.6	PMN J1802−5236	Rad.	./.	:	
1RXSJ180316.6+044825	0.0738 (0.0175)	0.870	0.0	180317.83+044826.6	AG+04 2245	*	K2	11.1 : 10.2	
1RXSJ180328.4+673806	0.2801 (0.0042)	0.759	15.3	180328.93+673810.7	[VV96] J180328.9+673810	Quasar	S...	16.2 : 16.00	P
1RXSJ180354.3+535649	0.0600 (0.0065)	0.718	15.4	180354.33+535655.4	...	...	...	...	
1RXSJ180416.6−242206	0.1135 (0.0243)	0.738	0.0	180412.78−242142.8	...	...	...	...	
1RXSJ180527.2+023014	1.6490 (0.1272)	0.727	0.0	180527.21+023008.8	GJ 702	V*	K0V	4.89 : 4.03	
...	...	...	...	180527.21+023008.8	GJ 702A	HiPM*	K0V	4.98 : 4.20	
...	...	...	...	180527.21+023008.8	GJ 702B	HiPM*	K4V	7.15 : 6.00	
1RXSJ180605.8−195918	0.0977 (0.0207)	0.530	12.8	180605.15−195914.7	...	...	...	...	
1RXSJ180624.1−360119	0.5854 (0.0746)	0.848	13.7	180623.66−360111.3	GJ 702.1	*	G5V	6.515 : 5.949	
1RXSJ180642.0+231820	0.1306 (0.0169)	0.696	15.9	180642.17+231817.9	...	...	...	...	
1RXSJ180650.2+694923	0.1540 (0.0057)	0.855	14.3	180650.71+694928.2	7C 1807+6949	Rad.	./.	:	
...	...	...	...	180650.71+694928.2	JVAS 1807+698	BL Lac − type object	./.	:	
...	...	...	...	180650.71+694928.2	QSO 1807+698	BL Lac − type object	E	14.4 :	
1RXSJ180722.5−165944	0.0905 (0.0206)	0.554	15.0	180722.76−165950.9	...	...	...	...	
1RXSJ180730.1+753116	0.0556 (0.0058)	0.861	13.5	180732.24+753122.1	...	...	...	...	
1RXSJ180749.6+260558	0.4866 (0.0291)	0.640	0.0	180749.56+260604.4	HD 166045	**	A3V	5.98 : 5.87	
1RXSJ180751.8+055144	0.1950 (0.0236)	0.898	13.8	180751.69+055149.9	V* V426 Oph	DN	?p...	11.00 :	
1RXSJ180824.1−462725	0.2224 (0.0541)	0.867	0.0	180819.34−462723.8	HD 165456	**mul.	G5	10.30 : 9.73	
1RXSJ180834.9+312743	0.0986 (0.0141)	0.896	13.3	180834.83+312734.2	HD 166278	*	F0	8.52 : 8.18	
1RXSJ180920.6+090907	0.1194 (0.0193)	0.633	9.5	180921.39+090903.7	HD 166231	Ecl. Bin. (W UMa)	F8V	9.63 : 9.05	P
1RXSJ180959.6+515505	0.1202 (0.0093)	0.844	14.6	180959.88+515507.7	...	...	...	...	
1RXSJ181100.0+495430	0.2466 (0.0140)	0.662	13.4	181101.88+495442.3	...	...	...	...	
1RXSJ181105.7+354342	0.0541 (0.0104)	0.866	12.9	181105.98+354356.0	...	...	...	...	
1RXSJ181115.2−010111	0.0751 (0.0171)	0.619	15.8	181115.06−010107.6	...	...	...	...	
1RXSJ181151.6−480844	0.2343 (0.0491)	0.888	11.3	181152.67−480834.6	...	...	...	...	
1RXSJ181221.5+223552	0.0601 (0.0136)	0.585	15.8	181221.90+223545.6	...	...	...	...	
1RXSJ181232.5−734030	0.1951 (0.0415)	0.657	0.0	181233.44−734021.1	HD 165259	HiPM*	F5V	6.31 : 5.85	
...	...	...	...	181233.44−734021.1	IRAS 18062−7341	IR	./.	:	
1RXSJ181234.7+395124	0.1266 (0.0132)	0.511	16.3	181234.56+395126.4	...	...	...	...	
1RXSJ181300.8+575906	0.0638 (0.0057)	0.685	15.9	181301.38+575903.0	...	...	...	...	
1RXSJ181306.1+260145	0.2997 (0.0250)	0.693	14.9	181305.84+260153.6	GJ 4044	*	M4	:	
1RXSJ181333.7+453118	0.2833 (0.0169)	0.753	15.5	181334.00+453117.6	...	...	...	...	
1RXSJ181340.8+300143	0.1414 (0.0165)	0.532	15.9	181341.20+300138.5	...	...	...	...	
1RXSJ181348.4+384457	0.1625 (0.0150)	0.716	15.2	181348.69+384453.8	...	...	...	...	
1RXSJ181417.3+124600	0.0558 (0.0148)	0.511	16.2	181418.19+124557.7	...	...	...	...	
1RXSJ181431.6−170917	4.8750 (0.2354)	0.569	15.6	181432.10−170925.7	...	...	...	...	
1RXSJ181514.7−492755	0.1336 (0.0371)	0.708	13.7	181515.62−492746.3	...	...	...	...	
1RXSJ181609.0−584409	0.2561 (0.0471)	0.682	12.9	181612.43−584403.7	...	...	...	...	
1RXSJ181709.7+394703	0.1044 (0.0116)	0.561	17.0	181709.98+394701.5	...	...	...	...	
1RXSJ181810.0+534343	0.4793 (0.0176)	0.772	15.3	181810.41+534345.9	HS 1817+5342	Quasar	./.	:	
1RXSJ181821.2+025600	0.0547 (0.0155)	0.807	13.8	181821.55+025554.0	...	...	...	...	
1RXSJ181829.0+674127	0.1125 (0.0044)	0.587	17.1	181828.88+674125.4	[VV96] J181828.6+674125	Quasar	./.	16.5 :	
1RXSJ181848.1+342237	0.0817 (0.0111)	0.838	13.2	181848.09+342233.7	...	...	...	...	
1RXSJ181941.1−635311	0.2322 (0.0493)	0.665	0.0	181940.38−635255.7	CD−63 1343B	**	?	:	
1RXSJ181952.6−291623	0.6268 (0.0676)	0.848	0.0	181952.21−291632.8	HD 168210	*	G1V	9.40 : 8.75	
1RXSJ182003.3+180319	0.0576 (0.0127)	0.743	15.1	182002.96+180323.4	...	...	...	...	
1RXSJ182022.7−101104	0.1560 (0.0251)	0.510	0.0	182022.77−101112.3	BD−10 4662A	Em. *	./.	:	
...	...	...	...	182022.77−101112.3	V* FK Ser	V*	?	9.5 :	
1RXSJ182042.7+381711	0.2584 (0.0177)	0.548	17.0	182042.48+381710.3	...	...	...	...	
1RXSJ182056.5+353022	0.1057 (0.0129)	0.526	17.2	182056.50+353017.5	...	...	...	...	
1RXSJ182130.8+233434	0.0973 (0.0148)	0.871	13.0	182131.60+233430.2	...	...	...	...	
1RXSJ182157.4+642051	1.0710 (0.0140)	0.546	13.6	182157.25+642036.2	[VV96] J182157.3+642036	Quasar	./.	14.23 : 14.24	
1RXSJ182234.8−112937	0.1123 (0.0198)	0.882	12.6	182235.36−112941.0	...	...	...	...	
1RXSJ182326.3+231337	0.1706 (0.0183)	0.774	13.2	182326.51+231329.2	...	...	...	...	
1RXSJ182340.5−302137	127.0000 (2.8000)	0.581	11.1	182340.73−302148.0	Cl* NGC 6624 SC 2	*iC	./.	:	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1137	*iC	./.	21.29 : 19.93	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1141	*iC	./.	20.57 : 19.63	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1142	*iC	./.	19.97 : 19.24	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1148	*iC	./.	20.47 : 19.77	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1160	*iC	./.	19.8 : 18.71	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1162	*iC	./.	20.43 : 19.39	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1163	*iC	./.	17.26 : 16.17	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1173	*iC	./.	20.33 : 19.37	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1179	*iC	./.	17.21 : 16.18	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1180	*iC	./.	16.27 : 14.69	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1199	*iC	./.	21.02 : 19.94	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1201	*iC	./.	20.37 : 19.59	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1203	*iC	./.	20.11 : 19.60	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1204	*iC	./.	18.16 : 17.05	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1208	*iC	./.	20.94 : 19.64	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1212	*iC	./.	21.1 : 19.72	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1216	*iC	./.	17. : 15.92	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1219	*iC	./.	21.38 : 19.85	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1223	*iC	./.	20.62 : 19.92	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1227	*iC	./.	20.8 : 19.61	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1231	*iC	./.	19.73 : 18.47	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1232	*iC	./.	20.17 : 19.14	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1235	*iC	./.	19. : 17.86	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1237	*iC	./.	19.75 : 18.62	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1239	*iC	./.	19.97 : 18.88	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1240	*iC	./.	20.28 : 19.58	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1241	*iC	./.	20.47 : 19.90	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1243	*iC	./.	19.85 : 19.24	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1248	*iC	./.	20.66 : 19.59	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1256	*iC	./.	17.29 : 16.01	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1257	*iC	./.	18.76 : 18.42	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1259	*iC	./.	19.33 : 18.21	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1267	*iC	./.	17.13 : 16.06	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1273	*iC	./.	20.51 : 19.42	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1274	*iC	./.	20.21 : 19.44	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1276	*iC	./.	19.95 : 19.39	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1277	*iC	./.	20.29 : 19.25	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1279	*iC	./.	20.53 : 19.53	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1285	*iC	./.	20.6 : 19.20	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1287	*iC	./.	20.65 : 19.44	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1292	*iC	./.	19.29 : 18.11	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1301	*iC	./.	20.36 : 19.46	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1313	*iC	./.	20.41 : 19.64	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1316	*iC	./.	20.68 : 19.79	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1319	*iC	./.	21.23 : 19.85	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1326	*iC	./.	20.36 : 19.13	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1343	*iC	./.	20.37 : 19.49	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1344	*iC	./.	21.27 : 20.00	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1347	*iC	./.	20.76 : 19.95	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1350	*iC	./.	20.84 : 19.94	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1371	*iC	./.	20.98 : 19.96	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1379	*iC	./.	20.65 : 19.74	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1390	*iC	./.	19.53 : 18.41	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1391	*iC	./.	20.74 : 19.94	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1404	*iC	./.	20.39 : 19.51	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1408	*iC	./.	20.41 : 19.69	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1410	*iC	./.	20.46 : 19.79	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1413	*iC	./.	20.47 : 19.44	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1414	*iC	./.	20.86 : 19.92	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1428	*iC	./.	20.27 : 19.28	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1429	*iC	./.	19.95 : 18.91	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1438	*iC	./.	20.67 : 19.86	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1442	*iC	./.	19.72 : 18.65	
...	...	...	...	182340.73−302148.0	Cl* NGC 6624 SK 1444	*iC	./.	19.3 : 18.23	
...	...	...	...	182340.73−302148.0	EQ 1820−3023	UV	./.	:	
...	...	...	...	182340.73−302148.0	NGC 6624	Globular Cluster	?	10.22 : 9.14	
...	...	...	...	182340.73−302148.0	X Sgr X−4	Low Mass X−ray Binary	?	19.06 : 18.81	P
1RXSJ182407.7+302933	0.1697 (0.0162)	0.743	14.4	182406.86+302932.1	...	...	...	...	
1RXSJ182420.2−371528	0.1775 (0.0393)	0.888	11.4	182420.44−371513.4	...	...	...	...	
1RXSJ182430.0−511227	0.2030 (0.0518)	0.622	14.7	182430.60−511224.3	...	...	...	...	
1RXSJ182447.1−062036	0.0764 (0.0181)	0.762	14.4	182446.82−062026.2	...	...	...	...	
1RXSJ182538.4+181741	0.0883 (0.0150)	0.758	10.9	182538.14+181742.2	HD 348635	V* (RS CVn)	G2IV	10.41 : 9.68	P
1RXSJ182549.2+040925	0.1267 (0.0211)	0.711	13.6	182548.92+040932.3	...	...	...	...	
1RXSJ182615.1−145034	0.0647 (0.0160)	0.833	12.2	182615.04−145053.6	RX J1826.2−1450	X−ray Binary	B+...	12.17 : 11.23	
...	...	...	...	182615.04−145053.6	[LH92] 78	*	./.	:	
1RXSJ182655.6+150910	0.4568 (0.0503)	0.605	0.0	182655.59+150906.2	HD 170052	Semi−Reg. Pulsating *	K0	10.73 : 9.59	
1RXSJ182715.1+195624	0.1299 (0.0178)	0.874	13.3	182714.74+195619.3	...	...	...	...	
1RXSJ182751.3+274038	0.0513 (0.0096)	0.685	15.4	182751.31+274046.4	...	...	...	...	
1RXSJ182913.4+335626	0.0753 (0.0105)	0.634	10.7	182913.64+335653.5	GSC 02632−01719	*	./.	10.71 : 10.28	
1RXSJ182924.5+591701	0.0554 (0.0066)	0.557	17.0	182925.05+591701.3	...	...	...	...	
1RXSJ182932.3+484447	0.1678 (0.0135)	0.613	16.4	182931.79+484446.2	[VV96] J182931.8+484446	Quasar	./.	17.05 : 16.81	P
1RXSJ183008.4+373636	0.1171 (0.0129)	0.544	16.6	183008.85+373640.9	...	...	...	...	
1RXSJ183018.1+344633	0.0717 (0.0112)	0.747	10.8	183018.97+344656.5	GSC 02632−00857	*	./.	11.17 : 10.59	
1RXSJ183059.7−553308	0.2290 (0.0547)	0.589	0.0	183059.55−553254.9	HD 170132	**mul.	K0V	10.30 : 9.55	
1RXSJ183135.5+555652	0.0535 (0.0064)	0.751	15.1	183135.58+555657.3	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ183139.0+541843	0.1461 (0.0106)	0.741	11.7	183137.59+541857.5	GSC 03905−00319	*	./.	10.79 : 9.97	
1RXSJ183203.3+490103	0.1155 (0.0107)	0.641	16.2	183203.06+490100.2	1RXS J183203.3+490103	Quasar	./.	:	P
1RXSJ183209.6+352638	0.0921 (0.0140)	0.508	16.7	183208.94+352640.5	...	...	...	...	
1RXSJ183224.4−205150	0.1343 (0.0241)	0.574	12.2	183223.06−205201.4	...	...	...	...	
1RXSJ183249.4+534013	0.0635 (0.0075)	0.750	14.6	183249.71+534022.0	HS 1831+5338	Quasar	./.	:	
1RXSJ183317.1−003406	0.0635 (0.0156)	0.724	14.8	183316.79−003406.2	...	...	...	...	
1RXSJ183514.7+243501	0.0586 (0.0109)	0.615	15.7	183514.22+243506.9	...	...	...	...	
1RXSJ183552.8+800536	0.1133 (0.0107)	0.732	14.7	183549.67+800529.9	GJ 4068	*	M3.5	:	P
1RXSJ183553.1+165838	0.5491 (0.0335)	0.591	0.0	183553.21+165832.6	BD+16 3560A	**	G0	:	
...	...	...	...	183553.21+165832.6	BD+16 3560B	**	F8	:	
...	...	...	...	183553.21+165832.6	HD 171746	V*	G2V+...	6.74 :	
...	...	...	...	183553.21+165832.6	IRAS 18336+1655	IR	./.	:	
1RXSJ183618.7+133622	0.1107 (0.0206)	0.535	14.2	183618.62+133612.0	...	...	...	...	
1RXSJ183631.0+634430	0.1267 (0.0065)	0.544	16.4	183630.81+634438.9	...	...	...	...	
1RXSJ183647.4+822835	0.0595 (0.0082)	0.626	16.3	183648.95+822838.5	...	...	...	...	
1RXSJ183655.4+352155	0.0549 (0.0128)	0.518	16.9	183655.21+352153.1	...	...	...	...	
1RXSJ183735.6+380625	0.0692 (0.0114)	0.777	11.1	183735.72+380627.2	BD+37 3181	**	K0	10.98 : 10.38	
...	...	...	...	183735.72+380627.2	BD+37 3181B	**	?	:	
1RXSJ183749.6−232400	0.2701 (0.0331)	0.881	0.0	183750.19−232348.5	HD 171810	*	F5/F6V	8.58 : 8.10	
1RXSJ183821.0−602519	0.1194 (0.0332)	0.718	15.1	183820.65−602522.7	...	...	...	...	
1RXSJ183831.8+495532	0.0554 (0.0082)	0.528	16.9	183831.92+495536.5	...	...	...	...	
1RXSJ183849.4+480236	0.1008 (0.0100)	0.542	16.6	183849.18+480234.5	RX J1838.7+4802	X	./.	:	P
1RXSJ183900.8+345856	0.0510 (0.0113)	0.685	14.8	183901.51+345906.0	...	...	...	...	
1RXSJ183925.6+690307	0.0771 (0.0066)	0.762	13.8	183925.69+690254.3	...	...	...	...	
1RXSJ183936.8+102439	0.0599 (0.0134)	0.756	13.3	183937.98+102442.8	...	...	...	...	
1RXSJ183953.1+014250	0.0824 (0.0157)	0.882	12.6	183953.51+014301.1	...	...	...	...	
1RXSJ183956.7+510532	0.3028 (0.0195)	0.636	0.0	183956.26+510534.7	BD+50 2639B	**	?	:	
...	...	...	...	183956.26+510534.7	HD 172884	**	G5	9.49 : 8.86	
1RXSJ183956.9+050203	69.6200 (0.3311)	0.574	15.9	183956.60+050158.3	...	...	...	...	
1RXSJ184050.3−834305	0.2395 (0.0346)	0.587	16.5	184052.28−834309.2	...	...	...	...	
1RXSJ184159.4+631629	0.0572 (0.0046)	0.637	15.0	184157.86+631626.5	G 227−45	*	./.	15.8 :	
1RXSJ184206.5−555426	0.2230 (0.0591)	0.666	14.9	184206.94−555424.6	...	...	...	...	
1RXSJ184209.5+794613	0.4724 (0.0201)	0.794	15.0	184208.90+794616.7	QSO 1845+796	Sy1	S0:	14.37 :	
...	...	...	...	184208.90+794616.7	S5 1845+797	Rad.	./.	:	
...	...	...	...	184208.90+794616.7	[D81b] 3C 390.3 C	Rad.	./.	:	
1RXSJ184244.7+552922	0.1173 (0.0118)	0.825	14.7	184244.42+552922.3	...	...	...	...	
1RXSJ184249.8+575157	0.1599 (0.0124)	0.898	0.0	184249.45+575154.8	HD 173605	*	G5	8.56 : 7.96	
1RXSJ184258.7+074252	0.4174 (0.0346)	0.680	10.8	184258.24+074301.6	...	...	...	...	
1RXSJ184351.1−064921	0.1312 (0.0211)	0.843	0.0	184351.23−064905.3	HD 173093	*	F7V	6.725 : 6.302	
1RXSJ184402.1+453332	0.1232 (0.0129)	0.743	14.4	184402.33+453329.7	3C 388	Rad. Gal.	./.	15.3 :	
...	...	...	...	184402.33+453329.7	PGC 62332	Gal.	./.	:	
...	...	...	...	184402.33+453329.7	[PCD91] 1842+455 2	Gal.	./.	:	
...	...	...	...	184402.33+453329.7	[PCD91] 1842+455 1	Gal.	./.	:	
1RXSJ184409.1+822322	0.0535 (0.0085)	0.547	16.9	184406.45+822324.7	...	...	...	...	
1RXSJ184420.5+394012	0.0838 (0.0108)	0.528	0.0	184420.31+394014.4	HD 173582	**	A4V	5.22 : 5.06	
...	...	...	...	184420.31+394014.4	HD 173582 J	**mul.	A3	4.82 : 4.66	
...	...	...	...	184420.31+394014.4	HD 173583	**	F1V	6.1 : 6.02	
...	...	...	...	184420.31+394014.4	IRAS 18426+3937	IR	./.	:	
1RXSJ184430.7+340004	0.1112 (0.0120)	0.524	0.0	184430.73+335946.2	HD 173548	**	F8	8.33 : 7.86	
1RXSJ184431.2+220424	0.1788 (0.0223)	0.850	13.6	184430.84+220427.7	...	...	...	...	
1RXSJ184501.2−140911	0.2172 (0.0293)	0.501	14.1	184500.76−140900.3	...	...	...	...	
1RXSJ184509.8+682239	0.2337 (0.0099)	0.803	14.7	184509.81+682235.3	WD 1845+683	WD	DA...	:	P
1RXSJ184510.6+062016	0.0528 (0.0138)	0.877	12.7	184510.43+062019.6	...	...	...	...	
1RXSJ184518.9−210011	0.0648 (0.0176)	0.784	0.0	184518.66−210005.8	HD 173282	*	F5/F6V	6.775 : 6.348	
1RXSJ184524.9+772543	0.0927 (0.0093)	0.671	15.4	184522.30+772539.8	...	...	...	...	
1RXSJ184534.2+141338	0.0662 (0.0154)	0.786	12.8	184533.38+141350.8	...	...	...	...	
1RXSJ184557.8+561003	0.0519 (0.0089)	0.504	16.9	184556.90+561002.0	...	...	...	...	
1RXSJ184622.3−323318	0.1295 (0.0291)	0.833	11.1	184620.87−323328.2	...	...	...	...	
1RXSJ184642.2+842506	0.1020 (0.0116)	0.554	15.9	184649.73+842505.2	...	...	...	...	
1RXSJ184646.9+004320	0.0935 (0.0177)	0.715	14.9	184646.41+004327.3	...	...	...	...	
1RXSJ184657.3−621037	0.1372 (0.0379)	0.683	12.9	184652.53−621035.4	...	...	...	...	
1RXSJ184659.4+553834	0.1084 (0.0131)	0.503	16.6	184659.85+553838.3	...	...	...	...	
1RXSJ184711.8+221249	0.1175 (0.0161)	0.801	13.9	184711.27+221242.3	...	...	...	...	
1RXSJ184812.9+271444	0.0558 (0.0107)	0.741	12.9	184812.06+271430.7	...	...	...	...	
1RXSJ184831.5+104539	0.0756 (0.0197)	0.542	11.6	184828.78+104503.7	...	...	...	...	
1RXSJ184842.5+080016	0.0620 (0.0170)	0.657	14.8	184842.13+080012.6	...	...	...	...	
1RXSJ184850.2+284611	0.0907 (0.0135)	0.555	16.0	184850.28+284614.3	...	...	...	...	
1RXSJ184919.7−164726	0.0967 (0.0201)	0.555	16.6	184919.62−164730.4	...	...	...	...	
1RXSJ184956.1−013402	0.1166 (0.0213)	0.617	14.2	184955.32−013359.2	...	...	...	...	
1RXSJ185000.5−601138	0.1254 (0.0316)	0.880	13.8	185000.12−601133.8	...	...	...	...	
1RXSJ185008.6+110509	0.0556 (0.0156)	0.652	15.6	185008.64+110510.4	...	...	...	...	
1RXSJ185023.7−194014	0.0598 (0.0164)	0.816	11.8	185023.76−193959.4	...	...	...	...	
1RXSJ185035.4−252812	0.0540 (0.0155)	0.765	11.9	185033.73−252801.1	...	...	...	...	
1RXSJ185134.1−215013	0.0652 (0.0172)	0.609	10.2	185134.04−215020.4	HD 174493	*	K1V	10.49 : 9.68	
1RXSJ185150.9+270322	0.0786 (0.0119)	0.876	12.3	185150.40+270311.9	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ185200.0+130005	0.1963 (0.0279)	0.847	13.6	185159.69+130010.7	...	...	...	...	
1RXSJ185218.3−370020	0.1188 (0.0308)	0.708	12.7	185217.31−370011.6	IRAS 18489−3703	IR	./.	:	
1RXSJ185306.6−360954	0.1943 (0.0357)	0.567	11.4	185305.99−361022.4	HD 174656	**mul.	G6IV	10.57 : 9.67	
1RXSJ185403.4+685823	0.0646 (0.0066)	0.856	12.9	185400.67+685822.4	...	...	...	...	
1RXSJ185456.8+735112	0.0677 (0.0064)	0.545	16.6	185457.33+735119.9	CJ2 1856+737	Rad.	./.	:	
...	...	...	...	185457.33+735119.9	JVAS 1856+737	Rad.	./.	:	
...	...	...	...	185457.33+735119.9	[VV96] J185457.4+735119	Quasar	./.	:	
1RXSJ185504.7+425952	0.2795 (0.0220)	0.707	15.7	185504.34+425950.2	...	...	...	...	
1RXSJ185616.2−194247	0.0764 (0.0193)	0.505	11.1	185614.14−194318.7	...	...	...	...	
1RXSJ185616.9−264209	0.0756 (0.0187)	0.528	10.9	185616.88−264213.9	HD 175415	*	G8III/IV	10.18 : 9.08	
1RXSJ185620.8+371240	0.0504 (0.0096)	0.636	15.9	185620.42+371236.0	...	...	...	...	
1RXSJ185628.4−490010	0.1484 (0.0378)	0.809	0.0	185632.04−485932.1	HD 175145	*	G8III	7.481 : 6.675	
1RXSJ185650.3−544224	0.3849 (0.0589)	0.715	15.0	185649.47−544229.7	...	...	...	...	
1RXSJ185718.5+622344	0.1147 (0.0069)	0.530	0.0	185719.46+622339.2	BD+62 1669B	**	K0	10.24 : 9.49	
1RXSJ185800.9+485020	0.2062 (0.0178)	0.656	16.0	185801.13+485023.8	...	...	...	...	
1RXSJ185803.4−295318	0.2405 (0.0331)	0.857	11.6	185804.22−295305.0	...	...	...	...	
1RXSJ185814.7−002656	0.0611 (0.0146)	0.641	14.8	185815.42−002705.0	...	...	...	...	
1RXSJ185831.1+491434	0.1903 (0.0178)	0.623	16.6	185830.87+491433.0	...	...	...	...	
1RXSJ185905.4+133725	0.2274 (0.0400)	0.636	0.0	185905.74+133720.1	HD 176303	V*	F8V	5.775 : 5.271	
1RXSJ185929.4−040252	0.0708 (0.0162)	0.542	15.5	185929.22−040303.0	...	...	...	...	
1RXSJ190056.9+674718	0.2137 (0.0097)	0.558	17.2	190056.41+674716.0	RX J1900.9+6747	Gal.	./.	:	P
1RXSJ190104.9−370332	0.0702 (0.0194)	0.812	0.0	190104.30−370341.4	HD 176270	**	B8IV−V	6.38 : 6.40	
...	...	...	...	190104.30−370341.4	[WGL92] iras 18	IR	./.	:	
1RXSJ190109.6−585337	0.1535 (0.0375)	0.892	0.0	190106.83−585330.3	HD 175897	*	G0V	9.12 : 8.50	
1RXSJ190121.8+470244	0.0729 (0.0120)	0.521	16.5	190122.14+470238.0	...	...	...	...	
1RXSJ190131.0−370053	0.1109 (0.0233)	0.570	0.0	190134.82−370056.2	2E 1858.1−3704	V*	K0	12.36 : 11.24	
1RXSJ190138.8−365253	0.1263 (0.0231)	0.574	0.0	190140.83−365233.6	AX 1858.3−3656	X	./.	:	
...	...	...	...	190140.83−365233.6	V* TY CrA	V* (Orion)	Ae...	9.88 : 9.42	
...	...	...	...	190140.83−365233.6	[WMB97] 185817.9−365647	IR	./.	:	
1RXSJ190141.0+012618	0.1720 (0.0231)	0.775	13.9	190141.51+012607.7	...	...	...	...	
1RXSJ190214.0+141639	0.1242 (0.0199)	0.795	11.3	190213.25+141659.7	HD 177008	*	K	11.0 : 10.13	
1RXSJ190301.0−495112	0.2064 (0.0289)	0.533	15.6	190300.28−495112.1	...	...	...	...	
1RXSJ190334.1+014838	0.0783 (0.0156)	0.746	0.0	190332.25+014907.5	HD 177178	*	A4V	6.002 : 5.826	
1RXSJ190405.7+510034	0.0634 (0.0110)	0.618	15.6	190404.77+510037.7	...	...	...	...	
1RXSJ190412.1+362701	0.1600 (0.0159)	0.641	16.2	190411.87+362659.0	RX J1904.1+3627	X	./.	:	P
1RXSJ190420.2−410305	0.0823 (0.0237)	0.514	15.3	190420.28−410303.4	...	...	...	...	
1RXSJ190547.7+780441	0.2591 (0.0150)	0.671	15.9	190547.38+780435.3	...	...	...	...	
1RXSJ190548.1+231930	0.0922 (0.0140)	0.867	0.0	190547.78+231922.0	HD 343714	*	F8	10.15 : 9.60	
1RXSJ190615.3+174157	0.0719 (0.0151)	0.710	14.6	190614.90+174149.6	...	...	...	...	
1RXSJ190631.7+681711	0.0538 (0.0066)	0.601	15.0	190630.64+681659.3	...	...	...	...	
1RXSJ190732.6+070817	0.3893 (0.0550)	0.510	13.5	190734.82+070758.2	...	...	...	...	
1RXSJ190748.0+385541	0.0628 (0.0113)	0.525	0.0	190747.72+385540.8	HD 178661	Spec. Bin.	A3	7.86 : 7.60	
1RXSJ190749.9−392341	0.1422 (0.0264)	0.591	14.4	190750.45−392331.2	...	...	...	...	
1RXSJ190756.6−011648	0.1608 (0.0209)	0.549	0.0	190756.53−011653.3	HD 178266	*	K5	9.25 : 7.95	
1RXSJ190831.6−305843	0.1205 (0.0296)	0.744	0.0	190831.35−305828.5	CD−31 16381B	**	?	:	
...	...	...	...	190831.35−305828.5	GJ 4097	**	K0V	8.64 : 7.91	
1RXSJ190835.3+271141	0.0767 (0.0133)	0.502	9.8	190835.17+271143.3	HD 337674	*	G0	9.54 : 8.96	
...	...	...	...	190835.17+271143.3	[LM97] GB 920723 87	*	./.	:	
...	...	...	...	190835.17+271143.3	[LM97] GB 920723 96	*	./.	:	
1RXSJ190841.6−005955	0.0858 (0.0158)	0.776	13.4	190842.38−010004.0	...	...	...	...	
1RXSJ190854.8−491319	0.1493 (0.0338)	0.708	15.5	190854.58−491317.0	...	...	...	...	
1RXSJ190910.3+665222	0.0847 (0.0064)	0.593	16.7	190910.90+665221.4	1RXS J190910.3+665222	Quasar	./.	:	P
1RXSJ190929.5−441240	0.1124 (0.0282)	0.829	0.0	190931.61−441257.7	...	...	...	...	
1RXSJ190937.0−622853	0.2411 (0.0466)	0.719	13.6	190938.89−622855.6	...	...	...	...	
1RXSJ190940.1−114659	0.0989 (0.0192)	0.695	11.5	190939.02−114711.1	HD 178599	**mul.	G5	9.99 : 9.26	
1RXSJ190951.5+405845	0.0863 (0.0129)	0.859	14.4	190951.29+405846.8	...	...	...	...	
1RXSJ191008.1−223858	0.1838 (0.0317)	0.723	12.0	191007.64−223904.2	CGMW 4−5552	Gal.	./.	:	
1RXSJ191015.7−632938	0.1620 (0.0407)	0.823	13.5	191015.92−632936.8	...	...	...	...	
1RXSJ191028.1+674131	0.0735 (0.0063)	0.539	15.4	191027.14+674134.1	...	...	...	...	
1RXSJ191028.6−231934	0.2056 (0.0332)	0.706	14.4	191028.16−231947.3	...	...	...	...	
1RXSJ191031.2+214549	0.0734 (0.0142)	0.828	12.3	191032.19+214546.9	...	...	...	...	
1RXSJ191048.5−385450	0.0973 (0.0257)	0.849	0.0	191047.87−385434.2	HD 178558	*	F5V	8.03 : 7.62	
1RXSJ191059.8−625018	0.1088 (0.0342)	0.740	12.8	191101.28−625041.4	...	...	...	...	
1RXSJ191143.8+503701	0.0933 (0.0121)	0.659	13.3	191143.55+503659.0	...	...	...	...	
1RXSJ191149.7+045857	0.5263 (0.0372)	0.693	16.0	191149.59+045858.3	1A 1909+04	Em. *	?	16.3 : 14.2	
...	...	...	...	191149.59+045858.3	RX J1911.7+0459	X	./.	:	
1RXSJ191151.1+285012	0.0522 (0.0106)	0.748	14.5	191150.92+285007.5	...	...	...	...	
1RXSJ191203.3−751015	0.1000 (0.0260)	0.825	12.8	191203.89−751021.5	...	...	...	...	
1RXSJ191211.5+574007	0.1555 (0.0114)	0.835	12.9	191210.04+574000.8	GJ 9650	*	G9IV	:	
1RXSJ191235.2−202001	0.1092 (0.0211)	0.883	0.0	191235.24−202008.8	2E 1909.6−2025	X	./.	:	
...	...	...	...	191235.24−202008.8	HD 179248	*	K0V:	10.97 : 10.09	
1RXSJ191241.0−751756	0.3262 (0.0430)	0.835	12.6	191243.59−751753.9	ACO S 810	Clust.	./.	:	
1RXSJ191314.4+281039	0.0578 (0.0108)	0.580	11.6	191317.16+281017.6	GSC 02135−02633	*	./.	11.5 : 10.40	
1RXSJ191346.3−202712	0.0798 (0.0189)	0.602	11.0	191347.18−202721.4	...	...	...	...	
1RXSJ191511.2−291500	0.1538 (0.0266)	0.761	14.3	191510.83−291450.9	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ191533.7−241114	0.0751 (0.0184)	0.772	0.0	191533.23−241045.6	GJ 749	*	F8V	6.757 : 6.254	
1RXSJ191533.9−083011	0.1295 (0.0245)	0.776	13.0	191534.75−083018.7	...	...	...	...	
1RXSJ191638.2+000735	0.1187 (0.0210)	0.712	15.7	191638.17+000737.5	V* FO Aql	DN	?	13.80 :	
1RXSJ191642.1−635202	0.1813 (0.0501)	0.552	15.1	191642.47−635139.8	...	...	...	...	
1RXSJ191744.7−192127	0.2152 (0.0291)	0.520	15.3	191744.80−192131.9	PMN J1917−1921	Rad.	./.	:	
1RXSJ191810.2+375315	0.0885 (0.0152)	0.541	15.4	191810.41+375328.4	...	...	...	...	
1RXSJ191824.6+595953	0.0917 (0.0078)	0.687	14.4	191823.76+595957.7	HS 1917+5954	WD	./.	:	
1RXSJ191854.7+434927	0.3758 (0.0264)	0.881	14.3	191854.42+434925.8	...	...	...	...	
1RXSJ191907.6+075921	0.0538 (0.0132)	0.899	12.9	191906.80+075922.4	...	...	...	...	
1RXSJ191916.4+421702	0.1283 (0.0158)	0.628	0.0	191916.98+421702.4	...	...	...	...	
1RXSJ191916.8+141048	0.0697 (0.0129)	0.870	12.8	191917.05+141038.8	HD 181253	*	G0	7.99 : 7.51	
1RXSJ191928.5−295808	0.2326 (0.0313)	0.749	14.6	191928.04−295807.9	PKS 1916−300	Rad.	./.	:	
1RXSJ192006.3−273428	0.2036 (0.0292)	0.611	11.8	192006.34−273434.7	...	...	...	...	
1RXSJ192008.6−150613	0.1869 (0.0379)	0.580	12.2	192008.84−150652.1	...	...	...	...	
1RXSJ192052.0+190331	0.0672 (0.0126)	0.615	15.1	192051.39+190333.7	...	...	...	...	
1RXSJ192115.3−584011	2.5150 (0.1360)	0.541	16.4	192115.99−584007.7	...	...	...	...	
1RXSJ192130.0−292833	0.0659 (0.0182)	0.862	0.0	192129.67−292832.7	CD−29 16024	*	./.	11.0 : 10.6	
1RXSJ192132.1+423041	0.0570 (0.0118)	0.831	13.2	192131.93+423045.1	...	...	...	...	
1RXSJ192221.1−275453	0.0743 (0.0196)	0.853	13.4	192220.37−275458.9	BPS CS 22939−0062	*	./.	:	
1RXSJ192240.9−061210	0.0680 (0.0156)	0.558	15.7	192240.10−061205.3	...	...	...	...	
1RXSJ192249.6−631108	0.1864 (0.0437)	0.593	15.0	192250.73−631056.7	...	...	...	...	
1RXSJ192345.6+511608	0.0537 (0.0086)	0.850	14.1	192344.97+511611.8	...	...	...	...	
1RXSJ192354.0−403653	0.1090 (0.0226)	0.809	0.0	192353.18−403657.4	HD 181869	*	B8V	3.867 : 3.950	
...	...	...	...	192353.18−403657.4	IRAS 19204−4042	IR	./.	:	
1RXSJ192355.6−301914	0.0640 (0.0181)	0.860	11.9	192355.88−301853.4	...	...	...	...	
1RXSJ192413.2+665637	0.0865 (0.0064)	0.732	15.5	192413.47+665631.6	...	...	...	...	
1RXSJ192503.1+504315	0.1736 (0.0159)	0.536	16.6	192502.20+504313.8	2E 1923.7+5037	X	./.	:	P
1RXSJ192612.2+380303	0.0697 (0.0131)	0.553	11.3	192611.67+380312.6	GSC 03134−00186	*	./.	11.3 : 10.34	
1RXSJ192631.4−191703	0.0732 (0.0185)	0.875	13.3	192631.08−191703.4	...	...	...	...	
1RXSJ192636.7−182558	0.0780 (0.0187)	0.600	12.9	192636.94−182553.1	...	...	...	...	
1RXSJ192648.7+500829	0.0764 (0.0110)	0.865	0.0	192649.53+500811.5	BD+49 3012C	**	F5	:	
1RXSJ192649.5+615445	0.1481 (0.0094)	0.568	16.9	192649.91+615442.1	...	...	...	...	
1RXSJ192704.2+210531	0.0572 (0.0137)	0.721	0.0	192704.08+210605.1	...	...	...	...	
1RXSJ192719.7+653354	1.2640 (0.0265)	0.612	14.0	192719.70+653353.8	1ES 1927+65.4	Active Galaxy Nucleus	./.	:	P
1RXSJ192729.2+123215	0.0634 (0.0131)	0.816	14.0	192728.64+123216.7	...	...	...	...	
1RXSJ192748.0+735757	0.2772 (0.0142)	0.645	15.5	192748.45+735801.8	JVAS 1928+738	Rad.	./.	:	
...	...	...	...	192748.45+735801.8	[VV96] J192748.6+735802	Quasar	./.	:	
1RXSJ192806.8+151855	0.0608 (0.0169)	0.768	14.0	192806.43+151907.3	...	...	...	...	
1RXSJ192813.1−505619	0.1288 (0.0293)	0.638	15.2	192812.79−505624.6	...	...	...	...	
1RXSJ192915.9−175953	0.2093 (0.0280)	0.593	10.4	192915.23−175944.9	HD 183232	*	G1/G2V	10.20 : 9.64	
1RXSJ192929.2−235714	0.0539 (0.0158)	0.744	13.2	192928.00−235711.1	...	...	...	...	
1RXSJ192937.8−401859	0.0788 (0.0171)	0.864	12.1	192938.34−401916.2	...	...	...	...	
1RXSJ192938.1+111757	0.1135 (0.0184)	0.532	13.8	192938.59+111748.3	...	...	...	...	
1RXSJ192949.7+462231	0.2509 (0.0334)	0.513	16.4	192950.42+462222.6	...	...	...	...	
1RXSJ192956.5+161845	0.1570 (0.0235)	0.514	12.4	192957.01+161845.3	...	...	...	...	
1RXSJ193003.6−293920	0.2307 (0.0335)	0.582	15.6	193003.92−293931.5	...	...	...	...	
1RXSJ193015.0+854058	0.0554 (0.0094)	0.608	16.1	193015.01+854051.0	...	...	...	...	
1RXSJ193024.4+642924	0.0577 (0.0070)	0.533	14.2	193025.87+642921.2	...	...	...	...	
1RXSJ193040.5+350607	0.1088 (0.0215)	0.502	8.3	193039.98+350607.7	HD 183970	*	F5	8.32 : 7.83	
1RXSJ193113.0+360730	0.1530 (0.0189)	0.634	14.9	193113.05+360734.9	...	...	...	...	
1RXSJ193113.8+600001	0.1332 (0.0089)	0.640	16.5	193113.89+600003.4	...	...	...	...	
1RXSJ193139.0−335426	0.2549 (0.0289)	0.841	11.6	193138.22−335442.5	Cul 1928−340	Gal.	E	:	P
1RXSJ193204.2+160415	0.0597 (0.0127)	0.874	13.3	193204.15+160413.7	...	...	...	...	
1RXSJ193233.1+543301	0.0537 (0.0084)	0.820	0.0	193234.66+543306.4	HD 234928	**mul.	G0	10.26 : 9.62	
1RXSJ193302.6+034548	0.1204 (0.0190)	0.616	12.9	193303.72+034543.4	...	...	...	...	
1RXSJ193340.9+500258	0.1526 (0.0144)	0.734	10.7	193340.19+500308.4	BD+49 3045	**	K0	11.3 : 10.1	
1RXSJ193347.6+325422	0.4878 (0.0339)	0.866	13.9	193347.27+325425.3	IRAS 19318+3247	IR	./.	:	
1RXSJ193412.6−241923	0.2447 (0.0332)	0.581	16.5	193412.90−241921.2	...	...	...	...	
1RXSJ193417.9+165129	0.0656 (0.0141)	0.619	15.1	193417.03+165135.8	...	...	...	...	
1RXSJ193430.4−151326	0.1347 (0.0230)	0.885	13.6	193430.09−151327.8	...	...	...	...	
1RXSJ193447.5−380506	0.0931 (0.0184)	0.839	0.0	193446.94−380515.5	...	...	...	...	
1RXSJ193504.4−183357	0.1684 (0.0243)	0.838	11.5	193503.82−183357.9	HD 184415	*	K1III	10.54 : 9.43	
1RXSJ193527.8+534546	0.0872 (0.0100)	0.624	16.1	193528.18+534546.3	...	...	...	...	
1RXSJ193528.9+374605	0.3731 (0.0297)	0.761	13.0	193529.74+374612.2	...	...	...	...	
1RXSJ193612.2−490750	0.0768 (0.0221)	0.783	13.8	193613.08−490758.3	...	...	...	...	
1RXSJ193627.6−050727	0.0505 (0.0140)	0.544	15.5	193628.62−050729.9	...	...	...	...	
1RXSJ193634.5+381731	0.0527 (0.0126)	0.803	12.9	193633.65+381732.1	...	...	...	...	
1RXSJ193708.3+660821	0.1471 (0.0091)	0.604	16.3	193708.26+660821.3	...	...	...	...	
1RXSJ193741.8+803630	0.0667 (0.0091)	0.587	15.5	193743.98+803641.4	...	...	...	...	
1RXSJ193811.6−474732	0.1091 (0.0219)	0.571	14.3	193810.97−474718.5	...	...	...	...	
1RXSJ193820.1−432646	0.3040 (0.0328)	0.788	14.6	193819.60−432646.4	...	...	...	...	
1RXSJ193829.2+355256	0.0591 (0.0139)	0.616	12.1	193827.36+355311.2	...	...	...	...	
1RXSJ193835.9−461256	5.3210 (0.2474)	0.741	15.8	193835.75−461256.9	V* QS Tel	CV (AM Her type)	CV	:	P
1RXSJ193840.0+303035	0.0828 (0.0142)	0.727	14.2	193840.03+303027.6	V* EM Cyg	DN	?p...	11.90 :	P
1RXSJ193919.1−253854	0.0883 (0.0209)	0.880	0.0	193918.64−253900.2	CD−25 14224	*	K2	11.0 : 9.89	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ193922.4+300921	0.0536 (0.0126)	0.665	0.0	193922.60+300911.9	HD 185734	Spec. Bin.	G8III	5.648 : 4.685	
1RXSJ193929.8+700752	0.2625 (0.0147)	0.755	15.4	193929.41+700749.0	HS 1939+7000	Quasar	./.	16.3 :	
1RXSJ194011.6−102529	0.3176 (0.0328)	0.502	15.4	194011.45−102525.4	V* V1432 Aql	CV (AM Her type)	./.	16. :	P
1RXSJ194015.0−301552	0.6178 (0.0630)	0.668	14.9	194014.45−301601.9	...	...	...	...	
1RXSJ194302.5+593506	0.0532 (0.0067)	0.877	13.4	194301.61+593513.5	...	...	...	...	
1RXSJ194306.8−351001	0.2967 (0.0452)	0.634	15.8	194306.73−351006.8	...	...	...	...	
1RXSJ194324.7−372217	0.0999 (0.0218)	0.742	14.6	194324.42−372207.1	...	...	...	...	
1RXSJ194337.2+322523	0.2561 (0.0280)	0.748	0.0	194337.87+322512.8	CCDM J19436+3225A	**	./.	9.6 :	
...	...	...	...	194337.87+322512.8	HD 331149	*	K0	11.9 : 10.7	
1RXSJ194340.5+464017	0.0526 (0.0100)	0.731	12.6	194340.48+464001.4	...	...	...	...	
1RXSJ194343.1+500440	0.1643 (0.0152)	0.866	13.8	194343.56+500435.7	...	...	...	...	
1RXSJ194354.7−054634	0.0891 (0.0220)	0.696	15.1	194354.15−054636.6	...	...	...	...	
1RXSJ194401.5+284456	0.1380 (0.0205)	0.737	12.4	194401.35+284509.9	GSC 02151−03394	*	K0	12.65 :	
1RXSJ194422.6−452326	0.2069 (0.0272)	0.543	16.4	194422.43−452330.8	...	...	...	...	
1RXSJ194459.0+450751	0.0869 (0.0118)	0.677	0.0	194458.44+450750.5	HD 186882	**mul.	B9.5IV+...	2.881 : 2.900	
...	...	...	...	194458.44+450750.5	IRAS 19434+4500	IR	./.	:	
1RXSJ194632.9−425630	0.0923 (0.0203)	0.547	14.2	194631.21−425634.6	...	...	...	...	
1RXSJ194639.7+704552	0.0812 (0.0093)	0.526	15.1	194638.10+704556.1	...	...	...	...	
1RXSJ194648.5−282915	0.0637 (0.0179)	0.512	14.9	194647.63−282859.6	...	...	...	...	
1RXSJ194715.2+640240	0.0681 (0.0082)	0.825	13.7	194713.75+640236.7	...	...	...	...	
1RXSJ194720.5−385534	0.0946 (0.0224)	0.789	12.1	194718.94−385516.7	...	...	...	...	
1RXSJ194735.5+222849	0.1375 (0.0186)	0.813	13.5	194734.91+222858.3	...	...	...	...	
1RXSJ194739.4+092944	0.0867 (0.0179)	0.749	13.1	194739.06+092936.5	...	...	...	...	
1RXSJ194740.1−170418	0.0524 (0.0161)	0.773	12.5	194740.11−170411.5	HD 186892	*	F5V	7.7 : 7.2	
1RXSJ194740.7−054157	0.1590 (0.0260)	0.583	14.4	194740.83−054217.9	CGMW 3−4849	Gal.	./.	:	
1RXSJ194742.1−415952	0.1114 (0.0237)	0.872	10.4	194740.48−420025.9	V* V3885 Sgr	DN	DB:p	10.32 : 10.39	
1RXSJ194832.5−760557	0.0891 (0.0256)	0.733	13.0	194834.26−760546.0	...	...	...	...	
1RXSJ194843.6+114912	0.0560 (0.0130)	0.504	0.0	194842.05+114857.2	HD 187259	**	F2V:+...	6.4 : 5.72	
...	...	...	...	194842.05+114857.2	HD 187259 J	**mul.	F2	:	
...	...	...	...	194842.05+114857.2	HD 187260	**	A2	6.2 : 6.2	
...	...	...	...	194842.05+114857.2	IRAS 19463+1141	IR	./.	:	
1RXSJ194844.6+570901	0.0606 (0.0120)	0.591	14.8	194845.91+570854.2	...	...	...	...	
1RXSJ195009.6−400013	0.3907 (0.0405)	0.703	15.2	195010.13−400007.2	...	...	...	...	
1RXSJ195018.3−654712	0.2609 (0.0517)	0.777	11.5	195016.93−654659.2	HD 186684	Ecl. Bin. (Algol)	G8V	9.30 :	
1RXSJ195109.4+462854	0.0980 (0.0120)	0.661	13.7	195108.46+462847.4	...	...	...	...	
1RXSJ195111.8−505638	0.0729 (0.0205)	0.847	12.5	195111.20−505639.1	...	...	...	...	
1RXSJ195135.9−351029	0.1410 (0.0247)	0.786	13.7	195135.30−351039.4	...	...	...	...	
1RXSJ195144.3+534146	0.0555 (0.0074)	0.807	13.2	195143.57+534131.6	CGCS 4543	Carbon Star	./.	:	
...	...	...	...	195143.57+534131.6	V* BS Cyg	V* (Mira Cet)	Ce	11.00 :	
1RXSJ195221.6−184642	0.0864 (0.0224)	0.831	9.7	195221.23−184637.4	HD 187759	*	G5V	10.07 : 9.33	
1RXSJ195258.6+325239	0.1750 (0.0211)	0.751	15.1	195258.67+325235.3	PSR B1951+32	Pulsars	./.	:	
...	...	...	...	195258.67+325235.3	[BS85] 1	*	./.	21.42 : 19.9	
...	...	...	...	195258.67+325235.3	[BS85] 4	*	./.	16.86 : 14.95	
...	...	...	...	195258.67+325235.3	[BS85] 5	*	./.	23.02 : 22.55	
...	...	...	...	195258.67+325235.3	[BS85] 6	*	./.	23.01 : 23.05	
...	...	...	...	195258.67+325235.3	[BS85] B	*	./.	:	
...	...	...	...	195258.67+325235.3	[BS85] C	*	./.	:	
1RXSJ195327.1+034205	0.1161 (0.0198)	0.886	13.1	195326.79+034208.8	...	...	...	...	
1RXSJ195327.6−301628	0.0576 (0.0169)	0.561	0.0	195326.32−301615.1	CD−30 17446C	**	?	10.11 : 9.58	
...	...	...	...	195326.32−301615.1	HD 187887	**mul.	K0III:+...	9.29 : 8.74	
1RXSJ195340.6+502456	0.1659 (0.0138)	0.679	15.0	195340.55+502456.0	RX J1953.6+5025	*	M3Ve	13.80 :	P
1RXSJ195401.9−143722	0.0939 (0.0217)	0.584	13.6	195400.49−143714.6	...	...	...	...	
1RXSJ195446.2+842937	0.0976 (0.0119)	0.549	15.3	195446.14+842923.6	...	...	...	...	
1RXSJ195512.0+004547	0.1569 (0.0217)	0.868	12.9	195511.81+004553.8	...	...	...	...	
1RXSJ195602.8−320720	0.1996 (0.0272)	0.726	14.4	195602.89−320717.8	...	...	...	...	
1RXSJ195704.6−414121	0.0810 (0.0188)	0.545	11.9	195704.32−414056.9	...	...	...	...	
1RXSJ195753.8+142034	0.0562 (0.0147)	0.777	12.6	195753.01+142018.1	...	...	...	...	
1RXSJ195759.6+235356	0.1011 (0.0176)	0.655	12.8	195800.13+235419.6	HD 189181	*	A0	8.34 : 8.20	
1RXSJ195815.6−301119	0.4459 (0.0390)	0.628	15.0	195814.88−301111.9	...	...	...	...	
1RXSJ195905.7−345458	0.1457 (0.0268)	0.753	13.0	195906.88−345523.5	...	...	...	...	
1RXSJ195930.4+213336	0.0627 (0.0156)	0.758	0.0	195930.40+213325.8	HD 345513	*	F7Vw	9.66 : 9.21	
1RXSJ195945.6+142707	0.0903 (0.0185)	0.831	12.4	195944.74+142710.4	HD 354393	*	G0	11.4 : 10.71	
1RXSJ195951.7+392904	0.0702 (0.0127)	0.845	12.4	195950.88+392913.2	...	...	...	...	
1RXSJ200000.0+650854	2.6530 (0.0406)	0.857	14.5	195959.86+650854.8	1ES 1959+65.0	BL Lac − type object	./.	:	
1RXSJ200015.8−541715	0.2034 (0.0340)	0.734	15.2	200015.53−541712.3	...	...	...	...	
1RXSJ200023.7−365541	0.0855 (0.0187)	0.864	12.6	200025.21−365537.1	...	...	...	...	
1RXSJ200052.6−343808	0.0668 (0.0191)	0.817	11.5	200053.52−343736.6	...	...	...	...	
1RXSJ200057.3−174856	0.1097 (0.0197)	0.508	17.5	200057.10−174857.9	[VV96] J200057.1−174858	Quasar	./.	:	P
1RXSJ200126.6+104505	0.0626 (0.0139)	0.558	0.0	200126.62+104458.5	BD+10 4143B	**	?	:	
...	...	...	...	200126.62+104458.5	HD 189783	Spec. Bin.	F2	7.41 : 6.98	
1RXSJ200134.0+281411	0.1188 (0.0158)	0.814	14.1	200133.39+281406.8	CSV 4980	X	./.	:	P
1RXSJ200134.8+702720	0.2154 (0.0156)	0.701	0.0	200134.48+702716.1	HD 190833	**mul.	B9	8.5 : 8.1	
1RXSJ200136.9−331307	0.0715 (0.0188)	0.814	13.3	200137.13−331312.8	...	...	...	...	
1RXSJ200200.6+323744	0.1530 (0.0234)	0.596	14.5	200200.64+323731.3	...	...	...	...	
1RXSJ200205.6−832630	0.0637 (0.0174)	0.698	13.9	200211.43−832647.6	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ200208.2+543827	0.3677 (0.0180)	0.644	8.8	200207.94+543828.4	HD 190398	**	K0	9.17 : 8.41	P
1RXSJ200219.0+333912	0.1100 (0.0188)	0.541	11.9	200215.82+333912.3	...	...	...	...	
1RXSJ200247.3+031928	0.0724 (0.0176)	0.573	8.8	200247.21+031930.2	GJ 775	*	K4V	8.60 : 7.48	
1RXSJ200255.9+253351	0.0613 (0.0122)	0.831	12.0	200256.66+253359.8	...	...	...	...	
1RXSJ200339.3+320249	0.0566 (0.0140)	0.564	14.1	200340.81+320252.2	...	...	...	...	
1RXSJ200412.5−672536	0.1151 (0.0322)	0.511	13.8	200409.17−672509.1	...	...	...	...	
1RXSJ200420.3−554358	0.1846 (0.0395)	0.863	11.6	200418.57−554333.5	V* RR Tel	Nova	F5pevar	6.50 :	
1RXSJ200435.8−351251	0.0752 (0.0195)	0.646	13.0	200436.52−351250.6	HD 190081	**mul.	F7V	9.34 : 8.89	
1RXSJ200519.6+105025	0.1027 (0.0204)	0.863	12.4	200518.72+105025.6	...	...	...	...	
1RXSJ200533.5−394707	0.0720 (0.0178)	0.772	14.2	200532.69−394710.0	BPS CS 22964−0213	*	./.	:	
1RXSJ200542.0+223955	10.9700 (0.1664)	0.832	14.8	200541.94+223959.4	...	...	...	...	
1RXSJ200553.0−413446	0.3246 (0.0345)	0.635	16.1	200553.00−413442.1	...	...	...	...	
1RXSJ200553.2−070658	0.0545 (0.0135)	0.580	16.1	200553.58−070656.5	...	...	...	...	
1RXSJ200613.5−734633	0.1606 (0.0417)	0.814	14.2	200613.30−734627.2	...	...	...	...	
1RXSJ200715.3−464331	0.1469 (0.0241)	0.835	13.6	200714.63−464339.9	...	...	...	...	
1RXSJ200734.1−550102	0.2826 (0.0410)	0.722	0.0	200735.09−550057.7	HD 190422	*	F8V	6.748 : 6.265	
1RXSJ200752.4−110844	0.0675 (0.0146)	0.698	13.0	200751.32−110834.7	IRAS 20051−1117	Gal.	./.	:	P
1RXSJ200757.5+682601	0.0518 (0.0077)	0.568	14.4	200757.61+682631.7	...	...	...	...	
1RXSJ200802.7−704349	0.1750 (0.0389)	0.720	13.8	200803.07−704348.5	...	...	...	...	
1RXSJ200826.7+154033	0.1797 (0.0222)	0.712	0.0	200826.96+154029.9	HD 191262	V* (RS CVn)	G5	8.57 : 7.91	
1RXSJ200830.7+002134	0.2078 (0.0234)	0.618	14.8	200830.91+002133.5	...	...	...	...	
1RXSJ200906.1−542212	0.1577 (0.0312)	0.856	9.6	200906.42−542247.8	PGC 64173	Gal.	./.	:	
1RXSJ200912.0+323344	0.1233 (0.0158)	0.576	12.7	200911.25+323355.0	...	...	...	...	
1RXSJ200918.4−011324	0.0524 (0.0126)	0.729	15.3	200918.42−011319.8	...	...	...	...	
1RXSJ200947.2−712812	0.1706 (0.0417)	0.609	14.8	200947.08−712813.2	...	...	...	...	
1RXSJ201001.0−280139	0.1917 (0.0296)	0.815	13.4	200959.99−280139.8	...	...	...	...	
1RXSJ201006.7−462206	0.2098 (0.0266)	0.874	14.1	201006.90−462201.6	...	...	...	...	
1RXSJ201034.8+063208	0.5283 (0.0451)	0.733	13.8	201034.32+063223.4	PMN J2010+0632	Rad.	./.	:	
1RXSJ201130.6+132127	0.0520 (0.0122)	0.680	13.2	201130.28+132137.5	...	...	...	...	
1RXSJ201142.2+504002	0.0742 (0.0095)	0.817	12.6	201141.55+503957.4	...	...	...	...	
1RXSJ201220.5−501134	0.0977 (0.0212)	0.563	14.8	201219.09−501122.7	...	...	...	...	
1RXSJ201310.0+400222	0.7402 (0.0359)	0.711	14.3	201309.25+400223.1	...	...	...	...	
1RXSJ201351.7+242921	0.0673 (0.0140)	0.892	12.7	201350.68+242921.4	...	...	...	...	
1RXSJ201405.1+221333	0.0702 (0.0200)	0.721	0.0	201404.54+221327.7	BD+21 4109B	**	?	:	
...	...	...	...	201404.54+221327.7	HD 192424	V*	A0	7.4 :	
1RXSJ201405.5−803836	0.1445 (0.0297)	0.650	13.0	201359.38−803907.0	ACO 3664	Clust.	./.	:	
1RXSJ201448.0+252056	0.0895 (0.0147)	0.873	10.8	201446.47+252103.0	HD 339809	*	G0	10.89 : 10.20	
1RXSJ201455.6−565833	0.1002 (0.0312)	0.635	0.0	201456.17−565835.3	CPD−57 9635B	**	?	:	
...	...	...	...	201456.17−565835.3	HD 191869	**	F7:+...	7.6 : 7.4	
1RXSJ201522.1−605458	0.4216 (0.0562)	0.643	15.6	201522.44−605452.3	...	...	...	...	
1RXSJ201557.6−170338	0.0992 (0.0243)	0.723	15.6	201557.70−170340.7	...	...	...	...	
1RXSJ201609.9+705406	0.0922 (0.0101)	0.867	13.0	201608.51+705355.9	...	...	...	...	
1RXSJ201613.2−804837	0.0841 (0.0221)	0.560	14.9	201617.25−804826.7	...	...	...	...	
1RXSJ201634.5−071150	0.0922 (0.0180)	0.860	12.7	201633.63−071145.9	...	...	...	...	
1RXSJ201654.5+335935	0.2537 (0.0197)	0.846	14.4	201654.38+335940.1	...	...	...	...	
1RXSJ201734.6−033952	0.1071 (0.0222)	0.750	14.6	201734.04−033950.2	V* V794 Aql	Nova−like Star	?	15.00 :	P
1RXSJ201751.2+541931	0.0539 (0.0081)	0.896	11.8	201749.95+541918.1	HD 193468	*	F5	7.138 : 6.731	
1RXSJ201824.5−410252	0.2133 (0.0390)	0.886	11.9	201823.34−410259.9	IC 4991	Gal.	S0	12.5 :	
1RXSJ201857.9+560756	0.0705 (0.0093)	0.617	13.4	201857.00+560730.9	...	...	...	...	
1RXSJ201928.8+143606	0.0601 (0.0128)	0.544	13.9	201928.72+143556.1	...	...	...	...	
1RXSJ201931.7−081804	0.0668 (0.0147)	0.716	13.6	201931.77−081752.2	...	...	...	...	
1RXSJ202030.4+073430	0.2604 (0.0344)	0.511	16.1	202030.32+073427.7	...	...	...	...	
1RXSJ202059.1+383354	0.0510 (0.0097)	0.521	9.1	202058.42+383350.4	HD 229041	*iC	A9III	9.12 : 8.80	
1RXSJ202109.9−423006	0.0792 (0.0236)	0.894	12.1	202108.96−423004.2	...	...	...	...	
1RXSJ202134.8+152534	0.2535 (0.0258)	0.784	0.0	202134.66+152537.6	HD 355501	*	F2	9.24 : 8.82	
1RXSJ202304.1+093233	0.1235 (0.0166)	0.852	13.4	202304.38+093238.4	...	...	...	...	
1RXSJ202346.9−133310	0.0994 (0.0183)	0.859	13.6	202346.80−133301.1	...	...	...	...	
1RXSJ202347.1+063732	0.0590 (0.0141)	0.728	12.7	202348.55+063724.1	HD 194154	*	F5	8.03 : 7.62	
1RXSJ202353.6+465514	0.0518 (0.0106)	0.893	0.0	202352.88+465514.4	AG+46 1629	*	F8	11.8 : 11.2	
...	...	...	...	202352.88+465514.4	V* ZZ Cyg	Ecl. Bin. (Algol)	F7:	:	
1RXSJ202400.4−422429	0.2531 (0.0352)	0.522	15.9	202359.51−422426.5	RE J2023−422	X	?	:	
1RXSJ202402.8+330824	0.0898 (0.0135)	0.701	12.5	202401.91+330830.4	...	...	...	...	
1RXSJ202408.7−543234	0.0952 (0.0206)	0.597	11.1	202408.95−543235.4	HD 193677	*	A2V	7.8 : 7.7	
1RXSJ202412.1−094339	0.0587 (0.0148)	0.871	13.6	202411.63−094341.3	...	...	...	...	
1RXSJ202610.2+112924	0.1516 (0.0209)	0.737	15.5	202610.05+112928.0	...	...	...	...	
1RXSJ202718.1−403342	0.0651 (0.0180)	0.502	16.0	202719.21−403335.6	...	...	...	...	
1RXSJ202742.6+522920	0.0922 (0.0103)	0.858	12.5	202741.27+522912.8	...	...	...	...	
1RXSJ202754.1+140844	0.0830 (0.0152)	0.546	16.0	202753.35+140851.3	...	...	...	...	
1RXSJ202808.6+145758	0.1230 (0.0170)	0.748	12.7	202807.50+145752.9	GSC 01099−00175	*	./.	11.7 : 11.0	
1RXSJ202851.4−174849	0.0976 (0.0180)	0.608	0.0	202851.63−174849.3	GJ 791.1B	**	?	:	
...	...	...	...	202851.63−174849.3	GJ 9696A	**	F3V	5.137 : 4.803	
...	...	...	...	202851.63−174849.3	IRAS 20260−1758	IR	./.	:	
1RXSJ202909.4−224003	0.0528 (0.0163)	0.531	11.7	202909.97−224014.8	CD−23 16275	*	./.	:	
1RXSJ202915.5−404450	0.0832 (0.0220)	0.584	15.6	202914.94−404455.1	...	...	...	...	
1RXSJ202935.2+735425	0.1430 (0.0136)	0.713	12.1	202939.77+735435.4	GSC 04459−00659	*	./.	11.8 : 10.6	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ202957.6−505850	0.0593 (0.0173)	0.508	15.6	202958.57−505834.3	...	...	...	...	
1RXSJ203011.0+795040	0.3356 (0.0571)	0.761	13.6	203005.46+795044.6	EUVE J2030+79.8	WD	M2.5V:e	:	P
1RXSJ203014.5−030725	0.1194 (0.0180)	0.618	16.0	203014.29−030722.5	...	...	...	...	
1RXSJ203028.1+581632	0.0644 (0.0096)	0.728	13.5	203029.62+581630.2	CCDM J20305+5817B	**	./.	14.8 :	
1RXSJ203048.6−353239	0.0897 (0.0218)	0.854	12.1	203050.47−353242.6	...	...	...	...	
1RXSJ203107.6+333229	0.1078 (0.0152)	0.573	9.2	203107.45+333229.4	CCDM J20311+3333ABP	**mul.	K0	9.21 : 8.35	
1RXSJ203113.2+051303	0.9190 (0.0942)	0.531	0.0	203113.29+051306.1	G 24−18F	*	./.	9.61 : 8.74	
...	...	...	...	203113.29+051306.1	HD 195434	Ecl. Bin. (Algol)	K0	11.71 : 11.01	
1RXSJ203151.3+121437	0.0946 (0.0153)	0.696	14.7	203151.40+121435.1	...	...	...	...	
1RXSJ203156.2−345841	0.0555 (0.0160)	0.728	14.9	203156.08−345850.9	...	...	...	...	
1RXSJ203202.5−102322	0.1914 (0.0233)	0.589	15.9	203202.52−102331.2	...	...	...	...	
1RXSJ203202.7−113908	0.0959 (0.0185)	0.799	12.5	203202.74−113849.8	...	...	...	...	
1RXSJ203204.3−051441	0.0853 (0.0160)	0.619	0.0	203205.04−051434.0	HD 195535	**mul.	K0	7.57 : 6.64	
1RXSJ203208.4+151120	0.0696 (0.0133)	0.577	0.0	203207.60+151109.9	HD 195651	**mul.	G0	8.57 : 8.07	
1RXSJ203252.6−025905	0.1183 (0.0178)	0.545	15.7	203251.97−025916.6	...	...	...	...	
1RXSJ203302.7+610822	0.1234 (0.0132)	0.834	0.0	203303.01+610819.3	HD 196269	*	F8	9.38 : 8.82	
1RXSJ203313.7−580625	0.2199 (0.0323)	0.887	0.0	203313.27−580644.5	HD 195289	*	G0V	8.40 : 7.89	
1RXSJ203315.8+411848	0.2900 (0.0207)	0.793	0.0	203315.08+411850.5	Ass Cyg OB 2−8 B	Star in Association	O6.5III	:	
...	...	...	...	203315.08+411850.5	BD+40 4227	Em. *	O6e	10.08 : 8.99	P
...	...	...	...	203315.08+411850.5	CCDM J20332+4119D	**	./.	:	
...	...	...	...	203315.08+411850.5	CCDM J20332+4119E	**	./.	:	
...	...	...	...	203315.08+411850.5	NAME VI CYG 8B	Star in Association	O8...	11.66 : 10.31	
...	...	...	...	203315.08+411850.5	[MT91] 897	*	./.	:	
1RXSJ203336.3−032048	0.0547 (0.0124)	0.507	16.4	203335.90−032038.6	...	...	...	...	
1RXSJ203417.3−342915	0.0903 (0.0194)	0.533	12.5	203419.82−342939.5	...	...	...	...	
1RXSJ203424.4+103339	0.0623 (0.0129)	0.615	15.4	203424.99+103337.4	...	...	...	...	
1RXSJ203433.1−303731	0.1679 (0.0350)	0.503	9.9	203431.21−303730.6	PGC 64989	Gal.	./.	:	
1RXSJ203441.4−223930	0.0813 (0.0183)	0.581	15.6	203440.76−223923.8	...	...	...	...	
1RXSJ203445.3−354921	0.4594 (0.0424)	0.787	10.9	203444.75−354902.3	MCG−06−45−007	Gal.	./.	17. :	
...	...	...	...	203444.75−354902.3	[QR95] 203132.9−355923	Gal. in Clust.	./.	:	
...	...	...	...	203444.75−354902.3	[VCC89] ACO 3695 1	Gal. in Clust.	./.	:	
1RXSJ203447.5−071343	0.1030 (0.0178)	0.748	0.0	203447.43−071356.7	HD 195996	*	K0	10.69 : 9.59	
1RXSJ203447.7−335520	0.1082 (0.0245)	0.865	0.0	203446.98−335519.2	HD 195830	**	F6V	8.27 : 7.84	
1RXSJ203455.3−273457	0.1738 (0.0394)	0.566	15.0	203454.58−273448.9	...	...	...	...	
1RXSJ203504.4+255025	0.0515 (0.0110)	0.533	15.9	203505.04+255020.9	...	...	...	...	
1RXSJ203505.5+310355	0.1155 (0.0164)	0.707	14.0	203506.48+310349.0	...	...	...	...	
1RXSJ203552.3+100555	0.0608 (0.0125)	0.628	13.7	203552.98+100614.0	...	...	...	...	
1RXSJ203626.2−535222	0.1438 (0.0279)	0.637	12.7	203624.51−535207.2	...	...	...	...	
1RXSJ203634.0+170841	0.0947 (0.0270)	0.873	9.4	203635.17+170852.0	BD+16 4316	*	F8	9.33 : 8.85	
1RXSJ203711.6−444446	0.1140 (0.0313)	0.780	12.6	203711.35−444440.0	HD 196141	*	G3V	8.71 : 8.10	
1RXSJ203813.6+230750	0.0557 (0.0153)	0.711	13.1	203813.97+230751.6	...	...	...	...	
1RXSJ203832.8+255644	0.0534 (0.0108)	0.573	13.7	203833.14+255627.7	...	...	...	...	
1RXSJ203905.4+233845	0.0522 (0.0131)	0.876	11.9	203904.64+233847.4	...	...	...	...	
1RXSJ203910.6−195848	0.1434 (0.0363)	0.517	16.8	203910.97−195851.0	...	...	...	...	
1RXSJ203910.7−422558	0.1632 (0.0355)	0.560	13.4	203911.30−422541.5	...	...	...	...	
1RXSJ203925.4−190228	0.0654 (0.0187)	0.714	14.9	203924.75−190223.0	...	...	...	...	
1RXSJ203927.2−301844	0.4275 (0.0370)	0.626	15.8	203927.20−301852.2	RBS 1688	Sy1	./.	:	P
1RXSJ203944.0+503535	0.0595 (0.0097)	0.791	0.0	203943.45+503546.1	...	...	...	...	
1RXSJ203954.0+062003	0.0699 (0.0143)	0.878	12.1	203954.32+062016.9	BD+05 4576	*	K7	11.8 : 10.5	
1RXSJ204018.3+143030	0.0530 (0.0117)	0.895	10.0	204017.04+143036.5	GSC 01100−00646	*	./.	10.15 : 9.71	
1RXSJ204019.1+105941	0.2909 (0.0249)	0.637	15.6	204018.57+105945.3	...	...	...	...	
1RXSJ204117.5−132454	0.0521 (0.0135)	0.525	15.3	204118.81−132447.2	...	...	...	...	
1RXSJ204127.8+572545	0.1136 (0.0125)	0.515	11.6	204127.52+572538.7	...	...	...	...	
1RXSJ204141.9−244618	0.0695 (0.0218)	0.557	16.0	204141.27−244624.9	...	...	...	...	
1RXSJ204149.8−373346	0.3875 (0.0511)	0.702	14.7	204150.28−373339.9	...	...	...	...	
1RXSJ204156.2+423112	0.0572 (0.0095)	0.868	12.8	204156.09+423127.0	HD 197407	*	F5	7.7 : 7.4	
1RXSJ204204.2−351320	0.1231 (0.0323)	0.779	11.9	204204.37−351305.9	...	...	...	...	
1RXSJ204206.3+242655	0.5382 (0.0319)	0.604	16.0	204206.03+242652.3	RX J2042.0+2426	X	./.	:	P
1RXSJ204235.3+750758	0.5882 (0.0251)	0.619	15.3	204237.28+750802.3	IRAS F20432+7457	IR	./.	:	
...	...	...	...	204237.28+750802.3	[VV96] J204237.3+750802	Quasar	sd?	:	
1RXSJ204334.9+240732	0.3889 (0.0286)	0.617	13.0	204334.05+240742.7	...	...	...	...	
1RXSJ204400.1+531434	0.1728 (0.0140)	0.546	17.0	204359.42+531432.6	RX J2043.9+5314	Sy1	./.	:	P
1RXSJ204404.0+283303	0.2038 (0.0246)	0.689	14.5	204404.28+283309.4	RX J2044.0+2833	Sy1	./.	:	P
1RXSJ204422.4−095736	0.2519 (0.0263)	0.608	16.5	204422.19−095735.1	...	...	...	...	
1RXSJ204427.0+590202	0.1296 (0.0127)	0.845	0.0	204426.85+590159.0	HD 239492	**mul.	K0	10.31 : 9.06	
1RXSJ204439.2+475757	0.0579 (0.0107)	0.829	12.5	204437.93+475807.7	...	...	...	...	
1RXSJ204455.9−115151	0.0961 (0.0164)	0.560	16.8	204455.90−115153.8	...	...	...	...	
1RXSJ204457.4+291613	0.1040 (0.0180)	0.871	12.3	204458.17+291621.8	HD 335070	*	K0	11.5 : 10.8	
1RXSJ204512.3−350953	0.7197 (0.0522)	0.849	0.0	204511.72−350959.1	CD−35 14326B	**	?	:	
...	...	...	...	204511.72−350959.1	HD 197482	Ecl. Bin. (beta Lyr)	G0V	7.42 : 6.83	P
...	...	...	...	204511.72−350959.1	IRAS 20420−3520	IR	./.	:	
1RXSJ204513.3−301023	0.0859 (0.0161)	0.568	16.5	204513.10−301026.9	...	...	...	...	
1RXSJ204518.2+564147	0.0689 (0.0101)	0.619	15.8	204518.12+564139.0	...	...	...	...	
1RXSJ204543.4−613306	0.1351 (0.0276)	0.547	16.8	204544.40−613305.2	QSO 2041−617	Quasar	./.	:	P
1RXSJ204613.7+155421	0.2119 (0.0227)	0.644	0.0	204613.26+155425.8	CCDM J20462+1554A	**mul.	K0	7.6 : 6.9	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
...	...	...	...	204613.26+155425.8	HD 197913	**	K0	8.31 : 7.55	
...	...	...	...	204613.26+155425.8	HD 197913 B	**	K0	9.16 : 8.38	
...	...	...	...	204613.26+155425.8	IRAS 20438+1543	IR	./.	:	
1RXSJ204657.7−025937	0.0826 (0.0206)	0.856	13.5	204657.82−025927.1	...	...	...	...	
1RXSJ204732.6−361347	0.0887 (0.0197)	0.518	15.1	204733.67−361357.1	...	...	...	...	
1RXSJ204745.9−024609	0.2557 (0.0299)	0.583	16.4	204745.83−024604.1	1E 2045.1−0257	X	./.	:	P
1RXSJ204813.3+332626	0.0906 (0.0135)	0.690	13.0	204811.38+332618.4	...	...	...	...	
1RXSJ204818.7−280118	0.1950 (0.0317)	0.892	13.1	204819.36−280124.9	BPS CS 30336−0015	*	./.	:	
1RXSJ204821.0+352346	0.0530 (0.0106)	0.624	12.3	204819.38+352340.0	...	...	...	...	
1RXSJ204831.0−430004	0.0922 (0.0251)	0.896	10.3	204829.36−425936.2	GSC 07971−00714	*	./.	10.61 : 10.12	
1RXSJ204858.1+221924	0.0708 (0.0136)	0.578	14.9	204857.68+221930.7	...	...	...	...	
1RXSJ204919.4−252229	0.0585 (0.0142)	0.705	13.5	204917.61−252225.1	...	...	...	...	
1RXSJ204932.0−390155	0.0612 (0.0173)	0.691	14.3	204933.16−390203.9	Tol 2046−392	Sy2	./.	:	
1RXSJ204946.3+254609	0.0593 (0.0130)	0.587	8.3	204946.19+254614.2	HD 198483	*	G0V	8.23 : 7.67	
1RXSJ205141.2−330325	0.0569 (0.0164)	0.705	14.6	205140.30−330318.7	BPS CS 30314−0060	*	./.	:	
1RXSJ205223.9+481958	0.0515 (0.0100)	0.828	13.2	205223.11+481957.0	...	...	...	...	
1RXSJ205243.7+463936	0.4374 (0.0267)	0.578	16.9	205243.82+463934.9	...	...	...	...	
1RXSJ205314.4−022130	0.0540 (0.0126)	0.739	14.8	205314.06−022122.7	...	...	...	...	
1RXSJ205329.6−173415	0.1487 (0.0256)	0.736	10.7	205329.66−173424.8	BD−18 5801	*	./.	:	
...	...	...	...	205329.66−173424.8	EUVE J2053−17.5	*	K	11.2 : 10.2	
1RXSJ205351.1+292314	0.2472 (0.0226)	0.682	14.8	205351.60+292311.3	2E 2051.7+2911	X	./.	:	
1RXSJ205602.8−171054	0.2359 (0.0268)	0.741	11.4	205602.66−171053.7	...	...	...	...	
1RXSJ205723.8+481327	0.0514 (0.0092)	0.772	12.2	205722.55+481331.5	...	...	...	...	
1RXSJ205745.1+253015	0.0725 (0.0127)	0.882	13.2	205745.06+253026.0	V* VW Vul	DN	?	13.00 :	
1RXSJ205812.4+300434	0.2648 (0.0225)	0.645	14.5	205812.32+300436.7	IRAS 20561+2952	Gal.	./.	:	
1RXSJ205812.8+292037	0.1286 (0.0171)	0.510	16.7	205812.84+292028.6	...	...	...	...	
1RXSJ205814.6+351025	0.1431 (0.0156)	0.533	0.0	205813.45+351029.9	V* CG Cyg	V* (RS CVn)	G9+...	10.94 : 10.08	
1RXSJ205838.6−702510	0.2644 (0.0572)	0.514	0.0	205841.35−702522.6	HD 199005	Ecl. Bin. (Algol)	F6V	8.14 : 7.75	
...	...	...	...	205841.35−702522.6	HD 199005 B	**mul.	F2	7.4 :	
1RXSJ205841.6−011618	0.0828 (0.0166)	0.548	15.7	205841.70−011630.9	...	...	...	...	
1RXSJ205904.6+041736	0.1347 (0.0191)	0.793	0.0	205904.53+041738.1	BD+03 4473C	**	G0V	7.83 : 7.35	
...	...	...	...	205904.53+041738.1	HD 199766	Spec. Bin.	F6IV	5.69 : 5.23	
...	...	...	...	205904.53+041738.1	IRAS 20565+0405	IR	./.	:	
1RXSJ205919.2−781048	0.1068 (0.0290)	0.744	11.8	205917.93−781049.4	HD 198610	*	F8V	9.59 : 9.03	
1RXSJ205946.3−202811	0.0609 (0.0151)	0.639	9.4	205945.33−202819.1	HD 199751	*	G6V	9.82 : 9.15	
1RXSJ210001.4−071147	0.0757 (0.0147)	0.664	15.1	210001.24−071136.0	...	...	...	...	
1RXSJ210027.7−170913	0.1187 (0.0218)	0.732	15.4	210027.76−170908.7	...	...	...	...	
1RXSJ210048.9+453019	0.3479 (0.0425)	0.606	11.6	210046.77+453010.1	BD+44 3670	*	F8	9.55 : 8.83	P
1RXSJ210059.0+510319	0.0606 (0.0096)	0.751	14.9	210058.52+510319.3	...	...	...	...	
1RXSJ210059.3−613210	0.1655 (0.0330)	0.521	15.3	210058.79−613220.2	...	...	...	...	
1RXSJ210113.4+083517	0.0861 (0.0166)	0.548	14.5	210113.33+083508.9	HS 2058+0823	WD	./.	:	
1RXSJ210134.8−410005	0.1551 (0.0236)	0.621	13.9	210136.04−405951.9	...	...	...	...	
1RXSJ210201.7+335932	0.1326 (0.0238)	0.615	16.0	210202.18+335930.0	RX J2102.0+3359	X	./.	21.6 :	
1RXSJ210210.4−243202	0.2025 (0.0219)	0.508	15.4	210209.87−243200.7	2E 2059.2−2443	Clust.	./.	:	P
...	...	...	...	210209.87−243200.7	[QR95] 205914.6−244353	Gal. in Clust.	./.	:	
1RXSJ210241.4+455305	0.1707 (0.0213)	0.570	8.7	210238.88+455257.9	GJ 9717A	*	K3V	:	
...	...	...	...	210238.88+455257.9	GJ 9717B	*	./.	:	
1RXSJ210303.2+013145	0.0752 (0.0147)	0.513	0.0	210303.10+013155.7	HD 200375	**mul.	F5V	6.73 : 6.25	
1RXSJ210338.0−045548	0.0967 (0.0157)	0.697	14.9	210337.87−045540.1	...	...	...	...	
1RXSJ210339.4+075336	0.0547 (0.0125)	0.819	13.3	210338.39+075332.8	...	...	...	...	
1RXSJ210348.7−243951	0.0741 (0.0146)	0.746	13.9	210349.79−243945.4	GSG 114	Gal.	./.	16.80 :	
1RXSJ210348.7−360611	0.1051 (0.0189)	0.614	15.5	210347.85−360615.2	CTS 108	Gal.	./.	:	
1RXSJ210352.6−204701	0.1121 (0.0196)	0.512	16.0	210352.71−204650.3	...	...	...	...	
1RXSJ210418.4−412049	0.2525 (0.0343)	0.579	14.2	210418.73−412046.1	...	...	...	...	
1RXSJ210425.8+143828	0.0622 (0.0127)	0.542	16.8	210425.95+143826.6	...	...	...	...	
1RXSJ210428.1+704550	0.0826 (0.0106)	0.609	0.0	210428.70+704549.9	CCDM J21045+7046AB	**mul.	K2	8.9 : 7.9	
1RXSJ210445.9−352602	0.0816 (0.0189)	0.518	14.7	210444.83−352551.5	...	...	...	...	
1RXSJ210454.7−514935	0.4817 (0.0470)	0.892	9.6	210451.53−514925.8	APMGS 210118.2−520120.3	Gal.	./.	14.9 :	
...	...	...	...	210451.53−514925.8	ESO 235− 50	Gal.	S0	:	
1RXSJ210526.9−442609	0.0503 (0.0156)	0.542	16.1	210527.84−442611.5	...	...	...	...	
1RXSJ210537.0−384222	0.1165 (0.0216)	0.897	10.9	210540.10−384224.9	GSC 07965−00705	*	./.	11.3 : 10.8	
1RXSJ210600.0+313955	0.1869 (0.0192)	0.868	13.5	210559.25+313956.3	...	...	...	...	
1RXSJ210611.2+123953	0.0942 (0.0151)	0.564	16.9	210611.18+123956.1	BWE 2103+1227	Gal.	S0	:	
1RXSJ210651.9−215412	0.0881 (0.0183)	0.599	14.9	210651.04−215420.1	...	...	...	...	
1RXSJ210706.2−080819	0.0534 (0.0136)	0.719	13.7	210707.05−080829.1	...	...	...	...	
1RXSJ210707.3−113504	0.0769 (0.0162)	0.546	12.9	210708.08−113506.1	...	...	...	...	
1RXSJ210711.1−135530	0.2099 (0.0253)	0.564	0.0	210710.38−135522.5	GJ 819A	HiPM*	K1V	8.00 : 7.10	
...	...	...	...	210710.38−135522.5	GJ 819B	**	K7	:	
1RXSJ210718.1−240447	0.0503 (0.0132)	0.876	13.7	210718.38−240444.7	GSG 151	Gal.	./.	17.05 :	
1RXSJ210721.5−295923	0.0524 (0.0127)	0.555	16.2	210720.97−295916.3	...	...	...	...	
1RXSJ210724.1−095813	0.0597 (0.0137)	0.513	16.3	210724.13−095825.2	...	...	...	...	
1RXSJ210725.6−211054	0.0610 (0.0166)	0.525	16.0	210726.58−211051.8	...	...	...	...	
1RXSJ210731.2+342333	0.1242 (0.0155)	0.736	12.4	210729.81+342333.3	GSC 02709−01412	*	./.	11.7 : 10.8	
1RXSJ210735.4+323449	0.0508 (0.0109)	0.551	13.2	210736.79+323507.0	...	...	...	...	
1RXSJ210736.5−130500	0.1824 (0.0234)	0.885	13.8	210736.59−130454.0	...	...	...	...	
1RXSJ210752.1−433044	0.0682 (0.0176)	0.557	13.9	210753.59−433108.2	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ210758.5−051744	0.8067 (0.0648)	0.739	15.2	210758.41−051737.3	V* HU Aqr	CV (AM Her type)	./.	:	
1RXSJ210759.4−375400	0.1358 (0.0234)	0.757	13.9	210759.78−375409.0	...	...	...	...	
1RXSJ210808.5−033319	0.0646 (0.0132)	0.559	15.0	210808.89−033303.4	...	...	...	...	
1RXSJ210813.6−435026	0.2287 (0.0287)	0.688	15.1	210814.28−435033.1	...	...	...	...	
1RXSJ210857.3+402647	0.0681 (0.0121)	0.653	15.9	210857.46+402645.1	...	...	...	...	
1RXSJ210916.8−432057	0.0800 (0.0182)	0.560	16.5	210916.49−432058.8	...	...	...	...	
1RXSJ210918.0−035334	0.1668 (0.0218)	0.602	0.0	210919.19−035332.8	HD 201378	*	G0	8.20 : 7.63	
1RXSJ210918.7+481006	0.0655 (0.0123)	0.828	13.2	210917.89+481012.1	...	...	...	...	
1RXSJ210932.5+353245	0.3720 (0.0389)	0.616	14.1	210931.80+353257.7	JVAS 2107+353	Rad.	./.	:	
...	...	...	...	210931.80+353257.7	RX J2109.4+3532	X	./.	:	
1RXSJ210948.0+402944	0.1015 (0.0144)	0.864	12.4	210948.60+402925.2	GSC 03172−01505	*	G2V	11.5 : 10.7	P
1RXSJ211004.9−192005	0.4399 (0.0428)	0.842	12.0	211005.24−191956.2	BPS CS 22898−0065	*	./.	:	
...	...	...	...	211005.24−191956.2	EUVE J2110−19.3	*	M5V:e	:	
1RXSJ211025.0−543429	0.2819 (0.0318)	0.697	0.0	211025.21−543425.3	HD 201247	**mul.	K1/K2V:+...	7.7 : 7.1	
1RXSJ211028.0−090534	0.0541 (0.0138)	0.555	16.3	211028.30−090532.7	...	...	...	...	
1RXSJ211031.9+222718	0.0680 (0.0133)	0.608	0.0	211032.06+222716.8	HD 201671	**	A1V	6.694 : 6.668	
1RXSJ211044.8+162312	0.1688 (0.0234)	0.802	13.5	211044.80+162323.8	...	...	...	...	
1RXSJ211128.0+445932	0.0882 (0.0144)	0.667	13.4	211128.45+445945.8	...	...	...	...	
1RXSJ211244.3−373019	0.2621 (0.0288)	0.882	13.2	211244.90−373011.7	...	...	...	...	
1RXSJ211245.4−384025	0.0534 (0.0137)	0.764	14.3	211245.13−384016.5	...	...	...	...	
1RXSJ211251.0+033232	0.0532 (0.0123)	0.858	13.2	211250.34+033224.5	...	...	...	...	
1RXSJ211313.9−342928	0.0877 (0.0177)	0.823	13.1	211314.60−342926.4	HD 201850	*	F8V	9.76 : 9.29	
1RXSJ211319.3+315211	0.0773 (0.0132)	0.589	14.5	211319.83+315216.2	...	...	...	...	
1RXSJ211354.5+133019	0.0680 (0.0146)	0.510	13.5	211356.16+133006.9	...	...	...	...	
1RXSJ211400.0+820447	0.4630 (0.0248)	0.827	14.8	211401.25+820448.5	CJF B2116+818	Rad. Gal.	./.	:	
...	...	...	...	211401.25+820448.5	IRAS F21166+8152	IR	./.	:	
...	...	...	...	211401.25+820448.5	S5 2116+818	Gal.	./.	:	
1RXSJ211403.8+210235	0.1203 (0.0169)	0.773	12.4	211404.12+210254.0	...	...	...	...	
1RXSJ211437.1+195257	0.0984 (0.0160)	0.898	13.3	211436.48+195257.9	...	...	...	...	
1RXSJ211449.4+125358	0.0537 (0.0135)	0.594	15.4	211448.77+125406.4	...	...	...	...	
1RXSJ211455.5+394119	0.0907 (0.0138)	0.626	0.0	211455.25+394112.2	BD+39 4490	*	F8	9.50 : 8.96	
1RXSJ211551.4−104109	0.1873 (0.0225)	0.586	15.4	211551.28−104122.0	...	...	...	...	
1RXSJ211559.5−231024	0.0639 (0.0154)	0.550	12.1	211602.45−231026.0	HD 202371	*	F5V	9.40 : 8.98	
1RXSJ211605.3+295156	0.3593 (0.0267)	0.798	14.5	211605.10+295149.3	GJ 4185A	HiPM*	M:	:	
...	...	...	...	211605.10+295149.3	LTT 16240A	HiPM*	M3.5	:	
...	...	...	...	211605.10+295149.3	Ross 776A	*	./.	:	
1RXSJ211652.9+735037	0.9413 (0.0379)	0.781	14.7	211653.31+735043.5	EUVE J2116+73.8	WD	DA	:	
1RXSJ211707.9+341220	0.3640 (0.0289)	0.816	13.3	211708.32+341227.1	...	...	...	...	
1RXSJ211709.8−173817	0.0885 (0.0170)	0.531	15.9	211710.44−173829.3	...	...	...	...	
1RXSJ211719.6+504358	0.0751 (0.0133)	0.570	13.9	211717.77+504417.8	...	...	...	...	
1RXSJ211731.0−341537	0.0986 (0.0174)	0.889	12.8	211731.57−341530.7	...	...	...	...	
1RXSJ211735.7−085417	0.0592 (0.0136)	0.784	13.8	211736.38−085409.8	GJ 4187A	*	M1	13.63 : 12.11	
1RXSJ211741.6−020823	0.1906 (0.0234)	0.670	15.0	211741.68−020834.2	...	...	...	...	
1RXSJ211748.1+103227	0.0501 (0.0132)	0.596	14.0	211747.46+103224.0	...	...	...	...	
1RXSJ211802.9−453946	0.1275 (0.0227)	0.662	15.6	211802.34−453940.7	CTS 29	Sy1	./.	17.5 :	
1RXSJ211811.1−301915	0.0605 (0.0148)	0.556	16.5	211810.59−301911.6	[VV96] J211810.6−301911	Quasar	./.	16.96 :	P
1RXSJ211830.8+175916	0.0662 (0.0138)	0.863	12.7	211832.01+175917.5	HD 202926	*	F6V	7.74 : 7.35	
1RXSJ211843.5−063617	0.1095 (0.0181)	0.557	17.0	211843.24−063617.8	...	...	...	...	
1RXSJ211928.4+333259	0.1112 (0.0166)	0.610	14.0	211929.13+333257.8	...	...	...	...	
1RXSJ211952.4−532653	0.4192 (0.0404)	0.820	0.0	211951.89−532657.4	CPD−53 10037B	**	A7V	:	
...	...	...	...	211951.89−532657.4	GJ 9733A	*	A5V	4.69 : 4.50	
...	...	...	...	211951.89−532657.4	HD 202730	**	A5V	4.58 : 4.40	
...	...	...	...	211951.89−532657.4	IRAS 21163−5339	IR	./.	:	
1RXSJ212002.0−271824	0.0746 (0.0161)	0.547	0.0	212002.42−271815.9	HD 202982	**mul.	G5V	8.2 : 8.1	
...	...	...	...	212002.42−271815.9	V* BN Cap	V* (irregular)	G5	8.0 : 8.1	
1RXSJ212020.3+305326	0.0509 (0.0147)	0.897	11.8	212020.33+305334.0	BD+30 4401	*	F8	10.44 : 9.97	
1RXSJ212026.2−020349	0.1088 (0.0171)	0.576	9.1	212026.16−020330.7	...	...	...	...	
1RXSJ212045.8−404836	0.1062 (0.0190)	0.743	0.0	212045.63−404834.2	HD 203006	V*	Ap...	4.853 : 4.809	
1RXSJ212157.3−250524	0.0680 (0.0159)	0.561	16.0	212157.56−250523.0	...	...	...	...	
1RXSJ212311.7+502147	0.0548 (0.0105)	0.661	0.0	212312.48+502147.5	BD+49 3512	*	?	10.02 : 9.51	P
1RXSJ212324.0−713958	0.1820 (0.0411)	0.545	16.2	212323.29−714004.7	...	...	...	...	
1RXSJ212324.3+021137	0.0710 (0.0155)	0.898	13.5	212324.35+021132.7	NPM1G +01.0519	Gal.	./.	14.9 :	
1RXSJ212337.0+102942	0.1391 (0.0191)	0.848	0.0	212336.85+102939.9	BD+09 4795	**	F5	10.13 : 9.78	
...	...	...	...	212336.85+102939.9	BD+09 4795B	**	?	:	
1RXSJ212352.8−390819	0.0820 (0.0175)	0.793	14.6	212352.83−390817.2	...	...	...	...	
1RXSJ212355.6−255208	0.0767 (0.0170)	0.500	15.6	212356.22−255227.1	...	...	...	...	
1RXSJ212400.7+340907	0.1895 (0.0220)	0.628	14.9	212400.23+340908.0	...	...	...	...	
1RXSJ212401.9−002150	0.0637 (0.0140)	0.765	14.3	212401.89−002158.5	...	...	...	...	
1RXSJ212419.4−424605	0.0605 (0.0152)	0.589	14.0	212417.84−424624.0	...	...	...	...	
1RXSJ212434.7−113125	0.1473 (0.0212)	0.636	16.1	212434.78−113123.4	...	...	...	...	
1RXSJ212458.2+282553	0.0523 (0.0132)	0.811	13.5	212458.32+282605.3	EUVE J2124+28.4	WD	DA...	:	
1RXSJ212522.6+174250	0.1004 (0.0170)	0.517	15.7	212523.74+174254.7	...	...	...	...	
1RXSJ212622.1+533224	0.1164 (0.0154)	0.568	13.4	212621.17+533219.3	...	...	...	...	
1RXSJ212654.1−453008	0.0938 (0.0189)	0.553	15.9	212654.02−452957.1	...	...	...	...	
1RXSJ212654.3+112403	0.1563 (0.0197)	0.608	16.2	212653.94+112401.2	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ212705.5+160744	0.2450 (0.0265)	0.825	0.0	212706.62+160726.9	HD 204277	*	F8V	7.204 : 6.728	
1RXSJ212743.5−221145	0.2906 (0.0394)	0.795	14.5	212743.13−221148.4	BPS CS 29506−0051	*	sdB	:	
...	...	...	...	212743.13−221148.4	EUVE J2127−22.1	UV	./.	:	
1RXSJ212744.5−484609	0.0856 (0.0177)	0.773	12.0	212744.68−484633.1	CD−49 13477	*	K0	11.3 : 10.29	
1RXSJ212756.5−181228	0.0535 (0.0146)	0.643	14.0	212756.70−181222.9	...	...	...	...	
1RXSJ212808.9−190627	0.0665 (0.0160)	0.543	10.5	212811.65−190600.5	...	...	...	...	
1RXSJ212813.2+075229	0.0978 (0.0179)	0.859	14.1	212812.95+075227.8	...	...	...	...	
1RXSJ212828.8−185235	0.0993 (0.0184)	0.680	11.5	212828.72−185223.2	HD 204348	*	K2III:	11.1 : 9.84	
1RXSJ212838.8+703352	0.1473 (0.0162)	0.809	0.0	212839.58+703338.5	HD 205021	V* (beta Cep)	B2IIIevar	3.015 : 3.216	
...	...	...	...	212839.58+703338.5	IRAS 21280+7020	IR	./.	:	
1RXSJ212844.2−393350	0.0534 (0.0148)	0.649	15.8	212844.17−393347.9	...	...	...	...	
1RXSJ212857.0−644012	0.1658 (0.0296)	0.818	12.6	212854.10−644011.1	...	...	...	...	
1RXSJ212907.8−271654	0.0826 (0.0181)	0.504	9.3	212907.01−271707.5	HD 204420	*	F8V+...	9.68 : 9.15	
1RXSJ212907.8−393201	0.0536 (0.0144)	0.589	15.8	212907.99−393153.3	...	...	...	...	
1RXSJ212928.0+072649	0.0703 (0.0185)	0.520	12.6	212927.19+072656.5	...	...	...	...	
1RXSJ212935.1+093522	0.0716 (0.0152)	0.895	12.6	212934.73+093530.9	...	...	...	...	
1RXSJ212940.4+640544	0.0622 (0.0103)	0.665	14.8	212940.18+640540.3	...	...	...	...	
1RXSJ212951.7−022008	0.0763 (0.0169)	0.781	14.7	212951.76−022005.8	...	...	...	...	
1RXSJ213028.9+401723	0.0683 (0.0116)	0.778	12.5	213028.10+401707.2	...	...	...	...	
1RXSJ213050.0−530432	0.0544 (0.0151)	0.635	14.5	213049.14−530416.2	...	...	...	...	
1RXSJ213050.7−020819	0.0775 (0.0185)	0.500	16.2	213049.92−020813.6	...	...	...	...	
1RXSJ213124.5−223446	0.0564 (0.0156)	0.807	11.5	213123.70−223422.4	HD 204765	*	G1V	10.62 : 9.95	
1RXSJ213133.8−431845	0.1036 (0.0158)	0.716	12.5	213133.18−431825.8	APMGS 212820.62−433139.3	Gal.	./.	:	
1RXSJ213133.9−335633	0.0506 (0.0131)	0.726	12.8	213131.85−335645.8	...	...	...	...	
1RXSJ213135.5−091525	0.6188 (0.0424)	0.574	17.0	213135.44−091523.6	...	...	...	...	
1RXSJ213205.4−510247	0.3055 (0.0307)	0.707	15.9	213205.55−510249.2	...	...	...	...	
1RXSJ213207.1+320755	0.0511 (0.0119)	0.631	15.4	213207.76+320754.9	...	...	...	...	
1RXSJ213211.9+001316	0.3886 (0.0388)	0.773	11.6	213210.66+001316.9	...	...	...	...	
1RXSJ213220.8+243337	0.1428 (0.0226)	0.846	13.7	213221.27+243343.5	GJ 4201	*	M3.5	:	
1RXSJ213228.1+100812	1.1820 (0.0965)	0.738	14.8	213227.87+100819.8	[VV96] J213227.8+100819	Sy1	S...	14.92 : 14.64	P
1RXSJ213254.7−053923	0.0863 (0.0166)	0.636	15.6	213254.67−053920.1	...	...	...	...	
1RXSJ213258.7+204237	0.0511 (0.0158)	0.507	0.0	213258.33+204241.7	ADS 15076 AB	**mul.	F5	7.9 : 7.4	
...	...	...	...	213258.33+204241.7	BD+20 4955B	**	F6V	:	
...	...	...	...	213258.33+204241.7	HD 205160	**	F6IV	7.6 : 7.1	
1RXSJ213344.1+510725	0.4164 (0.0245)	0.741	15.4	213343.66+510725.0	...	...	...	...	
1RXSJ213345.2−345335	0.0536 (0.0140)	0.733	14.3	213344.08−345336.3	...	...	...	...	
1RXSJ213435.5+563300	0.0960 (0.0140)	0.814	11.8	213434.34+563248.1	HD 239702	**mul.	G5	10.61 : 9.73	
1RXSJ213438.8−615430	0.0762 (0.0181)	0.733	14.1	213438.70−615443.0	...	...	...	...	
1RXSJ213456.7−603823	0.0685 (0.0191)	0.708	11.9	213451.50−603840.8	...	...	...	...	
1RXSJ213504.7+085807	0.1121 (0.0184)	0.856	12.8	213504.63+085756.7	...	...	...	...	
1RXSJ213521.4−870643	0.0546 (0.0125)	0.742	13.7	213513.14−870633.1	...	...	...	...	
1RXSJ213528.8+262214	0.0622 (0.0172)	0.608	12.2	213528.85+262132.8	...	...	...	...	
1RXSJ213530.1−623005	0.2510 (0.0294)	0.883	13.7	213529.51−623007.3	...	...	...	...	
1RXSJ213556.6−154038	0.0547 (0.0158)	0.621	14.5	213556.31−154038.4	...	...	...	...	
1RXSJ213603.7+402624	0.1024 (0.0132)	0.554	16.6	213604.22+402619.4	V* V632 Cyg	CV Star	?	12.80 :	
1RXSJ213638.4+392713	0.1130 (0.0147)	0.537	0.0	213638.58+392722.4	GJ 834A	V*	M0	11.7 : 10.2	
1RXSJ213648.0−012407	0.0549 (0.0140)	0.567	14.9	213649.41−012408.0	...	...	...	...	
1RXSJ213657.1−291952	0.0578 (0.0152)	0.819	12.0	213655.66−292009.7	...	...	...	...	
1RXSJ213704.1−340132	0.0952 (0.0184)	0.552	14.1	213703.52−340104.6	...	...	...	...	
1RXSJ213709.4−603607	0.1476 (0.0283)	0.716	14.8	213708.72−603603.8	...	...	...	...	
1RXSJ213729.0−083825	0.0521 (0.0146)	0.509	13.7	213733.28−083832.2	...	...	...	...	
1RXSJ213736.6−202557	0.1305 (0.0208)	0.502	8.3	213736.11−202553.4	HD 205706	Ecl. Bin. (beta Lyr)	F3V	8.47 : 8.08	
1RXSJ213740.3+013711	0.1807 (0.0244)	0.736	15.1	213739.95+013716.5	GSC 00543−00620	*	MV:e	:	
...	...	...	...	213739.95+013716.5	RX J2137.6+0137	*	M	:	
1RXSJ213743.8−470033	0.0919 (0.0180)	0.690	14.9	213742.84−470034.6	...	...	...	...	
1RXSJ213745.3−143250	0.4632 (0.0412)	0.747	15.2	213745.21−143255.6	[CLW98] 2135−1446 +00047−00026	Gal.	./.	:	
...	...	...	...	213745.21−143255.6	[HBC97] 1	Gal.	./.	:	
...	...	...	...	213745.21−143255.6	[HBC97] A	Object of unknown nature	./.	:	
...	...	...	...	213745.21−143255.6	[VV96] J213745.2−143255	Quasar	E	15.63 :	P
1RXSJ213750.3+292829	0.0519 (0.0129)	0.893	12.8	213751.29+292827.9	...	...	...	...	
1RXSJ213807.1+261958	0.3473 (0.0383)	0.835	13.9	213806.47+261956.3	...	...	...	...	
1RXSJ213821.3+355822	0.0877 (0.0148)	0.539	15.8	213820.94+355811.1	...	...	...	...	
1RXSJ213846.6−322321	0.1252 (0.0214)	0.721	14.5	213845.56−322320.7	...	...	...	...	
1RXSJ213849.6−382837	0.3108 (0.0306)	0.692	15.8	213849.90−382840.1	...	...	...	...	
1RXSJ213857.7−211446	0.1282 (0.0231)	0.565	15.3	213856.88−211435.2	...	...	...	...	
1RXSJ213857.9+572924	0.1049 (0.0138)	0.730	0.0	213857.62+572920.6	HD 206267	Em. *	O6e	5.83 : 5.62	
1RXSJ213928.4−051313	0.0921 (0.0221)	0.584	16.4	213928.15−051314.3	...	...	...	...	
1RXSJ213931.9−000314	0.0519 (0.0144)	0.639	10.7	213931.73−000339.0	BD−00 4245C	**	?	:	
1RXSJ213944.3+024612	0.0722 (0.0176)	0.617	15.7	213944.21+024605.2	[VV96] J213944.2+024605	Quasar	./.	16.1 : 16.1	P
1RXSJ213945.2−034426	0.0906 (0.0193)	0.588	14.6	213943.96−034423.3	...	...	...	...	
1RXSJ214010.5−404227	0.0697 (0.0179)	0.558	15.6	214010.06−404232.3	...	...	...	...	
1RXSJ214051.7+052257	0.1058 (0.0184)	0.531	16.9	214051.53+052252.0	...	...	...	...	
1RXSJ214055.0−512516	0.2005 (0.0242)	0.882	12.2	214054.13−512520.7	...	...	...	...	
1RXSJ214105.0+193530	0.0625 (0.0153)	0.653	15.2	214104.85+193537.7	...	...	...	...	
1RXSJ214108.2+022239	0.0672 (0.0181)	0.604	13.1	214105.81+022215.3	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ214111.0−101108	0.1042 (0.0208)	0.759	13.9	214111.60−101057.9	StKM 1−1921	*	K4	:	
1RXSJ214127.5+204302	0.0721 (0.0211)	0.671	14.4	214126.45+204313.1	...	...	...	...	
1RXSJ214213.1+371500	0.0647 (0.0136)	0.550	15.8	214213.91+371454.4	...	...	...	...	
1RXSJ214231.0−510655	0.0665 (0.0156)	0.585	15.5	214231.26−510654.0	...	...	...	...	
1RXSJ214243.8−472133	0.2082 (0.0260)	0.738	15.2	214243.78−472132.4	...	...	...	...	
1RXSJ214302.3−184134	0.0557 (0.0148)	0.553	14.0	214302.45−184132.3	...	...	...	...	
1RXSJ214334.0−250403	0.0659 (0.0156)	0.762	14.2	214334.49−250407.3	...	...	...	...	
1RXSJ214406.1−394900	0.4117 (0.0368)	0.511	17.6	214406.06−394901.0	RX J2144.1−3949	Sy1	./.	:	P
1RXSJ214408.6+284436	0.1547 (0.0224)	0.571	0.0	214408.41+284435.5	CCDM J21442+2845AB	**mul.	F6V	4.97 : 4.50	
...	...	...	...	214408.41+284435.5	GJ 836.6A	HiPM*	F6V	5.21 : 4.51	
...	...	...	...	214408.41+284435.5	GJ 836.6B	HiPM*	G2V	6.5 : 6.08	
1RXSJ214526.8−513634	0.0635 (0.0161)	0.737	13.6	214525.32−513626.1	...	...	...	...	
1RXSJ214533.6−043434	0.1654 (0.0251)	0.878	14.0	214533.41−043439.0	1RXS J214533.6−043434	Gal.	./.	:	P
1RXSJ214539.0+271124	0.0563 (0.0139)	0.768	12.2	214537.31+271111.6	...	...	...	...	
1RXSJ214603.3+055947	0.0583 (0.0147)	0.501	17.0	214603.19+055946.1	...	...	...	...	
1RXSJ214613.5+850149	0.0650 (0.0111)	0.681	15.0	214608.85+850148.6	...	...	...	...	
1RXSJ214636.3−305132	0.8374 (0.0667)	0.785	14.3	214636.02−305140.5	...	...	...	...	
1RXSJ214651.9+244619	0.0536 (0.0162)	0.891	11.7	214650.41+244605.5	GSC 02206−01706	*	./.	10.33 : 9.79	
1RXSJ214701.2−214343	0.0605 (0.0156)	0.681	13.3	214700.24−214324.5	...	...	...	...	
1RXSJ214716.1+255738	0.0687 (0.0160)	0.899	12.4	214716.68+255739.9	...	...	...	...	
1RXSJ214720.0−480306	0.0628 (0.0156)	0.553	16.2	214719.53−480314.9	...	...	...	...	
1RXSJ214741.3−093755	0.0512 (0.0145)	0.644	13.9	214741.93−093750.0	...	...	...	...	
1RXSJ214750.5+495006	0.0800 (0.0134)	0.877	12.3	214748.89+495011.3	...	...	...	...	
1RXSJ214758.8−455936	0.1411 (0.0248)	0.822	9.8	214758.79−455931.5	ESO 288− 6	Gal.	S0	:	
1RXSJ214805.4+065737	0.1144 (0.0203)	0.674	16.0	214805.46+065738.8	[VV96] J214805.5+065739	Quasar	./.	16.88 :	P
1RXSJ214810.6+191013	0.2394 (0.0301)	0.519	11.9	214809.12+191012.7	...	...	...	...	
1RXSJ214814.9−471802	0.0666 (0.0174)	0.615	0.0	214815.76−471813.0	GJ 838	HiPM*	G0V	6.18 : 5.58	
1RXSJ214820.8+680601	0.0677 (0.0113)	0.849	11.9	214821.37+680549.0	GSC 04462−02858	*	./.	11.03 : 10.35	
1RXSJ214904.4−014120	0.0897 (0.0185)	0.511	16.3	214903.97−014111.6	...	...	...	...	
1RXSJ214905.7−720603	0.8608 (0.0734)	0.709	0.0	214905.31−720605.1	GJ 1264	V*	M0.5	11.26 : 9.80	P
1RXSJ214906.4−304157	0.3780 (0.0358)	0.815	11.5	214907.40−304204.9	ACO 3814	Clust.	./.	:	
1RXSJ214906.4−641300	0.1021 (0.0210)	0.512	16.5	214904.85−641302.2	...	...	...	...	
1RXSJ214907.1−175204	0.1264 (0.0210)	0.588	15.7	214907.42−175159.0	...	...	...	...	
1RXSJ214923.8+092921	0.0678 (0.0160)	0.553	16.0	214924.20+092928.8	...	...	...	...	
1RXSJ214927.6−343854	0.0511 (0.0146)	0.591	15.6	214927.50−343845.2	...	...	...	...	
1RXSJ214958.2−185926	0.5038 (0.0462)	0.682	16.2	214958.06−185923.8	PMN J2149−1859	Rad.	./.	:	
1RXSJ215010.4+033254	0.0571 (0.0147)	0.786	12.1	215010.46+033315.0	...	...	...	...	
1RXSJ215026.4−122816	0.0779 (0.0192)	0.551	15.3	215025.40−122817.1	...	...	...	...	
1RXSJ215053.8−055327	0.1640 (0.0273)	0.761	14.2	215053.67−055316.9	...	...	...	...	
1RXSJ215127.9−023829	0.0516 (0.0150)	0.544	14.6	215128.83−023813.3	...	...	...	...	
1RXSJ215129.5−035755	0.0925 (0.0195)	0.788	13.3	215128.79−035744.9	CCDM J21514−0358C	**	./.	10.6 :	
1RXSJ215152.0+104628	0.0562 (0.0150)	0.872	12.8	215152.06+104631.4	...	...	...	...	
1RXSJ215235.0+653901	0.0902 (0.0144)	0.658	14.4	215232.78+653904.7	...	...	...	...	
1RXSJ215306.4−644448	0.1411 (0.0286)	0.823	14.6	215306.45−644446.1	...	...	...	...	
1RXSJ215306.8+205552	0.0999 (0.0263)	0.509	0.0	215305.36+205549.9	HD 208038	*	K0	9.11 : 8.18	
1RXSJ215355.4+520338	0.0711 (0.0119)	0.734	14.5	215355.02+520346.3	...	...	...	...	
1RXSJ215423.2−455238	0.1554 (0.0249)	0.711	15.3	215422.96−455231.3	...	...	...	...	
1RXSJ215434.6−030653	0.0729 (0.0174)	0.528	16.7	215434.11−030654.5	...	...	...	...	
1RXSJ215436.4−031806	0.0539 (0.0157)	0.774	0.0	215435.91−031804.6	HD 208177	**	F5IV	6.675 : 6.247	
1RXSJ215443.6+143325	0.0979 (0.0219)	0.517	9.5	215443.44+143329.4	V* DF Peg	Ecl. Bin. (Algol)	F5	9.62 : 9.15	
1RXSJ215450.7−441406	0.4543 (0.0390)	0.612	16.4	215451.09−441405.7	...	...	...	...	
1RXSJ215453.3−302935	0.0712 (0.0193)	0.686	14.5	215453.36−302918.7	BPS CS 29493−0071	*	DA	:	
...	...	...	...	215453.36−302918.7	WD 2151−307	WD	DA:	:	
1RXSJ215459.5+535607	0.1233 (0.0160)	0.542	12.1	215459.11+535605.5	HD 208502	*	F5	7.363 : 6.923	
1RXSJ215513.1−615332	0.1888 (0.0242)	0.749	0.0	215511.34−615311.0	** HDO 296	**mul.	F1III	6.277 : 5.924	
1RXSJ215522.8+593843	0.1171 (0.0167)	0.637	14.9	215523.67+593836.5	RX J2155.3+5938	*	M4Ve	12.70 :	P
1RXSJ215541.5+123144	0.1589 (0.0252)	0.523	14.4	215539.74+123127.9	...	...	...	...	
1RXSJ215609.4−173054	0.0864 (0.0231)	0.636	11.5	215609.36−173113.8	...	...	...	...	
1RXSJ215621.5−543820	5.9360 (0.3078)	0.861	14.3	215621.17−543822.9	...	...	...	...	
1RXSJ215623.8+331829	0.4549 (0.0293)	0.542	15.7	215623.03+331836.7	...	...	...	...	
1RXSJ215635.1−414220	0.9897 (0.0821)	0.722	15.7	215635.29−414217.2	...	...	...	...	
1RXSJ215723.3−312307	0.1082 (0.0211)	0.605	16.3	215723.18−312306.5	...	...	...	...	
1RXSJ215727.0−061022	0.5018 (0.0891)	0.737	14.3	215726.85−061016.4	EUVE J2157−06.1	*	./.	:	
1RXSJ215750.0−042940	0.0829 (0.0194)	0.544	13.5	215751.56−042912.1	...	...	...	...	
1RXSJ215753.2−681237	0.6992 (0.0674)	0.808	13.0	215751.35−681248.8	HD 208233	*	G8V	9.69 : 8.94	
1RXSJ215831.6−590043	0.5370 (0.0394)	0.866	0.0	215830.07−590044.0	HD 208496	Ecl. Bin. (Algol)	F3V	6.572 : 6.143	P
1RXSJ215834.3−351059	0.0606 (0.0165)	0.577	0.0	215835.25−351057.7	CD−35 15068B	**	?	:	
...	...	...	...	215835.25−351057.7	HD 208663	**	F2V	9.68 : 9.28	
1RXSJ215912.7+095247	0.2454 (0.0312)	0.721	15.4	215912.36+095243.4	...	...	...	...	
1RXSJ220020.6−514146	0.1433 (0.0237)	0.520	17.2	220020.18−514145.6	...	...	...	...	
1RXSJ220030.8−443947	0.0597 (0.0156)	0.546	16.7	220030.45−443949.6	...	...	...	...	
1RXSJ220102.7−582443	0.0625 (0.0142)	0.757	11.3	220104.51−582510.2	GSC 08821−00363	*	./.	11.9 : 10.5	
1RXSJ220103.5−005303	0.1396 (0.0229)	0.593	16.3	220103.14−005300.3	PB 5037	*	./.	16.5 :	
1RXSJ220129.8+012957	0.2147 (0.0291)	0.617	16.5	220129.67+012956.7	[VV96] J220129.7+012955	Quasar	./.	16.4 : 16.4	
1RXSJ220133.2−153639	0.0667 (0.0172)	0.726	8.1	220132.72−153643.6	HD 209154	**	G8IV	7.94 : 7.07	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	220132.72−153643.6	IRAS 21588−1551	IR	./.	:	
1RXSJ220144.2−092500	0.0741 (0.0184)	0.596	14.4	220143.25−092514.1	...	...	...	...	
1RXSJ220148.8−222536	0.1493 (0.0296)	0.678	10.3	220153.74−222600.9	APMBGC 532+011−129	Gal. in Clust.	./.	:	
1RXSJ220156.0−170656	0.2007 (0.0282)	0.544	16.8	220155.80−170700.9	...	...	...	...	
1RXSJ220220.8+035306	0.1108 (0.0217)	0.786	14.1	220220.16+035308.8	RX J2202.2+0353	X	./.	:	P
1RXSJ220226.6−165755	0.1322 (0.0233)	0.514	0.0	220226.25−165753.4	BD−17 6422B	**	?	:	
...	...	...	...	220226.25−165753.4	CCDM J22024−1658AB	**mul.	?	6.6 : 6.5	
...	...	...	...	220226.25−165753.4	HD 209278	Spec. Bin.	A0/A1V+...	6.79 :	
1RXSJ220258.7−031814	0.0618 (0.0165)	0.739	14.9	220259.01−031811.6	...	...	...	...	
1RXSJ220315.6+314535	0.2424 (0.0220)	0.697	15.2	220314.97+314538.3	[VV96] J220314.9+314538	Quasar	./.	:	P
1RXSJ220344.3−602607	0.1050 (0.0198)	0.629	11.8	220346.16−602615.8	...	...	...	...	
1RXSJ220346.0+643741	0.2398 (0.0206)	0.854	0.0	220345.95+643740.7	CCDM J22038+2407AB	**mul.	?	:	
...	...	...	...	220345.95+643740.7	HD 209790	HiPM*	A3m	4.63 :	
...	...	...	...	220345.95+643740.7	HD 209791	Spec. Bin.	A3m	6.5 : 6.2	
1RXSJ220346.0−403154	0.0530 (0.0156)	0.543	16.7	220345.48−403151.9	...	...	...	...	
1RXSJ220407.2+343309	0.0542 (0.0106)	0.525	0.0	220406.67+343311.0	BD+33 4417	**	F5	10.25 : 9.87	
...	...	...	...	220406.67+343311.0	BD+33 4417B	**	?	:	
1RXSJ220408.6−085710	0.1360 (0.0284)	0.582	14.8	220407.99−085725.6	...	...	...	...	
1RXSJ220412.4+465914	0.0630 (0.0124)	0.868	11.9	220412.90+465904.7	...	...	...	...	
1RXSJ220417.7+043957	0.0598 (0.0177)	0.849	12.5	220417.67+044001.9	QSO 2201+044	BL Lac − type object	./.	15.2 :	P
...	...	...	...	220417.67+044001.9	RC J2204+0440	Rad.	./.	:	
1RXSJ220459.1+074940	0.0815 (0.0201)	0.760	13.4	220500.33+074941.6	...	...	...	...	
1RXSJ220524.6+655219	0.0536 (0.0111)	0.889	12.5	220525.68+655220.0	...	...	...	...	
1RXSJ220535.9−585221	0.0535 (0.0145)	0.556	12.8	220534.73−585250.7	APMBGC 146+053−051	Gal.	./.	:	
1RXSJ220558.9−562825	0.2212 (0.0266)	0.512	0.0	220558.67−562819.3	HD 209567	**mul.	G1V	9.05 : 8.52	
1RXSJ220606.1+473404	0.1505 (0.0178)	0.578	14.1	220605.16+473408.5	...	...	...	...	
1RXSJ220610.8+100511	0.2097 (0.0345)	0.554	0.0	220611.82+100528.7	BD+09 4984B	**	A2	10.36 : 9.74	
1RXSJ220617.8−235345	0.1102 (0.0274)	0.512	16.7	220617.72−235352.5	...	...	...	...	
1RXSJ220634.8+515325	0.0892 (0.0154)	0.821	12.0	220634.29+515312.6	GSC 03617−00844	*	./.	11.6 : 10.7	
1RXSJ220739.9−531021	0.0533 (0.0155)	0.554	16.5	220739.53−531020.9	...	...	...	...	
1RXSJ220744.3+203109	0.0646 (0.0167)	0.542	16.5	220744.50+203109.7	...	...	...	...	
1RXSJ220745.8+252023	0.2615 (0.0252)	0.629	16.0	220746.23+252026.5	WD 2205+250	WD	DA:	:	
1RXSJ220754.1−370418	0.1328 (0.0240)	0.842	14.1	220754.25−370422.0	...	...	...	...	
1RXSJ220823.4−505320	0.1039 (0.0198)	0.567	16.7	220823.09−505322.8	...	...	...	...	
1RXSJ220922.3−161027	0.0547 (0.0161)	0.543	14.2	220921.20−161020.3	...	...	...	...	
1RXSJ220922.7−514900	0.3058 (0.0349)	0.832	11.2	220921.51−514826.2	...	...	...	...	
1RXSJ220924.2+085358	0.0867 (0.0229)	0.655	14.3	220924.96+085354.9	...	...	...	...	
1RXSJ220928.7−233927	0.1561 (0.0259)	0.604	11.3	220928.90−233931.8	HD 210244	*	G8III	7.260 : 6.371	
1RXSJ221017.4−012630	0.0888 (0.0204)	0.608	12.6	221016.31−012627.7	...	...	...	...	
1RXSJ221032.6−550835	0.0918 (0.0179)	0.605	16.4	221032.75−550832.4	...	...	...	...	
1RXSJ221037.0+022302	0.0785 (0.0205)	0.888	12.6	221037.01+022249.6	...	...	...	...	
1RXSJ221124.2−132801	0.1357 (0.0247)	0.528	16.7	221124.11−132809.7	[VV96] J221124.0−132810	Quasar	./.	17.0 : 17.00	P
1RXSJ221142.4−204406	0.0803 (0.0185)	0.618	14.7	221141.91−204417.4	...	...	...	...	
1RXSJ221154.5+184157	0.2415 (0.0262)	0.639	15.1	221153.90+184149.8	QSO 2209+184	Sy1	./.	15.86 :	P
1RXSJ221218.1−543319	0.0578 (0.0161)	0.542	15.5	221216.08−543315.0	...	...	...	...	
1RXSJ221236.0−475148	0.1063 (0.0221)	0.508	17.1	221235.53−475145.5	...	...	...	...	
1RXSJ221237.6+184233	0.1321 (0.0194)	0.690	15.2	221237.04+184228.2	...	...	...	...	
1RXSJ221247.0−205348	0.0683 (0.0176)	0.706	11.5	221246.70−205324.2	HD 210737	*	F5/F6V	7.99 : 7.56	
1RXSJ221300.5−171015	0.4253 (0.0419)	0.677	15.9	221300.26−171017.9	RX J2213.0−1710	Sy1	./.	:	P
1RXSJ221300.6−615859	0.1629 (0.0219)	0.538	0.0	221300.01−615852.9	HD 210547	**mul.	F6V	9.5 : 9.0	
1RXSJ221332.7−223048	0.1121 (0.0224)	0.625	14.9	221333.62−223051.8	...	...	...	...	
1RXSJ221334.6+255810	0.0754 (0.0142)	0.644	15.3	221335.06+255817.9	...	...	...	...	
1RXSJ221356.6−540701	0.0682 (0.0193)	0.657	12.0	221400.20−540702.3	...	...	...	...	
1RXSJ221504.1−033512	0.0642 (0.0166)	0.506	15.3	221504.09−033526.4	PB 7111	*	./.	18. :	
1RXSJ221515.2−274225	0.3146 (0.0393)	0.706	15.0	221514.75−274223.6	BPS CS 30337−0019	*	./.	:	
...	...	...	...	221514.75−274223.6	EUVE J2215−27.7	WD	./.	:	P
1RXSJ221528.5+770926	0.0707 (0.0096)	0.833	13.0	221532.57+770929.7	...	...	...	...	
1RXSJ221537.8+290239	0.1122 (0.0156)	0.538	16.0	221536.83+290236.2	1RXS J221537.8+290239	Quasar	./.	16.75 : 16.50	P
...	...	...	...	221536.83+290236.2	RX J2215.5+2902	X	./.	:	
1RXSJ221559.5−182504	0.0595 (0.0173)	0.621	12.0	221559.81−182503.6	...	...	...	...	
1RXSJ221611.9−394716	0.1090 (0.0223)	0.851	10.3	221614.67−394740.2	HD 211191	*	G5V	10.41 : 9.75	
1RXSJ221625.8−523804	0.0894 (0.0188)	0.720	11.2	221621.84−523842.1	CPD−53 10273	*	G3	11.05 : 10.40	
1RXSJ221631.2+290025	0.0988 (0.0150)	0.674	15.6	221631.26+290018.4	...	...	...	...	
1RXSJ221653.7−445154	1.2990 (0.0908)	0.659	16.0	221653.20−445157.0	...	...	...	...	
1RXSJ221656.7−172518	0.2446 (0.0297)	0.547	15.1	221656.86−172525.5	...	...	...	...	
1RXSJ221719.9−084801	0.2325 (0.0326)	0.814	14.5	221720.32−084802.2	...	...	...	...	
1RXSJ221728.9+490739	0.0585 (0.0123)	0.614	0.0	221728.32+490737.0	HD 211660	**	K0	7.495 : 6.455	
...	...	...	...	221728.32+490737.0	IRAS 22154+4852	IR	./.	:	
1RXSJ221753.9−082115	0.0601 (0.0171)	0.608	13.7	221755.36−082103.1	...	...	...	...	
1RXSJ221757.1−594134	0.7978 (0.0459)	0.523	16.2	221756.61−594130.2	...	...	...	...	
1RXSJ221829.6−291135	0.0742 (0.0222)	0.566	14.4	221828.80−291113.9	...	...	...	...	
1RXSJ221837.0−392129	0.1143 (0.0228)	0.589	15.4	221836.25−392121.9	...	...	...	...	
1RXSJ221838.4−385342	0.4873 (0.0434)	0.822	12.0	221839.36−385400.7	ESO 344− 19	Gal.	cGrs	:	
1RXSJ221839.1+080216	0.1124 (0.0218)	0.637	15.4	221838.49+080215.7	[BFE95] 262	Active Galaxy Nucleus	./.	16.6 :	P
1RXSJ221839.1−532639	0.1167 (0.0199)	0.791	13.8	221840.43−532641.6	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B : V$	Comments
1RXSJ221842.6+332115	0.0594 (0.0127)	0.883	13.7	221842.43+332114.5	...	...	...	...	
1RXSJ221910.8−423522	0.3397 (0.0355)	0.574	0.0	221910.26−423514.8	HD 211603	*	G6IV:	10.60 : 9.89	
1RXSJ221914.3+383004	0.0535 (0.0110)	0.851	14.0	221913.83+383001.0	...	...	...	...	
1RXSJ221918.8+120757	0.2478 (0.0315)	0.636	16.0	221918.52+120753.4	...	...	...	...	
1RXSJ221949.2+093546	0.0814 (0.0193)	0.602	15.1	221948.66+093532.6	[BFE95] 264	Active Galaxy Nucleus	./.	17.2 :	P
1RXSJ221959.6−505249	0.1064 (0.0198)	0.533	15.1	221958.73−505240.5	...	...	...	...	
1RXSJ222019.3−392404	0.0589 (0.0171)	0.896	11.5	222019.88−392334.0	...	...	...	...	
1RXSJ222024.3−072733	0.0601 (0.0170)	0.749	14.6	222024.11−072731.8	BPS CS 22886−0057	*	./.	:	
1RXSJ222028.2+281404	0.0704 (0.0126)	0.831	13.3	222028.23+281411.8	...	...	...	...	
1RXSJ222041.9−281402	0.2384 (0.0336)	0.851	13.4	222041.11−281357.2	HD 211862	*	G1V	9.68 : 9.13	
1RXSJ222101.8−111154	0.2508 (0.0321)	0.628	16.4	222101.62−111154.5	...	...	...	...	
1RXSJ222129.6−522530	0.5433 (0.0401)	0.568	16.8	222129.32−522527.8	1RXS J222129.6−522530	X	B...	:	P
1RXSJ222229.1+281432	0.2911 (0.0250)	0.527	9.2	222229.47+281430.5	...	...	...	...	
1RXSJ222230.9−462437	0.0515 (0.0160)	0.743	14.0	222231.05−462422.4	...	...	...	...	
1RXSJ222237.3−693327	0.0653 (0.0201)	0.700	14.6	222235.23−693328.2	...	...	...	...	
1RXSJ222238.8−513253	0.0575 (0.0169)	0.646	0.0	222239.32−513254.0	HD 212039	*	F6/F7V	9.47 : 9.01	
1RXSJ222308.1−455542	0.1232 (0.0212)	0.852	0.0	222307.79−455542.1	HD 212132	HiPM*	F3III−IV	5.98 : 5.618	
1RXSJ222312.0−623555	0.5311 (0.0361)	0.806	11.9	222311.31−623552.8	...	...	...	...	
1RXSJ222327.6−224520	0.0609 (0.0182)	0.641	12.7	222328.41−224552.4	...	...	...	...	
1RXSJ222344.9−155426	0.1332 (0.0273)	0.571	14.6	222345.23−155403.3	...	...	...	...	
1RXSJ222408.1+172903	0.0657 (0.0142)	0.544	15.7	222408.11+172847.3	...	...	...	...	
1RXSJ222409.6−551220	0.0652 (0.0177)	0.759	13.2	222410.31−551158.2	...	...	...	...	
1RXSJ222543.8−575008	0.0575 (0.0171)	0.741	13.3	222543.83−575025.6	...	...	...	...	
1RXSJ222605.9−571358	0.0531 (0.0150)	0.545	13.8	222604.25−571332.1	[GVD92] 222248.4−572848	Gal. in Clust.	./.	:	
1RXSJ222630.4−502205	0.0838 (0.0197)	0.697	15.3	222630.20−502201.6	...	...	...	...	
1RXSJ222636.5−444112	0.0802 (0.0199)	0.640	14.6	222635.96−444057.8	...	...	...	...	
1RXSJ222650.8−414442	0.1692 (0.0265)	0.544	17.1	222650.82−414445.0	1RXS J222650.8−414442	Sy1	./.	:	P
...	...	...	...	222650.82−414445.0	[VV96] J222650.9−414445	Quasar	./.	:	
1RXSJ222743.4+374746	0.0671 (0.0125)	0.686	14.0	222741.68+374756.5	...	...	...	...	
1RXSJ222748.9−011356	0.0943 (0.0228)	0.664	14.7	222748.32−011352.3	RX J2227.8−0113	*	./.	:	
1RXSJ222819.9+174025	0.0596 (0.0164)	0.687	13.0	222820.59+174000.7	...	...	...	...	
1RXSJ222846.3+333500	0.1127 (0.0159)	0.667	15.4	222846.28+333509.0	...	...	...	...	
1RXSJ222850.3−000120	0.4881 (0.0451)	0.539	0.0	222849.76−000114.0	CCDM J22288−0001AB	**mul.	F3III−IV	4.06 : 3.65	
...	...	...	...	222849.76−000114.0	HD 213051	**	F6IV	5.0 : 4.5	
...	...	...	...	222849.76−000114.0	HD 213052	**	F3V	4.80 : 4.42	
1RXSJ222934.3+305720	0.0725 (0.0131)	0.518	16.6	222934.15+305712.2	MITG J2229+3057	Quasar	./.	:	P
...	...	...	...	222934.15+305712.2	RX J2229.5+3057	X	./.	:	
1RXSJ222948.7−394009	0.0557 (0.0177)	0.603	14.5	222947.70−393952.1	...	...	...	...	
1RXSJ222948.9−485834	0.0608 (0.0154)	0.530	16.4	222948.11−485827.5	...	...	...	...	
1RXSJ223002.3+255616	0.1109 (0.0273)	0.720	0.0	223002.19+255628.7	HD 213291	*	F8	8.85 : 8.40	
1RXSJ223003.5−044933	0.0977 (0.0269)	0.787	13.5	223004.09−044946.5	...	...	...	...	
1RXSJ223004.8+485127	0.1655 (0.0174)	0.583	15.5	223004.51+485137.8	...	...	...	...	
1RXSJ223013.8−292550	0.0591 (0.0187)	0.836	12.4	223013.89−292607.5	...	...	...	...	
1RXSJ223019.5+163114	0.1594 (0.0220)	0.505	15.4	223019.67+163112.7	...	...	...	...	
1RXSJ223244.3−413441	0.1901 (0.0283)	0.743	14.1	223243.17−413436.7	CTS 64	Gal.	./.	:	
1RXSJ223249.5−202232	0.1331 (0.0236)	0.566	11.7	223249.92−202240.6	...	...	...	...	
1RXSJ223258.7+104032	0.0528 (0.0156)	0.853	12.0	223300.33+104035.0	GSC 01154−01546	*	./.	11.3 : 10.7	
1RXSJ223319.5−004059	0.0850 (0.0229)	0.782	11.2	223321.02−004153.4	GSC 05233−01819	*	./.	11.3 : 10.6	
1RXSJ223338.6+131236	0.0752 (0.0146)	0.718	15.1	223338.42+131244.0	...	...	...	...	
1RXSJ223403.2−303619	0.0500 (0.0155)	0.816	12.1	223401.27−303618.1	...	...	...	...	
1RXSJ223416.3+312834	0.0604 (0.0123)	0.571	15.0	223416.30+312853.2	...	...	...	...	
1RXSJ223440.7−370650	0.0957 (0.0211)	0.526	15.0	223440.94−370643.6	[BFE95] 273	Quasar	./.	17.3 :	
1RXSJ223443.7−195125	0.1135 (0.0239)	0.878	8.5	223441.89−195134.9	HD 213863	Ecl. Bin. (Algol)	F0V	8.44 : 8.10	
1RXSJ223455.4−605216	0.0967 (0.0173)	0.854	13.9	223454.70−605211.1	...	...	...	...	
1RXSJ223455.8−843450	0.1895 (0.0301)	0.773	15.2	223455.47−843452.4	...	...	...	...	
1RXSJ223522.8−301940	0.3648 (0.0385)	0.656	15.8	223522.58−301944.2	...	...	...	...	
1RXSJ223542.7+013930	0.0921 (0.0261)	0.685	14.4	223541.90+013933.7	AGC 320581	Gal.	./.	:	
...	...	...	...	223541.90+013933.7	PC 2233+0123	Emission Object	./.	:	
...	...	...	...	223541.90+013933.7	[MPC97] ACO 2457 7	Gal. in Clust.	./.	:	
...	...	...	...	223541.90+013933.7	[SBM98] ACO 2457 J223541.90+013933.0	Gal. in Clust.	./.	:	
1RXSJ223544.2+785220	0.0515 (0.0082)	0.756	13.5	223548.57+785213.7	...	...	...	...	
1RXSJ223554.4−513158	0.0551 (0.0148)	0.665	14.0	223552.30−513209.7	...	...	...	...	
1RXSJ223607.8+134358	0.0553 (0.0126)	0.638	15.7	223607.69+134355.5	[VV96] J223607.7+134355	Quasar	./.	16.04 : 16.71	P
1RXSJ223632.0−213518	0.0774 (0.0216)	0.820	13.0	223631.09−213506.6	HD 214136	*	F5V	9.55 : 9.11	
1RXSJ223647.3−123228	0.1230 (0.0265)	0.740	14.4	223647.07−123233.0	...	...	...	...	
1RXSJ223715.2−262234	0.2323 (0.0323)	0.780	14.7	223714.74−262233.4	[R97] NGC 7314 9	X	./.	:	
1RXSJ223758.3+410109	0.0886 (0.0147)	0.524	14.5	223759.70+410119.1	...	...	...	...	
1RXSJ224000.2+642310	0.0680 (0.0110)	0.762	14.7	223959.34+642315.0	...	...	...	...	
1RXSJ224017.7+080316	0.4836 (0.0510)	0.784	14.0	224017.07+080313.6	RBS 1882	X	./.	:	P
...	...	...	...	224017.07+080313.6	UGC 12138	Sy1	SBa	14.3 : 13.5	
1RXSJ224021.9+151901	0.0690 (0.0152)	0.724	12.4	224024.01+151849.6	...	...	...	...	
1RXSJ224026.8−560401	0.0921 (0.0201)	0.513	16.1	224025.38−560407.9	...	...	...	...	
1RXSJ224043.7+404544	0.0820 (0.0130)	0.677	14.8	224043.84+404555.9	...	...	...	...	
1RXSJ224046.4+132604	0.0992 (0.0167)	0.772	13.9	224046.52+132613.1	...	...	...	...	
1RXSJ224155.3−440459	0.3591 (0.0387)	0.673	15.1	224155.53−440455.3	RX J2241.8−4405	Quasar	./.	:	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ224237.9−384520	0.6450 (0.0487)	0.562	16.9	224237.66−384516.3	1RXS J224237.9−384520	X	S...	:	P
1RXSJ224250.9+530124	0.1202 (0.0186)	0.604	11.6	224247.36+530201.3	GSC 03984−02111	*	./.	11.03 : 10.7	
1RXSJ224253.4−375933	0.0590 (0.0163)	0.554	16.5	224253.15−375929.9	...	...	...	...	
1RXSJ224315.8+444112	0.1159 (0.0155)	0.703	12.8	224317.54+444114.0	...	...	...	...	
1RXSJ224320.0+141309	0.0529 (0.0124)	0.850	13.2	224320.22+141301.6	...	...	...	...	
1RXSJ224353.3+293633	0.0665 (0.0134)	0.572	14.1	224355.05+293649.8	...	...	...	...	
1RXSJ224407.8−541318	0.1468 (0.0217)	0.878	13.8	224408.45−541318.2	...	...	...	...	
1RXSJ224427.7+440135	0.1294 (0.0164)	0.672	15.9	224427.24+440137.4	...	...	...	...	
1RXSJ224457.3+105604	0.0553 (0.0142)	0.549	13.0	224455.06+105546.3	...	...	...	...	
1RXSJ224458.1−182248	0.1795 (0.0397)	0.650	16.0	224458.20−182249.5	...	...	...	...	
1RXSJ224500.6−493147	0.1236 (0.0209)	0.585	16.5	224500.21−493148.4	PKS 2242−497	Rad.	./.	:	
1RXSJ224505.2+263758	0.1472 (0.0183)	0.732	12.3	224504.99+263734.4	...	...	...	...	
1RXSJ224507.1−325153	0.1134 (0.0233)	0.719	15.6	224507.38−325152.2	...	...	...	...	
1RXSJ224607.7+580424	0.0502 (0.0124)	0.516	0.0	224605.27+580420.1	HD 215714	**	F8	8.00 : 7.57	
1RXSJ224616.9−524345	0.4907 (0.0402)	0.512	12.2	224615.41−524326.9	AM 2243−525	Gal.	E	:	P
1RXSJ224621.7+314206	0.1455 (0.0181)	0.609	16.6	224621.68+314208.0	RX J2246.2+3142	X	./.	:	P
1RXSJ224736.8+404131	0.0877 (0.0138)	0.532	16.3	224736.96+404121.5	...	...	...	...	
1RXSJ224738.0+523301	0.0550 (0.0128)	0.756	13.0	224737.51+523258.5	...	...	...	...	
1RXSJ224805.1−172814	0.1753 (0.0449)	0.590	14.1	224804.24−172830.5	...	...	...	...	
1RXSJ224805.8−374508	0.0941 (0.0232)	0.771	0.0	224806.92−374524.0	HD 215768	*	G0V	8.05 : 7.50	
1RXSJ224806.6+353230	0.0543 (0.0119)	0.667	14.6	224805.81+353241.3	...	...	...	...	
1RXSJ224811.4−680322	0.1044 (0.0174)	0.741	14.2	224809.36−680314.9	...	...	...	...	
1RXSJ224824.7−612650	0.0856 (0.0186)	0.886	12.3	224823.83−612650.2	...	...	...	...	
1RXSJ224841.4−510951	2.2440 (0.1673)	0.530	16.4	224841.15−510953.3	[VV96] J224841.2−510954	Sy1	An...	:	
1RXSJ224904.7−445245	0.1200 (0.0278)	0.704	14.3	224904.40−445232.5	...	...	...	...	
1RXSJ224919.5−372724	0.1601 (0.0306)	0.836	9.4	224922.70−372818.5	ESO 346− 3	Gal.	S0	15. :	
...	...	...	...	224922.70−372818.5	MRC 2246−377	Rad.	./.	:	
...	...	...	...	224922.70−372818.5	PMN J2249−3728	Rad.	./.	:	
1RXSJ224939.6+110016	0.1839 (0.0237)	0.599	15.1	224939.56+110029.1	HS 2247+1044	Quasar	./.	:	
1RXSJ224952.6+583430	1.9680 (0.0683)	0.839	14.0	224952.32+583432.7	...	...	...	...	
1RXSJ224958.7−642531	0.6943 (0.0382)	0.896	12.6	224958.25−642547.2	...	...	...	...	
1RXSJ225005.8+382439	0.1841 (0.0187)	0.630	16.4	225005.77+382437.1	RGB J2250+384	Rad.	./.	:	
...	...	...	...	225005.77+382437.1	RX J2250.0+3824	X	./.	:	
1RXSJ225014.4−115206	0.2948 (0.0629)	0.548	16.2	225014.06−115200.8	PB 7242	*	./.	17. :	
1RXSJ225031.3−621134	0.0541 (0.0155)	0.569	15.4	225029.57−621130.3	...	...	...	...	
1RXSJ225039.9+632832	0.1817 (0.0185)	0.524	16.5	225039.15+632840.5	GD 552	CV Star	?	16. :	
1RXSJ225119.5−382710	0.3559 (0.0409)	0.570	16.3	225119.01−382707.3	...	...	...	...	
1RXSJ225207.7+145448	0.1571 (0.0210)	0.697	15.4	225208.07+145449.6	[VV96] J225208.0+145449	Quasar	./.	16.5 : 15.93	
1RXSJ225209.6+264236	0.1333 (0.0191)	0.719	15.4	225209.35+264241.1	1RXS J225209.6+264236	Sy1	./.	16.0 :	P
1RXSJ225215.6−575750	0.1076 (0.0198)	0.547	16.4	225214.99−575743.2	...	...	...	...	
1RXSJ225236.4+101307	0.2778 (0.0337)	0.865	12.5	225235.65+101317.3	HD 216417	Eclipsing binary	F5	7.8 : 7.2	
1RXSJ225310.3−040846	0.2052 (0.0356)	0.850	14.0	225310.76−040848.6	...	...	...	...	
1RXSJ225343.2+434019	0.0852 (0.0126)	0.873	13.7	225343.62+434017.1	LP 238−4	*	./.	:	
1RXSJ225358.0+160855	0.6094 (0.0571)	0.511	14.8	225357.75+160853.6	[VV96] J225357.7+160853	Quasar	./.	16.57 :	
1RXSJ225358.6−581254	0.2120 (0.0257)	0.542	16.8	225359.09−581249.3	...	...	...	...	
1RXSJ225508.5−441030	0.0809 (0.0206)	0.521	16.5	225507.81−441027.7	...	...	...	...	
1RXSJ225537.7+281051	0.0575 (0.0141)	0.847	12.5	225538.93+281035.7	...	...	...	...	
1RXSJ225608.4−000948	0.0801 (0.0209)	0.882	13.6	225608.38−000953.9	...	...	...	...	
1RXSJ225614.9−371810	0.0672 (0.0202)	0.505	17.0	225614.50−371807.2	...	...	...	...	
1RXSJ225617.9+205257	0.0824 (0.0220)	0.635	12.3	225617.40+205234.1	...	...	...	...	
1RXSJ225636.8+052522	0.4046 (0.0351)	0.742	15.0	225636.47+052517.4	[BFE95] 279	Active Galaxy Nucleus	./.	16.2 :	P
1RXSJ225657.9+131812	0.1199 (0.0192)	0.541	11.8	225658.27+131820.1	[HMC99] RX J2256.9+1318a	*	./.	:	
...	...	...	...	225658.27+131820.1	[HMC99] RX J2256.9+1318b	*	./.	:	
1RXSJ225700.1−354158	0.1471 (0.0311)	0.564	16.3	225700.41−354153.2	...	...	...	...	
1RXSJ225710.4+363950	0.1060 (0.0200)	0.814	13.9	225711.07+363945.8	...	...	...	...	
1RXSJ225807.9−565117	0.1640 (0.0231)	0.556	16.1	225807.99−565107.1	...	...	...	...	
1RXSJ225809.9−011510	0.1288 (0.0210)	0.736	15.2	225810.02−011515.8	...	...	...	...	
1RXSJ225821.0−590046	0.0833 (0.0177)	0.611	15.1	225821.61−590050.5	...	...	...	...	
1RXSJ225845.8−260917	0.6592 (0.0836)	0.739	15.2	225845.34−260914.2	1RXS J225845.8−260917	X	S...	:	P
1RXSJ225925.2+401635	0.1565 (0.0180)	0.888	0.0	225925.44+401635.9	CCDM J22594+4017AB	**mul.	G0	10.6 : 9.9	
1RXSJ225940.3+510245	0.0666 (0.0152)	0.900	10.9	225944.09+510231.3	GSC 03634−01710	*	./.	11.20 : 10.68	
1RXSJ230001.2−561709	0.1379 (0.0215)	0.549	15.7	230001.07−561705.5	...	...	...	...	
1RXSJ230023.8+410731	0.3810 (0.0257)	0.871	0.0	230023.90+410728.9	HD 217465	**	K2	9.55 : 8.66	
1RXSJ230028.1−261824	0.2528 (0.0496)	0.565	0.0	230027.87−261841.4	HD 217379	**mul.	K5V:	11.2 : 9.83	
1RXSJ230028.2−334438	0.7924 (0.0738)	0.698	0.0	230028.41−334439.4	HD 217344	V* (RS CVn)	G5Vp	9.16 : 8.51	P
1RXSJ230050.7−554549	0.0938 (0.0191)	0.721	14.7	230051.98−554545.4	...	...	...	...	
1RXSJ230136.8−591325	0.8635 (0.0721)	0.632	14.9	230136.22−591319.9	PMN J2301−5913	Rad.	./.	:	
1RXSJ230152.0−550827	0.7856 (0.0701)	0.827	14.7	230152.02−550831.1	...	...	...	...	
1RXSJ230233.7+763011	0.2117 (0.0170)	0.636	9.3	230233.95+763010.3	HD 218028	**	G5	9.25 : 8.65	
1RXSJ230238.1+713649	0.1302 (0.0165)	0.548	16.3	230237.67+713649.0	...	...	...	...	
1RXSJ230304.8+370626	0.1333 (0.0173)	0.601	15.3	230304.11+370617.8	...	...	...	...	
1RXSJ230328.0+144341	0.1091 (0.0172)	0.632	15.7	230327.93+144349.2	[HMC99] RX J2303.4+1443a	*	./.	:	
...	...	...	...	230327.93+144349.2	[HMC99] RX J2303.4+1443b	*	./.	:	
1RXSJ230343.2−680737	0.1091 (0.0175)	0.639	16.2	230343.55−680737.3	[VV96] J230343.7−680736	Quasar	./.	:	P
1RXSJ230358.7−551717	0.3746 (0.0344)	0.798	14.6	230357.96−551717.7	RX J2303.9−5517	Sy1	./.	:	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ230408.5+031816	0.0612 (0.0153)	0.798	14.0	230408.05+031823.7	CCDM J23041+0318B	**	./.	11.5 :	
1RXSJ230533.0+782238	0.0575 (0.0086)	0.832	13.8	230536.23+782238.7	...	...	...	...	
1RXSJ230632.3−385559	0.1114 (0.0310)	0.732	11.9	230634.57−385536.3	RX J2306.5−3855	X	K4V	12.33 : 11.33	
1RXSJ230703.1+043258	0.5136 (0.0395)	0.891	14.3	230702.95+043257.3	PGC 70504	Gal.	./.	16.63 :	
...	...	...	...	230702.95+043257.3	QSO 2304+042	Sy	./.	15.44 :	
1RXSJ230703.9+505737	0.0508 (0.0134)	0.731	11.8	230704.98+505730.3	V* BD And	Ecl. Bin. (beta Lyr)	F8	11.6 : 10.7	
1RXSJ230714.7−075558	0.0901 (0.0195)	0.592	16.3	230714.81−075604.0	...	...	...	...	
1RXSJ230714.9−151322	0.2361 (0.0558)	0.520	15.1	230713.98−151326.7	...	...	...	...	
1RXSJ230752.4+752315	0.3293 (0.0227)	0.891	0.0	230753.84+752315.4	HD 218658	Spec. Bin.	G2III	5.191 : 4.424	
...	...	...	...	230753.84+752315.4	IRAS 23063+7507	IR	./.	:	
1RXSJ230752.8+171033	0.3086 (0.0279)	0.891	11.7	230752.35+171018.2	StKM 1−2099	*	K5	:	
1RXSJ230757.5+401636	0.0895 (0.0116)	0.564	17.0	230757.29+401638.9	...	...	...	...	
1RXSJ230846.7−221955	0.4106 (0.0724)	0.586	16.2	230846.87−221949.6	...	...	...	...	
1RXSJ230919.3−323003	0.3949 (0.0595)	0.891	13.5	230919.21−322957.4	...	...	...	...	
1RXSJ230921.5+004540	0.0908 (0.0178)	0.544	12.0	230920.26+004523.5	IC 5287	Gal.	SBb	15.2 :	P
1RXSJ230942.9+735725	0.0515 (0.0102)	0.796	14.0	230943.24+735714.6	...	...	...	...	
1RXSJ230950.0−740740	0.1091 (0.0285)	0.544	15.3	230946.99−740729.6	...	...	...	...	
1RXSJ230958.2−425143	0.1952 (0.0358)	0.827	0.0	230957.39−425140.5	HD 218630	HiPM*	F4IV	6.29 : 5.81	
1RXSJ231004.7+664156	0.0723 (0.0127)	0.553	16.0	231006.44+664157.7	...	...	...	...	
1RXSJ231026.0+433249	0.1083 (0.0187)	0.893	11.2	231028.06+433248.0	...	...	...	...	
1RXSJ231028.8+073447	0.0830 (0.0164)	0.548	11.8	231030.42+073520.3	NGC 7501	Gal.	./.	15.3 :	
...	...	...	...	231030.42+073520.3	[LLB96] S49−132 250	Gal. in Clust.	./.	:	
1RXSJ231037.3+520416	0.0506 (0.0144)	0.875	11.5	231038.99+520405.6	GSC 03635−02209	*	./.	11.4 : 10.9	
1RXSJ231038.4+263128	0.1964 (0.0239)	0.693	13.8	231038.06+263136.1	CCDM J23107+2631BC	**mul.	?	:	
1RXSJ231046.6+425012	0.1007 (0.0188)	0.686	14.6	231047.32+425009.0	...	...	...	...	
1RXSJ231109.9+530123	0.2242 (0.0265)	0.509	9.1	231110.30+530132.2	V* RT And	V* (RS CVn)	F8V	9.52 : 9.03	
1RXSJ231151.3−641923	0.1813 (0.0232)	0.763	14.8	231150.16−641921.9	...	...	...	...	
1RXSJ231206.8+265552	0.1912 (0.0219)	0.527	0.0	231206.63+265545.7	BD+26 4581	*	K3	10.40 : 9.44	
1RXSJ231227.3−153031	0.1200 (0.0278)	0.530	16.6	231227.07−153036.9	...	...	...	...	
1RXSJ231230.9−762922	0.0834 (0.0236)	0.874	12.8	231231.05−762938.3	...	...	...	...	
1RXSJ231235.4−340426	0.5449 (0.0683)	0.542	16.3	231234.76−340420.1	...	...	...	...	
1RXSJ231318.1−493322	0.1252 (0.0290)	0.545	15.6	231316.55−493313.8	[R97] GRB 790406 3	X	./.	:	
1RXSJ231357.7−113027	0.1775 (0.0263)	0.843	12.8	231357.17−113018.4	MCG−02−59−006	Gal.	./.	15. :	P
1RXSJ231429.8−130610	0.0951 (0.0201)	0.531	16.2	231428.99−130609.8	...	...	...	...	
1RXSJ231435.9+102134	0.0622 (0.0134)	0.881	12.6	231436.78+102141.6	...	...	...	...	
1RXSJ231456.0+224325	0.1094 (0.0161)	0.695	15.8	231455.90+224323.2	IRAS 23125+2227	Quasar	./.	16.89 : 16.30	P
1RXSJ231458.5+294501	0.0509 (0.0110)	0.836	13.9	231458.58+294508.2	...	...	...	...	
1RXSJ231517.5+182825	0.0854 (0.0156)	0.545	16.1	231517.08+182814.9	...	...	...	...	
1RXSJ231610.2−075724	0.0650 (0.0163)	0.881	13.0	231610.78−075716.0	...	...	...	...	
1RXSJ231705.5−744037	0.1694 (0.0345)	0.825	11.6	231709.43−744017.3	...	...	...	...	
1RXSJ231710.2−003600	0.0819 (0.0189)	0.710	13.0	231709.19−003546.6	...	...	...	...	
1RXSJ231711.4+083847	0.0898 (0.0159)	0.519	16.5	231711.10+083845.1	KUV 23147+0822	UV	./.	:	
...	...	...	...	231711.10+083845.1	[BFE95] 282	Active Galaxy Nucleus	./.	17.5 :	
1RXSJ231712.8+184237	0.3098 (0.0295)	0.540	13.9	231713.56+184229.3	NGC 7578	Gal.	E	14.7 :	
...	...	...	...	231713.56+184229.3	[LO95] 2314+184	Rad.	./.	:	
1RXSJ231732.5+370017	0.0751 (0.0111)	0.597	13.9	231733.59+370016.5	RX J2317.5+3700	*	./.	:	
1RXSJ231749.8−442230	0.7149 (0.0631)	0.624	16.0	231749.92−442227.8	1RXS J231749.8−442230	X	S...	:	P
1RXSJ231756.6+393540	0.0913 (0.0159)	0.878	13.6	231756.98+393535.5	...	...	...	...	
1RXSJ231851.9−621919	0.2956 (0.0297)	0.740	15.4	231851.36−621922.5	...	...	...	...	
1RXSJ231856.8+001436	0.4084 (0.0491)	0.862	13.9	231856.62+001437.6	NGC 7603	Sy1	S	14.4 :	P
1RXSJ231901.2−405110	0.4023 (0.0541)	0.683	15.7	231901.19−405109.9	...	...	...	...	
1RXSJ231924.0−050728	0.1854 (0.0260)	0.753	0.0	231923.98−050727.7	HD 219877	HiPM*	F3IV−V	5.94 : 5.55	
1RXSJ231937.9+081904	0.0665 (0.0142)	0.730	12.6	231936.80+081919.3	...	...	...	...	
1RXSJ231939.4−731344	0.2264 (0.0373)	0.874	12.4	231940.58−731336.1	...	...	...	...	
1RXSJ232011.5+081049	0.1294 (0.0203)	0.722	11.7	232009.04+080956.7	NGC 7617	Gal.	S0	15.0 :	
...	...	...	...	232009.04+080956.7	[TFK97] Peg I 4	X	./.	:	
1RXSJ232028.0−192448	0.0680 (0.0178)	0.537	11.6	232025.57−192505.0	...	...	...	...	
1RXSJ232046.5−672317	0.0962 (0.0162)	0.763	15.0	232046.81−672319.9	...	...	...	...	
1RXSJ232057.7−014739	0.1070 (0.0198)	0.717	15.2	232057.16−014738.6	...	...	...	...	
1RXSJ232107.2+413517	0.1096 (0.0188)	0.851	13.2	232106.95+413504.2	...	...	...	...	
1RXSJ232113.3−152134	0.0828 (0.0203)	0.548	16.0	232114.08−152129.9	...	...	...	...	
1RXSJ232144.6+451035	0.0619 (0.0144)	0.761	9.0	232143.65+451037.6	HD 220221	*	K2	9.2 : 8.0	
1RXSJ232152.0−702645	0.2095 (0.0242)	0.772	15.1	232151.12−702644.2	...	...	...	...	
1RXSJ232157.6+072120	0.0624 (0.0138)	0.829	12.1	232156.29+072132.7	GSC 00584−00343	*	./.	11.5 : 10.9	
1RXSJ232209.7+575626	0.0578 (0.0120)	0.817	14.4	232209.47+575631.6	...	...	...	...	
1RXSJ232243.7+343616	0.0826 (0.0115)	0.616	16.3	232244.05+343613.9	RX J2322.6+3436	X	./.	:	
...	...	...	...	232244.05+343613.9	[XBC96] J2322+343	BL Lac − type object	./.	:	
1RXSJ232245.1−173852	0.2772 (0.0331)	0.675	15.8	232245.25−173855.6	...	...	...	...	
1RXSJ232351.1−174702	0.0669 (0.0185)	0.654	11.5	232352.30−174723.8	HD 220453	*	F5V	7.91 : 7.49	
1RXSJ232352.2+421057	0.2024 (0.0226)	0.531	17.1	232352.09+421058.8	2E 2321.4+4154	X	./.	:	P
1RXSJ232431.0−544148	1.3280 (0.0968)	0.666	14.5	232430.79−544135.6	...	...	...	...	
1RXSJ232444.9−404053	1.4550 (0.1110)	0.695	15.7	232444.65−404049.6	...	...	...	...	
1RXSJ232453.2−173743	0.0996 (0.0213)	0.549	11.2	232452.08−173735.5	BD−18 6301	*	./.	9.5 :	
1RXSJ232512.2−323637	0.5379 (0.0813)	0.631	16.0	232511.79−323634.5	...	...	...	...	
1RXSJ232513.9−665504	0.0609 (0.0149)	0.569	14.6	232512.57−665510.9	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ232519.4−120741	1.2610 (0.0640)	0.597	14.2	232519.76−120727.2	PKS 2322−122	Rad. Gal.	E...	15.45 : 15.46	P
...	...	...	...	232519.76−120727.2	[OLK95] 2322−123	Rad. Gal.	./.	:	
...	...	...	...	232519.76−120727.2	[OWB92] ACO 2597	Rad. Gal.	./.	:	
...	...	...	...	232519.76−120727.2	[TFM92] ACO 2597 7	Gal. in Clust.	./.	:	
1RXSJ232527.5−480024	0.1541 (0.0322)	0.518	16.5	232526.82−480017.2	...	...	...	...	
1RXSJ232539.2+530738	0.0537 (0.0132)	0.724	12.9	232538.74+530804.6	...	...	...	...	
1RXSJ232554.6+215310	0.5554 (0.0372)	0.743	15.2	232554.25+215313.9	RBS 2005	X	./.	:	P
1RXSJ232556.8−244121	0.3447 (0.0489)	0.545	16.1	232557.31−244126.5	...	...	...	...	
1RXSJ232616.0−240612	0.0819 (0.0240)	0.502	13.7	232614.21−240630.7	APMBGC 536+054−036	Gal.	./.	:	
1RXSJ232617.4+275200	0.2918 (0.0265)	0.875	13.5	232617.23+275205.2	RX J2326.2+2752	*	./.	:	
1RXSJ232635.8−524224	0.1021 (0.0293)	0.589	11.3	232635.18−524151.5	...	...	...	...	
1RXSJ232642.3−150436	0.0632 (0.0165)	0.571	15.5	232641.54−150427.6	...	...	...	...	
1RXSJ232643.8−095926	0.0619 (0.0166)	0.543	16.0	232643.10−095927.8	...	...	...	...	
1RXSJ232705.6−060053	0.0629 (0.0160)	0.831	13.1	232704.72−060103.8	...	...	...	...	
1RXSJ232748.5+045126	0.1805 (0.0237)	0.744	11.6	232746.99+045115.3	...	...	...	...	
1RXSJ232822.5−194639	0.0725 (0.0177)	0.545	12.5	232823.07−194639.1	...	...	...	...	
1RXSJ232823.2+002845	0.0511 (0.0148)	0.658	14.3	232821.97+002839.6	...	...	...	...	
1RXSJ232856.8+085346	0.0922 (0.0165)	0.526	17.1	232856.62+085350.2	PB 5400	*	./.	17.5 :	
1RXSJ232857.5−680225	0.1338 (0.0204)	0.841	14.0	232857.42−680232.9	...	...	...	...	
1RXSJ232915.3+471648	0.1715 (0.0306)	0.579	15.8	232915.16+471646.9	...	...	...	...	
1RXSJ232922.4+412758	0.8125 (0.0566)	0.626	13.3	232921.75+412808.8	...	...	...	...	
1RXSJ232925.9−041735	0.0654 (0.0152)	0.876	13.6	232926.01−041727.0	...	...	...	...	
1RXSJ232946.2+434509	0.0591 (0.0145)	0.637	15.7	232946.72+434504.6	V* DX And	DN	?	11.00 :	
1RXSJ232953.9+062814	0.0635 (0.0144)	0.598	15.9	232954.36+062810.3	...	...	...	...	
1RXSJ233007.4−171708	0.2358 (0.0297)	0.710	0.0	233007.70−171701.3	HD 221224	**	G5	10.8 : 9.9	
1RXSJ233033.0−022754	0.0740 (0.0162)	0.608	13.5	233032.28−022745.7	LSBG 2327−0244	LSB Galaxy	./.	14.1 :	
...	...	...	...	233032.28−022745.7	MCG−01−59−027	Sy1	./.	15. :	
1RXSJ233103.7−690453	0.2167 (0.0228)	0.578	0.0	233102.52−690435.1	HD 221231	HiPM*	G0V	7.8 : 7.1	
1RXSJ233137.3+563543	0.0766 (0.0135)	0.856	11.9	233137.44+563533.5	...	...	...	...	
1RXSJ233141.5−134202	0.0866 (0.0209)	0.513	16.3	233141.45−134202.8	...	...	...	...	
1RXSJ233152.6+195735	0.9928 (0.2498)	0.505	12.9	233153.44+195641.2	CCDM J23319+1956C	**	./.	11.5 :	
1RXSJ233216.7−602640	0.1389 (0.0241)	0.518	16.3	233218.22−602643.1	...	...	...	...	
1RXSJ233218.7−133736	0.0878 (0.0205)	0.509	9.1	233218.78−133716.7	HD 221451	**	G3V	9.23 : 8.62	
1RXSJ233319.1+271431	0.0574 (0.0125)	0.559	14.4	233317.46+271421.0	...	...	...	...	
1RXSJ233325.3−010917	0.0643 (0.0165)	0.507	14.2	233322.73−010854.8	MCG+00−60−005	Gal.	./.	16. :	
1RXSJ233333.5−082040	0.0874 (0.0191)	0.561	15.5	233332.79−082038.4	PB 7621	*	./.	15.5 :	
1RXSJ233336.1−240706	0.0752 (0.0186)	0.510	15.4	233337.03−240646.0	...	...	...	...	
1RXSJ233340.7+312716	0.0728 (0.0112)	0.582	15.2	233340.63+312702.5	...	...	...	...	
1RXSJ233354.3+214052	0.0894 (0.0181)	0.523	15.8	233354.55+214108.0	...	...	...	...	
1RXSJ233421.6−142128	0.0891 (0.0202)	0.562	16.3	233421.13−142131.3	...	...	...	...	
1RXSJ233422.6+273955	0.1105 (0.0167)	0.843	14.2	233422.40+273959.2	CCDM J23344+2740A	**	./.	15.1 :	
1RXSJ233500.0+272208	0.1016 (0.0164)	0.819	12.5	233501.43+272219.9	4C 27.53	Rad.	./.	:	
...	...	...	...	233501.43+272219.9	PGC 71807	Gal.	./.	16.39 :	
...	...	...	...	233501.43+272219.9	[LO95] 2332+270	Rad.	./.	:	
...	...	...	...	233501.43+272219.9	[OLK95] 2332+270	Rad. Gal.	./.	:	
...	...	...	...	233501.43+272219.9	[OWB92] ACO 2622	Rad. Gal.	./.	:	
...	...	...	...	233501.43+272219.9	[SGH83] ACO 2622 G1	Gal. in Clust.	./.	:	
1RXSJ233500.4+013620	0.3201 (0.0314)	0.810	11.7	233459.18+013617.9	...	...	...	...	
1RXSJ233606.6+241555	0.1664 (0.0197)	0.752	14.9	233606.09+241558.5	UCM 2333+2359	Emission−line galaxy	S0	:	
1RXSJ233614.9−313554	0.2996 (0.0503)	0.790	9.8	233616.52−313610.2	[DCP96] 233338.16−315247.4	Gal.	./.	14.87 :	
1RXSJ233615.1−483502	0.5308 (0.0612)	0.543	0.0	233618.27−483517.0	GJ 4347	*	K7	11.6 : 10.03	P
...	...	...	...	233618.27−483517.0	GJ 4348	*	./.	13.81 : 12.37	
1RXSJ233641.8+235526	0.2252 (0.0236)	0.587	16.4	233642.12+235529.1	RX J2336.7+2355	X	./.	:	
...	...	...	...	233642.12+235529.1	[CEF95] 233411.3+233851	Gal. in Clust.	./.	:	
...	...	...	...	233642.12+235529.1	[LO95] 2334+236	Rad.	./.	:	
...	...	...	...	233642.12+235529.1	[OLK95] 2334+236	Rad. Gal.	./.	:	
...	...	...	...	233642.12+235529.1	[OWG93] ACO 2627−A	Gal. in Clust.	./.	:	
1RXSJ233653.3−232625	0.0594 (0.0173)	0.603	15.6	233653.76−232626.4	...	...	...	...	
1RXSJ233801.6+652600	0.0760 (0.0128)	0.539	9.6	233801.44+652601.1	HD 222199	Pulsating variable Star	K0	9.44 : 8.32	
1RXSJ233829.6+041850	0.0513 (0.0131)	0.657	0.0	233830.44+041857.2	CCDM J23385+0419AB	**mul.	F8	10.5 : 9.9	
1RXSJ233907.3+220355	0.1765 (0.0224)	0.864	11.2	233907.07+220415.4	BD+21 4966	*	K2	11.3 : 10.24	
1RXSJ233919.8−740439	0.1413 (0.0281)	0.551	16.8	233920.89−740436.3	...	...	...	...	
1RXSJ233939.1−691148	0.8132 (0.0651)	0.811	0.0	233939.35−691144.1	HD 222259	V*	G6:IV+...	8.8 : 8.0	
1RXSJ234034.0+673311	0.0672 (0.0178)	0.501	0.0	234029.81+673311.9	HD 222471	**mul.	F8	9.08 : 8.74	
1RXSJ234056.4+825219	0.2383 (0.0196)	0.524	9.4	234057.89+825220.8	NSV 14670	V*	K2	9.41 : 8.35	
1RXSJ234104.1−092234	0.0849 (0.0185)	0.780	13.5	234103.83−092250.5	...	...	...	...	
1RXSJ234123.0+252611	0.0806 (0.0138)	0.571	16.4	234123.17+252606.5	...	...	...	...	
1RXSJ234143.1+810327	0.1408 (0.0140)	0.891	13.1	234143.22+810338.0	...	...	...	...	
1RXSJ234149.1+373820	0.0566 (0.0145)	0.700	14.3	234148.66+373823.8	...	...	...	...	
1RXSJ234154.4−355838	0.4740 (0.0739)	0.866	13.6	234154.23−355839.9	HD 222575	*	G5V	10.01 : 9.38	
1RXSJ234217.0−050210	0.3124 (0.0330)	0.543	17.0	234216.88−050205.2	...	...	...	...	
1RXSJ234236.6−304906	0.1707 (0.0271)	0.567	16.7	234236.55−304909.2	1RXS J234236.6−304906	Quasar	./.	:	P
1RXSJ234256.7−032227	0.1834 (0.0244)	0.654	16.1	234256.60−032226.0	[VV96] J234256.6−032227	Quasar	./.	16. : 17.	P
1RXSJ234328.8−145541	0.7507 (0.0573)	0.567	15.6	234328.55−145530.3	[VV96] J234329.9−145519	Quasar	./.	:	P
1RXSJ234334.2−192756	0.1520 (0.0241)	0.660	12.4	234333.76−192802.2	...	...	...	...	

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ234338.3−231216	0.0833 (0.0186)	0.515	16.9	234338.23−231223.2	...	...	...	...	
1RXSJ234403.8+090254	0.1008 (0.0164)	0.843	13.8	234403.79+090303.1	...	...	...	...	
1RXSJ234448.7−692508	0.0812 (0.0169)	0.703	11.8	234448.84−692530.4	GSC 09339−01871	*	./.	12.3 : 10.9	
1RXSJ234456.7+091149	0.6374 (0.0396)	0.532	15.2	234457.41+091135.4	[D80] ACO 2657 42	Gal. in Clust.	S0	:	
...	...	...	...	234457.41+091135.4	[TCC97] ACO 2657 1	Gal. in Clust.	./.	:	
...	...	...	...	234457.41+091135.4	[WCB96] ACO 2657 A	Gal. in Clust.	./.	:	
1RXSJ234507.9+553844	0.1088 (0.0160)	0.645	14.0	234509.37+553849.8	...	...	...	...	
1RXSJ234524.5−712645	0.0724 (0.0137)	0.538	16.0	234521.96−712649.8	...	...	...	...	
1RXSJ234603.9+503937	0.0536 (0.0126)	0.515	0.0	234604.13+503947.3	HD 223046	**	K0	8.302 : 7.355	
...	...	...	...	234604.13+503947.3	IRAS 23435+5023	IR	./.	:	
1RXSJ234604.8−353541	0.1834 (0.0437)	0.799	12.0	234603.04−353520.4	CD−36 16024	*	./.	:	
...	...	...	...	234603.04−353520.4	SV* SON 7714	V*	G5.5:...	11.75 : 10.82	
1RXSJ234636.7+093036	0.0908 (0.0157)	0.567	16.2	234636.84+093045.4	[VV96] J234637.0+093045	Quasar	./.	16.20 :	P
1RXSJ234640.1−294505	0.0975 (0.0211)	0.544	15.9	234640.74−294512.3	GD 1695	WD	./.	16.1 :	
1RXSJ234705.6+514216	0.5752 (0.0351)	0.624	12.9	234704.88+514217.6	JVAS 2344+514	Rad.	./.	:	
1RXSJ234710.3+631557	0.0901 (0.0151)	0.723	12.7	234707.68+631550.9	...	...	...	...	
1RXSJ234724.4−021839	0.0874 (0.0180)	0.609	10.3	234722.98−021801.1	IC 5357	Gal.	E...	14.27 :	
...	...	...	...	234722.98−021801.1	Shk 30 −1	*	./.	:	
1RXSJ234728.8+242743	0.2620 (0.0211)	0.715	16.0	234728.76+242745.9	HS 2344+2411	Quasar	./.	17.1 :	
...	...	...	...	234728.76+242745.9	RBS 2045	Sy1	./.	:	P
1RXSJ234734.6+271910	0.0705 (0.0160)	0.571	15.7	234735.20+271901.5	...	...	...	...	
1RXSJ234747.9−651726	0.0818 (0.0189)	0.869	13.6	234746.73−651723.8	BPS CS 22945−0053	*	./.	:	
1RXSJ234801.6−663254	0.0668 (0.0172)	0.713	11.2	234756.43−663401.8	HD 223226	*	F5V	7.121 : 6.735	
1RXSJ234807.5−284941	0.1715 (0.0228)	0.543	16.1	234807.33−284930.4	...	...	...	...	
1RXSJ234814.9+561630	0.0742 (0.0138)	0.876	12.8	234814.91+561616.2	...	...	...	...	
1RXSJ234833.8+574505	0.2156 (0.0216)	0.844	0.0	234833.50+574456.7	V* V651 Cas	Ecl. Bin. (W UMa)	?	10.77 : 10.22	
1RXSJ234907.7−331148	0.4584 (0.0461)	0.678	16.0	234907.52−331144.8	CTS 120	Sy1	./.	:	P
1RXSJ234910.5+385006	0.0528 (0.0151)	0.887	12.7	234909.91+385019.7	...	...	...	...	
1RXSJ234939.7−563723	0.4904 (0.0618)	0.690	12.6	234938.29−563706.7	...	...	...	...	
1RXSJ234944.9+312629	0.0634 (0.0156)	0.815	13.9	234945.35+312627.6	...	...	...	...	
1RXSJ234947.0−235247	0.0766 (0.0179)	0.532	16.9	234947.14−235250.5	...	...	...	...	
1RXSJ234953.5+242754	0.0873 (0.0147)	0.715	15.5	234953.23+242751.6	...	...	...	...	
1RXSJ234954.6+272132	0.0690 (0.0186)	0.545	15.3	234954.37+272145.5	...	...	...	...	
1RXSJ235005.6+265942	0.0711 (0.0181)	0.571	15.6	235005.77+265954.5	...	...	...	...	
1RXSJ235029.6−262042	0.0557 (0.0167)	0.554	16.5	235029.47−262045.5	...	...	...	...	
1RXSJ235050.3+060921	0.3722 (0.0427)	0.558	14.6	235050.58+060858.5	MCG+01−60−039	Gal.	./.	15. :	
...	...	...	...	235050.58+060858.5	[LO95] 2348+058	Rad.	./.	:	
...	...	...	...	235050.58+060858.5	[OLK95] 2348+058	Rad. Gal.	./.	:	
...	...	...	...	235050.58+060858.5	[OWG93] ACO 2665	Gal. in Clust.	./.	:	
1RXSJ235122.7+234417	0.0647 (0.0134)	0.507	15.3	235121.39+234424.2	...	...	...	...	
1RXSJ235130.1+562643	0.0535 (0.0116)	0.509	16.8	235129.52+562647.6	...	...	...	...	
1RXSJ235133.3+312720	0.1002 (0.0189)	0.722	15.0	235133.28+312727.3	...	...	...	...	
1RXSJ235148.2−063652	0.0546 (0.0162)	0.867	9.5	235146.57−063646.6	HD 223688	**mul.	G0	9.39 : 8.73	
1RXSJ235150.1+035347	0.0562 (0.0167)	0.604	13.5	235151.35+035409.4	...	...	...	...	
1RXSJ235152.7+261938	0.3384 (0.0351)	0.748	15.2	235152.82+261932.9	...	...	...	...	
1RXSJ235156.2−010911	0.5310 (0.0392)	0.849	14.7	235156.12−010912.8	[VV96] J235156.1−010913	Quasar	E:	15.45 : 15.3	P
1RXSJ235222.0−555544	0.3641 (0.0809)	0.528	15.8	235222.50−555550.9	...	...	...	...	
1RXSJ235222.1+753242	0.4191 (0.0246)	0.551	12.2	235221.14+753239.1	ADS 17062 AB	**mul.	./.	7.38 : 6.40	
1RXSJ235234.6−314610	0.1551 (0.0270)	0.558	15.7	235235.67−314605.2	PHL 2435	Blue object	./.	16.6 :	
1RXSJ235257.1+032008	0.1370 (0.0230)	0.544	15.4	235258.02+032018.1	...	...	...	...	
1RXSJ235257.3+625002	0.1177 (0.0169)	0.521	10.2	235256.59+625001.9	BD+62 2316	*	?	10.06 : 9.40	
1RXSJ235302.9−243200	0.1146 (0.0230)	0.566	15.6	235303.81−243203.4	PHL 580	WD	DA...	15.4 : 15.5	
1RXSJ235310.3−300842	0.0545 (0.0164)	0.773	12.8	235309.84−300817.7	...	...	...	...	
1RXSJ235336.0+120623	0.1205 (0.0188)	0.565	0.0	235335.51+120623.2	AC +11 1710−70	*	K4	:	
...	...	...	...	235335.51+120623.2	AC +11 1710−71	**mul.	./.	:	
1RXSJ235410.8+021831	0.0740 (0.0163)	0.696	0.0	235410.93+021850.6	BD+01 4797	**	K2	11.3 : 10.13	
1RXSJ235452.2+383129	0.2342 (0.0287)	0.644	14.8	235452.01+383140.5	RX J2354.8+3831	*	./.	:	
1RXSJ235525.6−335800	0.1469 (0.0244)	0.543	17.0	235525.78−335755.3	[VV96] J235525.5−335757	Quasar	./.	:	P
1RXSJ235525.9+221141	0.1797 (0.0236)	0.527	9.7	235525.76+221141.8	...	...	...	...	
1RXSJ235545.3+113905	0.0608 (0.0135)	0.646	15.4	235545.33+113913.5	[SBM98] ACO 2675 J235545.35+113913.5	Gal. in Clust.	./.	:	
1RXSJ235547.6+253044	0.2623 (0.0327)	0.683	13.5	235548.24+253032.0	MCG+04−01−002	Sy1	S	15.0 :	P
1RXSJ235555.3−132126	0.0838 (0.0188)	0.619	14.9	235554.20−132124.5	...	...	...	...	
1RXSJ235602.8−012930	0.0862 (0.0189)	0.685	13.9	235602.73−012904.1	MCG+00−01−003	Gal.	./.	15. :	
1RXSJ235612.1+473019	0.1184 (0.0199)	0.710	13.7	235612.43+473014.6	2E 2353.6+4713	X	./.	:	P
1RXSJ235631.4−144503	0.1123 (0.0213)	0.665	12.8	235632.22−144501.6	...	...	...	...	
1RXSJ235706.1−081348	0.1501 (0.0236)	0.729	15.1	235705.66−081352.4	...	...	...	...	
1RXSJ235720.0−125852	0.2562 (0.0298)	0.595	14.7	235719.95−125849.6	GJ 4379B	*	M4	14.9 :	
1RXSJ235723.5−160559	0.0554 (0.0152)	0.861	0.0	235723.13−160544.5	HD 224374	**	K1III:+...	10.03 : 9.43	
1RXSJ235724.0−641447	0.1099 (0.0240)	0.634	12.7	235721.53−641435.0	HD 224378	Ecl. Bin. (W UMa)	F7IV/V	10.12 : 9.63	
1RXSJ235730.1−171801	1.3520 (0.0974)	0.544	17.4	235729.98−171803.3	...	...	...	...	
1RXSJ235732.2+735203	0.0880 (0.0126)	0.618	12.6	235733.07+735156.9	HD 224414	*	F5	8.05 : 7.59	
1RXSJ235750.9+383748	0.2279 (0.0274)	0.673	14.1	235750.45+383753.7	GJ 4381	*	M3	:	
1RXSJ235754.3+132418	0.2347 (0.0249)	0.638	15.2	235753.81+132409.7	...	...	...	...	
1RXSJ235808.5−102837	0.1520 (0.0243)	0.539	16.9	235808.50−102842.8	...	...	...	...	
1RXSJ235908.0−303740	5.1960 (0.1299)	0.635	16.8	235907.89−303740.9	QSO 2356−309	BL Lac − type object	./.	:	P

continued...

Table 3: Supplementary 50% (cont.)

1RXS	PSPC c/s (σ)	$P_{\rm id}$	$B_{\rm USNOA2}$	USNO A2	SIMBAD crossID	Type	Class	$B:V$	Comments
1RXSJ235919.5+065140	0.0671 (0.0146)	0.826	0.0	235918.60+065148.9	HD 224617	Spec. Bin.	F4IV	4.410 : 4.036	P
1RXSJ235919.6−204758	0.0972 (0.0212)	0.749	15.2	235919.53−204756.4	PMN J2359−2048	Rad. Gal.	./.	:	
1RXSJ235929.2−255851	0.2302 (0.0282)	0.542	16.9	235928.96−255850.4	...	...	...	...	
1RXSJ235941.2+830719	0.0664 (0.0111)	0.512	15.7	235949.54+830716.3	...	...	...	...	
1RXSJ235944.7+220014	0.0525 (0.0147)	0.623	13.7	235944.22+220040.1	...	...	...	...	
1RXSJ235959.1+083355	0.1150 (0.0176)	0.774	14.9	235959.31+083354.5	...	...	...	...	

Table 4: RASS/BSC Cross IDs with Paried USNO A-2 objcts

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ000202.5−103030	0.0609 (0.0162)	0.596	16.9/15.4	000202.09−103022.8/000202.96−103037.9	...	...	...	...	
1RXSJ000813.3−005752	0.0507 (0.0135)	0.698	15.8/17.7	000812.21−005756.2/000813.25−005753.3	...	...	...	...	
1RXSJ001000.6+490655	0.0506 (0.0133)	0.559	16.5/16.0	001000.08+490638.9/001001.35+490659.0	...	...	...	...	
1RXSJ001049.7−081717	0.1019 (0.0194)	0.808	13.6/16.3	001049.14−081651.6/001049.60−081722.2	PHL 2695	Blue object	./.	18.5 :	
1RXSJ001248.7−084705	0.1232 (0.0214)	0.569	16.2/16.3	001247.92−084700.3/001248.60−084644.4	...	...	...	...	
1RXSJ001454.6−155215	0.0535 (0.0151)	0.713	17.3/17.0	001454.84−155213.4/001454.97−155208.9	...	...	...	...	
1RXSJ002158.0+491245	0.0737 (0.0142)	0.529	14.4/17.1	002156.87+491239.6/002158.17+491243.1	GJ 3030	*	M2.5	:	
1RXSJ002605.4−185456	0.1336 (0.0242)	0.685	15.0/15.0	002604.91−185453.0/002605.56−185454.2	...	...	...	...	
1RXSJ002636.3−460101	0.8940 (0.0752)	0.784	17.2/15.9	002635.62−460110.0/002636.59−460052.2	1RXS J002636.3-460101	X	B...	:	P
1RXSJ002816.2−354212	0.1960 (0.0271)	0.534	16.8/16.5	002815.52−354205.5/002815.59−354155.1	...	...	...	...	
1RXSJ003057.5−655020	0.0653 (0.0197)	0.628	15.1/11.9	003057.63−655005.5/003101.66−654943.9	...	...	...	...	
1RXSJ003224.5+065742	0.3972 (0.0577)	0.989	0.0/0.0	003223.77+065719.6/003225.58+065723.0	ADS 449 AB	**mul.	?	5.66 : 5.66	
...	...	...	...	003223.77+065719.6/003225.58+065723.0	HD 2913	**	B9.5V	5.683 : 5.698	
1RXSJ003400.0−384718	0.0978 (0.0207)	0.890	15.2/14.8	003359.17−384716.4/003401.16−384725.5	CTS 32	Sy1	./.	:	P
1RXSJ003528.6+603139	0.0858 (0.0190)	0.579	17.4/14.7	003528.20+603133.9/003529.98+603128.5	...	...	...	...	
1RXSJ003956.6−175003	0.0810 (0.0180)	0.550	16.3/15.4	003956.64−174940.2/003956.82−175024.5	...	...	...	...	
1RXSJ004044.3−344006	0.2553 (0.0299)	0.562	16.7/18.8	004043.97−343956.8/004044.13−344014.1	HBQS 0038-3456	HII (ionized) region	./.	17.29 :	
1RXSJ004400.0+313729	0.0521 (0.0143)	0.673	16.6/14.8	004359.86+313720.4/004359.98+313704.5	RX J0043.9+3137	Quasar	./.	:	P
1RXSJ004501.2+793054	0.0531 (0.0099)	0.617	13.7/14.6	004509.07+793109.8/004509.35+793036.3	...	...	...	...	
1RXSJ004704.9+031959	0.0602 (0.0156)	0.613	15.5/16.2	004705.94+031954.1/004706.07+031947.8	[VV96] J004705.9+031955	Quasar	./.	16.2 : 16.3	P
1RXSJ005107.0+765042	0.1382 (0.0133)	0.724	17.0/17.0	005103.90+765041.7/005106.56+765036.0	...	...	...	...	
1RXSJ005837.9−713542	0.2807 (0.0319)	0.526	16.8/17.2	005837.10−713549.5/005839.13−713551.1	RX J0058.6-7135	X	./.	:	
...	...	...	...	005837.10−713549.5/005839.13−713551.1	[CSM97] J0058.6-7136 2	PN	./.	16.69 :	P
1RXSJ010013.4−151755	0.1511 (0.0207)	0.506	16.4/13.5	010013.29−151759.2/010015.86−151757.0	...	...	...	...	
1RXSJ010602.8−354541	0.0503 (0.0149)	0.533	17.8/15.3	010602.44−354533.5/010602.63−354520.7	...	...	...	...	
1RXSJ010910.5−323249	0.1771 (0.0264)	0.524	20.4/16.6	010910.27−323249.2/010911.20−323243.8	...	...	...	...	
1RXSJ011051.4−460012	0.0723 (0.0178)	0.611	16.0/18.4	011050.09−460015.1/011052.35−460013.4	...	...	...	...	
1RXSJ011811.6−265819	0.2354 (0.0289)	0.511	14.9/16.5	011810.73−265847.5/011811.13−265812.2	...	...	...	...	
1RXSJ011834.7−184916	0.1963 (0.0219)	0.526	17.2/19.9	011834.23−184917.2/011834.54−184910.9	PKS 0116-19	Rad. Gal.	./.	:	P
1RXSJ011923.7−262154	0.1024 (0.0220)	0.642	16.2/14.6	011923.41−262156.5/011927.35−262155.1	...	...	...	...	
1RXSJ012018.6−435505	0.0700 (0.0175)	0.822	16.9/14.6	012018.51−435508.4/012020.56−435502.5	...	...	...	...	
1RXSJ012127.8−133327	0.0852 (0.0175)	0.552	18.0/15.9	012127.31−133324.5/012128.57−133341.8	...	...	...	...	
1RXSJ012308.9+342048	1.9730 (0.0742)	0.798	16.9/18.0	012308.65+342049.0/012308.68+342054.8	[BSF97] J012308.8+342050	BL Lac	./.	:	P
1RXSJ012916.1+231640	0.1160 (0.0193)	0.578	17.9/18.6	012915.92+231636.5/012916.17+231645.5	...	...	...	...	
1RXSJ013427.2+263846	0.0704 (0.0164)	0.520	16.7/16.3	013428.18+263843.0/013428.22+263905.1	RX J0134.4+2638	X	./.	:	P
1RXSJ014025.2+382400	0.2118 (0.0262)	0.544	16.3/19.3	014024.36+382409.6/014025.27+382356.6	...	...	...	...	
1RXSJ014143.3+474949	0.0737 (0.0181)	0.641	15.5/13.4	014142.12+474952.4/014142.96+474924.4	...	...	...	...	
1RXSJ014315.1−184822	0.0507 (0.0130)	0.701	15.1/15.7	014314.77−184817.8/014314.81−184819.5	...	...	...	...	
1RXSJ014331.1+390402	0.0831 (0.0182)	0.832	15.3/14.6	014331.02+390415.8/014333.66+390406.9	...	...	...	...	
1RXSJ014913.6+130352	0.1118 (0.0218)	0.517	12.1/13.1	014908.65+130334.9/014914.08+130319.1	[HDL96] 437 75	Gal.	S	15.5 :	
1RXSJ015124.8−352713	0.0692 (0.0134)	0.766	15.8/16.5	015125.40−352726.3/015125.44−352719.5	...	...	...	...	
1RXSJ015210.2+471926	0.0586 (0.0151)	0.584	11.7/15.8	015206.01+472000.9/015212.77+471917.3	GSC 03283-00880	*	./.	11.7 : 10.9	
1RXSJ015955.0−304514	0.1329 (0.0187)	0.649	17.3/17.8	015954.92−304513.6/015955.44−304521.3	...	...	...	...	
1RXSJ020349.2+503008	0.2047 (0.0453)	0.743	8.7/8.8	020349.37+503003.0/020349.55+503004.8	HD 12495	*	F8	8.80 : 8.25	
1RXSJ021125.9−401702	0.1737 (0.0202)	0.578	16.1/14.1	021124.19−401704.7/021124.88−401726.6	EDSGC 020920.9-403111	Gal. in Clust.	./.	:	
1RXSJ021220.1−444045	0.0587 (0.0116)	0.560	15.4/16.3	021219.09−444104.9/021219.90−444046.3	...	...	...	...	
1RXSJ021320.6+364837	0.0914 (0.0200)	0.556	0.0/15.7	021317.58+364840.0/021320.51+364848.4	GSC 02321-01018	*	./.	12.0 : 11.3	
...	...	...	...	021317.58+364840.0/021320.51+364848.4	GSC 02321-01602	*	./.	11.9 : 10.8	
1RXSJ021545.3−181423	0.0844 (0.0170)	0.820	0.0/0.0	021546.17−181416.4/021546.23−181418.5	GJ 91.2	**mul.	K3V	8.93 : 7.91	
1RXSJ021616.1−481627	0.1271 (0.0171)	0.775	15.9/15.2	021616.57−481628.3/021616.70−481626.4	[GVD92] 021424.9-483019	Gal. in Clust.	./.	:	
1RXSJ021625.8−405649	0.0825 (0.0148)	0.521	16.4/16.7	021624.78−405659.9/021625.64−405708.8	...	...	...	...	
1RXSJ021918.3−682806	0.0733 (0.0178)	0.890	15.3/15.9	021916.51−682811.2/021917.86−682753.5	...	...	...	...	
1RXSJ022930.9−633448	0.0785 (0.0157)	0.720	16.8/16.2	022931.93−633454.3/022932.22−633502.2	...	...	...	...	
1RXSJ023400.1−181155	0.1019 (0.0200)	0.960	15.1/14.9	023359.67−181151.1/023359.77−181151.8	...	...	...	...	
1RXSJ023702.8−522345	0.0966 (0.0161)	0.825	16.9/16.7	023701.76−522347.7/023702.85−522344.0	EXO 0235.3-5236	AGN	./.	:	P
1RXSJ024720.7−605042	0.1004 (0.0233)	0.533	18.2/14.3	024720.91−605051.0/024722.35−605016.9	...	...	...	...	
1RXSJ024807.8+270407	0.1165 (0.0233)	0.888	13.4/13.4	024808.10+270413.5/024808.20+270411.8	GJ 113	HiPM*	K1V	8.46 : 7.62	
1RXSJ025635.3−244743	0.1226 (0.0247)	0.817	17.0/15.1	025635.51−244754.2/025635.75−244730.0	...	...	...	...	
1RXSJ025647.9−634252	0.0638 (0.0179)	0.848	14.9/15.4	025645.47−634250.8/025646.89−634303.2	...	...	...	...	
1RXSJ030045.3+442714	0.5632 (0.0354)	0.626	15.5/14.7	030045.08+442712.2/030045.79+442707.3	UGC 2468	Gal.	E/S	16.5 :	
1RXSJ031148.4−553234	0.2141 (0.0314)	0.542	16.5/18.1	031148.49−553236.9/031149.07−553237.1	[VV96] J031147.6-553209	Quasar	./.	:	P
1RXSJ031233.3−322306	0.0649 (0.0201)	0.545	15.3/14.4	031233.26−322315.3/031234.19−322316.7	...	...	...	...	
1RXSJ032355.5+233947	0.1042 (0.0175)	0.898	14.3/15.3	032355.45+233926.4/032356.60+233945.6	...	...	...	...	
1RXSJ032600.5−364141	0.1907 (0.0393)	0.689	14.8/16.5	032559.37−364201.3/032601.05−364149.2	...	...	...	...	
1RXSJ032730.1−005950	0.0662 (0.0181)	0.836	14.9/16.6	032729.32−010004.3/032729.87−005958.6	...	...	...	...	
1RXSJ033414.1−400813	0.0819 (0.0243)	0.564	15.4/17.3	033412.26−400806.4/033413.65−400825.4	...	...	...	...	
1RXSJ033630.3+321830	0.2089 (0.0230)	0.768	17.0/18.4	033630.14+321829.5/033630.49+321828.7	[VV96] J033630.1+321830	Quasar	./.	:	P
1RXSJ033648.2−554519	0.0871 (0.0159)	0.852	15.1/14.7	033647.63−554511.5/033647.64−554512.9	...	...	...	...	
1RXSJ033701.9−095001	0.2114 (0.0274)	0.577	18.2/16.0	033701.34−094959.9/033703.01−095001.1	...	...	...	...	
1RXSJ033703.9+473852	0.1001 (0.0161)	0.671	16.4/17.8	033702.97+473850.5/033704.25+473850.3	IRAS 03335+4729	Gal.	./.	:	
...	...	...	...	033702.97+473850.5/033704.25+473850.3	RX J0337.0+4738	Sy1	./.	:	P
1RXSJ033733.9+175105	0.1408 (0.0210)	0.934	13.9/14.6	033732.77+175115.8/033733.32+175102.0	GJ 3239A	*	M2	14.26 : 12.74	
...	...	...	...	033732.77+175115.8/033733.32+175102.0	GJ 3240B	TT	M3	14.83 : 13.29	P
...	...	...	...	033732.77+175115.8/033733.32+175102.0	LP 413-83	*	./.	14.83 : 13.29	

continued...

Table 4: Pair Associations, P_{id}≥50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ034157.0−554238	0.0563 (0.0125)	0.566	15.6/15.5	034155.25−554234.0/034155.53−554246.0	...	...	...	...	
1RXSJ034446.4+404147	0.0667 (0.0162)	0.619	15.0/16.1	034444.50+404152.3/034446.09+404138.5	...	...	...	...	
1RXSJ034500.2−245155	0.0702 (0.0167)	0.688	17.5/15.6	034459.92−245159.2/034500.87−245137.5	...	...	...	...	
1RXSJ035212.8−300452	0.1150 (0.0230)	0.647	11.8/15.7	035209.55−300509.1/035212.98−300458.0	...	...	...	...	
1RXSJ035616.4−123712	0.0555 (0.0146)	0.808	16.5/16.3	035616.33−123709.2/035617.14−123719.6	...	...	...	...	
1RXSJ040018.4+304127	0.1231 (0.0204)	0.507	15.3/17.3	040017.87+304152.5/040019.07+304121.5	...	...	...	...	
1RXSJ040050.4−532758	0.0566 (0.0124)	0.810	14.4/15.1	040049.46−532818.7/040050.66−532813.0	...	...	...	...	
1RXSJ040221.6−283130	0.1235 (0.0193)	0.974	11.9/12.0	040221.77−283151.6/040221.78−283150.3	HD 25546	**mul.	F8/G0V	8.128 : 7.619	
1RXSJ040840.0−654545	0.1253 (0.0171)	0.906	14.7/15.4	040838.84−654559.1/040841.56−654540.1	[R97] F 1557 5	X	./.	:	
1RXSJ040840.7−270534	0.0610 (0.0130)	0.576	16.8/16.1	040839.71−270528.3/040840.24−270546.0	...	...	...	...	
1RXSJ040933.4−824902	0.0521 (0.0123)	0.530	15.1/16.2	040928.22−824856.3/040934.51−824904.6	...	...	...	...	
1RXSJ041003.0+863735	0.1075 (0.0148)	0.994	11.4/11.5	040953.84+863732.8/040954.40+863738.2	HD 22701	*	F5IV	6.194 : 5.841	
1RXSJ041147.1+132417	0.0772 (0.0177)	0.876	17.1/13.3	041146.88+132416.8/041148.40+132422.8	...	...	...	...	
1RXSJ041242.5−471238	0.7919 (0.0908)	0.658	15.8/18.2	041241.48−471246.3/041243.37−471236.8	1RXS J041242.5-471238	Quasar	S...	:	P
1RXSJ041951.8+705617	0.0845 (0.0145)	0.595	16.8/17.0	041949.79+705630.4/041953.13+705617.5	...	...	...	...	
1RXSJ042308.2+332704	0.0510 (0.0127)	0.922	15.1/14.5	042308.62+332651.4/042309.22+332710.2	...	...	...	...	
1RXSJ042455.8−400239	0.0624 (0.0116)	0.929	15.1/15.4	042454.78−400237.5/042456.33−400236.6	...	...	...	...	
1RXSJ042555.8−194534	0.2314 (0.0278)	0.658	16.8/17.8	042555.20−194530.1/042555.28−194528.5	...	...	...	...	
1RXSJ042704.5−594854	0.0598 (0.0102)	0.624	17.1/17.6	042704.66−594853.6/042706.24−594856.6	...	...	...	...	
1RXSJ042835.7+305056	0.0544 (0.0130)	0.599	15.9/15.4	042834.04+305048.3/042836.27+305046.1	RX J0428.5+3050	X	./.	:	P
1RXSJ042958.2+832043	0.1406 (0.0174)	0.958	11.6/11.3	043000.87+832020.5/043001.52+832020.8	HD 26659	*	G8III	6.305 : 5.477	
1RXSJ044049.3−601100	0.0695 (0.0126)	0.541	18.9/17.7	044049.89−601057.2/044050.09−601103.3	...	...	...	...	
1RXSJ044614.3−385456	0.2342 (0.0338)	0.626	17.2/16.6	044614.49−385445.7/044615.05−385507.0	...	...	...	...	
1RXSJ044708.2−265731	0.1393 (0.0227)	0.515	15.1/15.7	044707.83−265743.6/044709.57−265734.8	IRAS 04451-2702	Gal.	./.	:	P
1RXSJ045346.3−583638	0.0628 (0.0160)	0.517	15.1/13.8	045343.60−583625.7/045348.92−583621.0	...	...	...	...	
1RXSJ045714.3+534442	0.1428 (0.0201)	0.789	9.4/8.6	045717.06+534504.7/045717.31+534507.3	HD 31278	Spec. Bin.	A1V	4.444 : 4.452	
...	...	...	...	045717.06+534504.7/045717.31+534507.3	HD 31278	Spec. Bin.	A1V	4.444 : 4.452	
1RXSJ050837.5+051157	0.0746 (0.0166)	0.898	11.9/15.4	050836.51+051224.0/050837.30+051212.8	...	...	...	...	
1RXSJ050857.4+062633	0.1176 (0.0182)	0.555	18.6/14.1	050858.05+062629.2/050858.63+062625.6	...	...	...	...	
1RXSJ050940.7+081243	0.0986 (0.0175)	0.587	16.3/17.7	050940.23+081250.6/050940.73+081245.1	...	...	...	...	
1RXSJ051007.9−262520	0.0749 (0.0154)	0.581	17.2/17.0	051007.57−262513.7/051008.57−262511.2	[VV96] J051007.5-262510	Quasar	./.	17.6 : 17.6	P
1RXSJ051324.7−332012	0.1187 (0.0168)	0.518	18.7/16.6	051323.94−332020.0/051323.96−332008.7	...	...	...	...	
1RXSJ051427.9−151445	0.0886 (0.0167)	0.873	15.2/16.0	051427.23−151450.9/051428.69−151454.2	GSC 05902-00227	*	./.	:	
1RXSJ051600.3+131306	0.0714 (0.0137)	0.518	18.7/17.2	051600.07+131304.4/051600.45+131254.1	...	...	...	...	
1RXSJ051956.5−112449	0.0763 (0.0152)	0.906	15.8/15.4	051955.75−112455.8/051956.88−112443.2	...	...	...	...	
1RXSJ052350.0−330543	0.1562 (0.0202)	0.601	17.3/16.0	052349.52−330550.5/052350.45−330532.1	...	...	...	...	
1RXSJ052409.0−422256	0.0595 (0.0119)	0.729	16.0/14.5	052408.65−422303.2/052409.88−422305.5	...	...	...	...	
1RXSJ052419.9−362210	0.0717 (0.0146)	0.680	14.9/15.0	052418.16−362202.9/052421.50−362145.7	2E 0522.5-3624	X	./.	:	P
1RXSJ052420.6−313156	0.0540 (0.0145)	0.951	14.0/12.8	052420.30−313140.7/052422.33−313148.8	...	...	...	...	
1RXSJ052542.5−090907	0.1927 (0.0228)	0.918	14.3/15.7	052541.55−090904.2/052542.67−090914.1	...	...	...	...	
1RXSJ052744.4−481957	0.0554 (0.0124)	0.888	15.1/14.7	052743.75−482006.6/052744.83−482007.4	...	...	...	...	
1RXSJ052918.2−762514	0.0520 (0.0072)	0.666	16.7/16.4	052916.76−762511.3/052916.78−762525.0	...	...	...	...	
1RXSJ053343.7−262320	0.0802 (0.0148)	0.710	18.4/14.9	053343.62−262326.0/053343.99−262337.0	...	...	...	...	
1RXSJ053628.5−340112	0.0664 (0.0123)	0.559	17.8/14.7	053628.43−340111.4/053630.33−340103.4	PKS 0534-340	Rad.	./.	:	
1RXSJ053629.4−334302	0.4658 (0.0444)	0.562	17.1/15.6	053629.07−334302.5/053629.82−334248.3	...	...	...	...	
1RXSJ053655.7+234342	0.0527 (0.0124)	0.593	15.8/14.1	053654.27+234351.7/053658.55+234338.9	...	...	...	...	
1RXSJ053657.1+265638	0.1512 (0.0198)	0.956	11.8/11.7	053657.31+265700.2/053657.37+265702.0	...	...	...	...	
1RXSJ053730.7+650830	0.0670 (0.0149)	0.750	13.0/13.1	053729.53+650830.4/053729.70+650828.9	HD 36569	*	A2	8.04 : 7.85	
1RXSJ053855.5−640457	11.9000 (0.0794)	0.721	16.6/16.6	053855.75−640455.0/053856.63−640503.3	CAL 70	X	./.	:	
...	...	...	...	053855.75−640455.0/053856.63−640503.3	X LMC X-3	HMXB	B3Ve	17. : 17.2	
...	...	...	...	053855.75−640455.0/053856.63−640503.3	[CCH78] LMC X-3 13	*	O...	16.84 : 16.90	
1RXSJ054246.9−413419	0.1154 (0.0153)	0.578	15.9/16.0	054246.24−413417.6/054246.55−413417.9	[BFE95] 28	AGN	./.	17.9 :	
...	...	...	...	054246.24−413417.6/054246.55−413417.9	[VV96] J054246.4-413418	Quasar	./.	:	
1RXSJ054323.8−285841	0.2319 (0.0230)	0.876	16.2/15.7	054323.27−285840.8/054323.42−285840.6	...	...	...	...	
1RXSJ054702.2−390425	0.1195 (0.0145)	0.598	15.1/11.8	054701.72−390425.5/054701.85−390354.5	...	...	...	...	
1RXSJ055054.2−621454	0.1335 (0.0085)	0.804	12.7/12.7	055053.68−621455.0/055053.68−621455.0	...	...	...	...	
1RXSJ055225.0−640206	0.1507 (0.0075)	0.712	16.1/16.1	055224.50−640211.2/055224.50−640211.2	PKS 0552-640	Rad.	./.	:	
1RXSJ055741.6−391023	0.0655 (0.0122)	0.542	16.9/16.3	055742.14−391031.3/055743.59−391017.6	...	...	...	...	
1RXSJ055749.0−342834	0.0554 (0.0107)	0.708	15.7/17.0	055749.06−342848.2/055749.32−342831.9	...	...	...	...	
1RXSJ055958.9+640952	0.1350 (0.0215)	0.556	18.8/14.6	055959.29+640958.3/060001.32+641006.9	...	...	...	...	
1RXSJ060121.5−193749	0.0956 (0.0149)	0.607	15.9/16.5	060120.90−193742.1/060121.85−193754.5	...	...	...	...	
1RXSJ060427.5−225542	0.1085 (0.0151)	0.573	11.9/16.5	060426.70−225518.3/060427.40−225540.5	...	...	...	...	
1RXSJ060546.4−330359	0.0663 (0.0116)	0.547	18.2/16.1	060546.49−330410.3/060547.38−330404.7	...	...	...	...	
1RXSJ060801.7+305847	0.1184 (0.0192)	0.648	16.7/15.6	060800.81+305841.7/060801.70+305838.1	BWE 0604+3059	Sy1	./.	:	P
1RXSJ060958.0−455122	0.0770 (0.0100)	0.861	16.8/16.2	060957.99−455131.6/060958.09−455117.3	...	...	...	...	
1RXSJ061038.5−493741	0.0818 (0.0098)	0.526	17.5/17.5	061038.24−493731.0/061039.45−493741.2	...	...	...	...	
1RXSJ061125.9−363421	0.0568 (0.0099)	0.605	10.8/16.1	061122.47−363417.7/061124.58−363417.0	...	...	...	...	
1RXSJ061342.5−281510	0.0862 (0.0137)	0.694	15.0/17.5	061341.68−281518.9/061342.29−281508.4	...	...	...	...	
1RXSJ061835.0−281818	0.0530 (0.0105)	0.819	13.1/14.5	061833.42−281825.4/061835.36−281805.3	...	...	...	...	
1RXSJ062122.8−280712	0.0771 (0.0129)	0.539	17.7/16.2	062122.54−280712.8/062123.99−280705.5	...	...	...	...	
1RXSJ062445.5−553924	0.0542 (0.0072)	0.716	17.7/18.3	062445.50−553925.3/062445.71−553925.1	2E 0623.7-5537	X	./.	:	P
...	...	...	...	062445.50−553925.3/062445.71−553925.1	...	...	...	...	
1RXSJ063200.7−540454	0.1683 (0.0130)	0.854	11.9/16.7	063159.75−540513.4/063201.17−540457.5	...	...	...	...	
1RXSJ063322.8−285232	0.0591 (0.0119)	0.671	16.4/16.5	063322.70−285243.1/063323.23−285235.4	...	...	...	...	
1RXSJ063340.1+200149	0.4176 (0.0340)	0.807	16.8/13.9	063340.07+200150.3/063340.88+200137.4	WD 0630+200	WD	DA:	:	

continued...

Table 4: Pair Associations, P_{id}≥50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ063626.1+434950	0.0755 (0.0176)	0.770	15.4/15.5	063624.98+434954.1/063626.33+434931.8	...	...	...	...	
1RXSJ063923.6+010231	0.0655 (0.0128)	0.572	17.0/16.8	063923.61+010239.9/063923.68+010229.9	...	...	...	...	
1RXSJ064007.4−125316	0.3615 (0.0266)	0.672	17.5/17.1	064007.21−125314.7/064007.26−125310.0	...	...	...	...	
1RXSJ064515.5−570814	0.0670 (0.0144)	0.501	16.3/16.2	064516.51−570819.7/064518.36−570821.0	...	...	...	...	
1RXSJ064710.1−513546	0.9690 (0.0387)	0.571	16.9/17.2	064709.85−513556.5/064710.00−513547.9	...	...	...	...	
1RXSJ065017.9−380510	0.0817 (0.0135)	0.613	17.7/17.2	065018.28−380520.6/065018.41−380506.0	...	...	...	...	
1RXSJ065118.0−215408	0.0834 (0.0151)	0.581	15.5/14.6	065117.66−215417.7/065118.45−215426.2	...	...	...	...	
1RXSJ065201.0−480858	0.0810 (0.0124)	0.516	16.2/18.7	065159.78−480854.9/065200.56−480859.3	...	...	...	...	
1RXSJ065312.3−522435	0.1723 (0.0223)	0.828	15.4/11.7	065313.04−522436.1/065313.46−522415.8	HD 51122	V*	G6/G8III	9.99 : 8.95	
1RXSJ065456.5−555308	0.0665 (0.0134)	0.553	12.6/16.9	065457.08−555332.7/065457.32−555305.3	...	...	...	...	
1RXSJ065615.7+403236	0.0816 (0.0169)	0.509	12.9/12.9	065614.67+403214.2/065614.89+403212.9	HD 50720	*	F5	8.03 : 7.55	
1RXSJ065806.3−174427	0.2551 (0.0278)	0.592	17.2/16.3	065805.92−174425.5/065806.02−174426.3	...	...	...	...	
1RXSJ065806.9−450254	0.0587 (0.0114)	0.564	16.9/15.1	065805.52−450244.1/065805.74−450310.6	...	...	...	...	
1RXSJ070648.8+032450	0.2911 (0.0267)	0.726	16.8/15.2	070648.86+032448.9/070649.44+032504.5	...	...	...	...	
1RXSJ070919.5+714440	0.0588 (0.0139)	0.736	16.1/15.1	070917.72+714445.4/070918.87+714452.0	...	...	...	...	
1RXSJ071418.5+544111	0.0606 (0.0152)	0.673	16.9/15.0	071418.46+544101.7/071421.06+544056.5	...	...	...	...	
1RXSJ071459.9−663550	0.1046 (0.0122)	0.648	16.1/17.8	071459.14−663600.8/071501.50−663547.7	...	...	...	...	
1RXSJ071542.0+761858	0.0722 (0.0133)	0.621	15.8/16.9	071542.02+761845.6/071542.84+761903.4	...	...	...	...	
1RXSJ071826.4−194614	0.1580 (0.0205)	0.540	11.5/11.8	071826.14−194626.1/071826.19−194624.7	BD-19 1805	*	./.	:	
1RXSJ072040.9+302830	0.1198 (0.0183)	0.640	16.1/14.6	072040.52+302849.6/072042.67+302822.2	FIRST J072040.4+302848	Rad.	./.	:	
1RXSJ072053.0+013505	0.0615 (0.0140)	0.593	16.8/16.8	072053.14+013504.5/072053.49+013516.5	...	...	...	...	
1RXSJ072220.6+732041	0.0645 (0.0138)	0.581	16.6/16.8	072219.75+732044.4/072222.67+732035.2	...	...	...	...	
1RXSJ072304.1−743620	0.0965 (0.0137)	0.554	15.3/15.8	072304.17−743638.3/072308.72−743625.0	...	...	...	...	
1RXSJ074003.8+240621	0.0769 (0.0159)	0.603	16.3/17.3	074003.53+240616.0/074004.00+240627.4	...	...	...	...	
1RXSJ074224.7−080753	0.1269 (0.0214)	0.620	16.1/16.9	074224.63−080758.9/074225.54−080751.0	...	...	...	...	
1RXSJ074228.0−045050	0.0581 (0.0141)	0.558	17.4/16.5	074227.86−045036.2/074228.25−045045.4	...	...	...	...	
1RXSJ074228.1+465648	0.0849 (0.0172)	0.644	13.8/16.8	074227.02+465724.4/074227.08+465642.8	...	...	...	...	
1RXSJ074332.0−672632	0.0588 (0.0112)	0.609	11.7/16.5	074331.25−672706.4/074331.60−672625.7	...	...	...	...	
1RXSJ074541.2+314249	0.1147 (0.0216)	0.571	16.4/15.3	074540.60+314245.7/074541.69+314256.4	[VV96] J074541.6+314256	Quasar	./.	:	P
1RXSJ074857.2+004019	0.1003 (0.0184)	0.533	0.0/12.1	074858.22+003943.1/074858.56+004040.0	HD 63436	**	F2	7.75 : 7.45	
1RXSJ075026.6+270726	0.0657 (0.0143)	0.691	16.9/13.7	075026.35+270717.0/075028.51+270720.9	...	...	...	...	
1RXSJ075107.8+061714	0.0696 (0.0154)	0.895	16.0/14.8	075107.63+061713.3/075108.54+061709.2	...	...	...	...	
1RXSJ075111.5+174350	0.0773 (0.0170)	0.739	15.9/16.9	075110.89+174343.5/075112.21+174352.3	RX J0751.2+1743	X	./.	:	P
1RXSJ075634.7+362232	0.0598 (0.0132)	0.686	16.7/16.4	075634.65+362215.4/075634.89+362243.2	...	...	...	...	
1RXSJ080118.4+482723	0.0530 (0.0128)	0.775	17.4/16.3	080117.92+482717.6/080118.77+482714.3	...	...	...	...	
1RXSJ080131.7+354432	0.0750 (0.0148)	0.562	16.8/15.3	080131.61+354436.5/080132.96+354406.7	...	...	...	...	
1RXSJ080548.5+112617	0.2080 (0.0314)	0.783	15.9/16.4	080548.05+112606.4/080548.85+112617.5	...	...	...	...	
1RXSJ080634.6−744449	0.1276 (0.0184)	0.524	16.0/13.9	080633.25−744446.4/080636.13−744426.3	...	...	...	...	
1RXSJ080644.0+484144	0.0948 (0.0164)	0.593	18.9/14.4	080644.46+484149.4/080645.68+484157.2	4C 48.21	Rad.	./.	18.5 :	
...	...	...	...	080644.46+484149.4/080645.68+484157.2	87GB 080305.0+485033	Rad.	./.	:	
...	...	...	...	080644.46+484149.4/080645.68+484157.2	GB2 0803+488	Rad.	./.	21.3 :	
...	...	...	...	080644.46+484149.4/080645.68+484157.2	RX J0806.6+4841	X	./.	:	
1RXSJ081012.9+554807	0.0697 (0.0143)	0.841	0.0/0.0	081012.45+554815.2/081012.57+554815.5	HD 67317	**mul.	A2	7.823 : 7.556	
1RXSJ081411.7−101200	0.1892 (0.0248)	0.519	17.1/11.0	081411.70−101210.4/081414.03−101216.4	...	...	...	...	
1RXSJ081506.7−190310	6.2430 (0.3733)	0.544	15.3/15.4	081506.77−190314.6/081506.78−190316.7	V* VV Pup	CV (AM Her type)	M4/M5:	:	P
1RXSJ081651.4+180252	0.2672 (0.0310)	0.722	16.9/14.8	081651.13+180249.9/081652.38+180257.5	...	...	...	...	
1RXSJ081917.6−075620	0.1096 (0.0223)	0.520	16.4/19.0	081917.44−075610.6/081917.58−075625.7	RX J0819.2-0756	X	./.	:	P
1RXSJ082209.5+470601	0.3262 (0.0306)	0.628	13.5/17.0	082208.01+470540.5/082209.52+470553.2	...	...	...	...	
1RXSJ083042.4+042147	0.1044 (0.0229)	0.645	14.9/16.1	083041.00+042149.6/083042.87+042159.6	2E 0828.0+0432	X	./.	:	P
1RXSJ083314.3−295722	0.1091 (0.0203)	0.669	8.8/0.0	083315.31−295722.4/083315.38−295723.7	HD 72687	*	G5V	8.885 : 8.259	
1RXSJ083443.4+382634	0.0854 (0.0171)	0.554	19.0/17.0	083443.12+382626.2/083443.83+382632.9	KUV 08315+3837	Quasar	./.	:	
1RXSJ083800.3+263332	0.1065 (0.0191)	0.956	10.9/15.0	083758.38+263352.0/083759.65+263324.9	BD+27 1641	*	K7	10.9 : 9.34	
1RXSJ084326.5−095129	0.0777 (0.0175)	0.524	13.8/15.1	084325.73−095112.0/084326.78−095120.5	...	...	...	...	
1RXSJ084500.5+784747	0.0530 (0.0154)	0.508	14.7/16.5	084456.75+784717.7/084458.14+784735.7	...	...	...	...	
1RXSJ084755.9−070306	0.1824 (0.0245)	0.882	15.9/15.4	084755.73−070310.6/084756.72−070316.7	PMN J0847-0703	Rad.	./.	:	
1RXSJ084804.6+393404	0.0601 (0.0174)	0.618	17.7/17.1	084804.24+393404.3/084804.51+393413.8	...	...	...	...	
1RXSJ084951.7−235118	0.2039 (0.0243)	0.786	16.3/16.9	084951.25−235115.9/084951.67−235125.3	...	...	...	...	
1RXSJ085051.6+121722	0.0528 (0.0161)	0.911	12.8/15.5	085049.53+121716.4/085052.42+121733.0	Cl* NGC 2682 FBC 2549	*iC	./.	:	
...	...	...	...	085049.53+121716.4/085052.42+121733.0	Cl* NGC 2682 SAND 869	*iC	./.	12.70 :	
...	...	...	...	085049.53+121716.4/085052.42+121733.0	EXO 0848.0+1228	*	./.	:	
...	...	...	...	085049.53+121716.4/085052.42+121733.0	EXO 084804+1238.4	X	./.	:	
1RXSJ085158.0−121456	0.0589 (0.0169)	0.703	17.1/16.5	085158.02−121451.8/085158.37−121446.9	...	...	...	...	
1RXSJ085218.6−191323	0.1272 (0.0210)	0.587	13.6/13.8	085218.22−191318.1/085218.33−191319.2	...	...	...	...	
1RXSJ085441.2+163642	0.3338 (0.0683)	0.550	0.0/0.0	085441.52+163638.5/085441.59+163640.5	CCDM J08547+1637AB	**mul.	G5	9.43 : 8.69	
1RXSJ085820.6+642100	0.0722 (0.0145)	0.605	17.1/17.5	085820.61+642049.0/085820.83+642050.1	...	...	...	...	
1RXSJ090008.1+743419	0.0560 (0.0136)	0.526	14.8/16.4	090003.83+743426.8/090005.34+743427.0	...	...	...	...	
1RXSJ090133.2−652639	0.0507 (0.0136)	0.603	15.1/17.5	090130.36−652634.5/090135.41−652637.7	...	...	...	...	
1RXSJ090808.7+500912	0.0771 (0.0181)	0.617	16.7/16.5	090808.84+500920.3/090810.37+500923.4	1RXP J090810.2+500925	Gal.	./.	:	
1RXSJ091134.0−121404	0.1599 (0.0252)	0.501	13.3/18.3	091132.68−121355.9/091134.54−121410.5	...	...	...	...	
1RXSJ091317.8−392042	0.0532 (0.0106)	0.668	14.7/14.6	091317.37−392033.7/091318.00−392051.0	...	...	...	...	
1RXSJ091401.0+050743	0.1232 (0.0198)	0.518	19.6/16.1	091401.13+050737.4/091401.78+050750.6	[VV96] J091401.8+050750	Quasar	./.	17.60 : 17.43	P
1RXSJ091616.1+392703	0.1061 (0.0183)	0.658	17.7/17.4	091615.65+392707.5/091616.01+392657.3	...	...	...	...	
1RXSJ091750.0+711753	0.0786 (0.0155)	0.760	16.0/16.2	091747.77+711754.9/091750.73+711740.0	1RXP J091747.5+711756	Gal.	./.	:	
1RXSJ092222.6−340332	0.0952 (0.0155)	0.606	14.1/14.7	092222.97−340342.0/092223.15−340340.3	...	...	...	...	
1RXSJ092246.4+512046	0.4185 (0.0337)	0.753	16.7/15.4	092247.06+512038.0/092248.01+512046.2	QSO 0919+515	Quasar	./.	:	P

continued...

Table 4: Pair Associations, P_{id}≥50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ092404.5+362523	0.1182 (0.0189)	0.685	16.9/18.2	092404.02+362521.9/092404.42+362519.2	...	...	...	...	
1RXSJ092414.5+030903	0.0778 (0.0167)	0.801	16.3/16.1	092414.71+030900.8/092415.60+030857.2	PMN J0924+0309	Rad.	./.	:	
...	...	...	...	092414.71+030900.8/092415.60+030857.2	RX J0924.1+0308	X	./.	:	
1RXSJ092415.0−014259	0.0697 (0.0168)	0.840	14.0/13.6	092414.32−014258.1/092415.61−014249.2	...	...	...	...	
1RXSJ092436.0−090805	0.0515 (0.0135)	0.579	17.2/15.9	092435.46−090823.5/092435.51−090756.0	...	...	...	...	
1RXSJ092702.8+390221	0.2376 (0.0258)	0.922	16.4/14.3	092703.05+390220.8/092704.01+390218.0	JVAS 0923+392	Rad.	./.	:	
...	...	...	...	092703.05+390220.8/092704.01+390218.0	[VV96] J092703.0+390221	Quasar	./.	17.92 : 17.86	
1RXSJ093212.3−204220	0.0701 (0.0143)	1.000	9.4/9.3	093212.49−204216.7/093212.51−204215.6	HD 82559	**mul.	F3V	9.27 : 8.92	
1RXSJ093346.5+871707	0.0665 (0.0099)	0.834	17.0/16.5	093346.54+871707.8/093354.10+871703.8	...	...	...	...	
1RXSJ093646.0+573929	0.0773 (0.0131)	0.531	13.7/17.6	093643.56+573944.4/093646.87+573926.6	...	...	...	...	
1RXSJ093933.0−064637	0.1668 (0.0218)	0.522	16.9/18.6	093932.87−064644.8/093933.55−064628.4	...	...	...	...	
1RXSJ094057.6+032411	0.1106 (0.0186)	0.642	16.5/16.8	094057.20+032401.3/094058.41+032421.1	...	...	...	...	
1RXSJ094436.5−263353	0.2874 (0.0239)	0.608	18.8/16.4	094436.45−263352.5/094437.05−263356.1	...	...	...	...	
1RXSJ095147.0+781235	0.0549 (0.0123)	0.739	15.8/17.9	095143.62+781226.5/095146.85+781238.6	...	...	...	...	
1RXSJ095300.5−310244	0.0875 (0.0159)	0.717	16.4/17.8	095259.74−310246.1/095300.50−310246.3	...	...	...	...	
1RXSJ095300.7−143625	0.0722 (0.0143)	0.875	15.6/16.3	095300.01−143626.3/095300.16−143627.4	...	...	...	...	
1RXSJ095630.6−045259	0.1073 (0.0239)	0.526	12.5/15.4	095629.60−045333.4/095630.16−045316.7	...	...	...	...	
1RXSJ095929.2+031105	0.0871 (0.0160)	0.568	17.3/17.8	095929.48+031101.7/095929.76+031112.3	...	...	...	...	
1RXSJ100004.4+313204	0.0541 (0.0160)	0.759	16.3/12.3	100003.73+313145.6/100004.81+313238.3	...	...	...	...	
1RXSJ100121.5+555351	0.1334 (0.0177)	0.952	15.2/15.3	100120.79+555353.2/100120.83+555351.6	ASV 20	Gal.	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	ASV 21	Gal.	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	QSO 0957+561	Quasar	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	RX J100120.6+555355	X	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	YGKOW 81	Quasar	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[ACL97] Arc R2	Rad.	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[ACL97] GE	Rad.	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[ACL97] GN	Rad.	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[ACL97] GNE	Rad.	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[BFT97] G1	Gal.	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[RGH85] A	Grav. Lensed Image	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[RGH85] BN	Grav. Lensed Image	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[VV96] J100120.8+555354	Quasar	./.	:	
...	...	...	...	100120.79+555353.2/100120.83+555351.6	[VV96] J100120.9+555349	Quasar	./.	:	
1RXSJ100446.0+144651	0.0703 (0.0152)	0.716	14.6/14.1	100447.11+144636.0/100447.62+144645.4	Mrk 715	Sy1	S0a	15.6 :	
1RXSJ100516.9+842105	0.0716 (0.0128)	0.568	15.6/17.3	100504.84+842052.7/100517.13+842043.7	...	...	...	...	
1RXSJ101454.8+212341	0.0542 (0.0155)	0.603	15.8/17.4	101453.73+212356.0/101454.67+212334.8	G 54-19	*	./.	15.3 :	
1RXSJ101641.7+081850	0.0987 (0.0170)	0.659	17.4/15.0	101641.91+081848.9/101642.07+081907.6	...	...	...	...	
1RXSJ101813.4−202844	0.0591 (0.0151)	0.674	16.8/14.8	101813.37−202826.6/101815.13−202846.3	...	...	...	...	
1RXSJ101906.8+231846	0.0788 (0.0169)	0.816	15.6/15.8	101906.52+231836.9/101906.69+231837.7	...	...	...	...	
1RXSJ101925.5+534814	0.0652 (0.0131)	0.692	17.0/16.4	101923.88+534816.0/101925.86+534821.6	...	...	...	...	
1RXSJ102012.6+342837	0.0920 (0.0170)	0.559	18.6/17.6	102012.29+342832.5/102012.74+342839.3	...	...	...	...	
1RXSJ102236.0+301753	0.1278 (0.0196)	0.725	17.4/15.3	102235.91+301754.7/102237.38+301750.4	...	...	...	...	
1RXSJ102356.4−433602	1.0140 (0.0745)	0.764	16.9/15.8	102356.20−433601.7/102357.14−433601.3	RX J1023.9-4336	BL Lac	./.	:	P
1RXSJ102542.9−265354	0.0638 (0.0156)	0.572	17.7/16.5	102542.43−265353.6/102542.52−265350.8	...	...	...	...	
1RXSJ103104.1+462608	0.1077 (0.0200)	0.535	17.1/18.4	103103.55+462616.9/103104.39+462611.8	PC 1028+4641	Emission Object	./.	:	
1RXSJ103439.8+281755	0.1281 (0.0200)	0.553	16.1/19.2	103439.87+281742.5/103440.09+281748.0	...	...	...	...	
1RXSJ103529.6−182040	0.0524 (0.0141)	0.621	16.9/14.7	103530.32−182047.5/103531.01−182023.7	...	...	...	...	
1RXSJ104625.1−300425	0.1567 (0.0218)	0.762	15.4/13.8	104623.54−300420.7/104627.28−300438.3	CTS 9	Gal.	./.	:	
...	...	...	...	104623.54−300420.7/104627.28−300438.3	[HB91] 1044-298	Sy1	./.	17. :	
1RXSJ105130.2−091754	0.2557 (0.0300)	0.514	16.3/15.4	105129.92−091810.3/105131.15−091814.9	Cul 1048-09	Rad.	./.	:	
...	...	...	...	105129.92−091810.3/105131.15−091814.9	Cul 1048-090	Rad.	./.	:	
...	...	...	...	105129.92−091810.3/105131.15−091814.9	[VV96] J105129.9-091809	Quasar	./.	16.85 :	P
1RXSJ110109.0+154420	0.0776 (0.0182)	0.732	15.6/16.8	110108.36+154407.5/110109.48+154407.4	...	...	...	...	
1RXSJ110157.2+101740	0.0768 (0.0166)	0.628	13.9/15.4	110156.42+101726.6/110157.90+101739.3	[D80] ACO 1142 22	Gal. in Clust.	Sc	15. :	
1RXSJ110237.0+724633	0.1555 (0.0215)	0.834	16.1/16.0	110236.80+724638.6/110238.29+724621.1	QSO 1059+730	Sy1	./.	:	
...	...	...	...	110236.80+724638.6/110238.29+724621.1	[R97] NGC 3516 5	X	./.	:	
1RXSJ110308.4+151817	0.0546 (0.0161)	0.629	14.7/14.6	110307.87+151736.3/110309.84+151756.6	G 56-11	HiPM*	./.	14.2 :	
1RXSJ110917.4+714242	0.0802 (0.0143)	0.725	15.7/16.3	110919.86+714234.4/110920.68+714239.6	[CYT98] 110601.1+715856	Gal.	./.	:	
...	...	...	...	110919.86+714234.4/110920.68+714239.6	...	...	...	...	
1RXSJ111318.3+550402	0.1049 (0.0167)	0.549	18.5/17.1	111317.39+550410.4/111317.73+550401.7	...	...	...	...	
1RXSJ111400.3−374057	0.1510 (0.0212)	0.504	18.2/16.4	111359.89−374059.5/111400.19−374047.6	V* V436 Cen	DN	?	11.90 :	P
1RXSJ112034.0+100821	0.0702 (0.0151)	0.588	17.8/16.5	112033.59+100816.9/112034.24+100805.2	...	...	...	...	
1RXSJ112349.2+723002	0.3454 (0.0242)	0.659	18.6/15.7	112349.20+722959.7/112351.85+723008.6	...	...	...	...	
1RXSJ112658.0+364712	0.1180 (0.0249)	0.806	16.1/17.7	112657.18+364712.6/112657.80+364713.2	...	...	...	...	
1RXSJ112945.6−012135	0.0512 (0.0132)	0.651	16.3/17.2	112945.47−012118.4/112946.04−012140.5	...	...	...	...	
1RXSJ113210.5+133507	0.0613 (0.0143)	0.619	14.0/16.4	113208.41+133531.2/113210.54+133509.3	...	...	...	...	
1RXSJ113422.3+041135	0.3746 (0.0313)	0.972	12.4/14.5	113421.56+041144.2/113422.47+041128.1	...	...	...	...	
1RXSJ114020.2−182702	0.0541 (0.0149)	0.713	13.6/13.4	114020.82−182720.8/114020.99−182719.7	...	...	...	...	
1RXSJ114247.5+215717	0.0581 (0.0136)	0.510	16.9/16.8	114245.75+215722.6/114247.81+215709.7	...	...	...	...	
1RXSJ114452.7+194706	0.4044 (0.0345)	0.659	10.2/12.0	114449.20+194742.4/114454.83+194635.2	NGC 3860	Gal. in Clust.	Sab	14.5 :	
1RXSJ114456.2+543453	0.0807 (0.0164)	0.685	18.0/13.8	114455.01+543450.6/114457.12+543514.7	RX J1144.9+5434	Quasar	./.	:	P
1RXSJ114720.0−125253	0.0697 (0.0169)	0.575	16.4/17.2	114719.40−125304.5/114720.67−125309.7	...	...	...	...	
1RXSJ114934.3+222342	0.0767 (0.0155)	0.682	15.1/15.7	114932.26+222327.0/114935.40+222338.0	...	...	...	...	
1RXSJ114955.5+284510	3.3350 (0.1648)	0.863	16.1/16.5	114955.32+284459.1/114955.77+284507.8	V* EU UMa	CV (AM Her type)	CV	:	P
1RXSJ115159.5+495047	0.0608 (0.0149)	0.571	18.5/13.6	115159.96+495056.1/115201.38+495026.5	21P 159	Rad.	./.	:	

continued...

Table 4: Pair Associations, P_{id}≥50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ115348.8+112750	0.2578 (0.0515)	0.658	15.2/12.8	115349.27+112830.4/115349.71+112702.6	[VV96] J115349.3+112830	Quasar	./.	15.51 : 15.97	
1RXSJ115408.7+252143	0.0827 (0.0160)	0.571	16.5/13.0	115407.95+252145.5/115410.88+252144.1	[VV96] J115408.0+252144	Quasar	./.	17.4 : 17.4	P
1RXSJ115517.6+193935	0.0664 (0.0140)	0.751	17.0/16.9	115517.72+193932.2/115518.31+193942.0	RX J1155.2+1939	X	./.	:	P
1RXSJ115643.6−321553	0.2441 (0.0410)	0.637	0.0/0.0	115643.16−321543.7/115643.78−321602.7	CD-31 9365C	**	?	:	
1RXSJ115728.0+195838	0.0935 (0.0171)	0.838	8.8/8.9	115730.13+195903.0/115730.19+195859.7	HD 103847	HiPM*	G5	8.9 : 7.9	
1RXSJ115728.8+050542	0.1170 (0.0142)	0.502	14.7/14.2	115728.98+050520.6/115730.48+050524.4	MCG+01-31-003	Gal. in Clust.	./.	15.5 :	
...	...	...	...	115728.98+050520.6/115730.48+050524.4	[HDL96] 41 5	Gal.	./.	:	
1RXSJ120136.6−295401	0.0852 (0.0219)	0.608	18.1/18.1	120136.41−295403.2/120136.56−295404.4	...	...	...	...	
1RXSJ120226.9−012908	0.1407 (0.0271)	0.816	16.2/16.3	120226.71−012915.5/120227.08−012854.2	IRAS 11598-0112	Quasar	./.	:	P
1RXSJ120329.8+480316	0.1109 (0.0212)	0.660	16.7/12.9	120329.88+480313.7/120330.28+480242.0	MPWK 1200+483	Rad.	./.	:	
...	...	...	...	120329.88+480313.7/120330.28+480242.0	RX J1203.4+4803	X	./.	:	
1RXSJ120455.7+172811	0.1381 (0.0195)	0.602	15.6/9.5	120456.04+172822.3/120456.85+172846.3	HD 104923	HiPM*	G5	8.8 : 8.0	
1RXSJ120740.9−795253	0.0841 (0.0190)	0.545	16.5/15.2	120739.57−795248.4/120748.69−795242.4	...	...	...	...	
1RXSJ121129.1+532518	0.1502 (0.0211)	0.776	0.0/8.7	121127.92+532518.5/121128.16+532518.9	GJ 3711A	HiPM*	K0	8.91 : 8.03	
...	...	...	...	121127.92+532518.5/121128.16+532518.9	GJ 3712B	HiPM*	K0	9.4 : 8.0	
1RXSJ121217.1+280356	0.1316 (0.0200)	0.809	16.1/16.1	121216.22+280407.6/121217.26+280350.1	...	...	...	...	
1RXSJ121603.6−024302	0.1108 (0.0288)	0.509	18.0/17.9	121603.27−024304.8/121603.27−024308.1	...	...	...	...	
1RXSJ121620.9+213345	0.0560 (0.0139)	0.597	16.3/12.8	121619.42+213350.5/121620.91+213424.8	...	...	...	...	
1RXSJ121721.0+305632	0.2083 (0.0237)	0.838	17.1/16.3	121720.42+305636.1/121721.41+305630.8	[VV96] J121721.3+305631	Quasar	./.	17. : 17.	
1RXSJ121920.9+063838	0.3895 (0.0323)	0.912	16.1/14.0	121920.95+063838.9/121921.55+063844.5	[A97b] 3-2	Blue object	./.	:	
...	...	...	...	121920.95+063838.9/121921.55+063844.5	[A97c] J121921.4+063843	Blue object	./.	:	
...	...	...	...	121920.95+063838.9/121921.55+063844.5	[R97] NGC 4235 7	X	./.	:	
...	...	...	...	121920.95+063838.9/121921.55+063844.5	[VV96] J121920.9+063838	Quasar	./.	15.68 : 15.65	
1RXSJ122310.7+474429	0.0696 (0.0155)	0.885	15.6/15.5	122310.77+474412.7/122311.45+474427.0	...	...	...	...	
1RXSJ122635.9+455933	0.1046 (0.0185)	0.712	17.8/16.3	122635.48+455932.2/122636.92+455940.4	...	...	...	...	
1RXSJ123416.9−385637	0.1963 (0.0268)	0.666	18.4/16.4	123417.14−385635.2/123417.60−385644.6	...	...	...	...	
1RXSJ123439.0+235014	0.1832 (0.0219)	0.515	18.0/18.6	123438.63+235015.8/123439.04+235006.0	NGP9 F378-0239941	Gal.	./.	:	
...	...	...	...	123438.63+235015.8/123439.04+235006.0	NGP9 F378-0239966	Gal.	./.	:	
1RXSJ123450.7+040846	0.0645 (0.0155)	0.518	17.9/18.3	123450.44+040854.2/123450.52+040845.8	...	...	...	...	
1RXSJ124020.3−034926	0.3351 (0.0675)	0.609	15.8/17.0	124019.31−034918.8/124019.63−034912.5	...	...	...	...	
1RXSJ124339.6+700517	0.1299 (0.0161)	0.707	16.9/17.4	124339.41+700530.1/124339.47+700516.9	2E 1241.6+7021	X	./.	:	P
1RXSJ124853.8−050830	0.0875 (0.0189)	0.539	17.4/17.2	124853.44−050817.5/124853.90−050841.5	...	...	...	...	
1RXSJ130052.9+564101	0.0661 (0.0134)	0.555	15.8/16.5	130050.70+564050.4/130052.12+564106.0	...	...	...	...	
1RXSJ130421.2−435308	0.1715 (0.0287)	0.633	15.1/17.1	130419.74−435316.8/130420.99−435310.1	...	...	...	...	
1RXSJ130542.7+180057	0.5405 (0.0657)	0.618	15.4/15.1	130543.48+180102.2/130543.65+180102.1	V* GP Com	Nova-like Star	DBe	15.59 : 15.69	P
1RXSJ130626.9+244132	0.0754 (0.0150)	0.565	18.2/17.1	130626.17+244128.7/130627.02+244123.9	...	...	...	...	
1RXSJ130713.2−003602	0.1260 (0.0250)	0.844	16.5/17.2	130713.25−003600.9/130713.40−003555.9	...	...	...	...	
1RXSJ130737.8−425940	0.1837 (0.0264)	0.533	16.0/12.7	130737.99−425938.7/130738.04−430002.4	RX J130739.6-425939	X	./.	:	
1RXSJ131029.0+280840	0.0554 (0.0134)	0.717	17.5/16.3	131028.18+280836.1/131028.91+280835.3	[BBE90] 130805+282431	Possible Quasar	./.	:	
...	...	...	...	131028.18+280836.1/131028.91+280835.3	[VV96] J131028.1+280838	Quasar	./.	18.1 : 18.10	
1RXSJ131118.2−141114	0.0596 (0.0172)	0.669	16.9/14.5	131118.41−141125.8/131119.99−141121.9	[BFE95] 142	AGN	./.	:	P
1RXSJ131957.2+523533	0.6629 (0.0385)	0.765	17.9/14.7	131957.08+523533.4/131958.78+523527.6	[CWH99] J131957.0+523534	Sy	./.	:	P
1RXSJ132016.3+330828	0.1800 (0.0213)	0.797	13.6/13.1	132014.71+330836.8/132017.70+330841.4	MCG+06-29-077	Gal.	E...	15.3 :	
...	...	...	...	132014.71+330836.8/132017.70+330841.4	p. [PCD91] 131755.80+332419.0	Gal.	./.	:	
1RXSJ132227.8+040804	0.0535 (0.0164)	0.793	16.4/15.7	132228.42+040753.9/132228.75+040757.9	...	...	...	...	
1RXSJ132239.2−255639	0.0599 (0.0167)	0.662	14.8/13.6	132240.24−255635.0/132240.33−255703.0	...	...	...	...	
1RXSJ133053.4+311931	0.1183 (0.0162)	0.854	13.4/17.0	133052.13+311945.0/133053.31+311930.7	QSO 1328+315	Sy	./.	:	
1RXSJ133137.3+013145	0.0921 (0.0206)	0.814	15.6/15.3	133138.15+013153.3/133138.36+013155.5	...	...	...	...	
1RXSJ133241.2+300051	0.0500 (0.0122)	0.580	16.4/17.3	133240.45+300039.8/133241.20+300106.7	...	...	...	...	
1RXSJ133312.8+125752	0.0609 (0.0174)	0.518	17.1/17.4	133312.32+125758.5/133312.98+125735.0	...	...	...	...	
1RXSJ133339.0+254941	0.1017 (0.0200)	0.761	16.7/15.4	133338.62+254952.9/133340.36+254932.9	[VV96] J133338.5+254953	Quasar	./.	17.0 : 17.0	
1RXSJ133710.5+732111	0.0643 (0.0164)	0.517	12.4/16.6	133703.33+732119.0/133708.13+732104.6	...	...	...	...	
1RXSJ134134.5+090359	0.1457 (0.0251)	0.755	15.6/16.8	134133.58+090408.2/134133.73+090356.7	...	...	...	...	
1RXSJ134245.8+092706	0.0974 (0.0198)	0.738	16.0/14.7	134245.07+092657.3/134245.96+092649.0	...	...	...	...	
1RXSJ134335.3+413839	0.1100 (0.0158)	0.738	17.4/15.5	134334.80+413833.0/134335.77+413824.6	...	...	...	...	
1RXSJ135851.7+251148	0.2146 (0.0259)	0.881	12.2/15.8	135851.28+251127.0/135851.98+251140.2	GSC 02009-00789	*	./.	11.9 : 11.3	
1RXSJ140337.5+393627	0.0990 (0.0175)	0.552	19.3/17.2	140337.37+393632.9/140337.88+393624.5	...	...	...	...	
1RXSJ140619.7−163721	0.0569 (0.0154)	0.601	11.3/14.0	140618.10−163828.2/140620.69−163659.3	...	...	...	...	
1RXSJ140630.3−393508	0.1298 (0.0230)	0.533	19.9/14.7	140630.07−393509.2/140631.69−393513.6	...	...	...	...	
1RXSJ140926.1−062536	0.0903 (0.0191)	0.782	15.4/15.9	140925.46−062547.0/140925.84−062554.1	...	...	...	...	
1RXSJ141441.9+165812	0.1424 (0.0217)	0.583	16.7/16.4	141441.64+165812.2/141442.00+165807.6	...	...	...	...	
1RXSJ141543.1−220044	0.0606 (0.0162)	0.513	17.7/16.7	141543.24−220056.4/141544.00−220050.4	...	...	...	...	
1RXSJ142757.3−002230	0.1305 (0.0216)	0.956	15.0/15.3	142757.16−002232.5/142757.46−002221.9	GJ 1183A	*	M4.5	15.61 : 13.96	
...	...	...	...	142757.16−002232.5/142757.46−002221.9	GJ 1183B	*	M4.5	15.72 : 14.04	
1RXSJ143012.2−435104	0.4936 (0.0421)	0.661	17.2/14.6	143011.92−435053.5/143012.11−435122.4	...	...	...	...	
1RXSJ143511.7+360445	0.0938 (0.0147)	0.656	17.0/17.7	143511.55+360437.2/143512.44+360441.8	...	...	...	...	
1RXSJ143644.7+515441	0.0675 (0.0115)	0.677	16.4/17.1	143644.32+515444.8/143644.63+515444.8	...	...	...	...	
1RXSJ143748.2−492838	0.1730 (0.0262)	0.606	14.3/16.0	143747.05−492857.7/143750.27−492844.0	...	...	...	...	
1RXSJ143851.3+194515	0.0592 (0.0136)	0.940	14.9/12.3	143851.34+194502.5/143852.07+194447.4	...	...	...	...	
1RXSJ144825.6+355955	0.3653 (0.0313)	0.750	15.5/16.3	144825.09+355946.6/144826.74+355953.2	1RXP J144825.1+355947	Quasar	./.	:	
1RXSJ145110.0+490820	0.0957 (0.0144)	0.539	14.7/17.7	145108.11+490833.1/145110.04+490813.9	...	...	...	...	
1RXSJ145110.3+310648	0.1431 (0.0175)	0.910	16.5/13.8	145110.36+310640.8/145111.59+310648.5	G 166-49	HiPM*	./.	14.5 :	
1RXSJ145427.2+181924	0.0786 (0.0170)	0.661	13.9/16.1	145426.42+181952.4/145426.94+181943.2	...	...	...	...	
1RXSJ150023.0+763644	0.1042 (0.0117)	0.914	16.3/15.8	150021.43+763640.3/150022.47+763637.7	...	...	...	...	
1RXSJ150757.9+761214	1.6910 (0.0404)	0.764	18.0/11.1	150757.39+761218.8/150758.03+761154.4	HD 135363	HiPM*	G5	9.7 : 9.2	P

continued...

Table 4: Pair Associations, P_{id}≥50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
1RXSJ151505.5+654239	0.1008 (0.0113)	0.593	19.7/17.6	151505.29+654240.8/151505.47+654236.2	[BFE95] 195	AGN	./.	:	P
1RXSJ152407.9+295253	0.3800 (0.0361)	0.603	15.5/16.5	152407.45+295319.4/152408.43+295255.6	2E 1522.0+3003	X	./.	:	P
...	...	...	...	152407.45+295319.4/152408.43+295255.6	[PHG86] ACO 2069 133	Gal. in Clust.	./.	:	
1RXSJ152646.9−153023	0.0588 (0.0151)	0.625	17.1/15.6	152646.68−153026.1/152646.81−153002.4	...	...	...	...	
1RXSJ153054.5+083512	0.1057 (0.0253)	0.584	11.9/0.0	153055.17+083447.9/153055.43+083444.8	HD 138290	*	F4Vw	6.902 : 6.571	P
1RXSJ153242.2+054304	0.0532 (0.0137)	0.501	12.5/13.7	153241.11+054338.5/153244.30+054302.7	...	...	...	...	
1RXSJ153522.9+600515	0.2472 (0.0169)	0.716	9.8/15.4	153518.97+600520.3/153524.60+600515.6	HD 139477	HiPM*	K3V	9.3 : 8.0	
...	...	...	...	153518.97+600520.3/153524.60+600515.6	IRAS 15343+6015	IR	./.	:	
1RXSJ153527.8+794854	0.0781 (0.0104)	0.620	17.5/16.4	153525.60+794903.5/153528.89+794844.6	...	...	...	...	
1RXSJ153557.8−445705	0.0643 (0.0164)	0.824	0.0/0.0	153553.26−445730.0/153553.29−445728.0	CCDM J15359-4458AB	**mul.	B3	5.0 : 7.0	
...	...	...	...	153553.26−445730.0/153553.29−445728.0	CD-44 10239A	**	B5	:	
...	...	...	...	153553.26−445730.0/153553.29−445728.0	CD-44 10239B	**	B8	:	
...	...	...	...	153553.26−445730.0/153553.29−445728.0	HD 138769	Be Star	B3IVp	4.36 : 4.54	
...	...	...	...	153553.26−445730.0/153553.29−445728.0	IRAS 15324-4447	IR	./.	:	
1RXSJ153845.4−032309	0.0709 (0.0148)	0.603	11.8/11.9	153844.75−032246.9/153844.77−032248.4	PGC 55679	Gal.	./.	15.3 :	P
1RXSJ153926.6−344628	0.0837 (0.0160)	0.860	12.6/13.8	153925.31−344649.0/153927.86−344617.0	DCld 337.9+16.4	Dark Nebula	./.	:	
...	...	...	...	153925.31−344649.0/153927.86−344617.0	HD 139450	*	G0/G1V	9.31 : 8.80	
1RXSJ153935.2+473545	0.0823 (0.0123)	0.612	15.9/16.1	153934.81+473531.3/153934.90+473553.3	[VV96] J153934.8+473531	Quasar	./.	16.01 : 15.81	P
1RXSJ154203.2−291516	0.1202 (0.0190)	0.523	17.0/18.6	154202.86−291517.5/154203.07−291509.1	...	...	...	...	
1RXSJ154400.5−115401	0.0534 (0.0130)	0.824	14.6/14.2	154359.13−115415.6/154359.43−115346.2	...	...	...	...	
1RXSJ154546.3−233933	0.1835 (0.0231)	0.842	15.6/13.3	154546.57−233928.7/154547.64−233934.8	GSC 06777-01488	*	G1	13.8 :	
1RXSJ154658.5−364652	0.5549 (0.0618)	0.519	16.9/15.9	154657.37−364656.4/154658.32−364642.2	...	...	...	...	
1RXSJ155056.8+585614	0.0951 (0.0107)	0.598	16.4/17.3	155056.79+585606.0/155057.89+585603.2	[VV96] J155056.8+585604	Quasar	./.	16.4 : 16.4	P
1RXSJ155620.8+521518	0.1133 (0.0132)	0.517	17.5/19.3	155620.25+521519.9/155621.12+521526.1	...	...	...	...	
1RXSJ155748.8−230521	0.0828 (0.0168)	0.528	15.0/14.0	155749.80−230524.2/155750.05−230509.2	RX J155750.2-230509	X	./.	:	P
1RXSJ160147.2−204959	0.0585 (0.0149)	0.728	14.1/14.4	160147.45−204945.7/160147.49−204944.6	...	...	...	...	
1RXSJ160258.4−085029	0.0668 (0.0140)	0.512	17.0/18.6	160257.90−085022.1/160258.35−085019.9	...	...	...	...	
1RXSJ160355.8−203138	0.0973 (0.0178)	0.751	14.0/14.3	160354.97−203137.9/160354.99−203137.0	...	...	...	...	
1RXSJ161017.1−191043	0.0648 (0.0150)	0.562	13.9/13.1	161017.37−191026.7/161017.42−191025.9	...	...	...	...	
1RXSJ161035.0+480017	0.0605 (0.0141)	0.578	17.3/18.4	161034.15+480016.9/161035.44+480022.5	...	...	...	...	
1RXSJ161109.8−190451	0.0568 (0.0156)	0.802	14.0/13.9	161108.92−190446.8/161108.95−190445.7	V* V1000 Sco	V* (Orion)	K2	13.02 : 11.65	P
1RXSJ161827.0+081958	0.0939 (0.0166)	0.695	12.6/16.9	161825.70+081930.5/161826.94+081951.0	...	...	...	...	
1RXSJ162238.9+471955	0.0879 (0.0171)	0.688	14.4/16.6	162236.55+471950.0/162238.50+471953.0	...	...	...	...	
1RXSJ162417.6+775413	0.0668 (0.0093)	0.680	18.2/14.8	162416.95+775413.5/162420.92+775404.1	...	...	...	...	
1RXSJ163338.4+371311	0.2398 (0.0212)	0.902	16.4/16.2	163338.35+371314.5/163338.71+371315.6	[CCH90] 1631.9+3719	Quasar	./.	:	
1RXSJ164055.5−534505	40.3300 (1.5600)	0.753	17.0/17.3	164055.61−534504.7/164055.65−534459.0	V* V801 Ara	LMXB	?	18.2 : 17.5	P
1RXSJ164443.2+261909	0.1064 (0.0154)	0.717	16.9/16.3	164442.54+261913.4/164444.12+261905.5	[BFE95] 221	AGN	./.	17.1 :	P
1RXSJ164927.2+380920	0.0971 (0.0157)	0.739	18.2/16.5	164927.22+380928.1/164927.24+380925.1	...	...	...	...	
1RXSJ165140.2+433707	0.1474 (0.0181)	0.655	16.5/18.1	165139.73+433700.3/165139.86+433717.0	...	...	...	...	
1RXSJ170210.3+510329	0.0634 (0.0097)	0.722	15.0/13.8	170208.18+510324.2/170212.29+510325.3	...	...	...	...	
1RXSJ170745.1+133102	0.1028 (0.0155)	0.543	17.6/17.2	170744.88+133054.3/170745.64+133105.2	RX J1707.7+1330	X	./.	:	P
1RXSJ170750.2+450713	0.0507 (0.0091)	0.761	17.5/16.6	170749.80+450720.1/170750.64+450715.1	...	...	...	...	
1RXSJ171354.4−381740	0.0554 (0.0163)	0.640	0.0/0.0	171353.99−381741.8/171354.08−381743.9	CD-38 11663B	**	?	:	
...	...	...	...	171353.99−381741.8/171354.08−381743.9	HD 155536	**	F5V	7.20 : 6.75	
1RXSJ171913.1−365144	0.1143 (0.0208)	0.549	14.5/13.4	171912.39−365142.2/171912.97−365123.8	...	...	...	...	
1RXSJ172000.8+111500	0.1058 (0.0161)	0.688	15.3/16.3	171959.70+111501.0/172001.14+111500.7	...	...	...	...	
1RXSJ172821.0+014137	0.1076 (0.0177)	0.610	15.6/15.9	172821.25+014142.5/172821.45+014129.8	...	...	...	...	
1RXSJ172855.8+515654	0.1123 (0.0108)	0.818	15.4/16.4	172854.56+515649.2/172856.39+515659.1	...	...	...	...	
1RXSJ172918.8+525559	0.0611 (0.0077)	0.587	16.8/18.8	172918.45+525610.4/172918.73+525559.1	...	...	...	...	
1RXSJ173212.6−321721	0.0603 (0.0165)	0.854	12.8/12.8	173213.25−321700.2/173213.29−321658.8	HD 158723	*	F6V	9.37 : 8.91	
1RXSJ173241.5+403926	0.0522 (0.0088)	0.617	14.7/13.4	173241.73+403947.9/173243.43+403935.2	...	...	...	...	
1RXSJ173505.0+640557	0.0792 (0.0064)	0.533	16.7/18.6	173504.69+640606.7/173504.77+640600.1	2E 1734.7+6407	X	./.	:	
...	...	...	...	173504.69+640606.7/173504.77+640600.1	7C 173448.00+640756.00	Rad.	./.	:	
1RXSJ173858.1−442659	61.8800 (2.3160)	0.522	18.0/17.7	173857.89−442650.6/173858.24−442700.5	V* V926 Sco	LMXB	?	17.7 : 17.5	P
1RXSJ174320.1−042953	0.0667 (0.0147)	0.518	16.2/17.5	174320.25−042956.2/174320.25−043000.8	...	...	...	...	
1RXSJ174558.1+442616	0.2923 (0.0171)	0.844	16.6/15.9	174557.78+442616.3/174558.41+442628.6	...	...	...	...	
1RXSJ174609.6+673721	0.1464 (0.0044)	0.789	17.6/10.1	174608.67+673716.4/174608.82+673741.4	1E 1746.2+6738	AGN	./.	15.7 :	
1RXSJ174828.2+561201	0.0775 (0.0069)	0.867	12.2/16.5	174826.81+561218.4/174828.48+561200.1	...	...	...	...	
1RXSJ175327.8+493738	0.1267 (0.0099)	0.657	16.6/15.5	175326.67+493733.2/175329.37+493752.1	...	...	...	...	
1RXSJ175438.4+372024	0.0517 (0.0087)	0.814	16.0/16.5	175437.40+372021.2/175438.25+372014.6	...	...	...	...	
1RXSJ180634.6+613554	0.0909 (0.0053)	0.772	16.0/14.2	180634.94+613552.5/180635.61+613538.1	...	...	...	...	
1RXSJ181908.2+331354	0.0632 (0.0108)	0.784	8.9/9.2	181908.79+331345.9/181908.84+331348.9	HD 168603	*	K0	9.04 : 8.29	
1RXSJ182030.8−161022	0.1317 (0.0206)	0.612	15.7/0.0	182030.75−161007.7/182035.38−161048.5	Cl* NGC 6618 B 156	*iC	./.	:	
...	...	...	...	182030.75−161007.7/182035.38−161048.5	Cl* NGC 6618 B 164	*iC	./.	16.85 : 15.41	
...	...	...	...	182030.75−161007.7/182035.38−161048.5	Cl* NGC 6618 B 166	*iC	./.	:	
...	...	...	...	182030.75−161007.7/182035.38−161048.5	Cl* NGC 6618 B 171	*iC	./.	:	
...	...	...	...	182030.75−161007.7/182035.38−161048.5	Cl* NGC 6618 B 175	*iC	./.	:	
...	...	...	...	182030.75−161007.7/182035.38−161048.5	Cl* NGC 6618 B 188	*iC	./.	:	
...	...	...	...	182030.75−161007.7/182035.38−161048.5	Cl* NGC 6618 B 190	*iC	./.	:	
...	...	...	...	182030.75−161007.7/182035.38−161048.5	Cl* NGC 6618 CEN 44	*iC	./.	16.89 : 15.28	
...	...	...	...	182030.75−161007.7/182035.38−161048.5	[CW98] IRS 20	IR	./.	:	
1RXSJ182447.0+650924	0.1269 (0.0048)	0.938	16.1/16.9	182446.56+650924.8/182447.06+650925.4	HS 1824+6507	Quasar	./.	16.3 : 16.5	
1RXSJ182546.8−370620	3.6390 (0.1555)	0.717	15.2/15.2	182546.86−370619.1/182546.86−370627.0	V* V691 CrA	LMXB	?	15.8 :	P
1RXSJ183235.1+684805	0.1579 (0.0078)	0.571	16.5/14.5	183235.95+684806.1/183237.32+684816.0	2E 1832.9+6845	X	./.	:	
...	...	...	...	183235.95+684806.1/183237.32+684816.0	7C 1832+6845	Rad.	./.	:	

continued...

Table 4: Pair Associations, P_{id}≥50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	183235.95+684806.1/183237.32+684816.0	EF B1832+6845	Rad.	./.	:	
...	...	...	...	183235.95+684806.1/183237.32+684816.0	RX J1832.5+6848	X	./.	:	
1RXSJ183335.9+503725	0.0966 (0.0111)	0.797	17.2/16.0	183335.56+503727.8/183336.64+503724.0	...	...	...	...	
1RXSJ183543.6−325928	2.4530 (0.1264)	0.627	11.3/11.2	183545.38−325922.2/183545.54−325923.1	Cl* NGC 6652 DMA 49	*iC	./.	:	
...	...	...	...	183545.38−325922.2/183545.54−325923.1	NGC 6652	Globular Cluster	./.	10.64 : 9.75	
...	...	...	...	183545.38−325922.2/183545.54−325923.1	RX J183544.0-325929	LMXB	./.	:	P
1RXSJ184244.9+135407	0.1315 (0.0178)	0.560	14.7/15.0	184245.08+135358.8/184245.08+135400.0	...	...	...	...	
1RXSJ184509.7+284100	0.0552 (0.0122)	0.709	11.1/12.7	184510.22+284129.6/184510.80+284112.5	...	...	...	...	
1RXSJ185238.0−860348	0.1043 (0.0218)	0.688	15.5/12.3	185240.46−860343.5/185257.01−860355.3	...	...	...	...	
1RXSJ185642.9+501402	0.0733 (0.0120)	0.525	15.3/15.1	185641.55+501407.5/185642.97+501348.6	...	...	...	...	
1RXSJ191401.9+443849	0.1188 (0.0156)	0.516	17.0/17.3	191401.75+443842.6/191401.93+443841.9	...	...	...	...	
1RXSJ192003.2−515516	0.3685 (0.0764)	0.533	14.7/15.5	192000.62−515512.2/192003.38−515535.6	...	...	...	...	
1RXSJ192450.8−291437	0.1831 (0.0289)	0.533	17.1/17.9	192450.00−291437.6/192451.04−291430.3	QSO 1921-293	BL Lac	./.	17. : 17.5	P
1RXSJ193810.8+574314	0.0651 (0.0070)	0.541	18.5/17.1	193810.06+574319.3/193810.41+574305.7	...	...	...	...	
1RXSJ194335.3−163123	0.2105 (0.0286)	0.535	12.7/14.0	194333.73−163134.4/194335.26−163107.5	...	...	...	...	
1RXSJ195417.0−553711	0.1735 (0.0328)	0.503	15.9/17.6	195416.04−553654.8/195416.71−553710.3	...	...	...	...	
1RXSJ195711.1−573823	0.9029 (0.0697)	0.617	18.0/17.9	195710.81−573815.0/195711.51−573822.0	RX J1957.1-5738	X	Am	:	P
1RXSJ195945.1−502107	0.0601 (0.0166)	0.521	15.8/14.3	195945.45−502116.1/195945.46−502048.9	...	...	...	...	
1RXSJ200318.4−335949	0.0581 (0.0171)	0.605	14.0/15.6	200317.21−335932.4/200318.43−335957.8	...	...	...	...	
1RXSJ200749.6+092351	0.0886 (0.0201)	0.779	0.0/0.0	200750.26+092402.1/200750.34+092359.2	HD 191104	**mul.	F3V	6.89 : 6.43	
1RXSJ200829.3−840848	0.0932 (0.0183)	0.578	17.2/17.1	200824.91−840850.2/200828.35−840856.5	PKS 1956-842	Rad.	./.	:	
1RXSJ201743.8+570937	0.0676 (0.0087)	0.507	17.0/16.0	201744.60+570931.7/201745.70+570949.9	...	...	...	...	
1RXSJ203445.5+422250	0.0544 (0.0101)	0.565	18.0/17.2	203444.42+422247.2/203445.08+422253.0	...	...	...	...	
1RXSJ204306.8+032446	0.0627 (0.0135)	0.606	16.0/16.0	204306.27+032451.7/204307.30+032433.2	[VV96] J204306.2+032450	Quasar	./.	17.0 : 17.0	P
1RXSJ204402.5−075812	0.1141 (0.0185)	0.956	15.2/15.1	204402.01−075809.5/204402.76−075819.7	...	...	...	...	
1RXSJ204644.0−114803	0.1327 (0.0204)	0.502	15.1/17.8	204642.57−114810.3/204643.80−114759.4	...	...	...	...	
1RXSJ205231.8−014705	0.0615 (0.0145)	0.580	17.1/16.8	205231.79−014706.3/205232.67−014716.6	...	...	...	...	
1RXSJ205319.0+620928	0.0838 (0.0095)	0.749	9.9/10.1	205319.69+620954.0/205319.78+620952.7	...	...	...	...	
1RXSJ205721.7−590414	0.0520 (0.0165)	0.599	0.0/0.0	205721.84−590433.8/205722.41−590433.0	HD 199065	**mul.	G3V	8.6 : 7.8	
1RXSJ210216.3+255201	0.0577 (0.0130)	0.589	18.1/16.8	210216.01+255157.0/210217.28+255204.3	...	...	...	...	
1RXSJ210322.2−214743	0.1183 (0.0180)	0.501	15.4/15.9	210320.79−214746.1/210322.11−214755.8	...	...	...	...	
1RXSJ210326.6+161658	0.0750 (0.0151)	0.854	15.9/15.4	210326.79+161657.6/210327.42+161650.1	...	...	...	...	
1RXSJ210541.1+233716	0.0885 (0.0135)	0.584	12.7/18.2	210540.39+233735.6/210540.56+233714.1	...	...	...	...	
1RXSJ210746.7−163705	0.2082 (0.0278)	0.894	16.1/14.7	210746.63−163707.1/210747.02−163720.5	...	...	...	...	
1RXSJ210809.8+262432	0.1392 (0.0281)	0.562	16.2/16.8	210809.59+262429.5/210809.85+262437.5	...	...	...	...	
1RXSJ210958.5−491440	0.0622 (0.0173)	0.514	17.7/17.7	210958.40−491442.0/210958.76−491427.5	...	...	...	...	
1RXSJ211123.3−522016	1.0790 (0.0778)	0.999	0.0/0.0	211122.81−522021.5/211122.91−522022.2	HD 201427	Ecl. Bin. (Algol)	F8V	7.62 : 7.10	P
1RXSJ212541.4+412423	0.1351 (0.0154)	0.531	18.2/18.1	212540.54+412422.2/212541.34+412422.8	...	...	...	...	
1RXSJ212946.6−515637	0.0899 (0.0213)	0.533	15.9/14.6	212947.33−515636.4/212947.35−515650.1	...	...	...	...	
1RXSJ213135.7−120719	0.2199 (0.0267)	0.770	15.4/14.2	213135.25−120704.5/213137.02−120723.4	[VV96] J213135.3-120704	Quasar	./.	16.11 :	P
1RXSJ213416.3−132900	0.3265 (0.0463)	0.948	8.6/8.4	213416.46−132902.6/213416.59−132901.2	HD 205249	V* (RS CVn)	K0IIIp	8.74 : 7.70	
1RXSJ213558.2−065912	0.0648 (0.0158)	0.520	18.3/16.3	213558.14−065912.4/213559.35−065911.8	...	...	...	...	
1RXSJ213653.0−643825	0.4156 (0.0483)	0.725	14.8/17.1	213652.68−643803.2/213654.21−643812.3	...	...	...	...	
1RXSJ213706.5−095050	0.0723 (0.0156)	0.528	18.2/17.7	213706.04−095047.2/213706.50−095055.6	...	...	...	...	
1RXSJ213928.6−272008	0.1553 (0.0229)	0.592	9.7/15.3	213926.11−272003.4/213927.78−271956.5	HD 205961	*	A3	9.83 : 9.50	
1RXSJ214105.2−225041	0.0637 (0.0163)	0.656	17.7/16.0	214104.70−225036.7/214104.76−225033.0	Cl* NGC 7099 JVH 1	*iC	./.	:	
1RXSJ214306.2−295824	0.0591 (0.0149)	0.786	15.6/12.8	214306.07−295816.9/214308.81−295755.0	...	...	...	...	
1RXSJ214354.8−090814	0.0731 (0.0200)	0.718	16.1/16.8	214354.89−090810.6/214354.94−090802.0	...	...	...	...	
1RXSJ214411.5−195624	0.0503 (0.0141)	0.706	14.5/15.1	214410.68−195642.6/214410.78−195627.5	...	...	...	...	
1RXSJ214734.9+581652	0.0760 (0.0103)	1.000	9.2/0.0	214734.58+581651.4/214735.29+581654.9	HD 207514	*iC	K0V:	9.13 : 8.45	
1RXSJ215147.1−080924	0.0558 (0.0153)	0.801	16.7/17.2	215146.86−080927.2/215147.59−080922.0	...	...	...	...	
1RXSJ215155.4−302754	0.4620 (0.0385)	0.800	15.6/17.9	215155.48−302741.5/215155.52−302753.8	[VV96] J215155.4-302754	Quasar	./.	:	P
1RXSJ215203.5−855010	0.0804 (0.0182)	0.541	0.0/0.0	215209.97−855016.4/215211.15−855011.6	CPD-86 396B	**	F5	8.1 :	
...	...	...	...	215209.97−855016.4/215211.15−855011.6	HD 205195	**	F7V	8.1 :	
1RXSJ220244.4+421626	0.1144 (0.0152)	0.668	14.2/14.7	220243.30+421640.0/220245.46+421635.8	QSO 2200+420	BL Lac	./.	15.47 :	P
1RXSJ220418.7−535231	0.1727 (0.0249)	0.732	15.9/17.0	220418.28−535217.6/220418.82−535227.3	...	...	...	...	
1RXSJ220745.5−323519	0.9346 (0.0639)	0.838	12.2/15.8	220744.99−323501.1/220746.42−323518.2	ESO 404- 29	Sy1	S...	15.5 :	P
1RXSJ221149.2−325547	0.1273 (0.0295)	0.632	14.4/16.4	221147.67−325604.1/221148.65−325536.5	...	...	...	...	
1RXSJ221223.3+293111	0.0667 (0.0130)	0.738	13.8/16.4	221221.91+293052.9/221223.16+293104.8	...	...	...	...	
1RXSJ221255.3+550451	0.1256 (0.0144)	0.519	14.8/12.5	221255.05+550453.2/221257.37+550447.8	GSC 03973-02034	*	K2	12.2 :	
1RXSJ221405.8+351127	0.0652 (0.0123)	0.606	18.0/16.9	221405.58+351127.4/221405.82+351139.4	...	...	...	...	
1RXSJ221413.6−352853	0.0961 (0.0223)	0.520	15.8/16.2	221410.93−352855.2/221414.39−352907.0	[VV96] J221409.8-352849	Quasar	./.	17.8 : 17.8	
1RXSJ221601.2−280339	0.1397 (0.0263)	0.624	16.1/17.4	221559.97−280330.2/221601.92−280337.5	[VV96] J221600.0-280330	Quasar	./.	:	P
1RXSJ221654.8−565901	0.1072 (0.0200)	0.783	16.0/15.4	221654.13−565907.7/221655.45−565843.3	...	...	...	...	
1RXSJ221717.9+222758	0.0538 (0.0122)	0.831	15.1/14.7	221717.07+222759.3/221718.45+222809.1	...	...	...	...	
1RXSJ221747.5−033245	0.0794 (0.0195)	0.532	16.8/17.2	221747.74−033238.2/221747.82−033225.4	[BOB97] Q2215-0347 G1	Gal.	./.	:	
...	...	...	...	221747.74−033238.2/221747.82−033225.4	[VV96] J221747.9-033239	Quasar	./.	:	
1RXSJ221832.8+192527	0.1028 (0.0162)	0.659	14.0/16.9	221831.26+192542.7/221832.77+192521.5	...	...	...	...	
1RXSJ221933.0−572241	0.1547 (0.0249)	0.663	16.7/11.3	221932.83−572237.1/221935.90−572214.2	...	...	...	...	
1RXSJ222033.5−350955	0.6480 (0.0480)	0.861	14.9/15.4	222032.65−350948.4/222032.97−350949.9	0ES 2217-35.4	X	./.	:	
1RXSJ222406.9−183347	0.1457 (0.0263)	0.637	17.8/17.6	222406.90−183349.9/222407.40−183341.6	...	...	...	...	
1RXSJ222537.5+225917	0.0602 (0.0147)	0.741	15.6/16.5	222537.48+225926.3/222538.23+225928.1	...	...	...	...	
1RXSJ222541.4+690523	0.1391 (0.0198)	0.527	14.9/14.8	222540.00+690520.0/222541.27+690530.2	...	...	...	...	
1RXSJ222751.5−303358	1.0980 (0.0509)	0.728	13.8/16.9	222750.64−303343.6/222751.59−303346.4	APMBGC 467-126+040	Gal.	./.	:	P
...	...	...	...	222750.64−303343.6/222751.59−303346.4	EDSGC 222501.0-304904	Gal. in Clust.	./.	:	

continued...

Table 4: Pair Associations, P_{id}≥50% (cont.)

1RXS	PSPC c/s (σ)	P_{id}	B_{USNOA2}	USNO A2	SIMBAD crossID	Type	Class	B : V	Comments
...	...	...	...	222750.64−303343.6/222751.59−303346.4	[S96b] ACO 3880 18	Gal. in Clust.	./.	:	
1RXSJ223732.3−033805	0.0986 (0.0262)	0.717	17.7/16.8	223731.96−033756.5/223732.23−033808.4	...	...	...	...	
1RXSJ223812.7−394019	0.3978 (0.0442)	0.571	14.1/17.7	223812.48−393957.2/223812.74−394019.3	...	...	...	...	
1RXSJ223944.8−603653	0.0521 (0.0138)	0.539	16.6/15.5	223944.34−603653.3/223944.40−603657.9	...	...	...	...	
1RXSJ223954.9+272417	0.0623 (0.0145)	0.624	15.3/15.7	223954.44+272433.8/223955.23+272411.3	...	...	...	...	
1RXSJ224128.2−651938	0.0629 (0.0139)	0.829	16.8/16.7	224128.47−651942.7/224128.89−651934.5	...	...	...	...	
1RXSJ224753.3+441321	0.1415 (0.0172)	0.571	18.9/17.4	224752.59+441322.2/224753.22+441315.5	RX J2247.8+4413	X	./.	:	
1RXSJ224900.6+683421	0.0811 (0.0118)	0.604	0.0/0.0	224900.68+683412.2/224901.36+683414.7	BD+67 1468A	**	F5V	7.5 : 6.85	
...	...	...	...	224900.68+683412.2/224901.36+683414.7	BD+67 1468C	**	?	:	
...	...	...	...	224900.68+683412.2/224901.36+683414.7	HD 216172	**mul.	F5	6.9 : 6.3	
...	...	...	...	224900.68+683412.2/224901.36+683414.7	HD 216172 B	**	F5	7.7 : 7.1	
...	...	...	...	224900.68+683412.2/224901.36+683414.7	IRAS 22473+6818	IR	./.	:	
1RXSJ224911.1−130005	0.3817 (0.0501)	0.787	17.6/14.7	224910.76−130002.8/224911.37−130020.9	...	...	...	...	
1RXSJ224959.3−331521	0.0639 (0.0198)	0.754	15.1/17.5	224959.67−331537.7/224959.84−331521.0	...	...	...	...	
1RXSJ225320.4−430732	0.0737 (0.0209)	0.504	16.2/15.5	225320.31−430725.5/225321.62−430801.2	...	...	...	...	
1RXSJ225453.7+241449	0.0636 (0.0133)	0.744	17.0/15.6	225453.55+241441.3/225455.10+241445.8	...	...	...	...	
1RXSJ225612.8−330341	0.2036 (0.0401)	0.683	18.3/14.4	225613.31−330338.4/225614.30−330352.7	...	...	...	...	
1RXSJ225639.4+261846	0.0547 (0.0124)	0.523	17.3/20.0	225639.16+261843.8/225639.65+261840.9	RX J2256.5+2618	X	./.	:	P
1RXSJ225945.4−740456	0.1272 (0.0312)	0.510	16.5/11.4	225947.59−740501.1/230000.92−740454.0	JL 118	Blue object	./.	:	
...	...	...	...	225947.59−740501.1/230000.92−740454.0	PMN J2259-7405	Rad.	./.	:	
1RXSJ230652.2−433115	0.0850 (0.0247)	0.999	0.0/0.0	230652.77−433113.2/230652.87−433113.5	HD 218227	**mul.	F5me...	4.730 : 4.332	
1RXSJ231810.2−190646	0.0850 (0.0202)	0.608	16.4/13.3	231809.58−190639.0/231809.80−190621.1	...	...	...	...	
1RXSJ232705.9+062419	0.0517 (0.0130)	0.555	16.3/17.9	232705.14+062431.4/232706.31+062426.1	...	...	...	...	
1RXSJ233145.8−024435	0.1439 (0.0217)	0.596	15.3/18.6	233144.63−024436.3/233145.90−024427.3	...	...	...	...	
1RXSJ233413.9+073637	0.0824 (0.0176)	0.559	16.2/14.7	233412.84+073627.7/233413.91+073701.6	PB 5449	*	./.	18. :	
...	...	...	...	233412.84+073627.7/233413.91+073701.6	PMN J2334+0736	Rad.	./.	:	
...	...	...	...	233412.84+073627.7/233413.91+073701.6	[LBH86] 2331+073	Rad.	./.	16.0 : 15.5	
1RXSJ234538.0−144924	0.1146 (0.0262)	0.618	18.4/15.6	234538.43−144928.4/234539.08−144917.5	...	...	...	...	